


U5A1. PRACTICAS EXCEPCIONES

ROJAS BADILLO EMILIO

try1:




```
try6.java x try7.java x
1 public class try1 {
1   public static void main(String[] args) {
2     int[] array = new int[20];
3     array[-3] = 24;
4   }
5 }

[emilio@user1012007][5.1]{main}$ javac try1.java
[emilio@user1012007][5.1]{main}$ java try1
try1      try1.java
[emilio@user1012007][5.1]{main}$ java try1
Exception in thread "main" java.lang.ArrayIndexOutOfBoundsException: Index -3 out of bounds for length 20
    at try1.main(try1.java:4)
[emilio@user1012007][5.1]{main}$
```

try1.java 1:5

try2:




The image shows a screenshot of a Java IDE window. At the top, there are tabs for 'try6.java' and 'try7.java'. The main editor area displays the following Java code:

```
1 public class try2 {  
2     public static void main(String arg[]) {  
3         int[] array = new int[20];  
4         try {  
5             array[-3] = 24;  
6         } catch (ArrayIndexOutOfBoundsException excepcion) {  
7             System.out.println(" Error de índice en un array");  
8         }  
9     }  
}
```

Below the code, a terminal window is open, showing the command 'java try2' and its output 'Error de índice en un array'. The terminal prompt is '[emilio@user1012007][5.1]{main}\$'.

try2.java 1:14

try3:



The screenshot shows a Java IDE window with two tabs: 'try6.java' and 'try7.java'. The active tab is 'try7.java', which contains the following Java code:


```
1 public class try3 {  
2     public static void main(String arg[]) {  
3         int[] array = new int[20];  
4         try {  
5             // array[-3] = 24;  
6             int b = 0;  
7             int a = 23 / b;  
8         } catch (ArrayIndexOutOfBoundsException excepcion) {  
9             System.out.println(" Error de índice en un array");  
10        } catch (ArithmeticException excepcion) {  
11            System.out.println(" Error de división en un array");  
12        }  
13    }  
}
```

A terminal window is open in the foreground, showing the command 'j' and the output 'Error de índice en un array'.

```
[emilio@user1012007][5.1]{main}$ j  
ava try3  
Error de índice en un array  
[emilio@user1012007][5.1]{main}$
```

The status bar at the bottom of the IDE shows 'try3.java' on the left and '1:14' on the right.

try4:




The screenshot shows a Java IDE with two tabs: try6.java and try7.java. The active tab is try4.java, which contains the following code:

```
1 public class try4 {  
1   public static void main(String arg[]) {  
2       int[] array = new int[20];  
3       try {  
4           //      array[-3] = 24;  
5           /*      int b = 0;  
6               |      int a = 23/b;  
7           */  
8           String s = null;  
9           s.equals("QQQQ");  
10      } catch  
11      System [emilio@user1012007][5.1]{main}$ j  
12      } catch ava try3  
13      System Error de índice en un array  
14      } catch [emilio@user1012007][5.1]{main}$ j  
15      System avac try4.java  
16      "S [emilio@user1012007][5.1]{main}$ j e índices, ni  
Aritmético") ava try4  
17      System Se ha generado un error que no es tipo " + excep  
cion); de índices, ni Aritmético  
18      } El objeto error es de tipo java.la  
19      } ng.NullPointerException: Cannot in  
20      } voke "String.equals(Object)" becau  
se "<local2>" is null  
[emilio@user1012007][5.1]{main}$
```

The output of the program is displayed in the console, showing the error message: "Error de índice en un array". The error is a java.lang.NullPointerException, which occurs because the code attempts to call s.equals("QQQQ") on a null string. The output also shows the stack trace, indicating that the error occurred in the main method of try4.java.

try4.java 1:14

try5:



The image shows a terminal window with a dark background. At the top, there are icons for network, terminal, and other applications, along with the date "7 May". Below the icons, there are two tabs: "try6.java" and "try7.java". The main area of the terminal displays the following Java code:


```
1 public class try5 {  
2     try {  
3         Exception e = new Exception("Este es mi propio error.");  
4         throw e;  
5     } catch (Exception excepcion) {  
6         excepcion.printStackTrace();  
7     }  
8 }  
9 }
```

Below the code, there is a text box containing the output of the command `javac try5.java` and `java try5`:


```
[emilio@user1012007][5.1]{main}$ j  
avac try5.java  
[emilio@user1012007][5.1]{main}$ j  
ava try5  
java.lang.Exception: Este es mi pr  
opio error.  
    at try5.main(try5.java:4)  
[emilio@user1012007][5.1]{main}$
```

At the bottom left of the terminal, it says "try5.java". At the bottom right, it shows the time "1:14".

try6:



try7:



```
try6.java x try7.java x
1 public class try7 {
2     try {
3         Exception e = new Exception("Este es mi propio error.");
4         throw e;
5     } catch (Exception excepcion) {
6         excepcion.printStackTrace();
7     } finally {
8         System.out.println("Se ejecuta finally");
9     }
10 }
11 }
```

```
[emilio@user1012007][5.1]{main}$ j
ava try7
java.lang.Exception: Este es mi pr
opio error.
    at try7.main(try7.java:4)
Se ejecuta finally
[emilio@user1012007][5.1]{main}$
```

try7.java 1:13