CS326-02 Projector Des Test

Losistics

Lab Wed Projector Noto

Lec Thu Projector QEA and advanced heap
manusement

Prading Rub book chilich2.

Projectol Mon 11:59 Feb 27

Interactive Grading Tue Feb 28.

Tips

-) commit early and often
- 2) Ensure repo is pushed property

Nacloc(32)

USED

VSED

VSED

VSED

VSED

VSED

mentest and size name

J J J

mentest m 0 1000 Ap f 0

free

index free

$$0 \times AA$$
 $A = 06 \times 1000$
 $A = 7$
 $8 + 2 = 10$

0610101010

Void * P; -> cont dereference

int *it;

Char *CP;

void * malloc (int nbytes);

Struct node 2 int +; inty ን ‹

Struct node *np;

np = (struct node *) malloc (struct node));

P(-) x = 3;

void se hord;

NEAD = SOCK (4096),

\$M

hp = (struct block - hd = &) he-p;

, ,

p = heap + size of (struct block-bad)

Struct block-hor + hp;

hp = hp + 16; 10 x size of (stroot 66ck-hdr) hp-) 32 names should snake core : malloc-name

Camel case:

· Mallo Dame

mentost m o 2000 AD P 4096 blok-hd-FREE 90 6 lock 1.77 3000 New +32 USED 3000 heap STACK