


OVERVIEW: LCMS Data Explorer



Introduction

This guide provides an overview for navigating and downloading data produced for the USDA Forest Service's Landscape Change Monitoring System (LCMS) using the LCMS Data Explorer. The LCMS Data Explorer is the best tool for quickly viewing and downloading available data products.

The LCMS Data Explorer can be found at: <https://apps.fs.usda.gov/lcms-viewer/>

Objectives

- Learn how to navigate the LCMS Data Explorer web application.
- Download data from the LCMS Data Explorer.

Required Software

- A web browser other than Microsoft Internet Explorer (Tested on Chrome, Firefox, and Edge).

Prerequisites

- Basic understanding of how to use a simple GIS, such as Google Maps or Google Earth.

Contacts

- LCMS general inquiries: sm.fs.lcms@usda.gov 801-975-3841



Table of Contents


Part 1: Navigating the LCMS Data Explorer	3
Part 2: Menu Options & Tools	5
Part 3: Download Data & Support Tabs	14



Part 1: Navigating the LCMS Data Explorer

This section introduces the user to general navigation and functionality of the LCMS Data Explorer.

A. Explore the Google Tools



Launch the LCMS Data Explorer by [clicking this link](https://apps.fs.usda.gov/lcms-viewer) (<https://apps.fs.usda.gov/lcms-viewer>). The tools along the upper-right side of the browser window are the default tools within all web mapping applications using Google Maps.

1. At the top right you can choose between **map** view and **satellite** view for your base layer.
 - i. **Map** view has a checkbox drop-down option to turn terrain view on and off.
 - ii. **Satellite** view has a checkbox drop-down option to turn labels on and off.
2. Below the full screen button are zoom tools for viewing the map at different scales.
 - i. Zoom In and Out can also be accomplished using the scroll wheel on your mouse.
3. The orange person icon allows you to drop into street view.




- i. You can click and drag the person onto the map area. Any area that becomes highlighted in blue is available for you to drop the person to see surface level imagery in that area.
- ii. To exit street view, click the left-pointing arrow in the upper left corner of the window.

B. Viewer Information Ribbon & Legends


1. For additional information on a tool or layer, hover the mouse over the name and additional text will appear (if available).
2. Navigate to the ribbon of text along the bottom of the data viewer.

The info bar contains various bits of information pertaining to the viewer and the data

- (a) **Currently active tools:** Which tools are turned on.
- (b) **Queue length for maps from GEE:** How many data layers still need to load.
- (c) **Number of map layers loading tiles:** How many of the enabled layers that are actively loading tiles.
- (d) **Lat/Long, Elevation:** Coordinates of the mouse location.
- (e) **Zoom:** Map view extent.



3. The legend, located on the bottom right of the viewer, will display information about LCMS and Reference Data products that are turned on.



Part 2: Menu Options & Tools

This section reviews the menus and options available in the browser, and analysis tools for exploring the LCMS data.

A. Parameters tab

The menus and associated options are located along the left side of the browser window. To show the options under each heading, maximize the menu tabs by clicking the “+” on the right side of the tab. When you are ready to minimize the tab, simply click the “-”.

1. **Add LCMS Time Lapses:** Choose “Yes” if you would like to view an interactive time lapse of LCMS change, land cover, and/or land use products. These time lapses are created on-the-fly and can be very slow to load, but provide a very useful method for visualizing LCMS products across time.

2. **Choose which mode:**

- i. **Standard** mode will load all core LCMS layers.

- ii. **Advanced** mode will load additional LCMS Layers and allow you to choose the summary mode for change layers in the viewer.


- (a) **Most recent** year of change (default if using Standard mode), will show the most recent year of slow loss, fast loss, and gain LCMS detected.

- (b) **Most probable** year of change will show the year with the highest probability of slow loss, fast loss, and gain LCMS detected.

3. The analysis year range can be modified from “1985-2020”

4. Once you are finished changing any parameters, refresh the maps by clicking the **Submit** button.

- i. If the Submit button is disabled, either the selected options are already being processed or other layers are loading and you will need to wait for them to finish.




B. LCMS Data tab

1. To explore the LCMS products, click on the **LCMS Data** tab located under the **Parameters** tab.
2. Hover over each layer name for additional text that describes the layer.
3. The following products will be shown depending on what parameters you chose:

i. Standard mode (default)


- (a) Gain Year (Year of most recent vegetation cover gain)
- (b) Fast Loss Year (Year of most recent rapid vegetation cover loss from an external event such as fire/harvest, or change from water inundation/desiccation, etc.)
- (c) Slow Loss Year (Year of most recent vegetation cover loss from a long-term trend event such as drought, tree mortality from insects or disease, etc.)
- (d) Land Cover (most common land cover class)
- (e) Land Use (most common land use class)



ii. Add LCMS Time Lapses

Additional layers include:


- (a) LCMS Change Time Lapse
- (b) LCMS Land Cover Time Lapse
- (c) LCMS Land Use Time Lapse



iii. Advanced mode

Additional layers include:

- (a) Gain Duration
- (b) Gain Probability
- (c) Fast Loss Duration
- (d) Fast Loss Probability
- (e) Slow Loss Duration
- (f) Slow Loss Probability
- (g) Land Cover End (most common land cover class for last 5 years)
- (h) Land Cover Start (most common land cover class for first 5 years)
- (i) Land Use End (most common land use class for last 5 years)
- (j) Land Use Start (most common land use class for first 5 years)




4. Turn LCMS product layers on and off by clicking their corresponding radio button to the left of each layer.



- Use the slider next to each layer to change the transparency in the viewer window.




- Land cover and land use change can be visualized either by using the time lapses or by toggling between the “start” and “end” land cover and land use layers that are created in advanced mode. Click on the land cover and land use start and end year layers to view land cover or land use at the start and end of the analysis year range.




- Click on the time lapse layers. When a time lapse layer is activated, all other layers are turned off. They will take a bit to load, so be patient and do not pan around while the maps are loading.

- Click the button to playback time lapse annual layers.
- Click the button to pause the time lapse playback.
- Manually flip through years with the and buttons or drag the year slider (middle slider).
- Adjust the playback speed (1.5fps) with the lower slider.
- If tiles fail to load (holes appear in maps) click the button




vi. If you would like to view all layers prior to a given year along with that year, click on the button to toggle cumulative mode.

Example: Hayman Fire in Colorado – the large area of contiguous fast loss displayed as orange.



C. Explore the Reference Data tab


1. Next, click the **Reference Data** tab. These reference data sets provide additional geospatial information that may be useful for exploring the LCMS data.



2. This set of reference data allows users to display information directly from the web map without downloading data.
3. Use the sliders to change the transparency of layers on the display window

D. Explore the Tools tab

1. Click on the **Tools** tab




2. There are three main tools: Measuring, Pixel, and Area. Each tool can be turned on by clicking the slider button located to the left of each tool




3. Measuring Tools:

- i. Distance Measuring: Click anywhere to begin a linear measurement. The option buttons allow the user to undo, delete, and change the color of the measurement line. The user can also choose Imperial or Metric measuring units.



- ii. Area Measuring: Click anywhere to begin delineating an area on the map, **single click** to create a vertex, and **double click** to complete a polygon area. The option buttons

allow the user to undo, delete, and change the color of the area boundary line. The user can also choose Imperial or Metric measuring units.



Measuring Tools

☐ Distance Measuring

☒ **Area Measuring**

Click on map to measure area

Imperial Metric


Undo Delete Erase

4. Pixel Tools:

i. Query Visible Map Layers:

- (a) Double-click a point of interest in the project boundary. A table will automatically pop up displaying the pixel values for visible LCMS or Reference data layers.

ii. Query LMCS Time Series layers:



Pixel Tools

☐ Query Visible Map Layers

☒ **Query LCMS Time Series**

Double-click on map to query LCMS data time series

Choose which LCMS time series to chart:


LCMS Change Time Series

- (a) Choose the LCMS time series to chart by expanding the drop-down menu. Available options are:

- (i) LCMS Change Time Series
- (ii) LCMS Land Cover Time Series
- (iii) LCMS Land Use Time Series

- Double-click a point of interest in the viewer. A chart will automatically pop up displaying LCMS product information for that point.
- Turn layers on and off by clicking their legend entries below the chart.
- Note the **Download** button at the bottom right of the chart. Time series charts can be downloaded as a CSV, PNG, or geoJSON.

Select the **Chart Type** button at the bottom right of the chart to view the time series as either a graph or a table of values.



5. Area Tools: Summarize LCMS products by area

- i. **Area Tools Parameters:** The user can select which LCMS products to summarize in the chart by expanding the **Area Tools Params** dropdown menu, located just below the **Area Tools** heading.

Area Tools

Area Tools Params

Choose which LCMS product to summarize:

Standard Loss/Gain

Area Units

☒ Percentage

☐ Acres

☐ Hectares

1. The LCMS product that is summarized can be changed with the dropdown.
2. The units that are used can be changed to portray proportions of the area or the actual area as acres or hectares.


ii. **User-Defined Area:** Allows the user to draw a polygon and obtain LCMS summaries for the area.

(a) Toggle on the User-Defined Area tool and type a name into the **Name your charting area** box, if desired.


(b) If desired, choose a color for the charting area by clicking the **paintbrush tool**.



(c) **Outline** the area of interest by clicking to create vertices for a polygon. **Double-Click** to finish drawing the boundary. If another polygon is wanted, repeat this process. Then click **Chart Selected Areas**.



(d) A chart will populate in the viewer displaying a Loss & Gain time series



(e) Note the **Download** button at the bottom right of the chart. Time series charts can be downloaded as a CSV, PNG, or geoJSON.

- (f) Select the **Chart Type** button at the bottom right of the chart to view the time series as either a graph or a table of values.
- (g) To delete a user defined area of interest and draw a new one, click the **trash can icon**.



- iii. **Upload an Area:** The user can input a zipped shapefile (with all the necessary files) or geoJSON file to summarize across. Large shapefiles (vectors > ~5000 vertices or file size > ~50 mb) are not supported and will likely fail. Please contact us if you would like to summarize across a large vector.

☒ **Upload an Area**

Choose a zipped shapefile or geoJSON file to summarize across. Then hit "Chart across chosen file" button below to produce chart.

No file chosen

Uploaded areas:

- (a) Click **Choose File** to insert a user shapefile (zipped in a .zip file) or geoJSON.
- iv. **Select an Area:** The user can select from a list of pre-defined areas to generate the same summaries outlined above.
 - (a) Use the radio buttons next to the list of layers to turn on a layer with pre-determined boundaries, and click the polygons to include in the time series chart. Click **Chart Selected Areas** to chart.

☒ **Select an Area on Map**

Choose from layers below and click on map to select areas to include in chart

Provide name for area selected for charting (optional):

Name your charting area:

- ☐ MTBS Fires
- ☐ National Forest Districts
- ☒ National Forests
- ☐ National Parks
- ☐ US Census Urban Areas
- ☐ US Counties

Selected areas:


Total area selected: 0.00 hectares / 0.00 acres

Currently active tools: Area Tools-Select an Area on map Queue length for maps from GEE: 0 Number of map layers loading tiles: 0 Lng: -106.2836, Lat: 39.4441, Elevation: 3386.2(m), 11109.6(1), Zoom: 10, 1:1,155,981.15

Part 3: Download Data & Support Tabs

A. Download Data tab


1. Click on the **Download Data** tab.
2. LCMS products can be downloaded for the conterminous United States and Southeastern Alaska.
WARNING!! – Downloads for the Conterminous United States are about 1GB per zip file.
3. Select/highlight the products to download by dragging your cursor, holding down ctrl or shift, then click on download.
4. Disable the internet browser pop-up blocker before downloading products.
5. All downloaded LCMS products include the geospatial data in a geoTiff format (.tif), pyramid file (.tif.ovr), class names (.tif.aux.xml), html metadata (.tif.html), ESRI metadata (.tif.xml).






B. Support tab


1. The tutorial, acknowledgements, and information for contacting the LCMS team is available here.

 **SUPPORT**


TUTORIAL


[Click to launch a tutorial that explains how to utilize the Data Explorer](#)

LCMS METHODS


[Click to open in-depth LCMS methods document.](#)

ACKNOWLEDGEMENTS

**GTAC** [The Geospatial Technology and Applications Center \(GTAC\) provides leadership in geospatial science implementation in the USDA Forest Service by delivering vital services, data products, tools, training, and innovation to solve today's land and resource management challenges. All operational LCMS production and support takes place at GTAC.](#)

[RedCastle Resources Inc. - transforming images into information. RedCastle Resources is the on-site contractor that has provided the technical expertise for LCMS' operational production, documentation, and delivery at GTAC.](#)

CONTACT

[Please contact the LCMS help desk \(sm.fs.lcms@usda.gov\) if you have questions/comments about LCMS or have feedback on the LCMS Data Explorer.](mailto:sm.fs.lcms@usda.gov)

Congratulations! You have successfully completed this exercise. You now know how to navigate the LCMS Data Explorer and download data for use within your own project.

