The Southeast Blueprint Indicators

The Southeast Conservation Blueprint is based on 70 natural and cultural resource indicators that represent terrestrial, freshwater, and coastal/marine ecosystems.



Continental

15 Southeast states + U.S. Atlantic and Gulf waters

Terrestrial

- **East Coastal Plain open pine birds:** Identifies areas within the longleaf pine range east of the Mississippi River where open pine habitat management would most benefit 6 bird species *(source: East Gulf Coastal Plain Joint Venture - JV).*
- **Fire frequency:** Assesses how well fire-adapted areas match their historical fire regimes both now and in the recent past (1984-2024) *(source: U.S. Geological Survey - USGS fire history metrics, LANDFIRE, National Land Cover Database - NLCD).*
- **Grassland & savanna extent:** Identifies known and predicted open grasslands and tree savannas *(source: Protected Areas Database of the United States - PAD-US, NLCD, LANDFIRE, TX & OK ecological systems maps, Piedmont Prairie Partnership, Southeastern Grasslands Institute/iNaturalist, other expert-provided known sites).*
- **Grassland & savanna restoration:** Prioritizes restoration opportunities for grasslands and savannas within their historic range *(source: FL Natural Areas Inventory Longleaf Sustainability Analysis, U.S. Forest Service shortleaf pine range, Natural Resources Conservation Service - NRCS shortleaf pine suitability, grassland & savanna extent indicator).*
- **Greenways & trails:** Assesses the natural condition and connected length of recreational paths *(source: OpenStreetMap, NLCD).*
- **Imperiled amphibians & reptiles:** Identifies potential habitat to support herpetofauna Regional Species of Greatest Conservation Need (RSGCN) using species richness weighted by range and rarity *(source: USGS Gap Analysis Project - GAP, NLCD).*
- **Imperiled mammals:** Identifies potential habitat to support mammal RSGCN using species richness weighted by range and rarity *(source: USGS GAP, USGS Global Islands, NLCD).*
- **Intact habitat cores:** Measures the size of large, unfragmented patches of natural habitat *(source: Esri green infrastructure data).*
- **Landscape condition:** Represents natural areas with limited human alteration while also considering the naturalness of the surrounding landscape *(source: NLCD, LANDFIRE, global-scale mining polygons, grassland & savanna extent indicator).*
- **Mississippi Alluvial Valley forest birds - protection:** Prioritizes areas for protection to benefit 3 forest breeding bird species that need large interior cores of bottomland hardwood habitat *(source: Lower Mississippi Valley Joint Venture - LMVJV).*
- **Mississippi Alluvial Valley forest birds - reforestation:** Prioritizes areas for reforestation to benefit 3 forest breeding bird species that need large interior cores of bottomland hardwood habitat *(source: LMVJV).*
- **Playas:** Depicts the location and condition of playas in the western Great Plains *(source: Playa Lakes JV).*
- **Potential access to parks:** Prioritizes places to create new parks to fill gaps in access to green space within socially vulnerable communities *(source: Trust for Public Land - TPL ParkServe, Centers for Disease Control - CDC Social Vulnerability Index).*
- **River cane restoration:** Identifies priority places for river cane restoration and co-stewardship near lands of federally recognized Tribes *(source: NRCS gSSURGO soils, Environmental Protection Agency - EPA estimated floodplain, PAD-US, U.S. Census American Indian Areas, National Oceanic and Atmospheric Administration - NOAA Coastal Change Analysis Program - C-CAP, stable coastal wetlands indicator).*
- **Resilient terrestrial sites:** Index depicting the ability of terrestrial sites to continue supporting biodiversity and ecosystem function in the face of climate change *(source: TNC Resilient Land).*



Continental

15 Southeast states + U.S. Atlantic and Gulf waters

Terrestrial (continued)

- **South Atlantic forest birds:** Evaluates habitat suitability for 12 upland hardwood and forested wetland bird species *(source: Southeast GAP, Designing Sustainable Landscapes).*
- **South Atlantic low-urban historic landscapes:** Assesses the degree of urban development surrounding sites on the National Register of Historic Places *(source: National Park Service - NPS, State Historic Preservation Offices - SHPOs).*
- **Urban park size:** Measures the size of parks in and near urban areas *(source: PAD-US, OpenStreetMap, U.S. Fish & Wildlife Service - USFWS realty tracts, NLCD, Census urban areas).*
- **West Coastal Plain & Ouachitas forested wetland birds:** Evaluates habitat suitability for 5 bird species within bottomland hardwood forests and riparian areas *(source: LMVJV).*
- **West Coastal Plain & Ouachitas open pine birds:** Identifies areas with existing pine trees that, if managed for open condition, could support a population of 3 pine bird species *(source: LMVJV).*
- **West Gulf Coast mottled duck nesting:** Depicts coastal marshes and grasslands in TX and LA that are important for mottled duck nesting *(source: Gulf Coast Prairie Landscape Conservation Cooperative).*

Freshwater

- **Atlantic migratory fish habitat:** Assesses migratory fish habitat condition based on water quality, connectivity, flow alteration, and more *(source: Atlantic Coast Fish Habitat Partnership - ACFHP).*
- **Floodplain inundation:** Measures the hydrologic function of the floodplain using frequency of inundation *(source: EPA estimated floodplain, flood frequency data derived from Landsat imagery using Google Earth Engine).*
- **Gulf migratory fish connectivity:** Depicts how far upstream migratory fish species have been observed *(source: The Nature Conservancy - TNC Southeast Aquatic Connectivity Assessment Project, National Oceanic and Atmospheric Administration - NOAA critical habitat).*
- **Imperiled aquatic species:** Counts the number of aquatic Regional Species of Greatest Conservation Need observed in each watershed *(source: Southeast Aquatic Resources Partnership - SARP HUC12 species summaries, EPA estimated floodplain).*
- **Lakes & reservoirs:** Evaluates the condition of lakes and reservoirs based on the amount of natural landcover within the upstream watershed *(source: LAGOS-US LOCUS lakes, LANDFIRE, NLCD, global-scale mining polygons).*
- **Natural landcover in floodplains:** Measures the percent natural landcover in the estimated floodplain by catchment *(source: National Land Cover Database - NLCD, National Hydrography Dataset Plus high resolution - NHDPlus HR, EPA estimated floodplain).*
- **Network complexity:** Counts the number of connected stream size classes in a river network between dams or waterfalls *(source: SARP network complexity data, NHDPlus HR, EPA estimated floodplain).*
- **Permeable surface:** Measures the average percent of non-impervious landcover within each catchment *(source: NLCD, NHDPlus HR).*



Continental

15 Southeast states + U.S. Atlantic and Gulf waters

Coastal & Marine

- **Atlantic coral & hardbottom:** Predicts the presence of coral and hardbottom habitat based on direct observations, distribution models, and known human-created structures *(source: TNC South Atlantic Bight Marine Assessment; Blake Plateau coral mound data; NOAA deep-sea coral/sponge observations, shipwrecks, artificial reefs, hardbottom distribution data; FL artificial reefs).*
- **Atlantic deep-sea coral richness:** Measures the number of deep-sea coral genera predicted to occur offshore *(source: NOAA deep-sea coral distribution data).*
- **Atlantic estuarine fish habitat:** Assesses estuarine fish habitat condition based on water quality, marsh edges, seagrass, oyster reefs, and more *(source: ACFHP).*
- **Atlantic marine birds:** Identifies important areas for 19 bird species that feed exclusively or mainly at sea *(source: Duke Marine-life Data & Analysis Team).*
- **Atlantic marine mammals:** Identifies important areas for 20 species and species groups of dolphins, whales, and seals *(source: Duke Marine Lab).*
- **Coastal shoreline condition:** Evaluates shoreline condition based on the presence of hardened structures and ease of development in coastal areas *(source: NOAA Environmental Sensitivity Index - ESI, Coastal Barrier Resource System).*
- **Estuarine coastal condition:** Assesses estuarine water quality, sediment quality, contaminants in fish tissue, and benthic community condition *(source: EPA National Coastal Condition Assessment).*
- **Gulf coral & hardbottom:** Predicts the presence of coral and hardbottom habitat based on direct observations, acoustic surveys, and known human-created structures *(source: Bureau of Ocean Energy Management seismic water bottom anomalies; usSEABED sediments; TNC South Atlantic Bight Marine Assessment; FL coral/hardbottom habitats; LA, TX, MS, AL & FL artificial reefs; NOAA deep-sea coral/sponge observations, shipwrecks).*
- **Gulf deep-sea coral richness:** Measures the number of deep-sea coral genera predicted to occur offshore *(source: NOAA deep-sea coral distribution data).*
- **Gulf marine birds:** Identifies important areas for 24 species of marine birds *(source: NOAA Gulf of Mexico Marine Assessment Program for Protected Species - GoMMAPPS).*
- **Gulf marine mammals:** Identifies important areas for 13 species or species groups of dolphins and whales *(source: NOAA GoMMAPPS).*
- **Gulf sea turtles:** Identifies important areas for 4 species of sea turtles *(source: NOAA GoMMAPPS).*
- **Island habitat:** Identifies important habitat for island-dependent species *(source: USFWS critical habitat, Esri/USGS island boundaries).*
- **Marine highly migratory fish:** Identifies important foraging and spawning areas for 3 highly migratory fish species at various life stages *(source: European Commission global fish models).*
- **Resilient coastal sites:** Assesses the ability of coastal sites to migrate inland to sustain biodiversity and natural services under increasing inundation from sea-level rise *(source: TNC Resilient Coastal Sites).*
- **Seagrass:** Identifies seagrass locations *(source: NOAA Marine Cadastre).*
- **South Atlantic beach birds:** Predicts habitat suitability for 4 shorebird species *(source: bird data from USGS and state waterbird biologists).*
- **South Atlantic maritime forest:** Identifies maritime forest locations *(source: LANDFIRE).*
- **Stable coastal wetlands:** Evaluates marsh stability and resilience based on the ratio of plants to non-plants over time (e.g., open water or sediment) *(source: USGS unvegetated-vegetated ratio data).*



Caribbean

Puerto Rico & the U.S. Virgin Islands + nearshore marine waters

Terrestrial

- **Caribbean greenways & trails:** Assesses the natural condition and connected length of recreational paths *(source: OpenStreetMap, NOAA C-CAP).*
- **Caribbean habitat patch size (large islands):** Measures the size of natural, unfragmented habitat patches on large islands *(source: LANDFIRE).*
- **Caribbean habitat patch size (small islands):** Measures the size of natural, unfragmented habitat patches on small islands *(source: LANDFIRE).*
- **Caribbean island habitat:** Assesses the importance of island habitat for federally listed and other imperiled species based on the presence of imperiled and invasive animals *(source: USFWS critical habitat, Puerto Rico GAP, U.S. Virgin Islands GAP, Island Conservation Threatened Island Biodiversity Database).*
- **Caribbean karst habitat:** Identifies natural karst areas with limited human alteration *(source: LANDFIRE; karst layers from USGS, NPS, Puerto Rico Dept. of Natural & Environmental Resources).*
- **Caribbean landscape condition:** Assesses the degree of human alteration of natural habitat at multiple scales, from a specific site to the surrounding landscape *(source: LANDFIRE).*
- **Caribbean low-urban historic landscapes:** Assesses the degree of urban development surrounding historic sites *(source: LANDFIRE, historic sites from OpenStreetMap, Puerto Rico SHPO, University of the Virgin Islands).*
- **Caribbean reforestation potential:** Prioritizes areas to increase tree cover based on current land uses and benefits to drinking water supplies *(source: LANDFIRE).*
- **Caribbean urban park size:** Measures the size of parks in the urban environment *(source: Census urban areas, PAD-US, OpenStreetMap, Puerto Rico Protected Natural Areas, TNC).*
- **Puerto Rico potential access to parks:** Prioritizes places to create new parks to fill gaps in access to green space within socially vulnerable communities *(source: TPL ParkServe, CDC Social Vulnerability Index).*
- **U.S. Virgin Islands imperiled terrestrial species:** Identifies potential habitat to support terrestrial species of conservation interest *(source: WildMon, USFWS species range maps, LANDFIRE, NOAA C-CAP).*

Freshwater

- **Caribbean imperiled aquatic species:** Counts the number of aquatic Species of Greatest Conservation Need observed in each watershed *(source: Southeast Aquatic Resources Partnership - SARP HUC12 species summaries, Federal Emergency Management Agency - FEMA National Flood Hazard Layer).*
- **Caribbean natural landcover in floodplains:** Measures the percent of natural landcover in the estimated floodplain by catchment *(source: LANDFIRE, NHDPlus HR, FEMA National Flood Hazard Layer).*
- **Caribbean network complexity:** Counts the number of connected stream size classes in a river network between dams or waterfalls *(source: SARP network complexity data, NHDPlus HR, FEMA National Flood Hazard Layer).*
- **Caribbean permeable surface:** Measures the average percent of non-impervious landcover in each catchment *(source: NOAA C-CAP, NHDPlus HR).*



Caribbean

Puerto Rico & the U.S. Virgin Islands + nearshore marine waters

Coastal & Marine

- **Caribbean beach habitat:** Evaluates beach habitat for 6 species of beach-nesting birds and sea turtles *(source: PR & USVI GAP, State of the World's Sea Turtles; beaches from OpenStreetMap, NOAA Caribbean Climate Adaptation Program).*
- **Caribbean coastal shoreline condition:** Assesses the extent of coastal shoreline armoring *(source: NOAA Continuously Updated Shoreline Product).*
- **Caribbean fish hotspots:** Predicts levels of fish density and diversity based on the proximity of mangroves, seagrass, and coral *(source: NOAA C-CAP, TNC benthic habitat map).*
- **Caribbean fish nursery habitat:** Identifies fish nursery, spawning, and concentration areas like lagoons, bays, estuaries, and reefs *(source: NOAA ESI).*
- **Caribbean mangrove migration:** Identifies current and predicted future mangrove locations *(source: NOAA C-CAP, LANDFIRE).*
- **Caribbean seagrass:** Identifies the presence and density of seagrass at various depths *(source: TNC benthic habitat map, NOAA bathymetry).*
- **Caribbean shallow hardbottom & coral:** Identifies the presence of hardbottom habitat and coral and assesses coral resilience to climate change *(source: TNC benthic habitat map and coral climate refugia).*