

INTERIM USE LIMITATION AREA FOR THE CALIFORNIA TIGER SALAMANDER AND SAN JOAQUIN KIT FOX

Within this area, follow the indicated instruction(s) for the active ingredient(s) you intend to use. If multiple instructions apply to your pesticide use, you should follow all of the instructions.

PESTICIDE	INSTRUCTION
acephate	A and B
aldicarb	B
aluminum phosphide	A and B
bensulide	A
beta-cyfluthrin	A
bifenthrin	A
brodifacoum	B
bromadiolone	B
chlorophacinone	A and B
chlorothalonil	A
chlorpyrifos	A and B
cyfluthrin	A
cyhalothrin (lambda)	A
cypermethrin	A
deltamethrin	A
difenacoum	B
difethialone	B
dimethoate	A
diphacinone	A and B
endosulfan	A and B
esfenvalerate	A
ethoprop	A
fenpropathrin	A
fipronil	A
fluvalinate	A
imidacloprid	A

PESTICIDE	INSTRUCTION
magnesium phosphide	B
malathion	A
mancozeb	A
maneb	A
metam sodium	A
methomyl	A
methoprene	A
methyl bromide	A
naled	B
oryzalin	A
oxydemeton-methyl	A
oxyfluorfen	A
PCNB	A
phenothrin	A
phorate	B
phosmet	A
potassium nitrate	B
propargite	A
resmethrin	A
S-metolachlor	A
sodium cyanide	B
sodium nitrate	B
strychnine	A and B
tetramethrin	A
trifluralin	B
zeta-cypermethrin	A

INSTRUCTION A – Do not apply the pesticide within 200 feet if applied by ground nor within 400 feet if applied by air, of fresh-water ponds (including natural or manmade, such as stock ponds), slow moving streams or pools within streams, vernal pools and other ephemeral or permanent water bodies which typically support inundation during winter rains and hold water for a minimum of 12 weeks in a year of average rainfall.

INSTRUCTION B – Do not apply the pesticide within 600 feet of all denning areas, defined as a circle 100 feet in radius, around the set of holes in the ground forming the surface of the den, as depicted in the California Department of Pesticide Regulation's Endangered Species Project, San Joaquin kit fox denning characteristics fact card. <http://www.cdpr.ca.gov/docs/endspec/espdfs/sjkfdn.pdf>