## INTERIM USE LIMITATION AREA FOR THE ALAMEDA WHIPSNAKE AND SAN JOAQUIN KIT FOX

Within this area, follow the indicated instruction(s) for the active ingredient(s) you intend to use. If multiple instructions apply to your pesticide use, you should follow all of the instructions.

PESTICIDE	INSTRUCTION
2,4-D	Α
acephate	В
acrolein	Α
aldicarb	В
aluminum phosphide	A and B
brodifacoum	A and B
bromadiolone	A and B
bromethalin	Α
chlorophacinone	A and B
chlorpyrifos	В
difenacoum	A and B
difethialone	A and B

PESTICIDE	INSTRUCTION
diphacinone	A and B
endosulfan	В
magnesium phosphide	A and B
naled	В
phorate	В
potassium nitrate	A and B
sodium cyanide	В
sodium nitrate	A and B
strychnine	A and B
trifluralin	В
warfarin	A
zinc phosphide	A

**INSTRUCTION A -** Do not apply the pesticide within 100 feet if applied by ground nor within 400 feet if applied by air, of areas described as *shrub communities* known as chaparral consisting of northern coastal sage scrub and coastal sage. Also do not apply the pesticide in open grasslands, oak savanna, and oak-bay woodland occurring within 500 feet of the shrub communities described above.

**INSTRUCTION B** - Do not apply the pesticide within 600 feet of all denning areas, defined as a circle 100 feet in radius, around the set of holes in the ground forming the surface of the den, as depicted in the California Department of Pesticide Regulation's Endangered Species Project, San Joaquin kit fox denning characteristics fact card. http://www.cdpr.ca.gov/docs/endspec/espdfs/sjkfden.pdf