

Little red dots are not just a JWST-era high-z curiosity

DESI finds 27 $z = 0.2-0.9$ counterparts with the same spectral fingerprint, turning LRDs into a population we can study nearby and across cosmic time.

(LRDs)2: The Low-ReDshift Little Red Dots Survey. II. DESI DR1 Sample

Xiaojing Lin et al. | 2026 | arXiv:2605.21574

BACKGROUND

Little red dots may mark a strange, common mode of black-hole growth. If they exist only in JWST high- z data, they stay exotic; if they also exist nearby, they become testable.

Knowledge gap: before this work, we did not know whether the JWST LRD phenomenon survives into the low- z universe in a statistically convincing, spectroscopically selected sample.

WHAT THIS PAPER IS SELLING

This paper builds a **DESI DR1 sample of 27 LRDs at $z < 1$** and argues they are the same family as the high- z JWST objects, not just red oddball AGN. That turns low- z LRDs into nearby laboratories and hints that **cool, large envelopes** may be more common at late times.

KEY RESULTS TO REMEMBER

- The 27 DESI objects reproduce the full LRD signature package and overlap the **high- z JWST population** in luminosity and continuum shape, favoring a shared phenomenon rather than a separate low- z class.
- Broad Balmer lines miss normal type-1 AGN scaling, and several sources peak at **> 1 micron**, pointing to unusual BH-mass calibrations and especially cool, large envelopes.




Fig. 1. A conservative pipeline: candidates had to pass continuum, line, morphology, UV, and broad-Balmer tests before entering the final sample.




Fig. 2. Example low- z LRDs already show the signature package: compact source, V-shaped continuum, and broad Balmer lines unlike ordinary unobscured AGN.




Fig. 3. DESI LRDs overlap JWST LRDs in luminosity and inflection-point space, while extending to longer-wavelength inflection points.




Fig. 4. Several low- z LRDs peak beyond 1 micron, pointing to especially cool, large blackbody-like envelopes that high- z samples rarely populated.