

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)


Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:



## Hardware

CPU Name: 13th Gen Intel Core i9-13900KS  
Max MHz:  
Nominal:  
Enabled: cores, 1 chip, threads/core  
Orderable:  
Cache L1:  
L2:  
L3:  
Other:  
Memory: 125.561 GB fixme: If using DDR4, the format is:  
'N GB (N x N GB nRxn PC4-nnnnX-X)'  
Storage: 3.6 TB add more disk info here  
Other:

## Software

OS: Ubuntu 22.04.4 LTS  
Compiler: 6.8.0-76060800daily20240311-generic  
C/C++/Fortran: Version 7.2.1 of GCC, the GNU Compiler Collection  
Parallel: No  
Firmware:  
File System: ext4  
System State: Run level 5 (add definition here)  
Base Pointers: 64-bit  
Peak Pointers: Not Applicable  
Other:  
Power Management: --

## Errors

'reportable' flag not set during run  
523.xalancbmk\_r (base) did not have enough runs!  
525.x264\_r (base) did not have enough runs!  
500.perlbench\_r (base) did not have enough runs!  
557.xz\_r (base) did not have enough runs!  
548.exchange2\_r (base) did not have enough runs!  
520.omnetpp\_r (base) did not have enough runs!  
531.deepsjeng\_r (base) did not have enough runs!  
505.mcf\_r (base) did not have enough runs!  
541.leela\_r (base) did not have enough runs!  
502.gcc\_r (base) did not have enough runs!

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Errors (Continued)

Unknown flags were used! See

<https://www.spec.org/cpu2017/Docs/runcpu.html#flagsurl>

for information about how to get rid of this error.

## Results Table

Benchmark	Base								Peak							
	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Copies	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio	Seconds	Ratio
500.perlbench_r																
502.gcc_r	1	<b>395</b>	<b>3.58</b>													
505.mcf_r	1	<b>365</b>	<b>4.42</b>													
520.omnetpp_r	1	<b>517</b>	<b>2.54</b>													
523.xalancbmk_r	1	<b>245</b>	<b>4.30</b>													
525.x264_r	1	<b>251</b>	<b>6.96</b>													
531.deepsjeng_r	1	<b>386</b>	<b>2.97</b>													
541.leela_r	1	<b>660</b>	<b>2.51</b>													
548.exchange2_r																
557.xz_r	1	<b>500</b>	<b>2.16</b>													

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

Results appear in the order in which they were run. Bold underlined text indicates a median measurement.

## Environment Variables Notes

Environment variables set by runcpu before the start of the run:

LD\_LIBRARY\_PATH = "/usr/lib64:/usr/lib:/lib64"

## Platform Notes

Sysinfo program /mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/bin/sysinfo  
Rev: r6365 of 2019-08-21 295195f888a3d7edb1e6e46a485a0011  
running on shr-work Wed Jun 12 14:30:01 2024

SUT (System Under Test) info as seen by some common utilities.

For more information on this section, see

<https://www.spec.org/cpu2017/Docs/config.html#sysinfo>

From /proc/cpuinfo

model name : 13th Gen Intel(R) Core(TM) i9-13900KS

1 "physical id"s (chips)

24 "processors"

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Platform Notes (Continued)

cores, siblings (Caution: counting these is hw and system dependent. The following excerpts from /proc/cpuinfo might not be reliable. Use with caution.)

cpu cores : 24

siblings : 24

physical 0: cores 0 4 8 12 16 20 24 28 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47

From lscpu:

Architecture:

x86\_64

CPU op-mode(s):

32-bit, 64-bit

Address sizes:

46 bits physical, 48 bits virtual

Byte Order:

Little Endian

CPU(s):

32

On-line CPU(s) list:

0,2,4,6,8,10,12,14,16-31

Off-line CPU(s) list:

1,3,5,7,9,11,13,15

Vendor ID:

GenuineIntel

Model name:

13th Gen Intel(R) Core(TM) i9-13900KS

CPU family:

6

Model:

183

Thread(s) per core:

1

Core(s) per socket:

24

Socket(s):

1

Stepping:

1

CPU max MHz:

6000.0000

CPU min MHz:

0.0000

BogoMIPS:

6374.40

Flags:

fpu vme de pse tsc msr pae mce cx8 apic sep mtrr

pge mca cmov pat pse36 clflush dts acpi mmx fxsr sse sse2 ss ht tm pbe syscall nx

pdpelgb rdtscp lm constant\_tsc art arch\_perfmon pebs bts rep\_good nopl xtopology

nonstop\_tsc cpuid aperfmperf tsc\_known\_freq pni pclmulqdq dtes64 monitor ds\_cpl vmx

smx est tm2 ssse3 sdbg fma cx16 xtpr pdcm sse4\_1 sse4\_2 x2apic movbe popcnt

tsc\_deadline\_timer aes xsave avx f16c rdrand lahf\_lm abm 3dnowprefetch cpuid\_fault

ssbd ibrs ibpb stibp ibrs\_enhanced tpr\_shadow flexpriority ept vpid ept\_ad fsgsbase

tsc\_adjust bmi1 avx2 smep bmi2 erms invpcid rdseed adx smap clflushopt clwb intel\_pt

sha\_ni xsaveopt xsavec xgetbv1 xsaves split\_lock\_detect user\_shstk avx\_vnni dtherm

ida\_arat pln pts hwp hwp\_notify hwp\_act\_window hwp\_epp hwp\_pkg\_req hfi vnmi umip pku

ospke waitpkg gfni vaes vpclmulqdq tme rdpid movdiri movdir64b fsrm md\_clear

serialize pconfig arch\_lbr ibt flush\_lld arch\_capabilities

Virtualization:

VT-x

L1d cache:

896 KiB (24 instances)

L1i cache:

1.3 MiB (24 instances)

L2 cache:

32 MiB (12 instances)

L3 cache:

36 MiB (1 instance)

NUMA node(s):

1

NUMA node0 CPU(s):

0,2,4,6,8,10,12,14,16-31

Vulnerability Gather data sampling:

Not affected

Vulnerability Itlb multihit:

Not affected

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Platform Notes (Continued)

Vulnerability L1tf: Not affected  
Vulnerability Mds: Not affected  
Vulnerability Meltdown: Not affected  
Vulnerability Mmio stale data: Not affected  
Vulnerability Retbleed: Not affected  
Vulnerability Spec rstack overflow: Not affected  
Vulnerability Spec store bypass: Mitigation; Speculative Store Bypass disabled via prctl  
Vulnerability Spectre v1: Mitigation; usercopy/swapgs barriers and \_\_user pointer sanitization  
Vulnerability Spectre v2: Mitigation; Enhanced / Automatic IBRS, IBPB conditional, RSB filling, PBRSE-eIBRS SW sequence  
Vulnerability Srbds: Not affected  
Vulnerability Tsx async abort: Not affected

/proc/cpuinfo cache data  
cache size : 36864 KB

From numactl --hardware WARNING: a numactl 'node' might or might not correspond to a physical chip.

From /proc/meminfo  
MemTotal: 131660532 KB  
HugePages\_Total: 0  
Hugepagesize: 2048 kB

/usr/bin/lsb\_release -d  
Ubuntu 22.04.4 LTS

From /etc/\*release\* /etc/\*version\*  
debian\_version: bookworm/sid  
os-release:  
PRETTY\_NAME="Ubuntu 22.04.4 LTS"  
NAME="Ubuntu"  
VERSION\_ID="22.04"  
VERSION="22.04.4 LTS (Jammy Jellyfish)"  
VERSION\_CODENAME=jammy  
ID=ubuntu  
ID\_LIKE=debian  
HOME\_URL="https://www.ubuntu.com/"

uname -a:  
Linux shr-work 6.8.0-76060800daily20240311-generic  
#202403110203~1713206908~22.04~3a62479~dev-Ubuntu SMP PREEMPT\_DY x86\_64 x86\_64 x86\_64  
GNU/Linux

Kernel self-reported vulnerability status:

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Platform Notes (Continued)

```
gather_data_sampling:      Not affected
itlb_multihit:             Not affected
CVE-2018-3620 (L1 Terminal Fault): Not affected
Microarchitectural Data Sampling: Not affected
CVE-2017-5754 (Meltdown):  Not affected
mmio_stale_data:           Not affected
retbleed:                  Not affected
spec_rstack_overflow:      Not affected
CVE-2018-3639 (Speculative Store Bypass): Mitigation: Speculative Store Bypass disabled
                                         via prctl
CVE-2017-5753 (Spectre variant 1): Mitigation: usercopy/swaps barriers and __user
                                         pointer sanitization
CVE-2017-5715 (Spectre variant 2): Mitigation: Enhanced / Automatic IBRS, IBPB:
                                         conditional, RSB filling, PBRBS-eIBRS: SW
                                         sequence
srbds:                     Not affected
tsx_async_abort:           Not affected

run-level 5 May 12 16:41

SPEC is set to: /mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017
Filesystem      Type  Size  Used Avail Use% Mounted on
/dev/nvme0n1p1 ext4  3.6T  693G  2.8T   20% /mnt/seconddrive

From /sys/devices/virtual/dmi/id
BIOS:      System76 FH Z5 01/25/2024
Vendor:    System76
Product:   Thelio Mira
Product Family: Z790 MB

Cannot run dmidecode; consider saying (as root)
chmod +s /usr/sbin/dmidecode

(End of data from sysinfo program)
```

## Compiler Version Notes

```
=====
C | 502.gcc_r(base pass 0)
=====
```

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

```
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C | 505.mcf_r(base pass 0)
-----

Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-gcc
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C | 525.x264_r(base pass 0)
-----

Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-gcc
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
=====
C | 557.xz_r(base pass 0)
=====
```

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

```
=====
C | 502.gcc_r(base pass )
=====
```

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

```
=====
C | 505.mcf_r(base pass )
=====
```

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

```
=====
C | 525.x264_r(base pass )
=====
```

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

```
=====
C | 557.xz_r(base pass )
=====
```

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

=====  
C | 502.gcc\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 502.gcc\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass )

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 557.xz\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

```
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 525.x264_r(base pass 0)
=====
```

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

```
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 557.xz_r(base pass 0)
=====
```

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

```
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 502.gcc_r(base pass )
=====
```

specmake[1]: Entering directory

```
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C | 505.mcf\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 502.gcc\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 525.x264\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 557.xz\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 525.x264\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 557.xz\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 525.x264\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 557.xz\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper  
Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs  
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared  
--enable-languages=c,c++ --enable-lto  
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64  
--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 502.gcc\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass )  
=====

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 502.gcc\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 525.x264\_r(base pass 0)

Using built-in specs.

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-gcc
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 557.xz_r(base pass 0)
=====
```

```
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-gcc
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 502.gcc_r(base pass )
=====
```

```
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc_r/build/build_base_lfi-gcc-m64.0000'
```

```
=====
C | 505.mcf_r(base pass )
=====
```

```
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C | 525.x264\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 502.gcc\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 505.mcf\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/../libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 525.x264\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 557.xz\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-gcc

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C | 502.gcc\_r(base pass )  
=====

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/502.gcc\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 505.mcf\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/505.mcf\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 525.x264\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/525.x264\_r/build/build\_base\_lfi-gcc-m64.0000'

C | 557.xz\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/557.xz\_r/build/build\_base\_lfi-gcc-m64.0000'

C++ | 520.omnetpp\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

C++ | 523.xalancbmk\_r(base pass 0)

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

"/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000"

=====  
C++ | 531.deepsjeng\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

"/mnt/seconddrive/Code/Seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000"

=====  
C++ | 541.leela\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass 0)  
=====

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass 0)

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

-----  
Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

-----  
C++ | 523.xalancbmk\_r(base pass 0)

-----  
Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

-----  
C++ | 531.deepsjeng\_r(base pass 0)

-----  
Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'
```

```
====
C++ | 541.leela_r(base pass 0)
```

```
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela_r/build/build_base_lfi-gcc-m64.0000'
```

```
====
C++ | 520.omnetpp_r(base pass )
```

```
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp_r/build/build_base_lfi-gcc-m64.0000'
```

```
====
C++ | 523.xalancbmk_r(base pass )
```

```
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk_r/build/build_base_lfi-gcc-m64.0000'
```

```
====
C++ | 531.deepsjeng_r(base pass )
```

```
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C++ | 54l.leela\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/54l.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

C++ | 531.deepsjeng\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

C++ | 541.leela\_r(base pass 0)

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

C++ | 520.omnetpp\_r(base pass )

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

C++ | 523.xalancbmk\_r(base pass )

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 531.deepsjeng_r(base pass 0)
=====
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 541.leela_r(base pass 0)
=====
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C++ | 520.omnetpp\_r(base pass )  
-----

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'  
-----

=====  
C++ | 523.xalancbmk\_r(base pass )  
-----

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'  
-----

=====  
C++ | 531.deepsjeng\_r(base pass )  
-----

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'  
-----

=====  
C++ | 541.leela\_r(base pass )  
-----

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'  
-----

=====  
C++ | 520.omnetpp\_r(base pass 0)  
-----

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'  
-----

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C++ | 523.xalancbmk\_r(base pass 0)  
-----

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass 0)  
-----

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass 0)  
-----

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 520.omnetpp_r(base pass )
-----
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C++ | 523.xalancbmk_r(base pass )
-----
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C++ | 531.deepsjeng_r(base pass )
-----
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C++ | 541.leela_r(base pass )
-----
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela_r/build/build_base_lfi-gcc-m64.0000'
-----

=====
C++ | 520.omnetpp_r(base pass 0)
-----
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

```
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 523.xalancbmk_r(base pass 0)
=====
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 531.deepsjeng_r(base pass 0)
=====
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

=====  
C++ | 541.leela\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 520.omnetpp\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 541.leela\_r(base pass )  
=====

specmake[1]: Entering directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000'

(Continued on next page)



# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

=====  
C++ | 520.omnetpp\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 523.xalancbmk\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

--disable-bootstrap --disable-libssp --disable-multilib --disable-shared

--enable-languages=c,c++ --enable-lto

--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64

--with-pkgversion=LFI

Thread model: posix

Supported LTO compression algorithms: zlib zstd

gcc version 13.2.0 (LFI)

specmake[1]: Leaving directory

'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk\_r/build/build\_base\_lfi-gcc-m64.0000'

=====  
C++ | 531.deepsjeng\_r(base pass 0)  
=====

Using built-in specs.

COLLECT\_GCC=/opt/lfi-amd64/bin/internal-x86\_64-linux-musl-g++

COLLECT\_LTO\_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86\_64-linux-musl/13.2.0/lto-wrapper

Target: x86\_64-linux-musl

Configured with: ../gcc/configure --target=x86\_64-linux-musl --disable-docs

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

CPU2017 License: nnn (Your SPEC license number)

Test Sponsor: My Corporation

Tested by: My Corporation

Test Date: Jun-2024

Hardware Availability:

Software Availability:

## Compiler Version Notes (Continued)

```
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 541.leela_r(base pass 0)
=====
Using built-in specs.
COLLECT_GCC=/opt/lfi-amd64/bin/internal-x86_64-linux-musl-g++
COLLECT_LTO_WRAPPER=/opt/lfi-amd64/bin/./libexec/gcc/x86_64-linux-musl/13.2.0/lto-wrapper
Target: x86_64-linux-musl
Configured with: ../gcc/configure --target=x86_64-linux-musl --disable-docs
--disable-bootstrap --disable-libssp --disable-multilib --disable-shared
--enable-languages=c,c++ --enable-lto
--prefix=/home/zyedidia/programming/lfi/toolchain/lfi-gcc/lfi-amd64
--with-pkgversion=LFI
Thread model: posix
Supported LTO compression algorithms: zlib zstd
gcc version 13.2.0 (LFI)
specmake[1]: Leaving directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 520.omnetpp_r(base pass )
=====
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/520.omnetpp_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 523.xalancbmk_r(base pass )
=====
specmake[1]: Entering directory
'/mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/523.xalancbmk_r/build/build_base_lfi-gcc-m64.0000'

=====
C++ | 531.deepsjeng_r(base pass )
=====
```

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Compiler Version Notes (Continued)

specmake[l]: Entering directory

' /mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/531.deepsjeng\_r/build/build\_base\_lfi-gcc-m64.0000 '

=====  
C++ | 541.leela\_r(base pass )  
=====

specmake[l]: Entering directory

' /mnt/seconddrive/Code/seguecg-root/segue-lfi/spec2017/benchspec/CPU/541.leela\_r/build/build\_base\_lfi-gcc-m64.0000 '

## Base Unknown Flags

502.gcc\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CC)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fwrapv" (in PORTABILITY)

"-fomit-frame-pointer" (in OPTIMIZE)

505.mcf\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CC)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fomit-frame-pointer" (in OPTIMIZE)

520.omnetpp\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CXX)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-D\_LARGEFILE64\_SOURCE" (in PORTABILITY)

"-fomit-frame-pointer" (in OPTIMIZE)

523.xalancbmk\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CXX)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fomit-frame-pointer" (in OPTIMIZE)

525.x264\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CC)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fcommon" (in PORTABILITY)

"-fomit-frame-pointer" (in OPTIMIZE)

531.deepsjeng\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CXX)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fomit-frame-pointer" (in OPTIMIZE)

541.leela\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CXX)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

"-fomit-frame-pointer" (in OPTIMIZE)

557.xz\_r: "/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in CC)

"/opt/lfi-amd64/bin/x86\_64-linux-musl-" (in LD)

(Continued on next page)

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

## Base Unknown Flags (Continued)

557.xz\_r (continued):

"-fomit-frame-pointer" (in OPTIMIZE)

## Base Compiler Invocation

C benchmarks (except as noted below):

gcc

C++ benchmarks:

g++

## Base Portability Flags

502.gcc\_r: -DSPEC\_LP64

505.mcf\_r: -DSPEC\_LP64

520.omnetpp\_r: -DSPEC\_LP64

523.xalancbmk\_r: -DSPEC\_LINUX -DSPEC\_LP64

525.x264\_r: -DSPEC\_LP64

531.deepsjeng\_r: -DSPEC\_LP64

541.leela\_r: -DSPEC\_LP64

557.xz\_r: -DSPEC\_LP64

## Base Optimization Flags

C benchmarks:

502.gcc\_r: -std=c99 -O3 -flto -fno-strict-aliasing -fgnu89-inline

505.mcf\_r: Same as 502.gcc\_r

525.x264\_r: Same as 502.gcc\_r

557.xz\_r: Same as 502.gcc\_r

C++ benchmarks:

-std=c++03 -O3 -flto

# SPEC CPU®2017 Integer Rate Result

Copyright 2017-2024 Standard Performance Evaluation Corporation

My Corporation

SPECrate®2017\_int\_base = 3.44

SPECrate®2017\_int\_peak = Not Run

**CPU2017 License:** nnn (Your SPEC license number)

**Test Sponsor:** My Corporation

**Tested by:** My Corporation

**Test Date:** Jun-2024

**Hardware Availability:**

**Software Availability:**

Invalid Result

SPEC CPU and SPECrate are registered trademarks of the Standard Performance Evaluation Corporation. All other brand and product names appearing in this result are trademarks or registered trademarks of their respective holders.

For questions about this result, please contact the tester. For other inquiries, please contact [info@spec.org](mailto:info@spec.org).

Tested with SPEC CPU®2017 v0.0.0 on 2024-06-12 14:30:00-0500.

Report generated on 2024-06-12 15:40:30 by CPU2017 PDF formatter v6255.