

UTXOpia

Put idle bitcoin to work **without giving it up.**

Private

Non-custodial

Programmable

Shield bitcoin into a private vault on Solana. Hold it privately, move it privately, deploy it anywhere and withdraw on your own, even if we're gone.



PROBLEM

Most bitcoin sits idle

Every path to making bitcoin productive asks the holder to give something up first.



Give up your keys

Custodians and CeFi lenders take custody first. The history of that trade is a list of names that no longer exist.



Give up to a multisig

Wrapped BTC rests on a bridge multisig — an m-of-n club of signers you must simply hope stays honest.




Give up your privacy

Public addresses publish every position: your size, your timing, your counterparties — linked and traceable forever.

So the largest pool of capital in crypto mostly does nothing.

SOLUTION

The on-ramp that asks for neither



○ And back: exit to native bitcoin on your own — your proof, your registered destination, no UTXO pia servers required.

Inside the vault, bitcoin is a private note

Holdings and transfers are cryptographic commitments — amounts, senders, and recipients stay hidden while your capital stays deployable.

Bitcoin-native capital, live on a high-performance chain — still yours, still private.

Securing the Vault



Ika 2PC-MPC dWallet

The vault's BTC is held by a dWallet on the Ika threshold network. Every signature requires two shares — the user's and the network's. Neither side can ever sign alone: the user is one of the signers, in the math itself.



No bridge multisig

Bitcoin enters by SPV proof — no m-of-n club of signers to trust or compromise. The security assumption is removed, not shrunk.



Exits no one can block

Every exit is authorised by the user's own proof plus a destination registered at admission. Redeem ignores auditor_frozen (redeem.rs:275), and a registered exit destination can never be removed.

Custody never leaves the user — even our own freeze flag cannot trap funds.

Private while it's yours



Groth16 JoinSplit proofs

Every transfer inside the vault is a zero-knowledge proof: nullifiers in, commitments out. The chain verifies correctness without learning anything else.



Nothing to link

No amounts, no sender, no recipient on chain. Your BTC size, your entry timing, and your internal moves stay yours — a needle with no haystack coordinates.



Stealth by default

Stealth addresses give recipient privacy on every payment. Privacy is the default state of the vault, not an opt-in feature.

The honest boundary: privacy ends the moment you unshield into a public DeFi position. That's a real line, not a footnote — everything up to that door is protected.

Policy Engine



A program, not an operator switch

Policy lives in a separate on-chain program. Approvals are per-action, single-use, and slot-expiring — no admin can wave a transaction through.



Private decisions on MagicBlock

Approvals are decided inside an ephemeral rollup — off the public ledger, at millisecond speed — then committed to Solana before any asset instruction can consume one.



Institution-grade controls

Per-token caps, timelocked admin updates so no rule changes silently, and allowlisting of BTC sources at the vault door.



Selective disclosure

A viewing key plus per-transaction proofs show an auditor exactly what the user chooses — with a record of what was shown.

Idle BTC is idle because the desk holding it can't get sign-off. This is the layer that answers that.

Permissionless & Verified Pools



Permissionless pool

Open to anyone with bitcoin and an SPV proof. No gatekeeper, no screening — the censorship-resistant heart of the system, and it will always exist.

Full shielded privacy: hidden amounts, senders, and recipients.



Verified pool, audit-ready

Same cryptography, different admission rule: deposits and participants pass screening and attestation before entry.

Institutions mix only with verified funds — an anonymity set their auditors can reason about and sign off on.

Same proofs, different door — neither pool weakens the other.

Milestones that can't be faked

1

End-to-end flow is live

Shield, private transfer, and unshield working today — in product, not on a roadmap.

2

2026-08-04 — backend off, exit still works

We switched our own backend off; a member's bitcoin still left the vault. 46,803 sats, twice — second run from scratch.

3

Zero-infrastructure verification

The leaf set rebuilds from chain data alone — verifying and exiting needs nothing that runs on our servers.

4

Ika vault + MagicBlock policy engine integrated

Trustless BTC custody and private policy approvals are live in the flow you'll see in the demo.

The system already survives its own creators disappearing.

Built for capital that refuses the tradeoff



Bitcoin holders

Long-term capital that wants into DeFi without a public confession of its size — or a custodian holding its keys.



Crypto-native users

Daily on-chain activity without surveillance — private balances and transfers as the default, not the exception.



Funds & desks

Confidential positions with audit-ready disclosure — the sign-off story that finally puts idle treasury BTC to work.



Privacy-conscious DeFi

Participants who refuse full transparency but still need programmable, verifiable finance.

The idle-bitcoin problem is a trust problem — and trust problems are markets.

Vision

The private finance layer for
Bitcoin-native capital across
high-performance chains.



app.utxopia.com



github.com/UTXOpi/utxopia-web