

Pre-Analysis Steps

After collecting the raw data from Google Sheets, we downloaded it as a Spreadsheet file. Then, we performed a by-eye search to remove any responses that did not answer all of the questions in the survey. A by-eye search was performed due to the small size of the results. Additionally, we removed those who did not fall in the correct test sample. By coincidence, this removed all of the non-full time students' responses, leaving only full-time undergraduate students.



Next, we checked the Rationale column to make sure that the answers provided were valid and deleted the responses that weren't. Once we completed our cleaning process, the original 79 rows were reduced to 76. Finally, we converted the data to a .csv file to make our analysis easier.

Analysis Methods

Our analysis methods for the cleaned data were to begin with exploratory charts in which we could visualize the total number of Yes and No answers to whether somebody considered a hot dog a sandwich. Continuing our analysis, we wanted to consider if different class years had the same proportionality of Yes/No answers as the total number of respondents. We were able to use exploratory charts such as a histogram.

Evaluation of Success

To evaluate the success of our analyses, we would look for a clear correlation (positive or negative) in our plots. If the plots have no correlation, we will not be able to draw a conclusion from the results. This exploratory analysis was successful because we were able to determine that UVA students respond similarly to this question regardless of their year. Additionally, we were able to discover that more than 50% of UVA full time undergraduate students did not believe that a hot dog was sandwich. Below are graphs that display the total number of responses across years at UVA. There were no first year respondents and many of the responses were swayed in the direction of third and fourth years due to a high participant rate.



Hotdog Sandwich Responses - Year 4

