




3-3-1 Take-Off Weight Limitation - ISA Conditions

| ****ON A/C A330-200 A330-200F A330-300 A330-800 A330-900**

Take-Off Weight Limitation - ISA Conditions

1. This section gives the take-off weight limitation at ISA conditions.

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0010101_01_03

Take-Off Weight Limitation
ISA Conditions - PW 4000 Series Engine
FIGURE-3-3-1-991-001-A01

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0020101_01_03

Take-Off Weight Limitation
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-3-1-991-002-A01

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0030101_01_03

Take-Off Weight Limitation
ISA Conditions - GE CF6-80E1 Series Engine
FIGURE-3-3-1-991-003-A01

****ON A/C A330-200F**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0120101_01_01

Take-Off Weight Limitation
ISA Conditions - PW 4000 Series Engine
FIGURE-3-3-1-991-012-A01

****ON A/C A330-200F**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0130101_01_01

Take-Off Weight Limitation
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-3-1-991-013-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0140101_01_01

Take-Off Weight Limitation
ISA Conditions - PW 4000 Series Engine
FIGURE-3-3-1-991-014-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0150101_01_01

Take-Off Weight Limitation
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-3-1-991-015-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0160101_01_01

Take-Off Weight Limitation
ISA Conditions - GE CF6-80E1 Series Engine
FIGURE-3-3-1-991-016-A01

****ON A/C A330-800**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0200101_01_00

Take-Off Weight Limitation
ISA Conditions - RR TRENT 7000 Series Engine
3-3-1-991-020-A01

****ON A/C A330-900**



NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030301_1_0170101_01_01

Take-Off Weight Limitation
ISA Conditions - RR TRENT 7000 Series Engine
FIGURE-3-3-1-991-017-A01




3-3-2 Take-Off Weight Limitation - ISA +15°C (+59°F) Conditions

| **ON A/C A330-200 A330-200F A330-300 A330-800 A330-900

Take-Off Weight Limitation - ISA +15°C (+27°F) Conditions

1. This section gives the take-off weight limitation at ISA +15°C (+27°F) conditions.

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0010101_01_03

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - PW 4000 Series Engine
FIGURE-3-3-2-991-001-A01

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0020101_01_03

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - RR TRENT 700 Series Engine
FIGURE-3-3-2-991-002-A01

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0030101_01_03

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - GE CF6-80E1 Series Engine
FIGURE-3-3-2-991-003-A01

****ON A/C A330-200F**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0120101_01_01

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - PW 4000 Series Engine
FIGURE-3-3-2-991-012-A01

****ON A/C A330-200F**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0130101_01_01

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - RR TRENT 700 Series Engine
FIGURE-3-3-2-991-013-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0140101_01_01

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - PW 4000 Series Engine
FIGURE-3-3-2-991-014-A01


****ON A/C A330-300**



NOTE:
 THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0150101_01_01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0160101_01_01

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - GE CF6-80E1 Series Engine
FIGURE-3-3-2-991-016-A01

****ON A/C A330-800**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030302_1_0180101_01_00

Take-Off Weight Limitation
ISA +15°C (+27°F) Conditions - RR TRENT 7000 Series Engine
3-3-2-991-018-A01

****ON A/C A330-900**



F_AC_030302_1_0170101_01_01



3-3-3 Aerodrome Reference Code

****ON A/C A330-200 A330-200F A330-300 A330-800 A330-900**

Aerodrome Reference Code

1. A330-200, A330-200F, A330-300, A330-800 and A330-900 can operate on aerodromes classified as code 4E as per ICAO Aerodrome Reference Code.




3-4-1 Landing Field Length - ISA Conditions

| ****ON A/C A330-200 A330-200F A330-300 A330-800 A330-900**

Landing Field Length - ISA Conditions

1. This section gives the landing field length.

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0010101_01_03

Landing Field Length
ISA Conditions - PW 4000 Series Engine
FIGURE-3-4-1-991-001-A01

****ON A/C A330-200**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0020101_01_03

Landing Field Length
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-4-1-991-002-A01


****ON A/C A330-200**



F_AC_030401_1_0030101_01_03

Landing Field Length
ISA Conditions - GE CF6-80E1 Series Engine
FIGURE-3-4-1-991-003-A01

****ON A/C A330-200F**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0120101_01_00

Landing Field Length
ISA Conditions - PW 4000 Series Engine
FIGURE-3-4-1-991-012-A01


****ON A/C A330-200F**



F_AC_030401_1_0130101_01_00

Landing Field Length
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-4-1-991-013-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0140101_01_00

Landing Field Length
ISA Conditions - PW 4000 Series Engine
FIGURE-3-4-1-991-014-A01

****ON A/C A330-300**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0150101_01_00

Landing Field Length
ISA Conditions - RR TRENT 700 Series Engine
FIGURE-3-4-1-991-015-A01


****ON A/C A330-300**



F_AC_030401_1_0160101_01_00

Landing Field Length
ISA Conditions - GE CF6-80E1 Series Engine
FIGURE-3-4-1-991-016-A01

****ON A/C A330-800**




NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0180101_01_00

Landing Field Length
ISA Conditions - RR TRENT 7000 Series Engine
3-4-1-991-018-A01

****ON A/C A330-900**



NOTE:
THESE CURVES ARE GIVEN FOR INFORMATION ONLY. THE APPROVED VALUES ARE STATED IN THE "OPERATING MANUALS" SPECIFIC TO THE AIRLINE OPERATING THE AIRCRAFT.

F_AC_030401_1_0170101_01_01

Landing Field Length
ISA Conditions - RR TRENT 7000 Series Engine
FIGURE-3-4-1-991-017-A01