



3.3.2 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-600 (CFM56-7B18/-7B20 Engines at 20,000 LB SLST)




D6-58325-7


3.3.3 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 40°F (STD + 22.2°C), Dry Runway: Model 737-600 (CFM56-7B18/-7B20 Engines at 20,000 LB SLST)




3.3.4 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-600 (CFM56-7B18/-7B20 Engines at 20,000 LB SLST)




3.3.5 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-600 (CFM56-7B22 Engines at 22,000 LB SLST)




3.3.6 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-600 (CFM56-7B22 Engines at 22,000 LB SLST)




3.3.7 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-600 (CFM56-7B22 Engines at 22,000 LB SLST)




3.3.8 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-600 (CFM56-7B22 Engines at 22,000 LB SLST)




3.3.9 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-700, 700W (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




3.3.10 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-700, 700W (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)



3.3.11 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 40°F (STD + 22.2°C), Dry Runway: Model 737-700, -700W (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




3.3.12 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-700, -700W (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




D6-58325-7

3.3.13 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-700, -700W (CFM56-7B26 Engines at 26,000 LB SLST




3.3.14 FAA/EASA Takeoff Runway Length Requirements - Standard Day, +27°F (STD + 15°C), Dry Runway: Model 737-700, -700W (CFM56-7B26 Engines at 26,000 LB SLST




DO NOT USE FOR DISPATCH

DRY RUNWAY
 ZERO WIND
 ZERO RUNWAY GRADIENT
 AIR CONDITIONING OFF
 OPTIMUM FLAP SETTING


- NON-WINGLET PERFORMANCE SHOWN. WINGLET AIRCRAFT WILL HAVE SLIGHTLY IMPROVED PERFORMANCE.
- CONSULT USING AIRLINE FOR SPECIFIC OPERATING PROCEDURE PRIOR TO FACILITY DESIGN.



3.3.16 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-700, -700W (CFM56-7B26 Engines at 26,000 LB SLST)



3.3.17 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




D6-58325-7

REV C

October 2025

3-24

3.3.18 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




D6-58325-7

REV C

October 2025


3-25

3.3.19 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 40°F (STD + 22.2°C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)




D6-58325-7


3.3.20 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW (CFM56-7B20/-7B22/-7B24 Engines at 20,000 LB SLST)



3.3.21 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW, BBJ1 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)




3.3.22 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW, BBJ1 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)




D6-58325-7


3.3.23 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW, BBJ1 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)




3.3.24 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-700ER, -700ERW, -700C, -700CW, BBJ1 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)



3.3.25 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B27-B1 Engine at 26,000 LB SLST)




3.3.26 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B27-B1 Engine at 26,000 LB SLST)




D6-58325-7


3.3.27 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B27-B1 Engine at 26,000 LB SLST)



3.3.28 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35°C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B27-B1 Engine at 26,000 LB SLST)




3.3.29 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B24/-7B26/-7B27 Engines at 26,000 LB SLST)




D6-58325-7


3.3.30 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B24/-7B26/-7B27 Engines at 26,000 LB SLST)




3.3.31 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B24/-7B26/-7B27 Engines at 26,000 LB SLST)




3.3.32 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-800, -800W, BBJ2, -800BCF (CFM56-7B24/-7B26/-7B27 Engines at 26,000 LB SLST)



3.3.33 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-900, -900W (CFM56-7B24/-7B26 Engines at 24,000 LB SLST)




3.3.34 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-900, -900W (CFM56-7B24/-7B26 Engines at 24,000 LB SLST)




D6-58325-7


3.3.35 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-900, -900W (CFM56-7B24/-7B26 Engines at 24,000 LB SLST)



3.3.36 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-900, -900W (CFM56-7B24/-7B26 Engines at 24,000 LB SLST)




3.3.37 FAA/EASA Takeoff Runway Length Requirements - Standard Day, Dry Runway: Model 737-900ER, -900ERW, BBJ3 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)




D6-58325-7


3.3.38 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 27°F (STD + 15°C), Dry Runway: Model 737-900ER, -900ERW, BBJ3 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)



3.3.39 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 45°F (STD + 25°C), Dry Runway: Model 737-900ER, -900ERW, BBJ3 (CFM56-7B26/-7B27 Engines at 26,000 LB SLST)



3.3.40 FAA/EASA Takeoff Runway Length Requirements - Standard Day + 63°F (STD + 35 °C), Dry Runway: Model 737-900ER, -900ERW, BBJ3 (CFM56-7B26/-7B27 Engines at 6,000 LB SLST)



D6-58325-7