

FEBS Letters Volume 580
Author Index

A

- Aarts, J.M.M.J.G. see V.A. van Beelen, 4587
- Abdel-Mottaleb, Y., F.V. Coronas, A.R. de Roodt, L.D. Possani and J. Tytgat, A novel toxin from the venom of the scorpion *Tityus trivittatus*, is the first member of a new α -KTX subfamily, 592
- Abdel-Mottaleb, Y., E. Clynen, A. Jalali, F. Bosmans, H. Vatanpour, L. Schoofs and J. Tytgat, The first potassium channel toxin from the venom of the Iranian scorpion *Odonthobuthus doriae*, 6254
- Abdel-Rahman, A.A. see J. Zhang, 3070
- Abdulhussein, R. see D.H.H. Koo, 15
- Abe-Dohmae, S., K. Ueda and S. Yokoyama, ABCA7, a molecule with unknown function, 1178
- Abe, T., A. Mujahid, K. Sato, Y. Akiba and M. Toyomizu, Possible role of avian uncoupling protein in down-regulating mitochondrial superoxide production in skeletal muscle of fasted chickens, 4815
- Abe, Y., M. Ohsugi, K. Haraguchi, J. Fujimoto and T. Yamamoto, LATS2-Ajuba complex regulates γ -tubulin recruitment to centrosomes and spindle organization during mitosis, 782
- Abele, R. and R. Tampé, Modulation of the antigen transport machinery TAP by friends and enemies, 1156
- Abels, S. see K. Moelling, 3545
- Accardo, S. see A.M. Aerts, 1903
- Adaim, A. see D. Deng, 5247
- Adamcik, J., D.V. Klinov, G. Witz, S.K. Sekatskii and G. Dietler, Observation of single-stranded DNA on mica and highly oriented pyrolytic graphite by atomic force microscopy, 5671
- Adamo, H.P. see F. de Tezanos Pinto, 1576
- Adamska, I. see P.F. Huesgen, 6929
- Adelt, S. see A.M. Riley, 324
- Adinolfi, B. see S. Fogli, 1733
- Aeberli, D., Y. Yang, A. Mansell, L. Santos, M. Leech and E.F. Morand, Endogenous macrophage migration inhibitory factor modulates glucocorticoid sensitivity in macrophages via effects on MAP kinase phosphatase-1 and p38 MAP kinase, 974
- Aelbrecht, T., M. Vuylsteke, M. Bauwens, H.V. Houdt and A. Depicker, Introduction of silencing-inducing transgenes does not affect expression of known transcripts, 4155
- Aerts, A.M., I.E.J.A. François, L. Bammens, B.P.A. Cammue, B. Smets, J. Winderickx, S. Accardo, D.E. De Vos and K. Thevissen, Level of M(IP)₂C sphingolipid affects plant defensin sensitivity, oxidative stress resistance and chronological life-span in yeast, 1903
- Agalarov, S.C., A.A. Kalinichenko, A.A. Kommer and A.S. Spirin, Ribosomal protein S1 induces a conformational change of the 30S ribosomal subunit, 6797
- Agate, D.S. see H.-J. Pan, 5953
- Agius, L. see C. Arden, 2065
- Aguado, C., B. Pérez, M. Ugarte and L.R. Desviat, Analysis of the effect of tetrahydrobiopterin on PAH gene expression in hepatoma cells, 1697
- Agüero-Chapin, G., H. González-Díaz, R. Molina, J. Varona-Santos, E. Uriarte and Y. González-Díaz, Novel 2D maps and coupling numbers for protein sequences. The first QSAR study of polygalacturonases; isolation and prediction of a novel sequence from *Psidium guajava* L., 723
- Ahmad, N. see S.M. Atif, 2183
- Ahmad, Z. and A.E. Senior, Inhibition of the ATPase activity of *Escherichia coli* ATP synthase by magnesium fluoride, 517
- Ahmed, R.A.M. see S. Nagao, 4371
- Ahn, H.S. see H.S. Jung, 4969
- Ahn, J.-W. see J. Hong, 2723
- Ahnn, J. see Y.J. Ji, 3161
- Ahuja, U. and L. Thöny-Meyer, The membrane anchors of the heme chaperone CcmE and the periplasmic thioredoxin CcmG are functionally important, 216
- Aigaki, T. see M. Tsuda, 3296
- Aizawa, Y. see N. Gurusamy, 1932
- Akagi, Y. see J. Makita, 1812
- Akama, T.O. see R. Aoki, 6062
- Akashi, T., S. Koshimizu, T. Aoki and S.-i. Ayabe, Identification of cDNAs encoding pterocarpan reductase involved in isoflavan phytoalexin biosynthesis in *Lotus japonicus* by EST mining, 5666
- Akazaki, H. see H. Chida, 3763
- Akbari, H. see R.H. Houtkooper, 3059
- Aken, H.V. see M. Scharfe, 6399
- Åkerström, S., Y.-J. Tan and A. Mirazimi, Amino acids 15–28 in the ectodomain of SARS coronavirus 3a protein induces neutralizing antibodies, 3799
- Akhter, Y. see S. Tundup, 1285
- Akiba, Y. see H. Nagata, 27
- Akiba, Y. see T. Abe, 4815
- Akihiro, T., T. Umezawa, C. Ueki, B.M. Lobna, K. Mizuno, M. Ohta and T. Fujimura, Genome wide cDNA-AFLP analysis of genes rapidly induced by combined sucrose and ABA treatment in rice cultured cells, 5947
- Akimoto, S. see K. Koyama, 3457
- Akita, H. see M. Tamura, 261
- Akiyama, T. see S. Takasawa, 585
- Akiyama, H. see J. Fanghänel, 3237
- Akiyama, S.-i. see H.-C. Jeung, 1294
- Akiyoshi, K. see K. Ikeda, 6587
- Ala-Korpela, M. see T. Lämätäinen, 4746
- Alais, S. see B. Guezguez, 3649
- Alam, S.L. see R. Arrigoni, 6754
- Alam, S.L. see R. Arrigoni, 6233
- Alas, M. see M.B. Sevigny, 6533
- Alberghina, L. see E. Sacco, 6322
- Albrecht, C. see G. Neuert, 505
- Albsoul-Younes, A.M. see Q. Zhao, 3879
- Alewood, P.F. see A.M. Torres, 1587
- Alewood, P.F. see S. Dutertre, 3860
- Alex Law, S.K. see R.-H. Tang, 4435
- Alexia, C. see M. Lasfer, 2547
- Alfonso, M. see R. Collados, 4934
- Alimirah, F., J. Chen, Z. Basrawala, H. Xin and D. Choubey, DU-145 and PC-3 human prostate cancer cell lines express androgen receptor: Implications for the androgen receptor functions and regulation, 2294
- Alimirah, F., J. Chen, H. Xin and D. Choubey, Androgen receptor auto-regulates its expression by a negative feedback loop through upregulation of IFI16 protein, 1659
- Alink, G.M. see V.A. van Beelen, 4587
- Alkorta, I. see I. Hormaeche, 3075
- Allan, R.K. see D. Mok, 2761
- Allen, J.W.A., E.M. Harvat, J.M. Stevens and S.J. Ferguson, A variant System I for cytochrome *c* biogenesis in archaea and some bacteria has a novel CcmE and no CcmH, 4827
- Alleva, R. see M. Tomasetti, 1925
- Altmann, T. see J. Lisso, 4851
- Alvarez, R. see N. Lannoo, 6329
- Alvarez, R.A. see E. van Liempt, 6123
- Alves, F. see W. Stühmer, 2850
- Alzari, P.M. see A. Wehenkel, 3018
- Amako, K., K. Fujita, T.-a. Shimohata, E. Hasegawa, R. Kishimoto and K. Goda, NAD⁺-specific d-arabinose dehydrogenase and its contribution to erythroascorbic acid production in *Saccharomyces cerevisiae*, 6428
- Amanso, A.M. see M.C. Medina, 285
- Amanso, A.M. see M.C. Medina, 1528
- Amaral, M.E. see J.C. Moraes, 4625
- Ambrogelly, A. see C.R. Polycarpo, 6695
- Ambudkar, S.V., I.-W. Kim, D. Xia and Z.E. Sauna, The A-loop, a novel conserved aromatic acid subdomain upstream of the Walker A motif in ABC transporters, is critical for ATP binding, 1049
- Amet, Y. see J. Antoun, 3361
- Ametller, E. see R. Moore-Carrasco, 691
- Amizuka, N. see S. Oshima, 1251
- Amizuka, N. see S. Oshima, 6519
- An, J.J. see S.H. Choi, 6755
- An, S., K.-H. Cho, W.S. Lee, J.-O. Lee, Y.-K. Paik and T.-S. Jeong, A critical role for the histidine residues in the catalytic function of acyl-CoA:cholesterol acyltransferase catalysis: Evidence for catalytic difference between ACAT1 and ACAT2, 2741
- An, W.-L. see J.-J. Pei, 107
- Andera, L. see M. Tomasetti, 1925
- Anderegg, F. see S. Hasan, 1263
- Anderle, H. see H.-L. Chan, 3229
- Anderson, C. see R. Bash, 4757
- Anderson, G.J. see K.A. Smith, 6195
- Anderson, N. and J. Borlak, Drug-induced phospholipidosis, 5533
- Anderson, T.A. see B. Zhang, 3753
- Andersson, H. see C. Lundin, 2281
- Ando, Y. see T. Sato, 491

- Andò, S. see M.L. Panno, 2371
 Ando, Y. see S. Yasuda, 3375
 Andras, L.M. see S.C. Linn, 6217
 Andreu, V. see R. Collados, 4934
 Andrew, D. see H. Sandig, 373
 Andryushkova, A.A., I.A. Kuznetsova, I.A. Orlovskaya, V.N. Buneva and G.A. Nevinsky, Antibodies with amylase activity from the sera of autoimmune-prone MRL/MpJ-*lpr* mice, 5089
 Angerer, H. see F. MacMillan, 1345
 Anhê, G.F. see M.C. Medina, 1528
 Anhê, G.F. see M.C. Medina, 285
 Anishetty, R. see S. Anishetty, 2071
 Anishetty, S., R. Anishetty and G. Pennathur, Understanding mutations and protein stability through tripeptides, 2071
 Änkö, M.-L., M. Östergård, M. Lintunen and P. Panula, Alternative splicing of human and mouse NPFF2 receptor genes: Implications to receptor expression, 6955
 Anraku, M. see T. Sato, 491
 Annabi, B. see A. Belkaid, 3746
 Anraku, M. see T. Sato, 491
 Antal, J. see P. Medveczky, 545
 Antonacci, L. see N. Guaragnello, 6880
 Antonangeli, F. see C. Giampietri, 6109
 Antonin, W. see S. Ulbert, 6435
 Antoniou, A.N. see S.M. Beynon-Jones, 1897
 Antonov, A.V. and H.W. Mewes, BIOREL: The benchmark resource to estimate the relevance of the gene networks, 844
 Antoun, J., Y. Amet, B. Simon, Y. Dréano, A. Corlu, L. Corcos, J.P. Salaun and E. Plée-Gautier, CYP4A11 is repressed by retinoic acid in human liver cells, 3361
 Aoki, F. see M. Kinukawa, 1515
 Aoki, M. see K. Yamasaki, 2109
 Aoki, R., N. Suzuki, B.C. Paria, K. Sugihara, T.O. Akama, G. Raab, M. Miyoshi, D. Nadano and M.N. Fukuda, The *Byst* gene product, bystin, is essential for survival of mouse embryos, 6062
 Aoki, T. see T. Akashi, 5666
 Appelles, A. see R. Krick, 4632
 Appendino, G., M.G. Cascio, S. Bacchiega, A.S. Moriello, A. Minassi, A. Thomas, R. Ross, R. Pertwee, L. De Petrocellis and V. Di Marzo, First "hybrid" ligands of vanilloid TRPV1 and cannabinoid CB₂ receptors and non-polyunsaturated fatty acid-derived CB₂-selective ligands, 568
 Aquila, S. see M.L. Panno, 2371
 Äqvist, J. see H. Gutiérrez-de-Terán, 5910
 Arai, M., N. Kondoh, N. Imazeki, A. Hada, K. Hatsuse, F. Kimura, O. Matsubara, K. Mori, T. Wakatsuki and M. Yamamoto, Transformation-associated gene regulation by ATF6 α during hepatocarcinogenesis, 184
 Arai, N. see T. Yamada, 4387
 Arakawa, K. see N. Yachie, 6909
 Arakawa, T. see S. Kataoka, 4667
 Araki, D. see M. Hoshijima, 1376
 Araki, S. see Y. Cheng, 4911
 Arányi, T. and A. Páldi, The constant variation: DNA methylation changes during preimplantation development, 6521
 Araújo da Silva Jr., W. see F.C. Rodrigues-Lisoni, 1908
 Arden, C., S. Baltrusch and L. Agius, Glucokinase regulatory protein is associated with mitochondria in hepatocytes, 2065
 Argilés, J.M. see R. Moore-Carrasco, 691
 Arhondakis, S., O. Clay and G. Bernardi, Compositional properties of human cDNA libraries: Practical implications, 5772
 Arima, J., Y. Uesugi, M. Uraji, M. Iwabuchi and T. Hatanaka, The role of Glu196 in the environment around the substrate binding site of leucine aminopeptidase from *Streptomyces griseus*, 912
 Armbruster, U. see K.M. David, 1193
 Arnaud-Dabernat, S. see N. Dragin, 3845
 Aronsson, H., J. Combe, R. Patel and P. Jarvis, In vivo assessment of the significance of phosphorylation of the *Arabidopsis* chloroplast protein import receptor, atToc33, 649
 Arnold, A.-S. see B.R. Burkhardt, 553
 Arrigoni, R., S.L. Alam, J.A. Wamstad, V.J. Bardwell, W.I. Sundquist and N. Schreiber-Agus, The Polycomb-associated protein Rybp is a ubiquitin binding protein, 6233
 Arrigoni, R., S.L. Alam, J.A. Wamstad, V.J. Bardwell, W.I. Sundquist and N. Schreiber-Agus, Corrigendum to "The Polycomb-associated protein Rybp is a ubiquitin binding protein" [FEBS Lett. 580 (2006) 6233–6241], 6754
 Arroyo, A., C. Santos-Ocaña, M. Ruiz-Ferrer, S. Padilla, Á. Gavilán, J.C. Rodríguez-Aguilera and P. Navas, Coenzyme Q is irreplaceable by demethoxy-coenzyme Q in plasma membrane of *Caenorhabditis elegans*, 1740
 Artalejo, C.R. see A. Elhamdani, 3263
 Asai, A. see Y. Murata, 6093
 Asakura, S. see H. Hagiwara, 4463
 Asami, T. see K. Oh, 5791
 Asano, I. see K. Watanabe, 5785
 Asanuma, M. see T. Yoshida, 5203
 Ascaso, E. see A. Avivar, 5222
 Asefa, B., J.M. Dermott, P. Kaldis, K. Stefanisko, D.J. Garfinkel and J.R. Keller, p205, a potential tumor suppressor, inhibits cell proliferation via multiple pathways of cell cycle regulation, 1205
 Asensio, C. see L. Lehr, 4661
 Åsgeirsson, B. and P. Cekan, Microscopic rate-constants for substrate binding and acylation in cold-adaptation of trypsin I from Atlantic cod, 4639
 Ashida, H. see Y. Hong, 603
 Ashton, R. see R.K. Hughes, 4188
 Assmann, G. see T. Engel, 4551
 Asther, M. see I. Benoit, 5815
 Atabekov, J.G. see Y.L. Dorokhov, 3872
 Atabekov, J.G. see Y.L. Dorokhov, 3329
 Atalar, E. see X. Yang, 2958
 Atanasov, A.G., A.A. Dzyakanchuk, R.A.S. Schweizer, L.G. Nashev, E.M. Maurer and A. Odermatt, Coffee inhibits the reactivation of glucocorticoids by 11 β -hydroxysteroid dehydrogenase type 1: A glucocorticoid connection in the anti-diabetic action of coffee?, 4081
 Atif, S.M., I. Hasan, N. Ahmad, U. Khan and M. Owais, Fusogenic potential of sperm membrane lipids: Nature's wisdom to accomplish targeted gene delivery, 2183
 Atkinson, M.A. see B.R. Burkhardt, 553
 Atsumi, G.-i. see K. Oishi, 127
 Aubry, L. see C.H. Herrera-Mendez, 3477
 August, A. see S. Hao, 2691
 Augustyniak, H. see K.D. Raczynska, 5641
 Authier, F. see C. Merlen, 5697
 Av-Gay, Y. see K.S.E. Ung, 2712
 Avila, J., Tau phosphorylation and aggregation in Alzheimer's disease pathology, 2922
 Avila, J. see A. Gómez-Ramos, 4842
 Avivar, A., M.C. García-Macias, E. Ascaso, G. Herrera, J.-E. O'Connor and J.F. de Mora, Moderate overexpression of AIB1 triggers pre-neoplastic changes in mammary epithelium, 5222
 Awasthi, S. see S.S. Singhal, 2258
 Awasthi, Y.C. see S.S. Singhal, 2258
 Ayabe, S.-i. see T. Akashi, 5666
 Ayala, Y.M., F. Pagani and F.E. Baralle, TDP43 depletion rescues aberrant CFTR exon 9 skipping, 1339
 Azizi, F. see A. Elhamdani, 3263
 Azmi, A.S., S.H. Bhat, S. Hanif and S.M. Hadi, Plant polyphenols mobilize endogenous copper in human peripheral lymphocytes leading to oxidative DNA breakage: A putative mechanism for anticancer properties, 533
 Azmi, A.S. see I. Muqbil, 3995
 Azuma, T. see T. Tomofuji, 3601
 Azuma, Y. see K. Higai, 6069

B

- Baba, S.A. see M. Kinukawa, 1515
 Baba, T. see S. Iwase, 3129
 Babu, S., V. McIlvain, S.L. Whitaker and B.E. Knox, Conserved *cis*-elements in the *Xenopus* red opsin promoter necessary for cone-specific expression, 1479
 Bacchiega, S. see G. Appendino, 568
 Bach, S. see F. Le Sourd, 2755
 Badet-denisot, M.-A. see N. Floquet, 5130
 Bae, M.-K. see S.-K. Bae, 4105
 Bae, S.-K., S.-R. Kim, J.G. Kim, J.Y. Kim, T.H. Koo, H.-O. Jang, I. Yun, M.-A. Yoo and M.-K. Bae, Hypoxic induction of human visfatin gene is directly mediated by hypoxia-inducible factor-1, 4105
 Bae, Y.-S. see S.-W. Ryu, 988
 Bae, Y.-S. see E.-J. Lim, 4533

- Baek, J.-H. see S.-I. Ko, 3217
 Baek, K.-H. see Y.-M. Gu, 305
 Baek, S. see K.-H. Cho, 3511
 Baek, S. see K.-H. Cho, 3665
 Baek, S.-H. see E.-J. Lim, 4533
 Baek, S.J. see S.-Y. Shin, 5965
 Bagautdinov, B. see T. Tanaka, 4224
 Baglin, T.P. see J. Langdown, 4709
 Bahk, J.D. see H.H. Jang, 351
 Bahr, I. see M. Lutz, 3921
 Bahrami, S. see I. Miller, 1257
 Bai, Y. see S. Minamisawa, 2247
 Baillie, G.S. see L.M. Grønning, 4126
 Bajaj, P. see P.L. Swarnamukhi, 2653
 Bakalkin, G. see L. Hugonin, 3201
 Baker, A. see F.L. Theodoulou, 1139
 Baker, M.E. see M.A. Sciotti, 67
 Bakhanashvili, M. and G. Rahav, The incorporation of nucleoside analogs by human immunodeficiency virus type 1 reverse transcriptase decreases in the presence of polyamines, 5363
 Balazs, T.C. see Q. Chen, 4485
 Balcerzak, M., J. Bandorowicz-Pikula, R. Buchet and S. Pikula, A novel retinoid binding property of human annexin A6, 3065
 Balcerzak, M., S. Pikula and R. Buchet, Phosphorylation-dependent phospholipase D activity of matrix vesicles, 5676
 Balczun, C., A. Bunse, C. Schwarz, M. Piotrowski and U. Kück, Chloroplast heat shock protein Cpn60 from *Chlamydomonas reinhardtii* exhibits a novel function as a group II intron-specific RNA-binding protein, 4527
 Baldwin, G.S. see K.A. Smith, 6195
 Baleux, F. see S. Megy, 5411
 Balint, I., J. Bhattacharya, A. Perelman, D. Schatz, Y. Moskovitz, N. Keren and R. Schwarz, Inactivation of the extrinsic subunit of photosystem II, PsbU, in *Synechococcus* PCC 7942 results in elevated resistance to oxidative stress, 2117
 Balsaris, A. see A.G. Ivanov, 2797
 Baltrusch, S. see C. Arden, 2065
 Bammens, L. see A.M. Aerts, 1903
 Bank, M.S., S.N. Beaven, S.L. Friedman, G. Narla, M.J. Walsh and A.S. Beutler, KLF6 degradation after apoptotic DNA damage, 6981
 Bandorowicz-Pikula, J. see M. Balcerzak, 3065
 Banfi, B. see G. Gavazzi, 497
 Bang, S. see Y. Kim, 3519
 Bánhegyi, G. see M. Csala, 2160
 Bank, C.M.C. see E. van Liempt, 6123
 Bansal, P.S. see A.M. Torres, 1587
 Banting, G. see S. Wolff, 6477
 Banu, N. see I. Muqbil, 3995
 Bao, G.C., J.-G. Wang and A. Jong, Increased p21 expression and complex formation with cyclin E/CDK2 in retinoid-induced pre-B lymphoma cell apoptosis, 3687
 Bao, L. and Y. Cui, Functional impacts of non-synonymous single nucleotide polymorphisms: Selective constraint and structural environments, 1231
 Baralle, D. see M. Baralle, 4449
 Baralle, F.E. see Y.M. Ayala, 1339
 Baralle, F.E. see M. Baralle, 4449
 Baralle, M., N. Skoko, A. Knezevich, L. De Conti, D. Motti, M. Bhuvanagiri, D. Baralle, E. Buratti and F.E. Baralle, *NF1* mRNA biogenesis: Effect of the genomic milieu in splicing regulation of the *NF1* exon 37 region, 4449
 Barbi, M. see J. Mozziconacci, 368
 Barbieri, R.L. see M.C. Medina, 285
 Barbieri, R.L. see M.C. Medina, 1528
 Barceló, A.R. see C. Gabaldón, 4311
 Bardwell, V.J. see R. Arrigoni, 6233
 Bardwell, V.J. see R. Arrigoni, 6754
 Barilone, N. see A. Wehenkel, 3018
 Barnes, A.A. see H. Sandig, 373
 Barrado, P. see M.B. Sánchez, 1807
 Barrow, J., C.W. Hay, L.A. Ferguson, H.M. Docherty and K. Docherty, Transcription factor cycling on the insulin promoter, 711
 Barré, L. see M. Ouzzine, 1953
 Barreiro, E. see R. Moore-Carrasco, 691
 Barrett, T.E. see T.R. Waters, 6423
 Barton, G.J. see I.M. Overton, 4005
 Bartrons, R. see R. Fernández-Lloris, 1215
 Bartrons, R. see M.N. Calvo, 3308
 Basak, S. and T.C. Ghosh, Temperature adaptation of synonymous codon usage in different functional categories of genes: A comparative study between homologous genes of *Methanococcus jannaschii* and *Methanococcus maripaludis*, 3895
 Basañez, G. see S. Sánchez-Martínez, 2395
 Bash, R., H. Wang, C. Anderson, J. Yodh, G. Hager, S.M. Lindsay and D. Lohr, AFM imaging of protein movements: Histone H2A–H2B release during nucleosome remodeling, 4757
 Basrawala, Z. see F. Alimirah, 2294
 Bassi, R. see A. Fiore, 4718
 Batmunkh, C., J. Krajewski, W. Jelkmann and T. Hellwig-Bürgel, Erythropoietin production: Molecular mechanisms of the antagonistic actions of cyclic adenosine monophosphate and interleukin-1, 3153
 Batten, J.S., B. Desvoyes, Y. Yamamura and K.G. Scholthof, A translational enhancer element on the 3'-proximal end of the *Panicum mosaic virus* genome, 2591
 Bauch, A. see D. Soulat, 2341
 Bauer, M. and L. Pelkmans, A new paradigm for membrane-organizing and -shaping scaffolds, 5559
 Bauer, M.F. see S. Hofmann, 4000
 Baur, R., F. Minier and E. Sigel, A GABA_A receptor of defined subunit composition and positioning: Concatenation of five subunits, 1616
 Bauwens, M. see T. Aelbrecht, 4155
 Bayle, J., S. Lopez, K. Iwai, P. Dubreuil and P. De Sepulveda, The E3 ubiquitin ligase HOIL-1 induces the polyubiquitination and degradation of SOCS6 associated proteins, 2609
 Bazzan, S. see L. Trevisi, 2769
 Beach, S. see S. Park, 6405
 Beatrice, M., M. Gabriella, G. Francesca and C. Oliana, Endocannabinoid system in *Xenopus laevis* development: CB1 receptor dynamics, 1941
 Beaulieu, M.-É. see A. Désilets, 2227
 Beaven, S.W. see M. Chen, 4835
 Beaven, S.W. see M.S. Banck, 6981
 Becherer, K. see C. Derunes, 175
 Becker, K. see S. Urig, 3595
 Becker, S. see D. Voß, 968
 Becker, S. see U. Krause-Buchholz, 2553
 Becq, F. see C. Norez, 2081
 Bedecs, K. see H. Gyllberg, 2603
 Bédouet, L. see D. Duplat, 2435
 Behnam, B. see S. Hägele, 3731
 Beier, J.I., C. von Montfort, H. Sies and L.-O. Klotz, Activation of ErbB2 by 2-methyl-1,4-naphthoquinone (menadiolone) in human keratinocytes: Role of EGFR and protein tyrosine phosphatases, 1859
 Belardelli, F. see A.M. Giammarioli, 3335
 Belfield, E.J. see R.K. Hughes, 4188
 Belicchi, M. see Y. Torrente, 5759
 Belkaid, A., I.B. Copland, D. Massillon and B. Annabi, Silencing of the human microsomal glucose-6-phosphate translocase induces glioma cell death: Potential new anticancer target for curcumin, 3746
 Bellé, R. see F. Le Sourd, 2755
 Bellí, G. see M.M. Molina-Navarro, 2273
 Bellinzoni, M. see A. Wehenkel, 3018
 Bellomo, F. see C. Piccoli, 4539
 Bellosta, S., M. Gomaschi, M. Canavesi, G. Rossoni, M. Monetti, G. Franceschini and L. Calabresi, Inhibition of MMP-2 activation and release as a novel mechanism for HDL-induced cardioprotection, 5974
 Bellyei, S. see A. Szigeti, 6447
 Belov, K. see A.M. Torres, 1587
 Ben-Tal Cohen, E. see P.J. Hohensinner, 3532
 Benarous, R. see S. Megy, 5411
 Bendall, D.S. see B.G. Schlarb-Ridley, 2166
 Bendová, Z. see A. Sumová, 2836
 Bénédicti, H. see F. Chefedor, 77
 Benedetti, A. see M. Csala, 2160
 Benedikz, E. see J.-J. Pei, 107
 Benhassaine-Kesri, G. see M.-N. Vaultier, 4218
 Bennett, L.N. and P.R. Clarke, Regulation of Caspase degradation by the ubiquitin-proteasome pathway during the cell cycle and in response to ATR-dependent checkpoint activation, 4176
 Benoit, I., M. Asther, G. Sulzenbacher, E. Record, L. Marmuse, G. Parsiegla, I. Gimbert, M. Asther and C. Bignon, Respective importance of protein folding and glycosylation in the thermal stability of recombinant feruloyl esterase A, 5815
 Benyamin, Y. see I. Ferjani, 4801
 Benzaghoul, I., I. Bougie, F. Picard-Jean and M. Bisailon, Energetics of RNA binding by the West Nile virus RNA triphosphatase, 867

- Berberich, T. see K. Yamaguchi, 6783
 Berezin, V. see C. Christensen, 3386
 Berg, K. see L. Prasmickaite, 5739
 Berger, F. see D. Ratel, 3179
 Berglund, A.-K. see S. Bhushan, 3966
 Berkhout, B. and J. Haasnoot, The interplay between virus infection and the cellular RNA interference machinery, 2896
 Bermúdez-Echeverry, M. see J.C. Moraes, 4625
 Bernal, J.A. see M. Castillo, 256
 Bernal, J.A. see M. Castillo, 6518
 Bernard, S. see K. Groten, 1269
 Bernardi, G. see S. Arhondakis, 5772
 Bernasconi, M. see G. Molla, 2358
 Berrin, J.-G. see S. Herga, 5899
 Bertho, G. see S. Megy, 5411
 Bertoli, A. see M.L. Massimino, 878
 Bertorello, A.M. see R. Efendiev, 5067
 Bérubé, A. see C.R. Polycarpo, 6695
 Besin, E. see S. Ferrario-Méry, 2015
 Bette, M. see R. Mandic, 4793
 Beutler, A.S. see M.S. Banck, 6981
 Bevins, C.L. see J. Wehkamp, 5344
 Beyaert, R. see R. Schauvliege, 4697
 Beyly, A. see L. Gayet, 6891
 Beynon-Jones, S.M., A.N. Antoniou and S.J. Powis, Mutational analysis of the oxidoreductase Erp57 reveals the importance of the two central residues in the redox motif, 1897
 Bharath, M.M.S. see S. Ramesh, 5999
 Bhardwaj, S. see H. Roy, 2879
 Bhat, S.H. see A.S. Azmi, 533
 Bhattacharjee, H. see R. Mukhopadhyay, 3889
 Bhattacharya, I. and A. Ullrich, Endothelin-1 inhibits adipogenesis: Role of phosphorylation of Akt and ERK1/2, 5765
 Bhattacharya, J. see I. Balint, 2117
 Bhushan, S., C. Kuhn, A.-K. Berglund, C. Roth and E. Glaser, The role of the N-terminal domain of chloroplast targeting peptides in organellar protein import and miss-sorting, 3966
 Bhuvanagiri, M. see M. Baralle, 4449
 Bian, Y., X. Liang, N. Fang, X.-F. Tang, B. Tang, P. Shen and Z. Peng, The roles of surface loop insertions and disulfide bond in the stabilization of thermophilic WF146 protease, 6007
 Bickel, P.E. see N.E. Wolins, 5484
 Bieker, J.J. see K.J. Quadri, 2285
 Bielwaska, A. see S. Elojemy, 4751
 Biely, P. see S. Španíková, 4597
 Biemans-Oldehinkel, E., M.K. Doeven and B. Poolman, ABC transporter architecture and regulatory roles of accessory domains, 1023
 Bienzle, D. see J. Murata, 4501
 Biffo, S. see A. Donadini, 1983
 Bifulco, M. see C. Laezza, 6076
 Bigalke, H. see S. Mahrhold, 2011
 Bignon, C. see I. Benoit, 5815
 Bijur, G.N. see J.C. Gandy, 3051
 Bijvelds, M. see C. Norez, 2081
 Bindschedler, L.V., J.P. Whitelegge, D.J. Millar and G.P. Bolwell, A two component chitin-binding protein from French bean – association of a proline-rich protein with a cysteine-rich polypeptide, 1541
 Binz, T. see S. Mahrhold, 2011
 Birbes, H., C. Zeiller, H. Komati, G. Némoz, M. Lagarde and A.-F. Prigent, Phospholipase D protects ECV304 cells against TNF α -induced apoptosis, 6224
 Bisaillon, M. see I. Benzaghoul, 867
 Bisceglie, A. see P. Caccin, 6317
 Bishop, A.C. see D.F. Savage, 5198
 Bishop, R.E. see V. Campanacci, 4877
 Biswas, K.K. see Y. Nakajima, 613
 Biswas, K.K., S. Tancharon, K.P. Sarker, K.-i. Kawahara, T. Hashiguchi and I. Maruyama, Cepharranthine triggers apoptosis in a human hepatocellular carcinoma cell line (HuH-7) through the activation of JNK1/2 and the downregulation of Akt, 703
 Biswas, K.K., S. Tancharon, K.P. Sarker, K.-i. Kawahara, T. Hashiguchi and I. Maruyama, Corrigendum to: "Cepharranthine triggers apoptosis in a human hepatocellular carcinoma cell line (HuH-7) through the activation of JNK1/2 and the downregulation of Akt" [FEBS Letters 580 (2006) 703–710], 1696
 Biswas, K.K. see Y. Nakajima, 1909
 Bitonti, M.B. see P. Facella, 4618
 Bittl, R. see C. Teutloff, 3605
 Blanco, F.J. see A. Palacios, 6903
 Blangy, S. see V. Campanacci, 4877
 Blaydes, J.P. see A. Phillips, 300
 Blokesch, M. and A. Böck, Properties of the [NiFe]-hydrogenase maturation protein HypD, 4065
 Blomberg, K. see K.I. Gawlik, 1759
 Blount, J.W. see L. Tian, 6915
 Blumer, J.B. see K.S. Song, 1993
 Boccaccio, A. see S. Pifferi, 2853
 Böck, A. see M. Blokesch, 4065
 Bock, E. see C. Christensen, 3386
 Bode, G. see T. Engel, 4551
 Bodnar, A. see N. Francis, 4713
 Boekema, E.J. see N.V. Dudkina, 3427
 Boelens, W.C. see S. Narayanan, 5941
 Boeynaems, J.-M. see M. Horckmans, 747
 Boffoli, D. see C. Piccoli, 4539
 Bognar, Z. see A. Szigeti, 6447
 Bogner, E. see A. Dittmer, 6132
 Boisson-Dernier, A. see N. Robert, 4691
 Boisson, B., J.C. Jacques, V. Choumet, E. Martin, J. Xu, K. Vernick and C. Bourgouin, Gene silencing in mosquito salivary glands by RNAi, 1988
 Bokma, E., E. Koronakis, S. Lobedan, C. Hughes and V. Koronakis, Directed evolution of a bacterial efflux pump: Adaptation of the *E. coli* TolC exit duct to the *Pseudomonas* MexAB translocase, 5339
 Bolaños-Jiménez, F. see R. Ortiz-Alvarado, 5371
 Bolle, N. and F. Kempken, Mono- and dicotyledonous plant-specific RNA editing sites are correctly edited in both in organello systems, 4443
 Bollo, M., S. Bonansea and E.E. Machado, Involvement of Na⁺/H⁺ exchanger in the calcium signaling in epimastigotes of *Trypanosoma cruzi*, 2686
 Bölter, B., A. Nada, H. Fulgosi and J. Soll, A chloroplastic inner envelope membrane protease is essential for plant development, 789
 Bolwell, G.P. see L.V. Bindschedler, 1541
 Bonansea, S. see M. Bollo, 2686
 Bonazzi, M. and P. Cossart, Bacterial entry into cells: A role for the endocytic machinery, 2962
 Bonen, A. see A. Chabowski, 3617
 Bonham, K. see P. Selvakumar, 2021
 Bonislowski, D.P. see B.J. Pfister, 3525
 Bonnard, G. see K.D. Raczynska, 5641
 Bonofiglio, D. see M.L. Panno, 2371
 Bordin, S. see M.C. Medina, 285
 Bordin, S. see M.C. Medina, 1528
 Borella, M.I. see M.C. Medina, 285
 Borella, M.I. see M.C. Medina, 1528
 Borghi, B. see M. Tomasetti, 1925
 Borisov, V.B., E. Forte, P. Sarti, M. Brunori, A.A. Konstantinov and A. Giuffrè, Nitric oxide reacts with the ferryl-oxo catalytic intermediate of the Cu_B-lacking cytochrome *bd* terminal oxidase, 4823
 Bork, K. see W. Weidemann, 6649
 Borlak, J. see N. Anderson, 5533
 Boronat, A. see S. Sauret-Güeto, 736
 Boronkai, A. see A. Szigeti, 6447
 Borst, P., N. Zelcer, K. van de Wetering and B. Poolman, On the putative co-transport of drugs by multidrug resistance proteins, 1085
 Borter, E. see S. Hägele, 3731
 Bosch, D. see V.A. van Beelen, 4587
 Bosch, V. see T. Pfeiffer, 3775
 Bosgraaf, L. see J.M. Goldberg, 2059
 Bosmans, F. see Y. Abdel-Mottaleb, 6254
 Bossa, C. see J.P. Zbilut, 4861
 Bostina, M. see G. Peng, 5934
 Böttcher, C., S. Wicky, H. Schwarz and B. Singer-Krüger, Sj12p is specifically involved in early steps of endocytosis intimately linked to actin dynamics via the Ark1p/Prk1p kinases, 633
 Böttcher, C. see A. Trampeczynska, 3173
 Bougie, I. see I. Benzaghoul, 867
 Boulben, S. see F. Le Sourd, 2755
 Boulzaguet, H. see D. Duplat, 2435
 Bourgouin, C. see B. Boisson, 1988
 Boutry, M. see J. Crouzet, 1123
 Bouzamayor, Y. see M. Torrado, 4182
 Bowsher, C.G. see X. Yan, 6509
 Bowsher, C.G. see X. Yan, 6987
 Boy-Marcotte, E. see T. Domitrovic, 6033
 Bradley, M.N. see M. Chen, 4835
 Brady, H.R. see R.W.G. Watson, 996
 Brandle, J.E. see J. Murata, 4501
 Brandner, S. see F. Kerr, 3121

- Brandt, W. see F. Stehle, 6366
 Brannigan, A.E. see R.W.G. Watson, 996
 Brasaemle, D.L. see N.E. Wolins, 5484
 Bräuchle, C. see T.H.P. Brotosudarmo, 5257
 Braun, F.N., Salting-in the microbial cytoplasm, 720
 Braun, H.-P. see N.V. Dudkina, 3427
 Bredeesen, D.E. see V. Stoka, 3739
 Brémaud, L. see C.H. Herrera-Mendez, 3477
 Brennicke, A. see J.A. van der Merwe, 268
 Breschi, M.C. see S. Fogli, 1733
 Bresolin, N. see Y. Torrente, 5759
 Bretschneider, T. see M. Etzrodt, 6707
 Brett, C.L., M. Donowitz and R. Rao, Does the proteome encode organellar pH?, 717
 Breuillaud, L. see D. Ratel, 3179
 Briand, C. see C. Grütter, 99
 Briand, L. see L. Teatchoff, 2102
 Bridts, C.H. see N. Peiren, 4895
 Brindley, P.J. see L. Wang, 3677
 Bringuiet, A.-F. see M. Lasfer, 2547
 Brittain, T. see A. Fago, 4884
 Britto, C. see A.C.A. Meireles-Filho, 2
 Britto, L.R.G. see M.C. Medina, 285
 Britto, L.R.G. see M.C. Medina, 1528
 Brocco, M.A. and A.C.C. Frasch, Interfering polysialyltransferase ST8SialII/STX mRNA inhibits neurite growth during early hippocampal development, 4723
 Brodersen, P. see M.H.H. Nørholm, 2381
 Brooks, D.A. see R. Kakavanos, 87
 Brooks, D.A. see R. Kakavanos, 4365
 Brotosudarmo, T.H.P., E. Hofmann, R.G. Hiller, S. Wörmke, S. Mackowski, A. Zumbusch, C. Bräuchle and H. Scheer, Peridinin-chlorophyll-protein reconstituted with chlorophyll mixtures: Preparation, bulk and single molecule spectroscopy, 5257
 Brozovich, F.V. see A. El-Toukhy, 5779
 Bruhova, I. see D.B. Tikhonov, 6027
 Brun, A. see S.F. Martin, 4097
 Brunain, M. see N. Peiren, 4895
 Brune, D.C. see R. Subramanyam, 232
 Brunelli, E. see M.L. Panno, 2371
 Brunori, M. see V.B. Borisov, 4823
 Brück, A. see A. Hong-Hermesdorf, 933
 Bu, D. see S. Sun, 1891
 Bu, G. see Y. Li, 5423
 Buchet, R. see M. Balcerzak, 3065
 Buchet, R. see M. Balcerzak, 5676
 Buchsbaum, S. see A.-L. Vitte, 6155
 Buckingham, J.C. see F.C. Rodrigues-Lisoni, 1908
 Buckingham, J.C. see F.C. Rodrigues-Lisoni, 1431
 Buckle, M. see B. Lambert, 345
 Buckle, M. see B. Lambert, 995
 Buday, L. see G. Turu, 41
 Budiman, K. see F. MacMillan, 1345
 Bui, H.-T. see S. Kishigami, 1801
 Buisson, M., L. Rivail, J.-F. Hernandez, M. Jamin, J. Martinez, R.W.H. Ruigrok and W.P. Burmeister, Kinetics, inhibition and oligomerization of Epstein-Barr virus protease, 6570
 Bujo, H. see T. Hirata, 5117
 Bukau, B. see H. Raviol, 168
 Bulaj, G. see S. Zorn, 1360
 Bulté, F. see M. Horckmans, 747
 Buneva, V.N. see A.A. Andryushkova, 5089
 Bunik, V.I., G. Raddatz, R.J.A. Wanders and G. Reiser, Brain pyruvate and 2-oxoglutarate dehydrogenase complexes are mitochondrial targets of the CoA ester of the Refsum disease marker phytanic acid, 3551
 Bunse, A. see C. Balczun, 4527
 Buratti, E. see M. Baralle, 4449
 Bürgers, H.F. see M.H. Maurer, 4430
 Burgess, R. see C. Derunes, 175
 Burgess, S.C. see K.A. Stowe, 4282
 Bürgler, S. see S. Hasan, 1263
 Bürckstümmer, T., M. Kriegs, J. Lupberger, E.K. Pauli, S. Schmittl and E. Hildt, Raf-1 kinase associates with Hepatitis C virus NS5A and regulates viral replication, 575
 Burdakov, D. and A. Verkhratsky, Biophysical re-equilibration of Ca²⁺ fluxes as a simple biologically plausible explanation for complex intracellular Ca²⁺ release patterns, 463
 Burghoorn, J. see A. Miranda-Vizuete, 484
 Burkhardt, B.R., R. Lyle, K. Qian, A.-S. Arnold, H. Cheng, M.A. Atkinson and Y.C. Zhang, Efficient delivery of siRNA into cytokine-stimulated insulinoma cells silences Fas expression and inhibits Fas-mediated apoptosis, 553
 Burkart, V. see C. Habich, 115
 Burla, B. see M. Klein, 1112
 Burmeister, W.P. see M. Buisson, 6570
 Burren, K.A. see L.P.E. Dunlevy, 2803
 Busti, S. see E. Sacco, 6322
 Bustos-Sanmamed, P. see M.R. Sharifmoghadam, 4457
 Busquets, S. see R. Moore-Carrasco, 691
 Butland, G., J.W. Zhang, W. Yang, A. Sheung, P. Wong, J.F. Greenblatt, A. Emili and D.B. Zamble, Interactions of the *Escherichia coli* hydrogenase biosynthetic proteins: HybG complex formation, 677
 Buttani, V., A. Losi, E. Polverini and W. Gärtner, Blue news: NTP binding properties of the blue-light sensitive YtvA protein from *Bacillus subtilis*, 3818
- ## C
- Cabezón, T. see J.E. Celis, 2935
 Caccin, P., M. Rigoni, A. Bisceglie, O. Rossetto and C. Montecucco, Reversible skeletal neuromuscular paralysis induced by different lysophospholipids, 6317
 Caglayan, E. see M. Vantler, 6769
 Cai, B. see H. Wang, 795
 Cai, J. see Y. Chen, 6596
 Cai, J.J. see P.C.Y. Woo, 3409
 Cai, J.J. see P.C.Y. Woo, 4976
 Cai, L. see S. Sun, 1891
 Calabresi, L. see S. Bellosa, 5974
 Caldentey, J. see A. Golubtsov, 1502
 Calegari, V.C. see J.C. Moraes, 4625
 Calhau, C. see A. Faria, 155
 Calić, M. see G. Šinko, 3167
 Callaghan, R., R.C. Ford and I.D. Kerr, The translocation mechanism of P-glycoprotein, 1056
 Callebaut, I. see R. Kakavanos, 87
 Calles-Escandon, J. see A. Chabowski, 3617
 Calligaris, S., D. Cekic, L. Roca-Burgos, F. Gerin, G. Mazzone, J.D. Ostrow and C. Tiribelli, Multidrug resistance associated protein 1 protects against bilirubin-induced cytotoxicity, 1355
 Calvani, M. see R. Ferraresi, 6612
 Calvo, M.N., R. Bartrons, E. Castaño, J.C. Perales, A. Navarro-Sabaté and A. Manzano, PFKFB3 gene silencing decreases glycolysis, induces cell-cycle delay and inhibits anchorage-independent growth in HeLa cells, 3308
 Cambillau, C. see V. Campanacci, 4877
 Cammue, B.P.A. see A.M. Aerts, 1903
 Campanacci, V., R.E. Bishop, S. Blangy, M. Tegoni and C. Cambillau, The membrane bound bacterial lipocalin B1c is a functional dimer with binding preference for lysophospholipids, 4877
 Campbell, I.D. see E.S. Pilka, 273
 Canard, B. see N. Matthes, 4143
 Canario, A.V.M., J. Rotllant, J. Fuentes, P.M. Guerreiro, H. Rita Teodósio, D.M. Power and M.S. Clark, Novel bioactive parathyroid hormone and related peptides in teleost fish, 291
 Canavesi, M. see S. Bellosa, 5974
 Canola, K. see L. Lehr, 4661
 Cantet, F. see C.G. Nieto Penalver, 561
 Cantrel, C. see M.-N. Vaultier, 4218
 Cantrell, D.A. see A.P. Kelly, 2135
 Cantrell, D.A. see H.J. Hinton, 5845
 Cao, F. see X. Mao, 2615
 Cao, W.-H. see H.-L. Zhou, 1239
 Cao, W.-M. see S. Nagao, 4371
 Cao, Y.-R. see H.-L. Zhou, 1239
 Caperuto, L.C. see M.C. Medina, 285
 Caperuto, L.C. see M.C. Medina, 1528
 Capitani, G. see C. Grütter, 99
 Capitano, N. see C. Piccoli, 4539
 Caplen, N.J. see S.E. Martin, 3694

- Capron, M. see C. Dissous, 2968
 Cardoso, I. see F.A. Monteiro, 3451
 Carisey, A. see C. Lethias, 6281
 Caro, J. see X. Kong, 6182
 Caron, A. see M. Wu, 3246
 Carpin, S. see F. Chefdor, 77
 Carpinelli, A.R. see M.C. Medina, 285
 Carpinelli, A.R. see M.C. Medina, 1528
 Carracedo, A., A. Egia, M. Guzmán and G. Velasco, p8 Upregulation sensitizes astrocytes to oxidative stress, 1571
 Carrello, A. see D. Mok, 2761
 Carriere, A. see A. Galinier, 6391
 Carrington, J.C. see B. Yu, 3117
 Carter, W.J. see J. Langdown, 4709
 Carvalho, J.B.C. see P.O. Prada, 4889
 Carvalho, C.R.O. see M.C. Medina, 285
 Carvalho, C.R.O. see M.C. Medina, 1528
 Casanova, G. see G. Petrosillo, 6311
 Casas, C. see M.M. Molina-Navarro, 2273
 Cascante, M. see F.J. Reyes, 6302
 Cascio, M.G. see G. Appendino, 568
 Casey, R. see R.K. Hughes, 4188
 Caspar-Bauguil, S. see A. Galinier, 6391
 Castaño, E. see M.N. Calvo, 3308
 Casteilla, L. see A. Galinier, 6391
 Castello, P.R. see A.M.V. Giraldo, 607
 Castello, P.R. see A.M.V. Giraldo, 2158
 Castilla, J. see S.F. Martín, 4097
 Castillejo-López, C. see S. Mulinari, 5406
 Castillo, M., J. Mulet, J.A. Bernal, M. Criado, F. Sala and S. Sala, Improved gating of a chimeric $\alpha 7$ -5HT_{3A} receptor upon mutations at the M2–M3 extracellular loop, 256
 Castillo, M., J. Mulet, J.A. Bernal, M. Criado, F. Sala and S. Sala, Corrigendum to "Improved gating of a chimeric $\alpha 7$ -5HT_{3A} receptor upon mutations at the M2–M3 extracellular loop" [FEBS Lett. 580 (2006) 256–260], 6518
 Castro, B. see L. Gabison, 2087
 Catalán, V. see A. Rodríguez, 4771
 Caterino, M., M. Ruoppolo, S. Orrù, M. Savoia, S. Perrotta, L.D. Vecchio, F. Salvatore, G.W. Stewart and A. Iolascon, Characterization of red cell membrane proteins as a function of red cell density: Annexin VII in different forms of hereditary spherocytosis, 6527
 Catherinot, V. see A. Wehenkel, 3018
 Catteuw, D. see T. Montoye, 3301
 Cauwenberghs, S., M.A.H. Feijge, A.G.S. Harper, S.O. Sage, J. Curvers and J.W.M. Heemskerk, Shedding of procoagulant microparticles from unstimulated platelets by integrin-mediated destabilization of actin cytoskeleton, 5313
 Cazalé, A.-C. see L. Gayet, 6891
 Cazes, A. see S. Le Jan, 3395
 Ceci, L.R. see F. De Leo, 948
 Cederberg, A. see L.M. Grønning, 4126
 Cekaite, L. see L. Prasmickaite, 5739
 Cekan, P. see B. Ásgeirsson, 4639
 Kecic, D. see S. Calligaris, 1355
 Celis, J.E., I. Gromova, P. Gromov, J.M.A. Moreira, T. Cabezon, E. Friis and F. Rank, Molecular pathology of breast apocrine carcinomas: A protein expression signature specific for benign apocrine metaplasia, 2935
 Centelles, J.J. see F.J. Reyes, 6302
 Centeno, A. see M. Torrado, 4183
 Cervera, J. see I. Pérez-Arellano, 6247
 Cha, H.J. see D.S. Jang, 4166
 Cha, K.-Y. see H.-J. Do, 1865
 Chabouté, M.-E. see F. Lincker, 5167
 Chabowski, A., J. Górski, J. Calles-Escandon, N.N. Tandon and A. Bonen, Hypoxia-induced fatty acid transporter translocation increases fatty acid transport and contributes to lipid accumulation in the heart, 3617
 Chae, H.B. see H.H. Jang, 351
 Chae, S.-K. see J.-T. Kim, 6375
 Chaffotte, A.F. see J. Dairou, 1780
 Chaires, J.B. see L. Grant, 5399
 Chak, R.K.F. see Y. Zhou, 4303
 Chakrabarti, R., J.M. Walker, D.T. Stewart, R.J. Trdan, S. Vijayaraghavan, J.P. Curole and W.R. Hoeh, Presence of a unique male-specific extension of C-terminus to the cytochrome *c* oxidase subunit II protein coded by the male-transmitted mitochondrial genome of *Venustaconcha ellipsiformis* (Bivalvia: Unionoidea), 862
 Chakraborty, P.K. see P. Sen, 278
 Chakraborty, S. see C. Gao, 5096
 Chambon, C. see C.H. Herrera-Mendez, 3477
 Chan, A.Y. see Y. Zhou, 4303
 Chan, D. see N.W. Chong, 4469
 Chan, H.-L., P.R. Gaffney, M.D. Waterfield, H. Anderle, H. Peter Matthiessen, H.-P. Schwarz, P.L. Turecek and J.F. Timms, Proteomic analysis of UVC irradiation-induced damage of plasma proteins: Serum amyloid P component as a major target of photolysis, 3229
 Chan, J.H. see Y. Zhou, 4303
 Chan, K.-W. see N.P.Y. Lee, 923
 Chan, K.H. see F. Zeng, 5612
 Chan, K.K.C. see K.W. Leung, 3211
 Chan, M. see Y.M. Lye, 6083
 Chan, S.-F. see D.C.-H. Ng, 191
 Chan, V.W. see N.P.Y. Lee, 923
 Chan, Z.-R. see C.-W. Lai, 3829
 Chandra, N.R. see S. Ramesh, 5999
 Chang, G. see O. Pornillos, 358
 Chang, J.-Y., B.-Y. Lu, C.C. Lin and C. Yu, Fully oxidized scrambled isomers are essential and predominant folding intermediates of cardiotoxin-III, 656
 Chang, G. see C.L. Reyes, 1042
 Chang, H.-I. see K.-H. Lim, 4645
 Chang, I.-F. see M.A. Rodríguez Milla, 904
 Chang, K.C. see H.J. Kim, 1391
 Chang, M.D.-T. see C.-W. Lai, 3829
 Changchun, Y., X. Li, Z. Xiaolei, Z. Hui and Z. Hong, Genetic analysis on Tuoba Xianbei remains excavated from Qilang Mountain Cemetery in Qahar Right Wing Middle Banner of Inner Mongolia, 6242
 Chapman, E.J. see B. Yu, 3117
 Chapman, S.K. see C. Wardrope, 1677
 Charette, S.J. and P. Cosson, Exocytosis of late endosomes does not directly contribute membrane to the formation of phagocytic cups or pseudopods in *Dictyostelium*, 4923
 Charles, M.-P. see D. Ratel, 3179
 Chau, F.-T. see L.-Z. Yi, 6837
 Chaudhury, I., S.K. Raghav, H.K. Gautam, H.R. Das and R.H. Das, Suppression of inducible nitric oxide synthase by 10–23 DNAzymes in murine macrophage, 2046
 Che, X.-F. see H.-C. Jeung, 1294
 Chefdor, F., H. Bénédetti, C. Depierreux, F. Delmotte, D. Morabito and S. Carpin, Osmotic stress sensing in *Populus*: Components identification of a phosphorelay system, 77
 Chejanovsky, N. see A. Regev, 6777
 Chen, B. see J. Liu, 245
 Chen, C., J. Yan, Q. Sun, L. Yao, Y. Jian, J. Lu and J. Gu, Induction of apoptosis by p110C requires mitochondrial translocation of the proapoptotic BCL-2 family member BAD, 813
 Chen, D. see J.d.J. Pérez, 5822
 Chen, D. see C.L. Scott, 5829
 Chen, H., A.D. Jones and G.A. Howe, Constitutive activation of the jasmonate signaling pathway enhances the production of secondary metabolites in tomato, 2540
 Chen, H., Y. Wu, Y. Zhang, L. Jin, L. Luo, B. Xue, C. Lu, X. Zhang and Z. Yin, Hsp70 inhibits lipopolysaccharide-induced NF- κ B activation by interacting with TRAF6 and inhibiting its ubiquitination, 3145
 Chen, H. see Y.-W. Kim, 4377
 Chen, J. see F. Alimirah, 1659
 Chen, J. see X. Mao, 2615
 Chen, J. see F. Alimirah, 2294
 Chen, J., Y. Han, W. Zhu, R. Ma, B. Han, X. Cong, S. Hu and X. Chen, Specific receptor subtype mediation of LPA-induced dual effects in cardiac fibroblasts, 4737
 Chen, J., G. Dai, Y.-Q. Wang, S. Wang, F.-Y. Pan, B. Xue, D.-H. Zhao and C.-J. Li, Polo-like kinase 1 regulates mitotic arrest after UV irradiation through dephosphorylation of p53 and inducing p53 degradation, 3624
 Chen, J.-H. and S.E. Ozanne, Deep senescent human fibroblasts show diminished DNA damage foci but retain checkpoint capacity to oxidative stress, 6669
 Chen, J.-Y. see Y.-C. Luo, 5111
 Chen, J.Y.-J. see T.J. Egan, 5105
 Chen, K. see W. Liu, 697
 Chen, K.-H. see C.-Y. Lin, 3042
 Chen, L. see S.-J. Lee, 755
 Chen, L. and K. Madura, Evidence for distinct functions for human DNA repair factors hHR23A and hHR23B, 3401

- Chen, L. see J. Wang, 4392
 Chen, M., M.N. Bradley, S.W. Beaven and P. Tontonoz, Phosphorylation of the liver X receptors, 4835
 Chen, P. see B. Wang, 380
 Chen, Q., T.C. Balazs, R.L. Nagel and R.E. Hirsch, Human and mouse hemoglobin association with the transgenic mouse erythrocyte membrane, 4485
 Chen, R. see S. Sun, 1891
 Chen, S. see Y. Sun, 4353
 Chen, S.-D. see G.-H. Fan, 3091
 Chen, S.-Y. see H.-L. Zhou, 1239
 Chen, X. see B. Yu, 3117
 Chen, X. see J. Chen, 4737
 Chen, Y., G. Moiseyev, Y. Takahashi and J.-x. Ma, Impacts of two point mutations of RPE65 from Leber's congenital amaurosis on the stability, subcellular localization and isomerohydrolase activity of RPE65, 4200
 Chen, Y. see M.-L. He, 2414
 Chen, Y. see O. Farver, 3417
 Chen, Y., J. Cai and D.P. Jones, Mitochondrial thioredoxin in regulation of oxidant-induced cell death, 6596
 Chen, Y.-H. see B. Li, 4252
 Chen, Y.-H. see J.-H. Huang, 4807
 Chen, Y.-Q. see Y.-C. Luo, 5111
 Chen, Y.-R. see W.-Y. Sheng, 6819
 Cheng, H. see J. Guo, 581
 Cheng, H. see B.R. Burkhardt, 553
 Cheng, J.C. see S. Elojeimy, 4751
 Cheng, Y., Q. Zhao, X. Liu, S. Araki, S. Zhang and J. Miao, Phosphatidylcholine-specific phospholipase C, p53 and ROS in the association of apoptosis and senescence in vascular endothelial cells, 4911
 Cheng, Y.-K. see K.W. Leung, 3211
 Chen, Z.-H., Y. Yoshida, Y. Saito, N. Noguchi and E. Niki, Adaptive response induced by lipid peroxidation products in cell cultures, 479
 Cheon, S.H. see S.J. Kim, 1529
 Cherian, M.G. see E.A. Ostrakhovitch, 1235
 Chesnais, N. see M. Pannetier, 3715
 Cheung, W.M.W., W.W. Ng and A.W.C. Kung, Dimethyl sulfoxide as an inducer of differentiation in preosteoblast MC3T3-E1 cells, 121
 Chew, G.H. see N.R. McIntyre, 521
 Chi, L.M. and S.L. Lam, NMR investigation of DNA primer-template models: Structural insights to dislocation mutagenesis in DNA replication, 6496
 Chiadmi, M. see L. Gabison, 2087
 Chiappetta, A. see P. Facella, 4618
 Chiavegatto, S. see J.C. Moraes, 4625
 Chiaviello, A. see R. Coinu, 2465
 Chiba, S. see M. Okuyama, 2707
 Chiba, T. see T. Matsumoto, 731
 Chicca, A. see S. Fogli, 1733
 Chida, H., T. Yokoyama, F. Kawai, A. Nakazawa, H. Akazaki, Y. Takayama, T. Hirano, K. Suruga, T. Satoh, S. Yamada, R. Kawachi, S. Unzai, T. Nishio, S.-Y. Park and T. Oku, Crystal structure of oxidized cytochrome c_{6A} from *Arabidopsis thaliana*, 3763
 Chigorno, V. see S. Tivodar, 5705
 Chin, B.-R. see E.-J. Lim, 4533
 Chin, W.-C. see I. Quesada, 2201
 Ching, A.T.C., M.M.T. Rocha, A.F. Paes Leme, D.C. Pimenta, M. de Fátima D. Furtado, S.M.T. Serrano, P.L. Ho and I.L.M. Junqueira-de-Azevedo, Some aspects of the venom proteome of the Colubridae snake *Philodryas olfersii* revealed from a Duvernoy's (venom) gland transcriptome, 4417
 Ching, A.T.C., M.M.T. Rocha, A.F. Paes Leme, D.C. Pimenta, M.d.F.D. Furtado, S.M.T. Serrano, P.L. Ho and I.L.M. Junqueira-de-Azevedo, Corrigendum to "Some aspects of the venom proteome of the Colubridae snake *Philodryas olfersii* revealed from a Duvernoy's (venom) gland transcriptome" [FEBS Lett. 580 (2006) 4417-4422], 5122
 Ching, Y.-P. see D.C.-H. Ng, 191
 Chiong, M. see V. Eisner, 3469
 Chiong, M. see V. Eisner, 4495
 Chitty, L.S. see L.P.E. Dunlevy, 2803
 Cho, B. see J.-h. Ko, 539
 Cho, D.H. see K.-y. Kim, 3953
 Cho, H.R. see S.B. Kim, 311
 Cho, J.W. see H.S. Kim, 2311
 Cho, K.-H. see S.G. Park, 822
 Cho, K.-H., J.-R. Kim, S. Baek, H.-S. Choi and S.-M. Choo, Inferring biomolecular regulatory networks from phase portraits of time-series expression profiles, 3511
 Cho, K.-H. see S. An, 2741
 Cho, K.-H. see S.-Y. Shin, 5965
 Cho, K.-H., S. Baek and M.-H. Sung, Wnt pathway mutations selected by optimal β -catenin signaling for tumorigenesis, 3665
 Cho, M.J. see H.H. Jang, 351
 Cho, S.-W. see S.H. Choi, 6755
 Cho, S.K., J.E. Kim, J.-A. Park, T.J. Eom and W.T. Kim, Constitutive expression of abiotic stress-inducible hot pepper *CaXTH3*, which encodes a xyloglucan endotransglucosylase/hydrolase homolog, improves drought and salt tolerance in transgenic *Arabidopsis* plants, 3136
 Choe, J. see Y. Kim, 3519
 Chohan, M.O., S. Khatoon, I.-G. Iqbal and K. Iqbal, Involvement of I_{PP2A} in the abnormal hyperphosphorylation of tau and its reversal by Memantine, 3973
 Choi, D.H. see S.B. Kim, 311
 Choi, H.-S. see H.-H. Shin, 1601
 Choi, H.-S. see K.-H. Cho, 3511
 Choi, I.-H. see S.-J. Lee, 755
 Choi, I.-W. see S.-H. Kim, 1883
 Choi, J.-K. see Y.-M. Gu, 305
 Choi, J.S. see Y.J. Kim, 206
 Choi, K. see S. Deleu, 1709
 Choi, K. see P. Strnad, 2351
 Choi, K.Y. see Y.J. Ji, 3161
 Choi, K.Y. see D.S. Jang, 4166
 Choi, S.-Y. see C.W. Kim, 4332
 Choi, S.A., S.J. Kim and K.C. Chung, Huntingtin-interacting protein 1-mediated neuronal cell death occurs through intrinsic apoptotic pathways and mitochondrial alterations, 5275
 Choi, S.H., S.Y. Kim, J.J. An, S.H. Lee, D.W. Kim, H.J. Ryu, N.I. Lee, S.I. Ye, S.H. Jang, M.H. Won, T.-C. Kang, H.J. Kwon, S.-W. Cho, J. Kim, K.S. Lee, J. Park, W.S. Eum and S.Y. Choi, Human PEP-1-ribosomal protein S3 protects against UV-induced skin cell death, 6755
 Choi, S.Y. see S.H. Choi, 6755
 Chomsky-Hecht, O. see Y. Opatowsky, 5959
 Chondrogianni, N. see F.L.L. Stratford, 3989
 Chong, K.T.K. see P.C.Y. Woo, 3409
 Chong, K.T.K. see P.C.Y. Woo, 4976
 Chong, N.W., V. Codd, D. Chan and N.J. Samani, Circadian clock genes cause activation of the human *PAI-1* gene promoter with 4G/5G allelic preference, 4469
 Choo, J.-K. see S.-I. Ko, 3217
 Choo, S.-M. see K.-H. Cho, 3511
 Choo, S.-M. see S.-Y. Shin, 5965
 Choroba, O.W. see H.M. O'Hare, 3445
 Choubey, D. see F. Alimirah, 1659
 Choubey, D. see F. Alimirah, 2294
 Choumet, V. see B. Boisson, 1988
 Chow, J.P.H. see M. Fukada, 4051
 Chow, V.T.K. see K.R. Sakharkar, 1472
 Chowdhury, A.A. see Md.A. Mazid, 6885
 Christensen, C., J.B. Lauridsen, V. Berezin, E. Bock and V.V. Kiselev, The neural cell adhesion molecule binds to fibroblast growth factor receptor 2, 3386
 Chu, H. see J. Wehkamp, 5344
 Chua, G.H. see J.P. Zbilut, 4861
 Chubatsu, L.S. see L.F. Huergo, 5232
 Chung, D.K. see S.B. Kim, 311
 Chung, H.-M. see H.-J. Do, 1865
 Chung, J.H. see H.-I. Moon, 769
 Chung, J.H. see H.-I. Moon, 3341
 Chung, J.I. see H.J. Kim, 1391
 Chung, K.C. see S.A. Choi, 5275
 Chung, M.C.M. see P.M. Nissom, 2216
 Chung, S.-K. see A.M. Riley, 324
 Chung, W.S. see H.H. Jang, 351
 Chye, M.-L. see Y. Zhou, 4303
 Çiçek, D. see M.-N. Vaultier, 4218
 Giftci-Yilmaz, S. see R. Mittler, 6537
 Cinelli, A.R. see R. Efendiev, 5067
 Cirillo, N., F. Femiano, F. Gombos and A. Lanza, Serum from pemphigus vulgaris reduces desmoglein 3 half-life and perturbs its de novo assembly to desmosomal sites in cultured keratinocytes, 3276
 Clapham, J.C. see J. Hoeks, 1371
 Clark, A.J.L. see G. Turu, 41
 Clark, I. see L. Tuddenham, 4214
 Clark, M.S. see A.V.M. Canario, 291
 Clarke, P.R. see L.N. Bennett, 4176

- Clarke, R.G. see A.P. Kelly, 2135
 Clarke, R.G. see H.J. Hinton, 5845
 Clarkson, B.K. see J.M. Goldberg, 2059
 Clay, O. see S. Arhondakis, 5772
 Clemens, M.J. see V. Tilleray, 1766
 Clemens, S. see A. Grzam, 6384
 Clemens, S. see A. Trampczynska, 3173
 Clemente, J.C. see H. Gutiérrez-de-Terán, 5910
 Cluzel, C. see C. Lethias, 6281
 Clynen, E. see Q.F.M. Remijsen, 6206
 Clynen, E. see Y. Abdel-Mottaleb, 6254
 Coblitz, B., M. Wu, S. Shikano and M. Li, C-terminal binding: An expanded repertoire and function of 14-3-3 proteins, 1531
 Coblitz, B. see M. Wu, 5681
 Cochran, R. see A. Masedunskas, 2637
 Cockram, G.P. see M.R. Hogan, 58
 Codd, V. see N.W. Chong, 4469
 Coffey, R. see R.W.G. Watson, 996
 Cogdell, R.J. see A. Gall, 3841
 Cohen, A.S. see B.J. Pfister, 3525
 Cohen, D.E. see H.-J. Pan, 5953
 Cohen, P. see M.J. Stafford, 4010
 Coinu, R., A. Chiaviello, G. Galleri, F. Franconi, E. Crescenzi and G. Palumbo, Exposure to modeled microgravity induces metabolic idleness in malignant human MCF-7 and normal murine VSMC cells, 2465
 Colafranceschi, M. see J.P. Zbilut, 4861
 Cole, S.P.C. see R.G. Deeley, 1103
 Colegrove-Otero, L.J. see A. Devaux, 4947
 Collados, R., V. Andreu, R. Picorel and M. Alfonso, A light-sensitive mechanism differently regulates transcription and transcript stability of ω 3 fatty-acid desaturases (*FAD3*, *FAD7* and *FAD8*) in soybean photosynthetic cell suspensions, 4934
 Collins, P. see M. Sekiya, 5016
 Colloc'h, N. see L. Gabison, 2087
 Coluccia, P. see C. Giampietri, 6109
 Combe, J. see H. Aronsson, 649
 Combs, A.C. see E.L. McDearmon, 3381
 Communi, D. see M. Horckmans, 747
 Comte, J. see C. Lethias, 6281
 Cong, X. see J. Chen, 4737
 Conrath, U. see I. Ortmann, 4491
 Constantinou, C. see V. Tilleray, 1766
 Contreras-Jurado, C. see D. Gómez-Varela, 5059
 Cooney, J.M. see D. Deng, 5247
 Copland, I.B. see A. Belkaid, 3746
 Copp, A.J. see L.P.E. Dunlevy, 2803
 Corcos, L. see J. Antoun, 3361
 Corda, D. see S. Mariggio, 6789
 Corlu, A. see J. Antoun, 3361
 Cormier, P. see F. Le Sourd, 2755
 Coronas, F.V. see Y. Abdel-Mottaleb, 592
 Côte-Real, M. see N. Guaragnella, 6880
 Cortes, H. see Y. Reis, 4673
 Corvol, P. see S. Le Jan, 3395
 Coselli, J.S. see J. Wang, 2779
 Coso, O.A. see A. Dekanty, 2512
 Cossarizza, A. see R. Ferraresi, 6612
 Cossart, P. see M. Bonazzi, 2962
 Cosson, P. see S.J. Charette, 4923
 Costa, J. see M. Pannetier, 3715
 Costet, P. see N. Dragin, 3845
 Coulis, G. see C.H. Herrera-Mendez, 3477
 Coutard, B. see N. Matthes, 4143
 Coutu, A. see R. Mittler, 6537
 Coutu, J. see R. Mittler, 6537
 Covelto, P.S. see K.H. Teoh, 1411
 Cowburn, R.F. see F. Kerr, 3121
 Crapo, J.D. see A.V. Due, 1485
 Crescenzi, E. see R. Coinu, 2465
 Crescenzi, E. see C. Laezza, 6076
 Criado, M. see M. Castillo, 256
 Criado, M. see M. Castillo, 6518
 Crichton, R.R. see N. de Val, 6275
 Criollo, A. see V. Eisner, 3469
 Criollo, A. see V. Eisner, 4495
 Cross, G.A.M. see C.J. Janzen, 2306
 Crouchman, S., A. Ruban and P. Horton, PsbS enhances nonphotochemical fluorescence quenching in the absence of zeaxanthin, 2053
 Crouzet, J., T. Trombik, A. Staffan Fraysse and M. Boutry, Organization and function of the plant pleiotropic drug resistance ABC transporter family, 1123
 Csala, M., G. Bánhegyi and A. Benedetti, Endoplasmic reticulum: A metabolic compartment, 2160
 Cuadros, R. see A. Gómez-Ramos, 4842
 Cuello, J. see C. Gabaldón, 4311
 Cui, M.-I. see H.-J. Sun, 620
 Cui, Y. see L. Bao, 1231
 Cui, Y. see Z. Qu, 2141
 Cui, Y.-P. see X.-Y. Zhang, 2774
 Culiati, C.T. see K.R. Sakharkar, 1472
 Cummings, R.D. see E. van Liempt, 6123
 Curi, R. see T.M. de Lima, 3287
 Curole, J.P. see R. Chakrabarti, 862
 Curtin, S.J. see R. Margis, 2442
 Curvers, J. see S. Cauwenberghs, 5313
 Cushman, J.C. see M.A. Rodriguez Milla, 9045
 Cuypers, E., A. Yanagihara, E. Karlsson and J. Tytgat, Jellyfish and other cnidarian envenomations cause pain by affecting TRPV1 channels, 5728
- ## D
- da S. Rivas, G.B. see A.C.A. Meireles-Filho, 2
 Daelemans, D. see L. Lenaerts, 3937
 Dahl, G. see S. Locovei, 239
 Dai, G. see J. Chen, 3624
 Dairou, J., D. Flatters, A.F. Chaffotte, B. Pluvinage, E. Sim, J.-M. Dupret and F. Rodrigues-Lima, Insight into the structure of *Mesorhizobium loti* arylamine *N*-acetyltransferase 2 (MLNAT2): A biochemical and computational study, 1780
 Dalal, K. and F. Pio, Thermodynamics and stability of the PAAD/DAPIN/PYRIN domain of IFI-16, 3083
 Dall'Osto, L. see A. Fiore, 4718
 Dalmay, T. see G. Wheeler, 2195
 Dalmay, T. see L. Tuddenham, 4214
 Dalmay, T. see T. Rathjen, 5185
 Dalous, J. see M. Etzrodt, 6707
 Dalton, J.P. see M. Sekiya, 5016
 Daniel, J.-Y. see N. Dragin, 3845
 Danielsen, E. see K.N. Sas, 6861
 Dann, S.G. and G. Thomas, The amino acid sensitive TOR pathway from yeast to mammals, 2821
 Darakhshan, F. see S. Perrier, 6289
 Das-Chatterjee, A., L. Goswami, S. Maitra, K.G. Dastidar, S. Ray and A.L. Majumder, Introgression of a novel salt-tolerant *L*-myo-inositol 1-phosphate synthase from *Porteresia coarctata* (Roxb.) Tateoka (*PcINOI*) confers salt tolerance to evolutionary diverse organisms, 3980
 Das, A.K. see D. Mitra, 6846
 Das, H.R. see I. Chaudhury, 2046
 Das, R.H. see I. Chaudhury, 2046
 Dasgupta, S. see K.S. Ghosh, 4703
 Dastidar, K.G. see A. Das-Chatterjee, 3980
 Dauchez, M. see N. Floquet, 5130
 Davenne, L. see M. Lasfer, 2547
 David Fan, T.P. see K.W. Leung, 3211
 David, K.M., U. Armbruster, N. Tama and J. Putterill, *Arabidopsis* GIGANTEA protein is post-transcriptionally regulated by light and dark, 1193
 Davies, N.A., S.J. Hodges, A.A. Pitsillides, R.P. Mookerjee, R. Jalan and S. Mehdizadeh, Hepatic guanylate cyclase activity is decreased in a model of cirrhosis: A quantitative cytochemistry study, 2123
 Davletov, B. see S. Mahrhold, 2011
 de Asua, L.J. see A. Dekanty, 2512
 de Baere, I. see K. Lechward, 3631
 De Cesaris, P. see C. Giampietri, 6109
 De Clercq, E. see L. Lenaerts, 3937
 De Clercq, R. see R. Vanderhaeghen, 2630
 De Conti, L. see M. Baralle, 4449
 de Crécy-Lagard, V. see D.F. Savage, 5198
 de Diego, A. see M.A.G. Sillero, 5723

- de Fátima D. Furtado, M. see A.T.C. Ching, 4417
- de Freitas, V. see A. Faria, 155
- de Graaf, D.C. see N. Peiren, 4895
- de Groot, N.S. and S. Ventura, Effect of temperature on protein quality in bacterial inclusion bodies, 6471
- de Haan, A. see N. Dekker, 3099
- de Jesús Pérez, J. see C.L. Scott, 5829
- de la Cruz, F. see I. Hormaeche, 3075
- De la Rosa, M.A. see I. Díaz-Moreno, 3023
- De la Rosa, M.A. see I. Díaz-Moreno, 6187
- De Leo, F., M. Volpicella, M. Sciancalepore, R. Gallerani and L.R. Ceci, One of the three proteinase inhibitor genes newly identified in the *Brassica napus* genome codes for an inhibitor of glutamyl endopeptidase, 948
- De Libero, G. and L. Mori, How T lymphocytes recognize lipid antigens, 5580
- de Lima, T.M., L. de Sa Lima, C. Scavone and R. Curi, Fatty acid control of nitric oxide production by macrophages, 3287
- De Luca, V. see J. Murata, 4501
- de Mora, J.F. see Á. Avivar, 5222
- de Oliveira, R.M., Klotho RNAi induces premature senescence of human cells via a p53/p21 dependent pathway, 5753
- De Petrocellis, L. see G. Appendino, 568
- de Roodt, A.R. see Y. Abdel-Mottaleb, 592
- de Sa Lima, L. see T.M. de Lima, 3287
- De Sepulveda, P. see J. Bayle, 2609
- De Simone, A., G.G. Dodson, F. Fraternali and A. Zagari, Water molecules as structural determinants among prions of low sequence identity, 2488
- de Souza, N.A. see A.C.A. Meireles-Filho, 2
- de Souza, S.J. see M.D. Vibriantovski, 1621
- de Tezanos Pinto, F. and H.P. Adamo, Deletions in the A₁ region of the h4xb plasma membrane Ca²⁺ pump. High apparent affinity for Ca²⁺ of a deletion mutant resembling the alternative spliced form h4zb, 1576
- de Val, N., H. Herschbach, N. Potier, A.V. Dorsselaer and R.R. Crichton, Mass spectrometry studies of demetallation of haemin by recombinant horse L chain apoferritin and its mutant (E 53,56,57,60 Q), 6275
- de Villiers, K.A. see T.J. Egan, 5105
- De Vos, D.E. see A.M. Aerts, 1903
- Debaq-Chainiaux, F. see S. Zdanov, 6455
- Decaux, J.-F. see C. Gregori, 410
- Decker, T. see D. Soulat, 2341
- Deeley, R.G. and S.P.C. Cole, Substrate recognition and transport by multidrug resistance protein 1 (ABCC1), 1103
- Deffert, C. see G. Gavazzi, 497
- Degl'Innocenti, D. see M. Ramazzotti, 6763
- Degnan, B.M. see T. Rice, 3769
- DeGruccio, A.M. see V. Graziano, 2577
- DeJonge, H. see C. Norez, 2081
- Dekanty, A., S. Giulianelli, O.A. Coso, P.S. Rudland and L.J. de Asua, Differential involvement of ERK_{1,2} and p38^{MAPK} activation on Swiss 3T3 cell proliferation induced by prostaglandin F_{2α}, 2512
- Dekker, N., A. de Haan and F. Hochstenbach, Transcription regulation of the α-glucanase gene *agn1* by cell separation transcription factor Ace2p in fission yeast, 3099
- Dekker, N. see C.H. Grün, 3780
- Deleu, S. see A.M. Riley, 324
- Deleu, S., K. Choi, J.M. Reece and S.B. Shears, Pathogenicity of *Salmonella*: SopE-mediated membrane ruffling is independent of inositol phosphate signals, 1709
- Delfino, J.M. see A.M.V. Giraldo, 607
- Delfino, J.M. see A.M.V. Giraldo, 2158
- Delmotte, F. see F. Chefdor, 77
- Delourme, D. see C.H. Herrera-Mendez, 3477
- Demandre, C. see M.-N. Vaultier, 4218
- Demchenko, A.P., Visualization and sensing of intermolecular interactions with two-color fluorescent probes, 2951
- Demyanets, S. see P.J. Hohensinner, 3532
- Denayer, T., F. Van Roy and K. Vlemminckx, In vivo tracing of canonical Wnt signaling in *Xenopus* tadpoles by means of an inducible transgenic reporter tool, 393
- Deng, D., J. Zhang, J.M. Cooney, M.A. Skinner, A. Adaim, D.J. Jensen and D.E. Stevenson, Methylated polyphenols are poor "chemical" antioxidants but can still effectively protect cells from hydrogen peroxide-induced cytotoxicity, 5247
- Deng, H. see C.J. Janzen, 2306
- Depicker, A. see T. Aelbrecht, 4155
- Depierreux, C. see F. Chefdor, 77
- Dermott, J.M. see B. Asefa, 1205
- Derunes, C., R. Burgess, E. Iraheta, R. Kellerer, K. Becherer, C.R. Gessner, S. Li, K. Hewitt, K. Vuori, E.B. Pasquale, V.L. Woods Jr. and K.R. Ely, Molecular determinants for interaction of SHEP1 with Cas localize to a highly solvent-protected region in the complex, 175
- Desbuquois, B. see C. Merlen, 5697
- Deshpande, A., R.J. Hammon, C.K. Sanders and S.W. Graves, Quantitative analysis of the effect of cell type and cellular differentiation on protective antigen binding to human target cells, 4173
- Désilets, A., J.-M. Longpré, M.-É. Beaulieu and R. Leduc, Inhibition of human matriptase by eglin c variants, 2227
- Desviat, L.R. see C. Aguado, 1697
- Desvoyes, B. see J.S. Batten, 2591
- Deuschl, F., K. Kollmann, K. von Figura and T. Lübke, Molecular characterization of the hypothetical 66.3-kDa protein in mouse: Lysosomal targeting, glycosylation, processing and tissue distribution, 5747
- Devaux, A., L.J. Colegrove-Otero and N. Standart, *Xenopus* ElrB, but not ElrA, binds RNA as an oligomer: Possible role of the linker, 4947
- Devic, M. see F. Lincker, 5167
- Devitt, G. see T. Pfeiffer, 3775
- Dewilde, S. see A. Fago, 4884
- Di, L., W. Liu, Y. Liu and J.-Y. Wang, Effect of asymmetric distribution of phospholipids in ghost membrane from rat blood on peroxidation induced by ferrous ion, 685
- Di Mario, U. see R. Masella, 2421
- Di Marzo, V. see G. Appendino, 568
- Di Paola, M., P. Zaccagnino, C. Oliveros-Celis and M. Lorusso, Arachidonic acid induces specific membrane permeability increase in heart mitochondria, 775
- Díaz-Araya, G. see V. Eisner, 3469
- Díaz-Araya, G. see V. Eisner, 4495
- Díaz-Hernández, M. see A. Gómez-Ramos, 4842
- Díaz-Moreno, I., A. Díaz-Quintana, G. Subías, T. Mairs, M.A. De la Rosa and S. Díaz-Moreno, Detecting transient protein-protein interactions by X-ray absorption spectroscopy: The cytochrome c₆-photosystem I complex, 3023
- Díaz-Moreno, I., A. Díaz-Quintana, S. Díaz-Moreno, G. Subías and M.A. De la Rosa, Transient binding of plastocyanin to its physiological redox partners modifies the copper site geometry, 6187
- Díaz-Moreno, S. see I. Díaz-Moreno, 3023
- Díaz-Moreno, S. see I. Díaz-Moreno, 6187
- Díaz-Quintana, A. see I. Díaz-Moreno, 3023
- Díaz-Quintana, A. see I. Díaz-Moreno, 6187
- Diaz, R. see C.J. Janzen, 2306
- Dickson, R.C. see S.C. Linn, 6217
- Dietler, G. see J. Adamcik, 5671
- Dietz, K.-J. see K. Groten, 1269
- Dikshit, K.L. see A. Lama, 4031
- Dilber, M.S. see H. Skottman, 2875
- Ding, J. see M. Ming, 6749
- Ding, Y. see M. Jiang, 6561
- Dishon, A. see M. Ilouze, 4473
- Dissous, C., N. Khayath, J. Vicogne and M. Capron, Growth factor receptors in helminth parasites: Signalling and host-parasite relationships, 2968
- Dittmer, A. and E. Bogner, Specific short hairpin RNA-mediated inhibition of viral DNA packaging of human cytomegalovirus, 6132
- Dixon, J.E. see S.J. Juris, 179
- Dixon, R.A. see L. Tian, 6915
- Do, H.-J., H. Song, H.-M. Yang, D.-K. Kim, N.-H. Kim, J.-H. Kim, K.-Y. Cha, H.-M. Chung and J.-H. Kim, Identification of multiple nuclear localization signals in murine Elf3, an ETS transcription factor, 1865
- Dobbelaere, D.A. see P. Hermann, 5023
- Dobson, C.M. see D. Hall, 2584
- Docherty, H.M. see J. Barrow, 711
- Dodd-o, J. see Q. Tong, 2207
- Dodson, G.G. see A. De Simone, 2488
- Doeven, M.K. see E. Biemans-Oldehinkel, 1023
- Dohmae, N. see M. Masuda, 1775
- Dohmae, N. see S. Kataoka, 4667
- Dohmae, S. see I. Taneike, 2323
- Doi, T. see S. Suzuki, 3257
- Doi, T. see Y. Tabuchi, 3035
- Doi, T. see K. Ishimoto, 4929
- Dolgikh, D.A. see V. Zamotin, 2451

- Domitrovic, T., C.M. Fernandes, E. Boy-Marcotte and E. Kurtenbach, High hydrostatic pressure activates gene expression through Msn2/4 stress transcription factors which are involved in the acquired tolerance by mild pressure precondition in *Saccharomyces cerevisiae*, 6033
- Donadini, A., F. Giacomelli, R. Ravazzolo, V. Gandin, P.C. Marchisio and S. Biffo, GABP complex regulates transcription of eIF6 (p27^{BBP}), an essential trans-acting factor in ribosome biogenesis, 1983
- Donath, E. see S. Leporatti, 450
- Dong, H. see Y.C. Kim, 6721
- Dong, L.-F. see J. Neuzil, 5125
- Donnelly, S.M. see M. Sekiya, 5016
- Donowitz, M. see C.L. Brett, 717
- Dontsova, O.A. see Yu.S. Sharanov, 4683
- Douglas, T. see J.W. Peters, 363
- Dorokhov, Y.L., E.V. Skurat, O.Y. Frolova, T.V. Gasanova, P.A. Ivanov, N.V. Ravin, K.G. Skryabin, K.M. Mäkinen, V.I. Klimyuk, Y.Y. Gleba and J.G. Atabekov, Role of the leader sequence in tobacco pectin methylesterase secretion, 3329
- Dorokhov, Y.L., O.Y. Frolova, E.V. Skurat, P.A. Ivanov, T.V. Gasanova, A.A. Sheveleva, N.V. Ravin, K.M. Mäkinen, V.I. Klimyuk, K.G. Skryabin, Y.Y. Gleba and J.G. Atabekov, A novel function for a ubiquitous plant enzyme pectin methylesterase: The enhancer of RNA silencing, 3872
- Dorselaer, A.V. see N. de Val, 6275
- Dosi, R. see S. Vilasi, 1681
- Dotti, C.G. see M.D. Ledesma, 5525
- Dowling, D.N. see Y.-C. Sun, 1521
- Doyle, C. see X.-G. Zhen, 5733
- Dragin, N., M. Smani, S. Arnaud-Dabernat, C. Dubost, I. Moranvillier, P. Costet, J.-Y. Daniel and E. Peuchant, Acute oxidative stress is associated with cell proliferation in the mouse liver, 3845
- Drahota, Z. see A.M. Sardaneli, 5690
- D'Alexandri, F.L., E.A. Kimura, V.J. Peres and A.M. Katzin, Protein dolichylation in *Plasmodium falciparum*, 6343
- D'Archivio, M. see R. Masella, 2421
- Dréano, Y. see J. Antoun, 3361
- Dreyer, I. see C.C. Wood, 3931
- Drucker-Colín, R. see E. Murillo-Rodríguez, 4337
- D'Urzo, A. see E. Sacco, 6322
- Du, H.-N., H.-T. Li, F. Zhang, X.-J. Lin, J.-H. Shi, Y.-H. Shi, L.-N. Ji, J. Hu, D.-H. Lin and H.-Y. Hu, Acceleration of α -synuclein aggregation by homologous peptides, 3657
- Du, X. see J. Liu, 1405
- Du, X. see B. Xing, 2027
- Du, Z. see H. Xu, 3610
- Dubost, C. see N. Dragin, 3845
- Dubreuil, P. see J. Bayle, 2609
- Duchniewicz, M. see T. Zemojtel, 455
- Dudkina, N.V., S. Sunderhaus, H.-P. Braun and E.J. Boekema, Characterization of dimeric ATP synthase and cristae membrane ultrastructure from *Saccharomyces* and *Polytomella* mitochondria, 3427
- Due, A.V., S.V. Petersen, Z. Valnickova, L. Ostergaard, T.D. Oury, J.D. Crapo and J.J. Enghild, Intracellular superoxide dismutase exists as an octamer, 1485
- Dunand, C. see M. Zámocký, 6655
- Duncan, R.S. see J.M. Ridley, 1999
- Duncan, R.S. see M. Tanaka, 6145
- Dunlevy, L.P.E., K.A. Burren, L.S. Chitty, A.J. Copp and N.D.E. Greene, Excess methionine suppresses the methylation cycle and inhibits neural tube closure in mouse embryos, 2803
- Dunn, B.M. see H. Gutiérrez-de-Terán, 5910
- Dunn, J.J. see V. Graziano, 2577
- Dunon, D. see B. Guezguez, 3649
- Duplat, D., M. Puisségur, L. Bédouet, M. Rousseau, H. Boulzaguet, C. Milet, D. Sellos, A. Van Wormhoudt and E. Lopez, Identification of calconectin, a calcium-binding protein specifically expressed by the mantle of *Pinctada margaritifera*, 2435
- Dupret, J.-M. see J. Dairou, 1780
- Durbeej, M. see K.I. Gawlik, 1759
- Duronio, V. see A. Gómez-Muñoz, 716
- Dutertre, S., N.G. Lumsden, P.F. Alewood and R.J. Lewis, Isolation and characterisation of conomap-Vt, a d-amino acid containing excitatory peptide from the venom of a vermivorous cone snail, 3860
- Duttilleul, C. see K. Groten, 1269
- Duvos, C., A. Scutt and H. Mayer, hPTH-Fragments (53–84) and (28–48) antagonize the stimulation of calcium release and repression of alkaline phosphatase activity by hPTH-(1–34) in vitro, 1509
- Dvorak, P., D. Dvorakova and A. Hampl, Fibroblast growth factor signaling in embryonic and cancer stem cells, 2869
- Dvorakova, D. see P. Dvorak, 2869
- Dvorianchikova, G., D. Ivanov, Y. Panchin and V.I. Shestopalov, Expression of pannexin family of proteins in the retina, 2178
- Dvorianchikova, G. see D. Ivanov, 331
- Dzugaj, A. see A. Gizak, 4042
- Dzwonek, A., M. Mikula and J. Ostrowski, The diverse involvement of heterogeneous nuclear ribonucleoprotein K in mitochondrial response to insulin, 1839
- Dzyakanchuk, A.A. see A.G. Atanasov, 4081

E

- Ebel, C. see G. Tabarani, 2402
- Ebert, T. see N. Francis, 4713
- Ebizuka, Y. see P. Tansakul, 5143
- Eblaghie, M.C. see T.G. Smith, 4242
- Ebo, D.G. see N. Peiren, 4895
- Eck, M.V. see M. Pennings, 5588
- Eckhoff, A. see O.H. Weiergräber, 251
- Eddine, A.N. see S.J. Holton, 6898
- Edosada, C.Y., C. Quan, T. Tran, V. Pham, C. Wiesmann, W. Fairbrother and B.B. Wolf, Peptide substrate profiling defines fibroblast activation protein as an endopeptidase of strict Gly₂-Pro₁-cleaving specificity, 1581
- Edvardsson, A. see A. Shapiguzov, 3671
- Efendiev, R., A.R. Cinelli, I.B. Leibiger, A.M. Bertorello and C.H. Pedemonte, FRET analysis reveals a critical conformational change within the Na,K-ATPase α 1 subunit N-terminus during GPCR-dependent endocytosis, 5067
- Egan, T.J., J.Y.-J. Chen, K.A. de Villiers, T.E. Mabothe, K.J. Naidoo, K.K. Ncokazi, S.J. Langford, D. McNaughton, S. Pandiancherri and B.R. Wood, Haemozoin (β -haematin) biomineralization occurs by self-assembly near the lipid/water interface, 5105
- Egia, A. see A. Carracedo, 1571
- Egmond, M.R. see G. van Meer, 1171
- Eguchi, A., A. Murakami and H. Ohigashi, Nobiletin, a citrus flavonoid, suppresses phorbol ester-induced expression of multiple scavenger receptor genes in THP-1 human monocytic cells, 3321
- Eichner, N. see I.M. Weiss, 1846
- Eickmann, M. see D. Voß, 968
- Eisenreich, W. see F. Wellmann, 1642
- Eiserich, J.P. see R.W. Harper, 5150
- Eisner, V., C. Quiroga, A. Criollo, J.M. Eltit, M. Chiong, V. Parra, K. Hidalgo, B. Toro, G. Díaz-Araya and S. Lavandero, Hyperosmotic stress activates p65/RelB NF κ B in cultured cardiomyocytes with dichotomic actions on caspase activation and cell death, 3469
- Eisner, V., A. Criollo, C. Quiroga, C. Olea-Azar, J.F. Santibañez, R. Troncoso, M. Chiong, G. Díaz-Araya, R. Foncea and S. Lavandero, Hyperosmotic stress-dependent NF κ B activation is regulated by reactive oxygen species and IGF-1 in cultured cardiomyocytes, 4495
- Eivemark, S. see A. Gómez-Muñoz, 716
- Eklom, P. see K.I. Gawlik, 1759
- Ekuni, D. see T. Tomofuji, 3601
- El Hajji, M. see L. Gabison, 2087
- El-Akkad, E. see F. Liu, 6269
- El-Alwani, M. see T.A. Taha, 6047
- El-Hennamy, R. see A. Sumová, 2836
- El-Toukhy, A., A.M. Given, O. Ogut and F.V. Brozovich, PHI-1 interacts with the catalytic subunit of myosin light chain phosphatase to produce a Ca²⁺ independent increase in MLC₂₀ phosphorylation and force in avian smooth muscle, 5779
- El-Zawahry, A. see S. Elojeimy, 4751
- Eldstrom, J., D.R. Van Wagoner, E.D. Moore and D. Fedida, Localization of Kv1.5 channels in rat and canine myocyte sarcolemma, 6039
- Elhamdani, A., F. Azizi, E. Solomaha, H.C. Palfrey and C.R. Artalejo, Two mechanistically distinct forms of endocytosis in adrenal chromaffin cells: Differential effects of SH3 domains and amphiphysin antagonism, 3263

- Elmore, D.E., Molecular dynamics simulation of a phosphatidylglycerol membrane, 144
- Elojeimy, S., D.H. Holman, X. Liu, A. El-Zawahry, M. Villani, J.C. Cheng, A. Mahdy, Y. Zaidan, A. Bielwaska, Y.A. Hannun and J.S. Norris, New insights on the use of desipramine as an inhibitor for acid ceramidase, 4751
- Eltit, J.M. see V. Eisner, 3469
- Ely, K.R. see C. Derunes, 175
- Emes, M.J. see X. Yan, 6509
- Emes, M.J. see X. Yan, 6987
- Emili, A. see G. Butland, 677
- Endo, Y. see T. Matsumoto, 731
- Endter, J. see T. Sano, 597
- Enerbäck, S. see L.M. Grønning, 4126
- Engel, T., G. Bode, A. Lueken, M. Knop, F. Kannenberg, J.-R. Nofer, G. Assmann and U. Seedorf, Expression and functional characterization of ABCG1 splice variant ABCG1(666), 4551
- Enghild, J.J. see A.V. Due, 1485
- Enomoto, M., Y. Sawano, S. Kosuge, Y. Yamano, K. Kuroki and K. Ohtsuki, High phosphorylation of HBV core protein by two α -type CK2-activated cAMP-dependent protein kinases in vitro, 894
- Eom, T.J. see S.K. Cho, 3136
- Erdei, A. see J. Oláh, 5807
- Ervasti, J.M. see E.L. McDearmon, 3381
- Eryilmaz, J. see T.R. Waters, 6423
- Esaki, M., Y. Liu and B.S. Glick, The budding yeast *Pichia pastoris* has a novel Sec23p homolog, 5215
- Esmann, M. see J. Underhaug, 4777
- Esmann, M. see D.A. Middleton, 6685
- Espinosa, J.-C. see S.F. Martín, 4097
- Etchells, S.A. see S. Tomic, 72
- Etzrodt, M., H.C.F. Ishikawa, J. Dalous, A. Müller-Taubenberger, T. Bretschneider and G. Gerisch, Time-resolved responses to chemoattractant, characteristic of the front and tail of *Dictyostelium* cells, 6707
- Eum, W.S. see S.H. Choi, 6755
- Evdonin, A.L., I.V. Guzhova, B.A. Margulis and N.D. Medvedeva, Extracellular heat shock protein 70 mediates heat stress-induced epidermal growth factor receptor transactivation in A431 carcinoma cells, 6674
- Exposito, J.-Y. see C. Lethias, 6281
- Ezura, H. see H.-J. Sun, 620
- F**
- Faber-Barata, J., R. Mohana-Borges and L.M.T.R. Lima, Specificity in DNA recognition by a peptide from papillomavirus E2 protein, 1919
- Fabrega, S. see C. Merlen, 5697
- Facella, P., L. Lopez, A. Chiappetta, M.B. Bitonti, G. Giuliano and G. Perrotta, *CRY-DASH* gene expression is under the control of the circadian clock machinery in tomato, 4618
- Fago, A., A.J. Mathews, L. Moens, S. Dewilde and T. Brittain, The reaction of neuroglobin with potential redox protein partners cytochrome *b₅* and cytochrome *c*, 4884
- Fairbrother, W. see C.Y. Edosada, 1581
- Fairhurst, S.A. see R.K. Hughes, 4188
- Fan, G.-H., H.-Y. Zhou, H. Yang and S.-D. Chen, Heat shock proteins reduce α -synuclein aggregation induced by MPP⁺ in SK-N-SH cells, 3091
- Fan, J. see M. Wu, 3246
- Fan, S.-h. see J. Lu, 6730
- Fan, Y. see Z. Zhao, 2750
- Fang, J. see Q. Zhou, 5161
- Fang, N. see Y. Bian, 6007
- Fang, W.-G. see B. Li, 4252
- Fanghänel, J., H. Akiyama, C. Uchida and T. Uchida, Comparative analysis of enzyme activities and mRNA levels of peptidyl prolyl *cis/trans* isomerases in various organs of wild type and *Pin1*^{-/-} mice, 3237
- Fantinato, S. see E. Sacco, 6322
- Faria, A., N. Mateus, V. de Freitas and C. Calhau, Modulation of MPP⁺ uptake by procyanidins in Caco-2 cells: Involvement of oxidation/reduction reactions, 155
- Farrell, E.R. see T.G. Smith, 4242
- Farver, O., Y. Chen, J.A. Fee and I. Pecht, Electron transfer among the Cu_A⁻, heme *b*- and *a₃*-centers of *Thermus thermophilus* cytochrome *ba₃*, 3417
- Fattoum, A. see I. Ferjani, 4801
- Fazendeiro, I. see Y. Reis, 4673
- Feathers, R.W. see J. Wehkamp, 5344
- Fedida, D. see J. Eldstrom, 6039
- Fee, J.A. see O. Farver, 3417
- Fei, J. see G. Niu, 415
- Feijge, M.A.H. see S. Cauwenberghs, 5313
- Feldman, H.J., K.A. Snyder, A. Ticoll, G. Pintilie and C.W.V. Hogue, A complete small molecule dataset from the protein data bank, 1649
- Feldmann, G. see M. Lasfer, 2547
- Feldmann, H., Istanbul Special Issue, 2809
- Femiano, F. see N. Cirillo, 3276
- Feng, D.M. see H.Z. Zhu, 4346
- Feng, S. see T.-J. Zhao, 3835
- Feng, Z. see L. Wang, 3677
- Ferdinandusse, S. see J. Gloerich, 2092
- Ferguson, L.A. see J. Barrow, 711
- Ferguson, S.J. see J.W.A. Allen, 4827
- Ferjani, I., A. Fattoum, S.K. Maciver, M. Manai, Y. Benyamin and C. Roustan, Calponin binds G-actin and F-actin with similar affinity, 4801
- Fernandes, C.M. see T. Domitrovic, 6033
- Fernández Lobato, M. see M.B. Sánchez, 1807
- Fernández-Lloris, R., N. Osses, E. Jaffray, L.N. Shen, O.A. Vaughan, D. Girwood, R. Bartrons, J.L. Rosa, R.T. Hay and F. Ventura, Repression of SOX6 transcriptional activity by SUMO modification, 1215
- Fernandez-Luna, J.L. see P.J. Real, 5905
- Fernández-Murray, J.P. and C.R. McMaster, Identification of novel phospholipid binding proteins in *Saccharomyces cerevisiae*, 82
- Fernandez, J.P. see C.J. Janzen, 2306
- Fernandez, P. see A. Wehenkel, 3018
- Fernandez, Y. see A. Galinier, 6391
- Ferraresi, R., L. Troiano, E. Roat, E. Nemes, E. Lugli, M. Nasi, M. Pinti, M. Calvani, M. Iannuccelli and A. Cossarizza, Protective effect of acetyl-L-carnitine against oxidative stress induced by antiretroviral drugs, 6612
- Ferrari, J. see M.L. Massimino, 878
- Ferrario-Méry, S., E. Besin, O. Pichon, C. Meyer and M. Hodges, The regulatory PII protein controls arginine biosynthesis in *Arabidopsis*, 2015
- Feussner, I. see R.K. Hughes, 4188
- Fialova, L. see N. Zilka, 3582
- Fieschi, F. see G. Tabarani, 2402
- Fiette, L. see G. Gavazzi, 497
- Filipcik, P. see N. Zilka, 3582
- Filippini, A. see C. Giampietri, 6109
- Finazzi Agrò, A. see A. Mura, 4317
- Finckh, U. see C. Hartwig, 3489
- Finegan, K.G. see E.S. Papadakis, 1320
- Finkemeier, I. see K. Groten, 1269
- Finnegan, E.J. see R. Margis, 2442
- Fiore, A., L. Dall'Osto, P.D. Fraser, R. Bassi and G. Giuliano, Elucidation of the β -carotene hydroxylation pathway in *Arabidopsis thaliana*, 4718
- Fiori, F. see Y. Torrente, 5759
- Fischer, K. see I. Rollwitz, 4246
- Fischer, M., I. Haase, S. Wiesner and A. Müller-Taubenberger, Visualizing cytoskeleton dynamics in mammalian cells using a humanized variant of monomeric red fluorescent protein, 2495
- Fishman, D.A. see S. Kang, 443
- Fitzpatrick, J.M. see R.W.G. Watson, 996
- Fitzsimmons, B. see C.I. Svensson, 6629
- Flachner, B. see A. Varga, 2698
- Flatters, D. see J. Dairou, 1780
- Flecha, F.L.G. see A.M.V. Giraldo, 607
- Flecha, F.L.G. see A.M.V. Giraldo, 2158
- Fleury, F. see V.A. Oleinikov, 4953
- Floquet, N., J.-D. Marechal, M.-A. Badet-denisot, C.H. Robert, M. Dauchez and D. Perahia, Normal mode analysis as a prerequisite for drug design: Application to matrix metalloproteinases inhibitors, 5130
- Floris, G. see A. Mura, 4317
- Flügge, U.-I. see I. Rollwitz, 4247
- Fogli, S., P. Nieri, A. Chicca, B. Adinolfi, V. Mariotti, P. Iacopetti, M.C. Breschi and S. Pellegrini, Cannabinoid derivatives induce cell

death in pancreatic MIA PaCa-2 cells via a receptor-independent mechanism, 1733
 Folz, B.J. see R. Mandic, 4793
 Foncea, R. see V. Eisner, 4495
 Fong, W.-P. see M.-H. Yau, 1465
 Fontayne, A. see Q.F.M. Remijsen, 6206
 Ford, R.C. see R. Callaghan, 1056
 Forestier, C. see L. Gayet, 6891
 Forgac, M. see Z. Zhang, 2006
 Formentin, E., A. Naso, S. Varotto, C. Picco, F. Gambale and F. Lo Schiavo, KDC2, a functional homomeric potassium channel expressed during carrot embryogenesis, 5009
 Forte, E. see V.B. Borisov, 4823
 Foster, D.A. see V. Rodrik, 5647
 Fournel-Gigleux, S. see M. Ouzzine, 1953
 Foyer, C.H. see K. Groten, 1269
 Francesca, G. see M. Beatrice, 1941
 Franceschini, G. see S. Bellosta, 5974
 Francis, N., T. Gregg, R. Owen, T. Ebert and A. Bodnar, Lack of age-associated telomere shortening in long- and short-lived species of sea urchins, 4713
 François, I.E.J.A. see A.M. Aerts, 1903
 Franconi, F. see R. Coïnu, 2465
 Frank, J. see K. Mitra, 3353
 Frasc, A.C.C. see M.A. Brocco, 4723
 Fraser, P.D. see A. Fiore, 4718
 Fraternali, F. see A. De Simone, 2488
 Freeman, R.E. and J. Neuzil, Role of thioredoxin-1 in apoptosis induction by α -tocopheryl succinate and TNF-related apoptosis-inducing ligand in mesothelioma cells, 2671
 Freidman, A. see K.S. Song, 1993
 Frelet, A. and M. Klein, Insight in eukaryotic ABC transporter function by mutation analysis, 1064
 Frentzen, M. see R.H. Houtkoooper, 3059
 Frentzen, M. see R. Sadre, 5357
 Frickey, T. see T. Proikas-Cezanne, 5241
 Friedman, S.L. see M.S. Banck, 6981
 Friese-Hamim, M. see D.H.H. Koo, 15
 Friguet, B., Oxidized protein degradation and repair in ageing and oxidative stress, 2910
 Friis, E. see J.E. Celis, 2935
 Fritz-Wolf, K. see S. Urig, 3595
 Frolova, O.Y. see Y.L. Dorokhov, 3329
 Frolova, O.Y. see Y.L. Dorokhov, 3872
 Fromme, P. see R. Subramanyam, 233
 Frommer, W.B. see H. Gu, 5885
 Frühbeck, G. see A. Rodríguez, 4771
 Frutos, A.G. see M. Wu, 5681
 Fuentes, J. see A.V.M. Canario, 291
 Fujii, A. see A. Suzuki, 2317
 Fujii, T. see H. Sakai, 3368
 Fujikawa, A. see M. Fukada, 4051
 Fujimoto, J. see Y. Abe, 782
 Fujimoto, R., T. Sugimura and T. Nishio, Gene conversion from *SLG* to *SRK* resulting in self-compatibility in *Brassica rapa*, 425
 Fujimura, T. see T. Akihiro, 5947
 Fujimuro, M. see R. Muromoto, 93
 Fujishita, T. see T. Yamada, 4387
 Fujita, K. see K. Amako, 6428
 Fujita, T. see T. Yamada, 4387
 Fujita, Y. see J. Nomata, 6151
 Fujiwara, H. see E.L. McDearmon, 3381
 Fujiyuki, T. see Y. Yamazaki, 2667
 Fukada, M., A. Fujikawa, J.P.H. Chow, S. Ikematsu, S. Sakuma and M. Noda, Protein tyrosine phosphatase receptor type Z is inactivated by ligand-induced oligomerization, 4051
 Fukami, I. see Y. Shinkai, 1771
 Fukasawa, K. see P. Tarapore, 399
 Fukuda, M.N. see R. Aoki, 6062
 Fukuda, Y., Y. Okamura, H. Takeyama and T. Matsunaga, Dynamic analysis of a genomic island in *Magnetospirillum* sp. strain AMB-1 reveals how magnetosome synthesis developed, 801
 Fukue, Y., T. Sato, H. Teranishi, R. Hanada, T. Takahashi, Y. Nakashima and M. Kojima, Regulation of gonadotropin secretion and puberty onset by neuromedin U, 3485
 Fukui, K. see G. Molla, 2358
 Fukumoto, A., K. Tomoda, N. Yoneda-Kato, Y. Nakajima and J.-y. Kato, Depletion of Jab1 inhibits proliferation of pancreatic cancer cell lines, 5836
 Fukunaga, K. see T. Miyazaki, 4057

Fukushi, S. see T. Mizutani, 1417
 Fukuyama, K. see S. Kitaoka, 137
 Fukuyama, K. see Y. Hagiwara, 3823
 Fukuzawa, H. see M. Kajikawa, 149
 Fulgosi, H. see B. Bölter, 789
 Funke, S. see R. Hermkes, 3107
 Furini, S. see D. Gómez-Varela, 5059
 Furtado, M.d.F.D. see A.T.C. Ching, 5122
 Furuichi, Y. see Y. Nakajima, 613
 Furuichi, Y. see Y. Nakajima, 1909
 Furukawa, F. see T. Ohtani, 1597
 Furukawa, K. see T. Hasegawa, 2147
 Furukawa, S. see N. Kanzawa, 6807
 Furukawa, T. see H.-C. Jeung, 1294
 Fusaro, A.F. see R. Margis, 2442
 Fuse, M. see T. Yoshida, 5203
 Fuse, T. see K. Watanabe, 5785
 Futerman, A.H. see Y. Kacher, 5510

G

Gabaldón, C., M. López-Serrano, F. Pomar, F. Merino, J. Cuello, M.A. Pedreño and A.R. Barceló, Characterization of the last step of lignin biosynthesis in *Zinnia elegans* suspension cell cultures, 4311
 Gabby Krens, S.F., H.P. Spaink and B.E. Snaar-Jagalska, Functions of the MAPK family in vertebrate-development, 4984
 Gabison, L., M. Chiadmi, N. Colloc'h, B. Castro, M. El Hajji and T. Prangé, Recapture of [S]-allantoine, the product of the two-step degradation of uric acid, by urate oxidase, 2087
 Gabius, H.-J. see R.K. Gupta, 1691
 Gáborik, Z. see G. Turu, 41
 Gabriella, M. see M. Beatrice, 1941
 Gabrielska, J., M. Gagoś, J. Gubernator and W.I. Gruszecki, Binding of antibiotic amphotericin B to lipid membranes: A ¹H NMR study, 2677
 Gaffney, P.R. see H.-L. Chan, 3229
 Gagoś, M. see J. Gabrielska, 2677
 Gahmon, G. see A. Miranda-Vizuete, 484
 Gaibelet, G. see A. Saulière, 5227
 Gal, A. see C. Hartwig, 3489
 Galinier, A., A. Carriere, Y. Fernandez, S. Caspar-Bauguil, B. Periquet, A. Periquet, L. Penicaud and L. Casteilla, Site specific changes of redox metabolism in adipose tissue of obese Zucker rats, 6391
 Galinina, N. see U. Kalnenieks, 5084
 Gall, A., A.T. Gardiner, R.J. Cogdell and B. Robert, Carotenoid stoichiometry in the LH2 crystal: No spectral evidence for the presence of the second molecule in the α/β -apoprotein dimer, 3841
 Gallerani, R. see F. De Leo, 948
 Galleri, G. see R. Coïnu, 2465
 Gallyas, F. see A. Szigeti, 6447
 Gambale, F. see E. Formentin, 5009
 Gambardella, L. see A.M. Giammarioli, 3335
 Gammeltoft, S. see M. Hjerrild, 4764
 Gandin, V. see A. Donadini, 1983
 Gandy, J.C., A.E. Rountree and G.N. Bijur, Akt1 is dynamically modified with O-GlcNAc following treatments with PUGNAc and insulin-like growth factor-1, 3051
 Gangoiti, P. see A. Gómez-Muñoz, 716
 Gao, B. see S. Zhu, 5979
 Gao, B. see S. Zhu, 6825
 Gao, C., X. Li, M. Lam, Y. Liu, S. Chakraborty and H.-Y. Kao, CRM1 mediates nuclear export of HDAC7 independently of HDAC7 phosphorylation and association with 14-3-3s, 5096
 Gao, D.-m., L.-f. Wang, J. Liu, Y.-Y. Kong, Y. Wang and Y.-h. Xie, Expression of mouse liver receptor homologue 1 in embryonic stem cells is directed by a novel promoter, 1702
 Gao, G. see S. Liu, 1497
 Gao, J.-L. see R. Ray, 6022
 García-Cerdán, J.G. see U.A. Petersson, 6055
 García-Ferreiro, R. see D. Gómez-Varela, 5059
 García-Macias, M.C. see A. Avivar, 5222
 García-Martínez, C. see R. Moore-Carrasco, 691
 García, E. see D. Llull, 1959

- García, J.A. see J.d.J. Pérez, 5822
 García, J.A. see C.L. Scott, 5829
 Garcia, P. see A. Palacios, 6903
 Garcia-Vallejo, J.J. see E. van Liempt, 6123
 Gardiner, A.T. see A. Gall, 3841
 Garfinkel, D.J. see B. Asefa, 1205
 Gärtner, W. see V. Buttani, 3818
 Gasanova, T.V. see Y.L. Dorokhov, 3329
 Gasanova, T.V. see Y.L. Dorokhov, 3872
 Gaston, H. see C. Habich, 115
 Gasz, B. see A. Szigeti, 6447
 Gaub, H.E. see G. Neuert, 505
 Gaugel, A. see T. Proikas-Cezanne, 5241
 Gautam, H.K. see I. Chaudhury, 2046
 Gautier, C. see C. Sabin, 982
 Gavard, J. see B. Guezguez, 3649
 Gavazzi, G., B. Banfi, C. Deffert, L. Fiette, M. Schappi, F. Herrmann and K.-H. Krause, Decreased blood pressure in NOX1-deficient mice, 497
 Gavilán, Á. see A. Arroyo, 1740
 Gavina, M. see Y. Torrente, 5759
 Gawler, D. see N. Rockliffe, 831
 Gawlik, K.I., U. Mayer, K. Blomberg, A. Sonnenberg, P. Ekblom and M. Durbeej, Laminin $\alpha 1$ chain mediated reduction of laminin $\alpha 2$ chain deficient muscular dystrophy involves integrin $\alpha 7 \beta 1$ and dystroglycan, 1759
 Gayet, L., N. Picault, A.-C. Cazalé, A. Beyly, P. Lucas, H. Jacquet, H.-P. Suso, A. Vavasseur, G. Peltier and C. Forestier, Transport of antimony salts by *Arabidopsis thaliana* protoplasts over-expressing the human multidrug resistance-associated protein 1 (MRP1/ABCC1), 6891
 Geddes, S. see T.R. Waters, 6423
 Geimer, S. see J. Ziegler, 2033
 Geisler, M. and A.S. Murphy, The ABC of auxin transport: The role of p-glycoproteins in plant development, 1094
 Gekko, K. see T. Yamamoto, 3638
 Gemeiner, M. see I. Miller, 1257
 Geng, H. see P.Y.P. Law, 3643
 Gennis, R.B. see A.S. Vakkasoglu, 4613
 Genth, H., J. Huelsenbeck, B. Hartmann, F. Hofmann, I. Just and R. Gerhard, Cellular stability of Rho-GTPases glucosylated by *Clostridium difficile* toxin B, 3565
 Geomor, H.K. see M.H. Maurer, 4430
 George, N. see B.H. Meyer, 1654
 Geraghty, D.P. see A.M. Torres, 1587
 Gerhard, R. see H. Genth, 3565
 Gerin, F. see S. Calligaris, 1355
 Gerisch, G. see M. Etzrodt, 6707
 Gerke, V. see V. Goebeler, 2430
 Germain, S. see S. Le Jan, 3395
 Gerth, A. see S. Leporatti, 450
 Gesslbauer, B. see I. Miller, 1257
 Gessner, C.R. see C. Derunes, 175
 Gesto, J.S.M. see A.C.A. Meireles-Filho, 2
 Geukens, N. see L. Lenaerts, 3937
 Gey, U. see U. Krause-Buchholz, 2553
 Geyer, R. see E. van Liempt, 6123
 Ghafourifar, P. see T. Zemojtel, 455
 Gharbi-Benarous, J. see S. Megy, 5411
 Gharibyan, A. see V. Zamotin, 2451
 Ghosh, K.S., T.K. Maiti, A. Mandal and S. Dasgupta, Copper complexes of (-)-epicatechin gallate and (-)-epigallocatechin gallate act as inhibitors of Ribonuclease A, 4703
 Ghosh, T.C. see S. Basak, 3895
 Giacobino, J.-P. see L. Lehr, 4661
 Giacomelli, F. see A. Donadini, 1983
 Giamas, G. see S. Wolff, 6477
 Giammarioli, A.M., L. Gambardella, M.G. Quaranta, C. Lapenta, S.M. Santini, F. Belardelli, M. Viora and W. Malorni, Differentiation of monocyte-derived dendritic cells is associated with upregulation and activation of Rac-1 small GTPase, 3335
 Giampietri, C., S. Petrunaro, P. Coluccia, F. Antonangeli, A. Paone, F. Padula, P. De Cesaris, E. Ziparo and A. Filippini, c-FlipL is expressed in undifferentiated mouse male germ cells, 6109
 Giannattasio, S. see N. Guaragnella, 6880
 Giardina, T. see S. Herga, 5899
 Gibanova, N.V. see V. Zamotin, 2451
 Giffard, R.G. see Y.-S. Lee, 4865
 Gil, J.-E. see B.-K. Kim, 5869
 Gimbert, I. see I. Benoit, 5815
 Giordano, F. see M.L. Panno, 2371
 Giovannini, C. see R. Masella, 2421
 Giraldo, A.M.V., P.R. Castello, F.L.G. Flecha, J.V. Moeller, J.M. Delfino and J.P.F.C. Rossi, Stoichiometry of lipid-protein interaction assessed by hydrophobic photolabeling, 607
 Giraldo, A.M.V., P.R. Castello, F.L.G. Flecha, J.V. Moeller, J.M. Delfino and J.P.F.C. Rossi, Corrigendum to "Stoichiometry of lipid-protein interaction assessed by hydrophobic photolabeling" [FEBS Lett. 580 (2006) 607-612], 2158
 Giraldo, J., D. Roche, X. Rovira and J. Serra, The catalytic power of enzymes: Conformational selection or transition state stabilization? 2170
 Girard, J. see C. Gregori, 410
 Girard, M. and M. Goossens, Sumoylation of the SOX10 transcription factor regulates its transcriptional activity, 1635
 Girault, J.-P. see S. Megy, 5411
 Girwood, D. see R. Fernández-Lloris, 1215
 Gisou van der Goot, F. see N. Reig, 5572
 Giudici, M.-L., K. Lee, R. Lim and R.F. Irvine, The intracellular localisation and mobility of Type I γ phosphatidylinositol 4P 5-kinase splice variants, 6933
 Giuffrè, A. see V.B. Borisov, 4823
 Giulianelli, S. see A. Dekanty, 2512
 Giuliani, A. see J.P. Zbilut, 4861
 Giuliano, G. see P. Facella, 4618
 Giuliano, G. see A. Fiore, 4718
 Given, A.M. see A. El-Toukhy, 5779
 Gizachew, D. and R. Oswald, NMR structural studies of the myristoylated N-terminus of ADP ribosylation factor 6 (Arf6), 4296
 Gizak, A., E. Wrobel, J. Moraczewski and A. Dzugaj, Changes in subcellular localization of fructose 1,6-bisphosphatase during differentiation of isolated muscle satellite cells, 4042
 Glait, C., D. Ravid, S.W. Lee, M. Liscovitch and H. Werner, Caveolin-1 controls BRCA1 gene expression and cellular localization in human breast cancer cells, 5268
 Glaser, E. see S. Bhushan, 3966
 Gleba, Y.Y. see Y.L. Dorokhov, 3329
 Gleba, Y.Y. see Y.L. Dorokhov, 3872
 Glick, B.S. see M. Esaki, 5215
 Gloerich, J., J.P.N. Ruiters, D.M. van den Brink, R. Ofman, S. Ferdinandusse and R.J.A. Wanders, Peroxisomal *trans*-2-enoyl-CoA reductase is involved in phytol degradation, 2092
 Göbel, C. see R.K. Hughes, 4188
 Goda, K. see K. Amako, 6428
 Goebeler, V., D. Ruhe, V. Gerke and U. Rescher, Annexin A8 displays unique phospholipid and F-actin binding properties, 2430
 Goedert, M. see M. Masuda, 1775
 Goff, S.P. see S. Liu, 1497
 Goldberg, J.M., E.S. Wolpin, L. Bosgraaf, B.K. Clarkson, P.J.M. Van Haastert and J.L. Smith, Myosin light chain kinase A is activated by cGMP-dependent and cGMP-independent pathways, 2059
 Goldspink, G. see S.Y. Yang, 2530
 Golombek, D.A. see E.C. Hainich, 6665
 Golovin, A., V. Spiridonova and A. Kopylov, Mapping contacts of the S12-S7 intercistronic region of str operon mRNA with ribosomal protein S7 of *E. coli*, 5858
 Golubtsov, A., L. Kääriäinen and J. Caldentey, Characterization of the cysteine protease domain of Semliki Forest virus replicase protein nsP2 by in vitro mutagenesis, 1502
 Gómara, M.J., M. Lorizate, N. Huarte, I. Mingarro, E. Perez-Payá and J.L. Nieva, Hexapeptides that interfere with HIV-1 fusion peptide activity in liposomes block GP41-mediated membrane fusion, 2561
 Gomaschi, M. see S. Bellosta, 5974
 Gombos, F. see N. Cirillo, 3276
 Gomes, E. see V. Rodrik, 5647
 Gómez-Ambrosi, J. see A. Rodríguez, 4771
 Gómez-Muñoz, A., J.Y. Kong, K. Parhar, S.W. Wang, P. Gangoiti, M. González, S. Eivemark, B. Sallh, V. Duronio and U.P. Steinbrecher, Addendum to "Ceramide-1-phosphate promotes cell survival through activation of the phosphatidylinositol 3-kinase/protein kinase B pathway" [FEBS Lett. 579 (2005) 3744-3750], 716
 Gómez-Ramos, A., M. Díaz-Hernández, R. Cuadros, F. Hernández and J. Avila, Extracellular tau is toxic to neuronal cells, 4842
 Gómez-Varela, D., C. Contreras-Jurado, S. Furini, R. Garcia-Ferreiro, W. Stühmer and L.A. Pardo, Different relevance of inactivation and F468 residue in the mechanisms of hEag1 channel blockage by astemizole, imipramine and dofetilide, 5059
 Gomez, F.J. see C. Habich, 115
 Gomis, R.R. see J. Massagué, 2811

- Gonçalves, V.L., L.S. Nobre, J.B. Vicente, M. Teixeira and L.M. Saraiva, Flavohemoglobin requires microaerophilic conditions for nitrosative protection of *Staphylococcus aureus*, 1817
- Gong, C.-X. see F. Liu, 6269
- Goñi, F.M. see I. Hormaeche, 3075
- Gonos, E.S. see F.L.L. Stratford, 3989
- González-Díaz, H. see G. Agüero-Chapin, 723
- González, J.C.F. see A. Miranda-Vizuete, 484
- González, J.M. see M. Tadros, 4941
- González, M. see A. Gómez-Muñoz, 716
- Goossens, M. see M. Girard, 1635
- Goris, J. see K. Lechward, 3631
- Górski, J. see A. Chabowski, 3617
- Goshima, N. see A. Miura, 6871
- Goswami, L. see A. Das-Chatterjee, 3980
- Gotanda, T. see H.-C. Jeung, 1294
- Goto, Y., A. Hattori, Y. Ishii and M. Tsujimoto, Reduced activity of the hypertension-associated Lys528Arg mutant of human adipocyte-derived leucine aminopeptidase (A-LAP)/ER-aminopeptidase-1, 1833
- Goto, Y. see D.M. Standley, 6199
- Gotoh, T. see S. Tajiri, 3462
- Gotoh, T. see N. Hirao, 6464
- Gottesman, M.M. and V. Ling, The molecular basis of multidrug resistance in cancer: The early years of P-glycoprotein research, 998
- Götz, J. see J.-J. Pei, 107
- Grácer, E. see A. Varga, 2698
- Gráf, L. see P. Medveczky, 545
- Grammenoudi, S., S. Kosmidis and E.M.C. Skoulakis, Cell type-specific processing of human Tau proteins in *Drosophila*, 4602
- Granda, B. see G. Wheeler, 2195
- Grant Mauk, A. see E. Vottero, 2265
- Grant, L., J. Sun, H. Xu, S.H. Subramony, J.B. Chaires and M.D. Hebert, Rational selection of small molecules that increase transcription through the GAA repeats found in Friedreich's ataxia, 5399
- Granzin, J. see O.H. Weiergräber, 251
- Gräslund, A. see L. Hugonin, 3201
- Graves, S.W. see A. Deshpande, 4172
- Gray, G.R. see A.G. Ivanov, 2797
- Gray, W.D. see H.Z. Mao, 4131
- Graziano, V., W.J. McGrath, A.M. DeGrucchio, J.J. Dunn and W.F. Mangel, Enzymatic activity of the SARS coronavirus main proteinase dimer, 2577
- Greene, N.D.E. see L.P.E. Dunlevy, 2803
- Greenblatt, J.F. see G. Butland, 677
- Gregg, T. see N. Francis, 4713
- Gregori, C., I. Guillet-Deniau, J. Girard, J.-F. Decaux and A.-L. Pichard, Insulin regulation of glucokinase gene expression: Evidence against a role for sterol regulatory element binding protein 1 in primary hepatocytes, 410
- Griebenow, K. see R.J. Solá, 1685
- Grierson, D. see N.A. Shaharuddin, 6579
- Griesser, M. see F. Wellmann, 1642
- Grimminger, F. see A. Renigunta, 900
- Grin, I.R., S.N. Khodyreva, G.A. Nevinsky and D.O. Zharkov, Deoxyribophosphate lyase activity of mammalian endonuclease VIII-like proteins, 4916
- Gromov, P. see J.E. Celis, 2935
- Gromova, I. see J.E. Celis, 2935
- Gronning, L.M., G.S. Baillie, A. Cederberg, M.J. Lynch, M.D. Houslay, S. Enerbäck and K. Taskén, Reduced PDE4 expression and activity contributes to enhanced catecholamine-induced cAMP accumulation in adipocytes from FOXC2 transgenic mice, 4126
- Grossman, A.R. see H. Gu, 5885
- Grossmann, L. see T. Yoshida, 5203
- Groten, K., C. Dutilleul, P.D.R. van Heerden, H. Vanacker, S. Bernard, I. Finkemeier, K.-J. Dietz and C.H. Foyer, Redox regulation of peroxiredoxin and proteinases by ascorbate and thiols during pea root nodule senescence, 1269
- Grüber, A. see A. Hong-Hermesdorf, 932
- Grüber, G. see A. Hong-Hermesdorf, 932
- Gruber, J. see R. Sadre, 5357
- Grün, C.H., N. Dekker, A.A. Nieuwland, F.M. Klis, J.P. Kamerling, J.F.G. Vliegthart and F. Hochstenbach, Mechanism of action of the *endo*-(1→3)- α -glucanase MutAp from the mycoparasitic fungus *Trichoderma harzianum*, 3780
- Grundke-Iqbal, I. see F. Liu, 6269
- Grundke-Iqbal, I. see A. Sengupta, 5925
- Gruszecki, W.I. see J. Gabrielska, 2677
- Grütter, C., C. Briand, G. Capitani, P.R.E. Mittl, S. Papin, J. Tschopp and M.G. Grütter, Structure of the PRYSPRY-domain: Implications for autoinflammatory diseases, 99
- Grütter, M.G. see C. Grütter, 99
- Grzam, A., P. Tennstedt, S. Clemens, R. Hell and A.J. Meyer, Vacuolar sequestration of glutathione S-conjugates outcompetes a possible degradation of the glutathione moiety by phytochelatin synthase, 6384
- Gu, J. see K.-i. Inamori, 627
- Gu, H., S. Lalonde, S. Okumoto, L.L. Looger, A.M. Scharff-Poulsen, A.R. Grossman, J. Kossmann, I. Jakobsen and W.B. Frommer, A novel analytical method for in vivo phosphate tracking, 5885
- Gu, J. see C. Chen, 813
- Gu, Y.-M., Y.-H. Jin, J.-K. Choi, K.-H. Baek, C.-Y. Yeo and K.-Y. Lee, Protein kinase A phosphorylates and regulates dimerization of 14-3-3 ζ , 305
- Gualberto, J.M. see K.D. Raczynska, 5641
- Guan, K.-L. see M. Wan, 5621
- Guaragnella, N., C. Pereira, M.J. Sousa, L. Antonacci, S. Passarella, M. Côte-Real, E. Marra and S. Giannattasio, YCA1 participates in the acetic acid induced yeast programmed cell death also in a manner unrelated to its caspase-like activity, 6880
- Gubernator, J. see J. Gabrielska, 2677
- Guerreiro, P.M. see A.V.M. Canario, 291
- Guezguez, B., P. Vigneron, S. Alais, T. Jaffredo, J. Gavard, R.-M. Mège and D. Dunon, A dileucine motif targets MCAM-1 cell adhesion molecule to the basolateral membrane in MDCK cells, 3649
- Gugolya, Z. see A. Muskotál, 3916
- Guigliarelli, B. see G. Lipowski, 5988
- Guillet-Deniau, I. see C. Gregori, 410
- Gulla, K.C. see R.K. Gupta, 1691
- Gunaratne, H.J. and V.D. Vacquier, Evidence for a secretory pathway Ca²⁺-ATPase in sea urchin spermatozoa, 3900
- Guntrum, R. see J. Koch, 4091
- Guo, J., H. Cheng, S. Zhao and L. Yu, GG: A domain involved in phage LTF apparatus and implicated in human MEB and non-syndromic hearing loss diseases, 581
- Guo, C. see E.S. Papadakis, 1320
- Guo, J. see G. Zhang, 1383
- Guo, J. see Y.-C. Li, 4266
- Guo, J.-Q. see Q.-Y. Teng, 4274
- Guo, M. see Z. Zhao, 2750
- Guo, Q. see J. Liu, 245
- Gupta, R.K., A.H. Pande, K.C. Gulla, H.-J. Gabius and K. Hajela, Carbohydrate-induced modulation of cell membrane. VIII. Agglutination with mammalian lectin galectin-1 increases osmofragility and membrane fluidity of trypsinized erythrocytes, 1691
- Gupta, S., A. Sinha and D. Sarkar, Transcriptional autoregulation by *Mycobacterium tuberculosis* PhoP involves recognition of novel direct repeat sequences in the regulatory region of the promoter, 5328
- Gurevitz, M. see A. Regev, 6777
- Gurusamy, N., K. Watanabe, M. Ma, P. Prakash, K. Hirabayashi, S. Zhang, A.J. Muslin, M. Kodama and Y. Aizawa, Glycogen synthase kinase 3 β together with 14-3-3 protein regulates diabetic cardiomyopathy: Effect of losartan and tempol, 1932
- Guschina, I.A. and J.L. Harwood, Mechanisms of temperature adaptation in poikilotherms, 5477
- Gustafsson, J.-Å. see A. Jiménez, 960
- Gustchina, A. see A. Wlodawer, 3340
- Gutiérrez-de-Terán, H., M. Nervall, B.M. Dunn, J.C. Clemente and J. Aqvist, Computational analysis of plasmepsin IV bound to an allophenylnorstatine inhibitor, 5910
- Gutierrez, O. see P.J. Real, 5905
- Güttinger, S. see S. Hasan, 1263
- Guzhova, I.V. see A.L. Evdonin, 6674
- Guzmán-Quevedo, O. see R. Ortiz-Alvarado, 5371
- Guzmán, M. see A. Carracedo, 1571
- Gyémánt, G. see L. Kandra, 5049
- Gyllberg, H., K. Löfgren, H. Lindegren and K. Bedecs, Increased Src kinase level results in increased protein tyrosine phosphorylation in scrapie-infected neuronal cell lines, 2603

H

- Haase, I. see M. Fischer, 2495
- Haasnoot, J. see B. Berkhout, 2896

- Habich, C., K. Kempe, F.J. Gomez, M. Lillicrap, H. Gaston, R. van der Zee, H. Kolb and V. Burkart, Heat shock protein 60: Identification of specific epitopes for binding to primary macrophages, 115
- Hachem, M.A. see L. Kandra, 5049
- Häcker, U. see S. Mulinari, 5406
- Hada, A. see M. Arai, 184
- Hadi, S.M. see A.S. Azmi, 533
- Haebel, S. see G. Ritte, 4872
- Haertle, T. see R. Ortiz-Alvarado, 5371
- Haga, K. see S. Ichiyama, 23
- Haga, S. see T. Yonezawa, 6635
- Haga, T. see S. Ichiyama, 23
- Hägele, S., B. Behnam, E. Borter, J. Wolfe, U. Paasch, D. Lukashev, M. Sitkovsky, R.H. Wenger and D.M. Katschinski, TSGA10 prevents nuclear localization of the hypoxia-inducible factor (HIF)-1 α , 3731
- Hager, G. see R. Bash, 4757
- Hagiwara, H., Y. Ohsawa, S. Asakura, T. Murakami, T. Teshima and Y. Sunada, Bone marrow transplantation improves outcome in a mouse model of congenital muscular dystrophy, 4463
- Hagiwara, Y., M. Sugishima, Y. Takahashi and K. Fukuyama, Induced-fitting and electrostatic potential change of PcyA upon substrate binding demonstrated by the crystal structure of the substrate-free form, 3823
- Haindl, S. see I. Miller, 1257
- Hainich, E.C., G.A. Pizzio and D.A. Golombek, Constitutive activation of the ERK-MAPK pathway in the suprachiasmatic nuclei inhibits circadian resetting, 6665
- Hains, P.G., J. Mizdrak, I.M. Streete, J.F. Jamie and R.J.W. Truscott, Identification of the new UV filter compound cysteine-l-3-hydroxykynurenine *O*- β -d-glucoside in human lenses, 5071
- Haitani, Y., H. Shimoi and H. Takagi, Rsp5 regulates expression of stress proteins via post-translational modification of Hsf1 and Msn1 in *Saccharomyces cerevisiae*, 3433
- Hajduch, E. see S. Perrier, 6289
- Hajela, K. see R.K. Gupta, 1691
- Hajihosseini, M.K. see L. Tuddenham, 4214
- Hake, S.B. see C.J. Janzen, 2306
- Hakumäki, J. see T. Liimatainen, 4746
- Halkier, B.A. see M.H.H. Nørholm, 2381
- Hall, D. and C.M. Dobson, Expanding to fill the gap: A possible role for inert biopolymers in regulating the extent of the 'macromolecular crowding' effect, 2584
- Halter, D. see G. van Meer, 1171
- Hamada, S. see S.-K. Hwang, 6741
- Hamaker, B.R. see S.-H. Lee, 5803
- Hamakubo, T. see K. Ishimoto, 4929
- Hammer, A. see A. Kovacevic, 161
- Hammer, J.A. see X. Wu, 5863
- Hammon, R.J. see A. Deshpande, 4172
- Hampl, A. see P. Dvorak, 2869
- Han, B. see J. Chen, 4737
- Han, C. see W. Liu, 697
- Han, C.-S. see Y.-C. Li, 4266
- Han, D. see A.S. Vakkasoglu, 4613
- Han, J.S. see H.L. Li, 1723
- Han, K.E. see B.C. Jeong, 669
- Han, M. see M. Wan, 5621
- Han, S.H. see K.-y. Kim, 3953
- Han, Y. see J. Chen, 4737
- Han, Y. see N.A. Shaharuddin, 6579
- Han, Y.S. see W.S. Jang, 1490
- Han, Z. see L. Wang, 3677
- Han, Z.-G. see J. Huang, 3571
- Hanada, R. see Y. Fukue, 3485
- Hanagata, H. see M. Hoshijima, 1376
- Hanano, I. see K. Ishimoto, 4929
- Hanaoka, M. see M. Imashimizu, 3439
- Hancox, J.C. see J.M. Ridley, 1999
- Handa, K. see T. Sano, 597
- Hanekop, N., J. Zaitseva, S. Jenewein, I.B. Holland and L. Schmitt, Molecular insights into the mechanism of ATP-hydrolysis by the NBD of the ABC-transporter HlyB, 1036
- Hanif, S. see A.S. Azmi, 533
- Hanna, N., A. Montagner, W.H. Lee, M. Miteva, M. Vidal, M. Vidaud, B. Parfait and P. Raynal, Reduced phosphatase activity of SHP-2 in LEOPARD syndrome: Consequences for PI3K binding on Gab1, 2477
- Hannun, Y.A. see T.A. Taha, 6047
- Hannun, Y.A. see S. Elojeimy, 4751
- Hansel, A. see S. Zorn, 1360
- Hansman, G.S., T. Oka, K. Katayama and N. Takeda, Enhancement of sapovirus recombinant capsid protein expression in insect cells, 4047
- Hänze, J. see A. Renigunta, 900
- Hao, S., Q. Qi, J. Hu and A. August, A kinase independent function for Tec kinase ITK in regulating antigen receptor induced serum response factor activation, 2691
- Hao, W. see C. Lu, 5189
- Hao, Y.-J. see H.-L. Zhou, 1239
- Hara, Y. see N. Hosokawa, 2623
- Hara, Y. see S. Kataoka, 4667
- Harada, H. see J. Lu, 3539
- Harada, H., S. Kizaka-Kondoh and M. Hiraoka, Mechanism of hypoxia-specific cytotoxicity of procaspase-3 fused with a VHL-mediated protein destruction motif of HIF-1 α containing Pro564, 5718
- Harada, J. see T. Mizoguchi, 6644
- Haraguchi, K. see Y. Abe, 782
- Haraguchi, M. see H.-C. Jeung, 1294
- Harashima, H. see H. Ochiai, 918
- Harding, M.M. see S.R. Inglis, 3911
- Harper, A.G.S. see S. Cauwenberghs, 5313
- Harper, R.W., C. Xu, M. McManus, A. Heidersbach and J.P. Eiserich, Duox2 exhibits potent heme peroxidase activity in human respiratory tract epithelium, 5150
- Hartl, F.U. see S. Tomic, 72
- Hartmann, B. see H. Genth, 3565
- Hartung, F. see W. Stühmer, 2850
- Hartweck, L.M. see J.d.J. Pérez, 5822
- Hartweck, L.M. see C.L. Scott, 5829
- Hartwig, C., A. Gal, R. Santer, K. Ullrich, U. Finckh and H.-J. Kreienkamp, Elevated phenylalanine levels interfere with neurite outgrowth stimulated by the neuronal cell adhesion molecule L1 in vitro, 3489
- Hartzell, C. see Z. Qu, 2141
- Harvat, E.M. see J.W.A. Allen, 4827
- Harwood, J.L. see I.A. Guschina, 5477
- Harwood, N.E., N.C. Price and J.M. McDonnell, Catalytic folding of the C ϵ 3 domain by its high affinity receptor, 2129
- Hasan, I. see S.M. Atif, 2183
- Hasan, M.R., M. Jin, K. Matsushima, S. Miyamoto, S. Kotani and H. Nakagawa, Differences in the regulation of microtubule stability by the pro-rich region variants of microtubule-associated protein 4, 3505
- Hasan, N., N. Yusuf, Z. Toossi and N. Islam, Suppression of *Mycobacterium tuberculosis* induced reactive oxygen species (ROS) and TNF- α mRNA expression in human monocytes by allicin, 2517
- Hasan, S., S. Güttinger, P. Mühlhäusser, F. Anderegg, S. Bürgler and U. Kutay, Nuclear envelope localization of human UNC84A does not require nuclear lamins, 1263
- Hase, A. see Y. Orikasa, 4423
- Hase, T. see X. Yan, 6509
- Hase, T. see X. Yan, 6987
- Hasezawa, S. see T. Sano, 597
- Hasegawa, E. see K. Amako, 6428
- Hasegawa, M. see M. Masuda, 1775
- Hasegawa, S. and J. Rao, Modulating the splicing activity of *Tetrahymena* ribozyme via RNA self-assembly, 1592
- Hasegawa, T., M. Matsuzaki-Kobayashi, A. Takeda, N. Sugeno, A. Kikuchi, K. Furukawa, G. Perry, M.A. Smith and Y. Itoyama, α -Synuclein facilitates the toxicity of oxidized catechol metabolites: Implications for selective neurodegeneration in Parkinson's disease, 2147
- Hasegawa, Y. see S. Kitaoka, 137
- Hashida, M. see Y. Higuchi, 3706
- Hashiguchi, T. see Y. Nakajima, 613
- Hashiguchi, T. see K.K. Biswas, 703
- Hashiguchi, T. see K.K. Biswas, 1696
- Hashiguchi, T. see Y. Nakajima, 1909
- Hashii, M. see H. Higashida, 4857
- Hashimoto, K. see T. Miyazaki, 4057
- Haslam, R. see O. Sayanova, 1946
- Hasnain, S.E. see S. Tundup, 1285
- Hasunuma, K. see Y. Yoshida, 3282
- Hatanaka, T. see J. Arima, 912
- Hatano, N. see H. Tokumitsu, 5797
- Hatsuse, K. see M. Arai, 184
- Hattori, N. see M.-I. Kitami, 474
- Hattori, A. see Y. Goto, 1833

- Hattori, T. see M. Hoshijima, 1376
Hattori, T. see C. Uchida, 1753
Hau, P.M., W.Y. Siu, N. Wong, P.B.S. Lai and R.Y.C. Poon, Polyploidization increases the sensitivity to DNA-damaging agents in mammalian cells, 4727
Hauschildt, S. see S. Leporatti, 450
Hause, G. see N. Lannoo, 6329
Hawkins, R.A., I.A. Simpson, A. Mokashi and J.R. Viña, Pyroglutamate stimulates Na⁺-dependent glutamate transport across the blood-brain barrier, 4382
Hay, C.W. see J. Barrow, 711
Hay, R.T. see R. Fernández-Lloris, 1215
Hayakawa, K. see K. Horikawa, 3721
Hayashi, K.-i., H. Kawaide, M. Notomi, Y. Sakigi, A. Matsuo and H. Nozaki, Identification and functional analysis of bifunctional ent-kaurene synthase from the moss *Physcomitrella patens*, 6175
Hayashi, R. see T. Yamada, 4387
Hayashi, T. see N. Kanzawa, 6807
Hayashi, Y. see N. Katunuma, 741
Hayashi, Y. see N. Katunuma, 3699
He, H. see X. Zuo, 4508
He, J. see L.-Z. Yi, 6837
He, M. see X. Zuo, 4508
He, M.-L., B.-j. Zheng, Y. Chen, K.-L. Wong, J.-D. Huang, M.C. Lin, Y. Peng, K.Y. Yuen, J.J.Y. Sung and H.-f. Kung, Kinetics and synergistic effects of siRNAs targeting structural and replicase genes of SARS-associated coronavirus, 2414
He, X. see Y. Li, 5423
Heberle, J. see M.M. Pereira, 1350
Hebert, M.D. see L. Grant, 5399
Heczková, B. and J.P. Slotte, Effect of anti-tumor ether lipids on ordered domains in model membranes, 2471
Hederstedt, L. see A. Lewin, 5351
Hedrich, R. see T. Sano, 597
Heemskerck, J.W.M. see S. Cauwenberghs, 5313
Hegde, R.S. see J.P. Rayapureddi, 3853
Heidersbach, A. see R.W. Harper, 5150
Heinemann, S.H. see S. Zorn, 1360
Heinrich, J. see K. Moelling, 3545
Hell, R. see A. Grzam, 6384
Hellman, U. see M. Inamitsu, 6603
Hellum, M. see L. Prasmickaite, 5739
Hellwig-Bürgel, T. see C. Batmunkh, 3153
Helms, B. and G. van Meer, Lipidome and disease, 5429
Hemmings, B.A. see K. Lechward, 3631
Hemmingsen, L. see K.N. Sas, 6861
Henderson, P.J.F. see C.A. Potter, 3206
Hendrickson, L., A. Vlčková, E. Selstam, N. Huner, G. Öquist and V. Hurry, Cold acclimation of the Arabidopsis *dgd1* mutant results in recovery from photosystem I-limited photosynthesis, 4959
Henke, S. see R. Krick, 4632
Henne-Bruns, D. see S. Wolff, 6477
Herga, S., J.-G. Berrin, J. Perrier, A. Puigserver and T. Giardina, Identification of the zinc binding ligands and the catalytic residue in human aspartoacylase, an enzyme involved in Canavan disease, 5899
Hermann, P. and D.A. Dobbelaere, *Theileria*-induced constitutive IKK activation is independent of functional Hsp90, 5023
Hermkes, R., S. Funke, C. Richter, J. Kuhlmann and D. Schönemann, The α -helix of the second chromodomain of the 43kDa subunit of the chloroplast signal recognition particle facilitates binding to the 54kDa subunit, 3107
Hernández-Santoyo, A. see C.A. Reyes-López, 2483
Hernández, F. see A. Gómez-Ramos, 4842
Hernandez, J.-F. see M. Buisson, 6570
Herrera-Mendez, C.H., L. Brémaud, G. Coulis, P. Péliissier, M.A. Sentandreu, L. Aubry, D. Delourme, C. Chambon, A. Maftah, H. Leveziel and A. Ouali, Purification of the skeletal muscle protein Endopin 1B and characterization of the genes encoding Endopin 1A and 1B isoforms, 3477
Herrera, G. see Á. Avivar, 5222
Herrero, E. see M.M. Molina-Navarro, 2273
Herring, S. see C.R. Polycarpo, 6695
Herrmann, F. see G. Gavazzi, 497
Herrmann, H. see J. Schumacher, 6211
Herrmann, W. see R. Obeid, 2994
Herschbach, H. see N. de Val, 6275
Herva, M.E. see S.F. Martín, 4097
Hesselink, M.K.C. see J. Hoeks, 1371
Hesselink, M.K.C. see R. Minnaard, 5172
Hetényi, C. and D. van der Spoel, Blind docking of drug-sized compounds to proteins with up to a thousand residues, 1447
Hewitson, K.S. see T.A. Murray-Rust, 1911
Hewitt, K. see C. Derunes, 175
Heydenreich, M. see G. Ritte, 4872
Hibi, T. see H. Nagata, 27
Hidalgo, K. see V. Eisner, 3469
Higaki, T. see T. Sano, 597
Higai, K., N. Miyazaki, Y. Azuma and K. Matsumoto, Interleukin- β induces sialyl Lewis X on hepatocellular carcinoma HuH-7 cells via enhanced expression of ST3Gal IV and FUT VI gene, 6069
Higashida, H., A. Salmina, M. Hashii, S. Yokoyama, J.-S. Zhang, M. Noda, Z.-G. Zhong and D. Jin, Bradykinin activates ADP-ribosyl cyclase in neuroblastoma cells: Intracellular concentration decrease in NAD and increase in cyclic ADP-ribose, 4857
Higuchi, W. see I. Taneike, 2323
Higuchi, Y. see T. Ohki, 5054
Higuchi, Y., S. Kawakami, M. Oka, Y. Yabe, F. Yamashita and M. Hashida, Intravenous administration of mannosylated cationic liposome/NF κ B decoy complexes effectively prevent LPS-induced cytokine production in a murine liver failure model, 3706
Higurashi, T. see K. Hongo, 34
Hikichi, T. see S. Kishigami, 1801
Hild, C. see A. Renigunta, 900
Hildt, E. see T. Bürckstümmer, 575
Hilgenfeld, R. see N. Matthes, 4143
Hille, D. see I. Rollwitz, 4246
Hiller, R.G. see T.H.P. Brotosudarmo, 5257
Hilson, P. see R. Vanderhaeghen, 2630
Hinderlich, S. see W. Weidemann, 6649
Hinton, H.J. see A.P. Kelly, 2135
Hinton, H.J., R.G. Clarke and D.A. Cantrell, Antigen receptor regulation of phosphoinositide-dependent kinase 1 pathways during thymocyte development, 5845
Hirabayashi, K. see N. Gurusamy, 1932
Hiraga, A., N. Morrice, E. Honda, S. Tamura and H. Munakata, Clathrin light chain b is capable of affecting potentially a major protein phosphatase from microtubules (MT-PP1), 1425
Hirai, H. see K. Hongo, 34
Hiramatsu, N. see K. Horikawa, 3721
Hirano, T. see H. Chida, 3763
Hirao, N., S. Sato, T. Gotoh, M. Maruoka, J. Suzuki, S. Matsuda, T. Shishido and K. Tani, NESH (Abi-3) is present in the Abi/WAVE complex but does not promote c-Abl-mediated phosphorylation, 6464
Hiraoka, M. see H. Harada, 5718
Hirasawa, M. see X. Xu, 6714
Hirata, T., H. Unoki, H. Bujo, K. Ueno and Y. Saito, Activation of diacylglycerol *O*-acyltransferase 1 gene results in increased tumor necrosis factor- α gene expression in 3T3-L1 adipocytes, 5117
Hirata, Y. see K. Oh-hashii, 3943
Hirayama, M. see T. Mihara, 4991
Hirsch, J.A. see Y. Opatowsky, 5959
Hirsch, R.E. see Q. Chen, 4485
Hisabori, T. see Y. Yamaryo, 4086
Hisanaga, S.-i. see M. Masuda, 1775
Hiscox, J.A. see K.-A. Spencer, 5993
Hjerrild, M. and S. Gammeltoft, Phosphoproteomics toolbox: Computational biology, protein chemistry and mass spectrometry, 4764
Hla, T. see J. Michaud, 4607
Ho, P.L. see A.T.C. Ching, 4417
Ho, P.L. see A.T.C. Ching, 5122
Ho, Y.-S. see R. Mukhopadhyay, 3889
Ho, Y.-Y. see P.Y.P. Law, 3643
Hochstenbach, F. see N. Dekker, 3099
Hochstenbach, F. see C.H. Grün, 3780
Hocsak, E. see A. Szigeti, 6447
Hodges, M. see S. Ferrario-Méry, 2015
Hodges, S.J. see N.A. Davies, 2123
Hoeh, W.R. see R. Chakrabarti, 862
Hoeks, J., M.K.C. Hesselink, W. Sluiter, G. Schaart, J. Willems, A. Morrisson, J.C. Clapham, W.H.M. Saris and P. Schrauwen, The effect of high-fat feeding on intramuscular lipid and lipid peroxidation levels in UCP3-ablated mice, 1371
Hoekstra, M. see M. Pennings, 5588
Hofer, H.W. see D. Schreiner, 5295
Hoffmann, A. see T. Sano, 597
Hofmann, E. see T.H.P. Brotosudarmo, 5257
Hofmann, F. see H. Genth, 3565

- Hofmann, S. and M.F. Bauer, Wolfram syndrome-associated mutations lead to instability and proteasomal degradation of wolframin, 4000
- Hofmanová, J. see A. Vaculová, 6565
- Hogan, M.R., G.P. Cockram and R. Lu, Cooperative interaction of Zhangfei and ATF4 in transactivation of the cyclic AMP response element, 58
- Høgset, A. see L. Prasmickaite, 5739
- Hogue, C.W.V. see H.J. Feldman, 1649
- Hohensinner, P.J., C. Kaun, K. Rychli, E. Ben-Tal Cohen, S.P. Kastl, S. Demyanets, S. Pfaffenberger, W.S. Speidl, G. Rega, R. Ullrich, G. Maurer, K. Huber and J. Wojta, Monocyte chemoattractant protein (MCP-1) is expressed in human cardiac cells and is differentially regulated by inflammatory mediators and hypoxia, 3532
- Holdings, A. see H.M. O'Hare, 3445
- Holdsworth, M. see F.L. Theodoulou, 1139
- Holland, I.B. see N. Hanekop, 1036
- Holleran, W.M., Y. Takagi and Y. Uchida, Epidermal sphingolipids: Metabolism, function, and roles in skin disorders, 5456
- Holman, D.H. see S. Elojeimy, 4751
- Holtkotte, D. see T. Pfeiffer, 3775
- Holton, S.J., S. King-Scott, A.N. Eddine, S.H.E. Kaufmann and M. Wilmanns, Structural diversity in the six-fold redundant set of acyl-CoA carboxyltransferases in *Mycobacterium tuberculosis*, 6898
- Holzbaur, E.L.F. see L.A. Ligon, 1327
- Homchaudhuri, L., S. Kumar and R. Swaminathan, Slow aggregation of lysozyme in alkaline pH monitored in real time employing the fluorescence anisotropy of covalently labelled dansyl probe, 2097
- Hon, C.C. see F. Zeng, 5612
- Honda, A. see S. Iwase, 3129
- Honda, E. see A. Hiraga, 1425
- Honda, H. see M. Okochi, 885
- Hong-Hermesdorf, A., A. Brühr, A. Grüber, G. Grüber and K. Schumacher, A WNK kinase binds and phosphorylates V-ATPase subunit C, 932
- Hong, B.H. see D.S. Jang, 4162
- Hong, J., A. Yokomakura, Y. Nakano, K. Ishihara, M. Kaneda, M. Onodera, K.-i. Nakahama, I. Morita, K. Niikura, J.-W. Ahn, O. Zee and K. Ohuchi, Inhibition of vacuolar-type (H⁺)-ATPase by the cytosolic macrolide apicularen A and its role in apicularen A-induced apoptosis in RAW 264.7 cells, 2723
- Hong, K.-J. see J.-H. Kang, 510
- Hong, M.-Y. see Y.-C. Hung, 849
- Hong, Y., K. Nagamune, K. Ohishi, Y.S. Morita, H. Ashida, Y. Maeda and T. Kinoshita, TbGPI16 is an essential component of GPI transamidase in *Trypanosoma brucei*, 603
- Hong, Z. see Y. Changchun, 6242
- Hongo, K., H. Hirai, C. Uemura, S. Ono, J. Tsunemi, T. Higurashi, T. Mizobata and Y. Kawata, A novel ATP/ADP hydrolysis activity of hyperthermostable group II chaperonin in the presence of cobalt or manganese ion, 34
- Honma, D. see H. Nakamoto, 3029
- Honma, R. see A. Miura, 6871
- Hopwood, J.J. see R. Kakavanos, 87
- Hopwood, J.J. see R. Kakavanos, 4365
- Horckmans, M., B. Marcet, F. Marteau, F. Bulté, A. Maho, M. Parmentier, J.-M. Boeynaems and D. Communi, Extracellular adenine nucleotides inhibit the release of major monocyte recruiters by human monocyte-derived dendritic cells, 747
- Hori, S. see M.-I. Kitami, 474
- Hori, H. see S. Minamisawa, 2247
- Hori, S. see S. Kataoka, 4667
- Horikawa, K., N. Oishi, J. Nakagawa, A. Kasai, K. Hayakawa, N. Hiramatsu, Y. Takano, M. Yokouchi, J. Yao and M. Kitamura, Novel potential of tunicamycin as an activator of the aryl hydrocarbon receptor – dioxin responsive element signaling pathway, 3721
- Horikawa, N. see H. Sakai, 3368
- Horiuchi, D. see N. Yoshimura, 2335
- Hormaeche, I., R.L. Segura, A.J. Vecino, F.M. Goñi, F. de la Cruz and I. Alkorta, The transmembrane domain provides nucleotide binding specificity to the bacterial conjugation protein TrwB, 3075
- Horstkorte, R. see W. Weidemann, 6649
- Horton, P. see S. Crouchman, 2053
- Horváth, I. see J. Oláh, 5807
- Hoshijima, M., T. Hattori, M. Inoue, D. Araki, H. Hanagata, A. Miyachi and M. Takigawa, CT domain of CCN2/CTGF directly interacts with fibronectin and enhances cell adhesion of chondrocytes through integrin $\alpha 5 \beta 1$, 1376
- Hosokawa, N., Y. Hara and N. Mizushima, Generation of cell lines with tetracycline-regulated autophagy and a role for autophagy in controlling cell size, 2623
- Houdt, H.V. see T. Aelbrecht, 4155
- Houlné, G. see F. Lincker, 5167
- Houslay, M.D. see L.M. Grønning, 4126
- Houtkooper, R.H., H. Akbari, H. van Lenthe, W. Kulik, R.J.A. Wanders, M. Frentzen and F.M. Vaz, Identification and characterization of human cardiolipin synthase, 3059
- Hovatta, O. see H. Skottman, 2875
- Hovig, E. see L. Prasmickaite, 5739
- Hovius, R. see B.H. Meyer, 1654
- Howe, C.J. see B.G. Schlarb-Ridley, 2166
- Howe, G.A. see H. Chen, 2540
- Howe, G.A. see K. Oh, 5791
- Hrzenjak, A. see A. Kovacevic, 161
- Hu, H.-Y. see H.-N. Du, 3657
- Hu, J. see S. Hao, 2691
- Hu, J. see H.-N. Du, 3657
- Hu, K., Intron exclusion and the mystery of intron loss, 6361
- Hu, L. see W. Liu, 697
- Hu, S. see J. Chen, 4737
- Hu, W. see L. Wang, 3677
- Hu, X. see M. Jiang, 6561
- Hu, X.-Q. see Y.-C. Li, 4266
- Hu, Y. see X.-Y. Zhang, 2774
- Hu, Y. see J. Wang, 4392
- Hu, Y.-C. see C.-W. Lai, 3829
- Hu, Y.-J. see J. Huang, 3571
- Hu, Z.-Y. see Y.-C. Li, 4266
- Hua, X.-Y. see C.I. Svensson, 6629
- Huang, C., Z. Wu, K.M. Hujer and R.T. Miller, Silencing of filamin A gene expression inhibits Ca²⁺-sensing receptor signaling, 1795
- Huang, D.-S. see B. Wang, 380
- Huang, F. see H.M. O'Hare, 3445
- Huang, G.S. see Y.-C. Hung, 849
- Huang, H. see Z. Li, 6161
- Huang, J., L.-G. Xu, T. Liu, Z. Zhai and H.-B. Shu, The p53-inducible E3 ubiquitin ligase p53RFP induces p53-dependent apoptosis, 940
- Huang, J., H.-H. Sheng, T. Shen, Y.-J. Hu, H.-S. Xiao, Q. Zhang, Q.-H. Zhang and Z.-G. Han, Correlation between genomic DNA copy number alterations and transcriptional expression in hepatitis B virus-associated hepatocellular carcinoma, 3571
- Huang, J.-D. see M.-L. He, 2414
- Huang, J.-H., Z.-Q. Liu, S. Liu, S. Jiang and Y.-H. Chen, Identification of the HIV-1 gp41 core-binding motif – HXXNPF, 4807
- Huang, J.S. see S.S. Huang, 6259
- Huang, L. see G. Niu, 415
- Huang, M. see G. Niu, 415
- Huang, L.L.H. see C.-L. Su, 3185
- Huang, L.-M. see C.-L. Su, 3185
- Huang, R. and C.-L.A. Wang, A caldesmon peptide activates smooth muscle via a mechanism similar to ERK-mediated phosphorylation, 63
- Huang, S.-H. see C.-Y. Lin, 3042
- Huang, S.S., I.-H. Liu, T. Smith, M.R. Shah, F.E. Johnson and J.S. Huang, CRSPBP-1/LYVE-1-null mice exhibit identifiable morphological and functional alterations of lymphatic capillary vessels, 6259
- Huang, Y. see B. Li, 1877
- Huang, Y. see D.H.H. Koo, 15
- Huang, Z.-X. see H. Wang, 795
- Huarte, N. see M.J. Gómara, 2561
- Huber, K. see P.J. Hohensinner, 3532
- Hudrisier, M. see M. Pannetier, 3715
- Huelsenbeck, J. see H. Genth, 3565
- Huergo, L.F., L.S. Chubatsu, E.M. Souza, F.O. Pedrosa, M.B.R. Stefens and M. Merrick, Interactions between P_{II} proteins and the nitrogenase regulatory enzymes DraT and DraG in *Azospirillum brasilense*, 5232
- Huesgen, P.F., H. Schuhmann and I. Adamska, Photodamaged D1 protein is degraded in *Arabidopsis* mutants lacking the Deg2 protease, 6929
- Hughes-Fulford, M. see M.B. Seigny, 6533
- Hughes, C. see E. Bokma, 5339
- Hughes, R.K., E.J. Belfield, R. Ashton, S.A. Fairhurst, C. Göbel, M. Stumpe, I. Feussner and R. Casey, Allene oxide synthase from *Arabidopsis thaliana* (CYP74A1) exhibits dual specificity that is regulated by monomer-micelle association, 4188
- Hugonin, L., V. Vukojević, G. Bakalkin and A. Gräslund, Membrane leakage induced by dynorphins, 3201
- Hui, L. see V. Rodrik, 5647
- Hui, Z. see Y. Changchun, 6242
- Hujer, K.M. see C. Huang, 1795

Hüner, N.P.A. see A.G. Ivanov, 2797
 Huner, N. see L. Hendrickson, 4959
 Hung, Y.-C., M.-Y. Hong and G.S. Huang, Cholesterol loading augments oxidative stress in macrophages, 849
 Hunter, C.N. see R.B. Tunnicliffe, 6967
 Huntgeburth, M. see M. Vantler, 6769
 Huntington, J.A. see J. Langdown, 4709
 Hunyady, L. see G. Turu, 41
 Hur, C.-G. see H.-Y. Kang, 2736
 Hurry, V. see L. Hendrickson, 4959
 Hwang, G.-W., Y. Ishida and A. Naganuma, Identification of F-box proteins that are involved in resistance to methylmercury in *Saccharomyces cerevisiae*, 6813
 Hwang, S. see Y.J. Kim, 206
 Hwang, S.-K., S. Hamada and T.W. Okita, ATP binding site in the plant ADP-glucose pyrophosphorylase large subunit, 6741
 Hwang, S.-Y. see M. Tanaka, 6145

I

Iacopetti, P. see S. Fogli, 1733
 Iannuccelli, M. see R. Ferraresi, 6612
 Iannuzzi, C. see S. Vilasi, 1681
 Ianoul, A. see V.A. Oleinikov, 4953
 Ibáñez, E. see S. Sauret-Güeto, 736
 Ichiyama, S., Y. Oka, K. Haga, S. Kojima, Y. Tateishi, M. Shirakawa and T. Haga, The structure of the third intracellular loop of the muscarinic acetylcholine receptor M₂ subtype, 23
 Icking, A., K. Schilling, A. Wiesenthal, N. Opitz and W. Müller-Esterl, FCH/Cdc15 domain determines distinct subcellular localization of NOSTRIN, 223
 Iijima, M., M. Suzuki, A. Tanabe, A. Nishimura and M. Yamada, Two motifs essential for nuclear import of the hnRNP A1 nucleocytoplasmic shuttling sequence M9 core, 1365
 Ikeda, T. see S. Takasawa, 585
 Ikeda, K., T. Okada, S.-i. Sawada, K. Akiyoshi and K. Matsuzaki, Inhibition of the formation of amyloid β -protein fibrils using biocompatible nanogels as artificial chaperones, 6587
 Ikematsu, S. see M. Fukada, 4051
 Ikemizu, S. see T. Sato, 491
 Ikeuchi, M. see A. Seki, 5044
 Illnerová, H. see A. Sumová, 2836
 Ilouze, M., A. Dishon, T. Kahan and M. Kotler, Cyprinid herpes virus-3 (CyHV-3) bears genes of genetically distant large DNA viruses, 4473
 Im, S.-Y. see H.-M. Ko, 3006
 Imachi, H. see S. Nagao, 4371
 Imai, A. see K. Yamaguchi, 6783
 Imai, J.-i. see A. Miura, 6871
 Imaizumi, T. see T. Yoshida, 2788
 Imashimizu, M., M. Hanaoka, A. Seki, K.S. Murakami and K. Tanaka, The cyanobacterial principal σ factor region I.1 is involved in DNA-binding in the free form and in transcription activity as holoenzyme, 3439
 Imazeki, N. see M. Arai, 184
 Imberty, A. see C. Sabin, 982
 Inamitsu, M., S. Itoh, U. Hellman, P. ten Dijke and M. Kato, Methylation of Smad6 by protein arginine *N*-methyltransferase 1, 6603
 Inglis, S.R., M.J. McGann, W.S. Price and M.M. Harding, Diffusion NMR studies on fish antifreeze proteins and synthetic analogues, 3911
 Inamori, K.-i., J. Gu, M. Ohira, A. Kawasaki, Y. Nakamura, T. Nakagawa, A. Kondo, E. Miyoshi, A. Nakagawara and N. Taniguchi, High expression of *N*-acetylglucosaminyltransferase V in favorable neuroblastomas: Involvement of its effect on apoptosis, 627
 Inokuchi, K. see M. Tanaka, 6145
 Inoue, K. see S. Minamisawa, 2247
 Inoue, K. see J. Nomata, 6151
 Inoue, M. see Y. Ueki, 4069
 Inoue, M. see K. Yamasaki, 2109
 Inoue, M. see M. Hoshijima, 1376
 Inoue, T. see Z. Zhang, 2006
 Inouye, S. and S. Sasaki, Blue fluorescent protein from the calcium-sensitive photoprotein aequorin: Catalytic properties for the oxidation of coelenterazine as an oxygenase, 1977
 Iolascon, A. see M. Caterino, 6527
 Iqbal, I.-G. see M.O. Chohan, 3973
 Iqbal, K. see M.O. Chohan, 3973
 Iqbal, K. see F. Liu, 6269
 Iqbal, K. see A. Sengupta, 5925
 Irace, G. see S. Vilasi, 1681
 Iraheta, E. see C. Derunes, 175
 Irie, K. see S. Oshima, 1251
 Irie, K. see S. Oshima, 6519
 Irmmler, A. see S. Urig, 3595
 Irvine, R.F. see M.-L. Giudici, 6933
 Irwin, J.A. see M. Sekiya, 5016
 Ishida, N. see K. Oishi, 127
 Ishida, T. see S. Nagao, 4371
 Ishida, Y. see G.-W. Hwang, 6813
 Ishihara, H. see D. Takei, 5635
 Ishihara, K. see J. Hong, 2723
 Ishii, K. see T. Sakamoto, 6543
 Ishii, T. see Y. Shinkai, 1771
 Ishii, Y. see Y. Goto, 1833
 Ishii, Y. see Y. Tabuchi, 3035
 Ishii, Y. see N. Kanzawa, 6807
 Ishikawa, D. see I. Popa, 1398
 Ishikawa, H., H. Tachikawa, Y. Miura and N. Takahashi, TRIM11 binds to and destabilizes a key component of the activator-mediated cofactor complex (ARC105) through the ubiquitin-proteasome system, 4784
 Ishikawa, H.C.F. see M. Etzrodt, 6707
 Ishikawa, Y. see S. Minamisawa, 2247
 Ishikita, H. and E.-W. Knapp, Electrostatic role of the non-heme iron complex in bacterial photosynthetic reaction center, 4567
 Ishimaru, N. see N. Katunuma, 741
 Ishimaru, N. see N. Katunuma, 3699
 Ishimoto, K., K. Tachibana, M. Sumitomo, S. Omote, I. Hanano, D. Yamasaki, Y. Watanabe, T. Tanaka, T. Hamakubo, J. Sakai, T. Kodama and T. Doi, Identification of human low-density lipoprotein receptor as a novel target gene regulated by liver X receptor alpha, 4929
 Islam, N. see N. Hasan, 2517
 Isobe, K. see K. Takeda, 839
 Isobe, T. see C. Uchida, 1753
 Isogai, T. see A. Miura, 6871
 Itarte, E. see M. Salvi, 3948
 Ito, E. see A. Miura, 6871
 Ito, F. see M. Nakayama, 6938
 Ito, Y. see T. Nishida, 2731
 Itoh, K. see M. Tamura, 261
 Itoh, S. see Y. Tsukatani, 2191
 Itoh, S. see M. Inamitsu, 6603
 Itoyama, Y. see T. Hasegawa, 2147
 Iurisci, C. see S. Mariggio, 6789
 Iuso, A. see C. Piccoli, 4539
 Ivanov, A.G., P.V. Sane, M. Krol, G.R. Gray, A. Balseris, L.V. Savitch, G. Öquist and N.P.A. Hüner, Acclimation to temperature and irradiance modulates PSII charge recombination, 2797
 Ivanov, D., G. Dvorianchikova, L. Nathanson, S.J. McKinnon and V.I. Shestopalov, 331
 Ivanov, D. see G. Dvorianchikova, 2178
 Ivanov, D., G. Dvorianchikova, L. Nathanson, S.J. McKinnon and V.I. Shestopalov, Microarray analysis of gene expression in adult retinal ganglion cells, 331
 Ivanov, P.A. see Y.L. Dorokhov, 3329
 Ivanov, P.A. see Y.L. Dorokhov, 3872
 Iwabuchi, M. see J. Arima, 912
 Iwai, K. see J. Bayle, 2609
 Iwai, H., S. Züger, J. Jin and P.-H. Tam, Highly efficient protein *trans*-splicing by a naturally split DnaE intein from *Nostoc punctiforme*, 1853
 Iwano, S., N. Shibahara, T. Saito and T. Kamataki, Activation of p53 as a causal step for atherosclerosis induced by polycyclic aromatic hydrocarbons, 890
 Iwase, S., N. Shono, A. Honda, T. Nakanishi, S.-i. Kashiwabara, S. Takahashi and T. Baba, A component of BRAF-HDAC complex, BHC80, is required for neonatal survival in mice, 3129
 Izumi, S. see T. Yamamoto, 3638
 Izumi, Y. see Y. Nakajima, 613
 Izumi, Y. see Y. Nakajima, 1909

J

- Jackson, D.J. see T. Rice, 3769
 Jackson, M. see A. Wehenkel, 3018
 Jackson, V. see H. Xiao, 4357
 Jacobs, F.J. see N. Peiren, 4895
 Jacques, J.C. see B. Boisson, 1988
 Jacquet, H. see L. Gayet, 6891
 Jaffray, E. see R. Fernández-Lloris, 1215
 Jaffredo, T. see B. Guezguez, 3649
 Jakobs, S. see C.A. Wurm, 5628
 Jakobsen, I. see H. Gu, 5885
 Jakobsen, L.O. see J. Underhaug, 4777
 Jakobsen, L.O. see D.A. Middleton, 6685
 Jalali, A. see Y. Abdel-Mottaleb, 6254
 Jalan, R. see N.A. Davies, 2123
 Jalilot, P. see A.-L. Vitte, 6155
 James, A.F. see J.M. Ridley, 1999
 Jamie, J.F. see P.G. Hains, 5071
 Jamin, M. see M. Buisson, 6570
 Jamin, N. see C.L. Lan, 5301
 Janeček, Š. see M. Machovič, 6349
 Jang, B.-C. see S.-J. Lee, 755
 Jang, D.S., H.J. Lee, B. Lee, B.H. Hong, H.J. Cha, J. Yoon, K. Lim, Y.J. Yoon, J. Kim, M. Ree, H.C. Lee and K.Y. Choi, Detection of an intermediate during the unfolding process of the dimeric ketosteroid isomerase, 4166
 Jang, H.-O. see S.-K. Bae, 4105
 Jang, H.H., S.Y. Kim, S.K. Park, H.S. Jeon, Y.M. Lee, J.H. Jung, S.Y. Lee, H.B. Chae, Y.J. Jung, K.O. Lee, C.O. Lim, W.S. Chung, J.D. Bahk, D.-J. Yun, M.J. Cho and S.Y. Lee, Phosphorylation and concomitant structural changes in human 2-Cys peroxiredoxin isotype I differentially regulate its peroxidase and molecular chaperone functions, 351
 Jang, J.J. see H.S. Jung, 4969
 Jang, S. see W. Jing, 1827
 Jang, S.H. see S.H. Choi, 6755
 Jang, W.S., H.K. Kim, K.Y. Lee, S.A. Kim, Y.S. Han and I.H. Lee, Antifungal activity of synthetic peptide derived from halocidin, antimicrobial peptide from the tunicate, *Halocynthia aurantium*, 1490
 Janssens, S. see R. Schauvliege, 4697
 Jansson, S. see R. Lucinski, 6485
 Janzen, C.J., J.P. Fernandez, H. Deng, R. Diaz, S.B. Hake and G.A.M. Cross, Unusual histone modifications in *Trypanosoma brucei*, 2306
 Jarvis, P. see H. Aronsson, 649
 Jedsadayamata, A. see B. Xing, 2027
 Jelkmann, W. see C. Batmunkh, 3153
 Jen, A. see R.J. Morris, 5565
 Jendis, J. see K. Moelling, 3545
 Jenewein, S. see N. Hanekop, 1036
 Jenkins, J.R. see N.A.P. Mouchel, 51
 Jensen, D.J. see D. Deng, 5247
 Jeong, B.C., M.-Y. Kim, J.H. Lee, H.J. Kee, D.H. Kho, K.E. Han, Y.R. Qian, J.-K. Kim and K.K. Kim, Brain-specific angiogenesis inhibitor 2 regulates VEGF through GABP that acts as a transcriptional repressor, 669
 Jeon, H.S. see H.H. Jang, 351
 Jeon, S.-E. see D.-S. Kim, 1439
 Jeong, D. see H. Kim, 5661
 Jeong, E.-L. see C.A. Potter, 3206
 Jeong, T.-S. see S. An, 2741
 Jeong, Y.-M. see D.-S. Kim, 1439
 Jeung, H.-C., X.-F. Che, M. Haraguchi, H.-Y. Zhao, T. Furukawa, T. Gotanda, C.-L. Zheng, K. Tsuneyoshi, T. Sumizawa, J.K. Roh and S.-i. Akiyama, Protection against DNA damage-induced apoptosis by the angiogenic factor thymidine phosphorylase, 1294
 Jeynov, B., D. Lay, F. Schmidt, S. Tahirovic and W.W. Just, Phosphoinositide synthesis and degradation in isolated rat liver peroxisomes, 5917
 Jha, R.K., S. Titus, D. Saxena, P.G. Kumar and M. Laloraya, Profiling of E-cadherin, β -catenin and Ca^{2+} in embryo-uterine interactions at implantation, 5653
 Ji, L.-N. see H.-N. Du, 3657
 Ji, Y. see X. Zuo, 4508
 Ji, Y.J., K.Y. Choi, H.-O. Song, B.-J. Park, J.-R. Yu, H. Kagawa, W.K. Song and J. Ahn, VHA-8, the E subunit of V-ATPase, is essential for pH homeostasis and larval development in *C. elegans*, 3161
 Jian, Y. see C. Chen, 813
 Jiang, B.-H. see Q. Zhou, 5161
 Jiang, H. see W. Liu, 697
 Jiang, L. see G. Niu, 415
 Jiang, M., Y. Ding, Y. Su, X. Hu, J. Li and Z. Zhang, Arginase-flotillin interaction brings arginase to red blood cell membrane, 6561
 Jiang, S. see J. Wang, 2529
 Jiang, S. see E.A. Ostrakhovitch, 1235
 Jiang, S. see J.-H. Huang, 4807
 Jiang, X. see Y. Sun, 4353
 Jiao, Y. see S. Sun, 1891
 Jiménez, A. see M.B. Sánchez, 1807
 Jiménez, A., M. Peltó-Huikko, J.-Å. Gustafsson and A. Miranda-Vizuete, Characterization of human thioredoxin-like-1: Potential involvement in the cellular response against glucose deprivation, 961
 Jimenez, M. see L. Lehr, 4661
 Jin, D. see H. Higashida, 4857
 Jin, D.-Y. see D.C.-H. Ng, 191
 Jin, J. see H. Iwai, 1853
 Jin, L. see H. Chen, 3145
 Jin, M. see M.R. Hasan, 3505
 Jin, X. see G. Zhang, 1383
 Jin, Y.-H. see Y.-M. Gu, 305
 Jindráková, Z. see A. Sumová, 2836
 Jing, W., Y. Sheng and S. Jang, The ribosomal protein L32-2 (RPL32-2) of *S. pombe* exhibits a novel extraribosomal function by acting as a potential transcriptional regulator, 1827
 Jisaka, M. see Md.A. Mazid, 6885
 John, C.D. see F.C. Rodrigues-Lisoni, 1431
 John, C.D. see F.C. Rodrigues-Lisoni, 1908
 Johnson, A.E. see S. Tomic, 72
 Johnson, F.E. see S.S. Huang, 6259
 Johnsson, K. see B.H. Meyer, 1654
 Johnston, I.A. see D.J. Macqueen, 4996
 Johnston, I.A. see D.J. Macqueen, 6286
 Jolley, C. see R. Subramanyam, 233
 Jones, A.D. see H. Chen, 2540
 Jones, C.J. see A. Phillips, 300
 Jones, D.P. see Y. Chen, 6596
 Jones, J.D.G. see V. Nekrasov, 4236
 Jones, P.M. see D. Muller, 6977
 Jong, A. see G.C. Bao, 3687
 Jorna, H. see C. Norez, 2081
 Joucla, G., S. Pizzut, P. Monsan and M. Remaud-Simeon, Construction of a fully active truncated alternansucrase partially deleted of its carboxy-terminal domain, 763
 Juárez, S. see J.d.J. Pérez, 5822
 Juhász, G. see P. Medveczky, 545
 Juhász, T., Z. Szeltner and L. Polgár, Properties of the prolyl oligopeptidase homologue from *Pyrococcus furiosus*, 3493
 Jung, G. see S.G. Park, 822
 Jung, H.H. see H.-M. Ko, 3006
 Jung, H.S., H.-S. Kim, M.-J. Lee, H.Y. Shin, H.S. Ahn, K.-H. Ryu, J.-Y. Seoh, C.J. Kim and J.J. Jang, Arsenic trioxide concentration determines the fate of Ewing's sarcoma family tumors and neuroblastoma cells in vitro, 4969
 Jung, J.H. see H.H. Jang, 351
 Jung, S.-H. see K.-W. Yoo, 4409
 Jung, Y. see Y. Kim, 3519
 Jung, Y.-C. see Y.C. Kim, 6721
 Jung, Y.J. see H.H. Jang, 351
 Jungwirth, H. and K. Kuchler, Yeast ABC transporters – A tale of sex, stress, drugs and aging, 1131
 Junqueira-de-Azevedo, I.L.M. see A.T.C. Ching, 4417
 Junqueira-de-Azevedo, I.L.M. see A.T.C. Ching, 5122
 Juris, S.J., K. Shah, K. Shokat, J.E. Dixon and P.O. Vacratis, Identification of otubain 1 as a novel substrate for the *Yersinia* protein kinase using chemical genetics and mass spectrometry, 179
 Jurk, K. see M. Scharte, 6399
 Just, I. see H. Genth, 3565
 Just, W.W. see B. Jeynov, 5917
 Justin, A.-M. see M.-N. Vaultier, 4218

K

- Kääriäinen, L. see A. Golubtsov, 1502
 Kacher, Y. and A.H. Futerman, Genetic diseases of sphingolipid metabolism: Pathological mechanisms and therapeutic options, 5510
 Kadota, Y. see T. Sano, 597
 Kadowaki, K.-i. see S. Takahashi, 955
 Kagawa, H. see Y.J. Ji, 3161
 Kagawa, N. see S. Rupasinghe, 6338
 Kahan, T. see M. Ilouze, 4473
 Kai, H. see T. Sato, 491
 Kai, T. see T. Sato, 491
 Kajikawa, M., K.T. Yamato, Y. Sakai, H. Fukuzawa, K. Ohyama and T. Kohchi, Isolation and functional characterization of fatty acid $\Delta 5$ -elongase gene from the liverwort *Marchantia polymorpha* L., 149
 Kakavanos, R., P. Lehn, I. Callebaut, P.J. Meikle, E.J. Parkinson-Lawrence, J.J. Hopwood and D.A. Brooks, Common antigenicity for two glycosidases, 87
 Kakavanos, R., J.J. Hopwood, D. Lang, P.J. Meikle and D.A. Brooks, Stabilising normal and mis-sense variant α -glucosidase, 4365
 Makeya, H. see N. Watanabe, 2598
 Kakizuka, A. see M.-I. Kitami, 474
 Kaldis, P. see B. Asefa, 1205
 Kalinichenko, A.A. see S.C. Agalarov, 6797
 Kalinina, N.O. see D.V. Rakitina, 5077
 Kalnieks, U., N. Galinina, M.M. Toma, J.L. Pickford, R. Rutkis, and R.K. Poole, Respiratory behaviour of a *Zymomonas mobilis adhB::kan^r* mutant supports the hypothesis of two alcohol dehydrogenase isoenzymes catalysing opposite reactions, 5084
 Kalra, N. and V. Kumar, The X protein of hepatitis B virus binds to the F box protein Skp2 and inhibits the ubiquitination and proteasomal degradation of c-Myc, 431
 Kamataki, T. see S. Iwano, 890
 Kamerling, J.P. see C.H. Grün, 3780
 Kameyama, A. see A. Suzuki, 2317
 Kamiya, H. see H. Ochiai, 918
 Kamiya, R. see R. Yamamoto, 6357
 Kamps, B. see S. Narayanan, 5941
 Kanamoto, H. see K. Mukougawa, 1333
 Kanda, H. see M. Nakayama, 6938
 Kandra, L., M.A. Hachem, G. Gyémánt, B. Kramhøft and B. Svensson, Mapping of barley α -amylases and outer subsite mutants reveals dynamic high-affinity subsites and barriers in the long substrate binding cleft, 5049
 Kaneda, M. see J. Hong, 2723
 Kaneda, Y. see H. Nakamura, 2717
 Kaneko, A. see M. Okuyama, 2707
 Kaneko, I. see T. Miyazaki, 4057
 Kang, H.-Y., J.F. Kim, M.H. Kim, S.-H. Park, T.-K. Oh and C.-G. Hur, MELDB: A database for microbial esterases and lipases, 2736
 Kang, H.Y. see S.G. Park, 822
 Kang, S., R. Luo, Y. Smicun, D.A. Fishman and Y. Meng, Selective induction of cyclooxygenase-2 plays a role in lysophosphatidic acid regulated Fas ligand cell surface presentation, 443
 Kang, J.-H., S.-A. Kim and K.-J. Hong, Induction of TSP1 gene expression by heat shock is mediated via an increase in mRNA stability, 510
 Kang, J.-Y. see J.S. Kong, 4900
 Kang, K.W. see J.W. Yang, 6501
 Kang, Q. see Q. Tong, 2207
 Kang, T.-C. see S.H. Choi, 6755
 Kang, Y.-R. see H.-M. Ko, 3006
 Kannagi, M. see N. Kanzawa, 6807
 Kannenberg, F. see T. Engel, 4551
 Kano, M. see T. Miyazaki, 4057
 Kanzawa, N., K. Nishigaki, T. Hayashi, Y. Ishii, S. Furukawa, A. Niiro, F. Yasui, M. Kohara, K. Morita, K. Matsushima, M.Q. Le, T. Masuda and M. Kannagi, Augmentation of chemokine production by severe acute respiratory syndrome coronavirus 3a/X1 and 7a/X4 proteins through NF- κ B activation, 6807
 Kao, H.-Y. see C. Gao, 5096
 Karas, M. see G. Peng, 5934
 Kardon, T., G. Noël, D. Vertommen and E. Van Schaftingen, Identification of the gene encoding hydroxyacid-oxoacid transhydrogenase, an enzyme that metabolizes 4-hydroxybutyrate, 2347
 Karimi, M. see R. Vanderhaeghen, 2630
 Karlsson, E. see E. Cuyppers, 5728
 Karlsson, M. see T.G. Smith, 4242
 Kasai, A. see K. Horikawa, 3721
 Kasamatsu, M. see K. Oishi, 127
 Kashiwabara, S.-i. see S. Iwase, 3129
 Kastl, S.P. see P.J. Hohensinner, 3532
 Katagiri, H. see D. Takei, 5635
 Kataoka, K. see Y. Ueki, 4069
 Kataoka, S., T. Arakawa, S. Hori, Y. Katayama, Y. Hara, Y. Matsushita, H. Nakayama, M. Yohda, H. Nyunoya, N. Dohmae, M. Maeda and M. Odaka, Functional expression of thiocyanate hydrolyase is promoted by its activator protein, P15K, 4667
 Katayama, K. see G.S. Hansman, 4047
 Katayama, Y. see S. Kataoka, 4667
 Katanger, H. see S. Sánchez-Martínez, 2395
 Katiyar, S. see K.A. Kulkarni, 2808
 Kato, J.-y. see A. Fukumoto, 5836
 Kato, K. see T. Nakai, 336
 Kato, M. see K. Takeda, 839
 Kato, M. see M. Inamitsu, 6603
 Kato, R. see M. Okochi, 885
 Kato, T., H. Kutsuna, N. Oshitani and S. Kitagawa, Cyclic AMP delays neutrophil apoptosis via stabilization of Mcl-1, 4582
 Kato, Y. see M. Sano, 1553
 Katoh, E. see T. Tanaka, 4224
 Katoh, H., Y. Ogino and G. Yamada, Cloning and expression analysis of androgen receptor gene in chicken embryogenesis, 1607
 Katschinski, D.M. see S. Hägele, 3731
 Katunuma, N., A. Ohashi, E. Sano, N. Ishimaru, Y. Hayashi and E. Murata, Catechin derivatives: Specific inhibitor for caspases-3, 7 and 2, and the prevention of apoptosis at the cell and animal levels, 741
 Katunuma, N., Q.T. Le, E. Murata, A. Matsui, E. Majima, N. Ishimaru, Y. Hayashi and A. Ohashi, A novel apoptosis cascade mediated by lysosomal lactoferrin and its participation in hepatocyte apoptosis induced by d-galactosamine, 3699
 Katzin, A.M. see F.L. D'Alexandri, 6343
 Kaufmann, S.H.E. see S.J. Holton, 6898
 Kaun, C. see P.J. Hohensinner, 3532
 Kawabata, K., A. Murakami and H. Ohgashi, Citrus auraptene targets translation of MMP-7 (matrilysin) via ERK1/2-dependent and mTOR-independent mechanism, 5288
 Kawachi, R. see H. Chida, 3763
 Kawagishi, Y. see T. Yamada, 4387
 Kawaguchi, T., Y. Niino, H. Ohtaki, S. Kikuyama and S. Shioda, New PKC δ family members, PKC δ IV, δ V, δ VI, and δ VII are specifically expressed in mouse testis, 2458
 Kawahara, K.-i. see Y. Nakajima, 613
 Kawahara, K.-i. see K.K. Biswas, 703
 Kawahara, K.-i. see K.K. Biswas, 1696
 Kawahara, K.-i. see Y. Nakajima, 1909
 Kawahara, Y. and K. Nishikura, Extensive adenosine-to-inosine editing detected in *Alu* repeats of antisense RNAs reveals scarcity of sense-antisense duplex formation, 2301
 Kawai, F. see H. Chida, 3763
 Kawaide, H. see K.-i. Hayashi, 6175
 Kawakami, S. see Y. Higuchi, 3706
 Kawamata, M. and K. Nishimori, Mice deficient in *Dmrt7* show infertility with spermatogenic arrest at pachytene stage, 6442
 Kawamoto, Y. see K. Takeda, 839
 Kawamukai, M. see S. Takahashi, 955
 Kwar, Z.S. see E. van Liempt, 6123
 Kawarabayasi, Y. see Y.-Q. Li, 1536
 Kawasaki, A. see K.-i. Inamori, 627
 Kawasaki, K. see M. Nakayama, 6938
 Kawata, Y. see K. Hongo, 34
 Kayahara, M. see E.S. Papadakis, 1320
 Kays, R.J. see J. Wehkamp, 5344
 Ke, Y. see J. Liu, 1405
 Kee, H.J. see B.C. Jeong, 669
 Keenan, I.D. see T.G. Smith, 4242
 Kehrel, B. see M. Scharfe, 6399
 Keller, J.R. see B. Asefa, 1205
 Kellerer, R. see C. Derunes, 175
 Kellie, B. see N.M. Nebane, 5392
 Kelly, A.P., H.J. Hinton, R.G. Clarke and D.A. Cantrell, Phosphoinositide-dependent kinase 1 (PDK1) haplo-insufficiency inhibits production of alpha/beta (α/β) but not gamma delta (γ/δ) T lymphocytes, 2135

- Kelly, K. see Y. Opatowsky, 5959
 Kelly, S.L. see S. Rupasinghe, 6338
 Kelly, S.M. see S. Park, 6405
 Kempe, K. see C. Habich, 115
 Kempf, T. see J. Schumacher, 6211
 Kempken, F. see N. Bolle, 4443
 Kennett, E.C. see A.M. Torres, 1587
 Keren, N. see I. Balint, 2117
 Kern, A. see D. Voß, 968
 Kern, J. see C. Teutloff, 3605
 Kerr, F., A. Rickle, N. Nayeem, S. Brandner, R.F. Cowburn and S. Lovestone, PTEN, a negative regulator of PI3 kinase signalling, alters tau phosphorylation in cells by mechanisms independent of GSK-3, 3121
 Kerr, I.D. see R. Callaghan, 1056
 Keßen, S. see C. Teutloff, 3605
 Kékesi, K. see P. Medveczky, 545
 Keyse, S.M. see T.G. Smith, 4242
 Khan, S. see X. Yan, 6509
 Khan, S. see X. Yan, 6987
 Khan, U. see S.M. Atif, 2183
 Khatoon, S. see M.O. Chohan, 3973
 Khayath, N. see C. Dissous, 2968
 Kho, D.H. see B.C. Jeong, 669
 Khodyreva, S.N. see I.R. Grin, 4916
 Khosla, C. see P. Strnad, 2351
 Kieselbach, T. see U.A. Petersson, 6055
 Kigawa, T. see K. Yamasaki, 2109
 Kihara, T. see K. Yazawa, 6623
 Kikuchi, A. see T. Hasegawa, 2147
 Kikuyama, S. see T. Kawaguchi, 2458
 Kilpeläinen, I. see H. Tossavainen, 1822
 Kim, B.-K., S.-E. Kim, J.-H. Shim, D.-H. Woo, J.-E. Gil, S.-K. Kim and J.-H. Kim, Neurogenic effect of vascular endothelial growth factor during germ layer formation of human embryonic stem cells, 5869
 Kim, C.-H. see K.-W. Yoo, 4409
 Kim, C.-H. see B. Lee, 5177
 Kim, C.G. see S.J. Kim, 1529
 Kim, C.J. see H.S. Jung, 4969
 Kim, C.W., K.-N. Son, S.-Y. Choi and J. Kim, Human lactoferrin up-regulates expression of KDR/Flk-1 and stimulates VEGF-A-mediated endothelial cell proliferation and migration, 4332
 Kim, D. see S.-Y. Shin, 5965
 Kim, D.-H. see K.-y. Kim, 3953
 Kim, D.-K. see H.-J. Do, 1865
 Kim, D.-S., S.-E. Jeon, Y.-M. Jeong, S.-Y. Kim, S.-B. Kwon and K.-C. Park, Hydrogen peroxide is a mediator of indole-3-acetic acid/horseradish peroxidase-induced apoptosis, 1439
 Kim, D.-W. see S.-I. Ko, 3217
 Kim, D.W. see S.H. Choi, 6755
 Kim, E. see J.-T. Kim, 6375
 Kim, E.-H. see K.-W. Yoo, 4409
 Kim, E.M. see H.S. Kim, 2311
 Kim, H., I.Y. Kim, S.Y. Lee and D. Jeong, Bimodal actions of reactive oxygen species in the differentiation and bone-resorbing functions of osteoclasts, 5661
 Kim, H.-A. see H.-M. Ko, 3006
 Kim, H.-S. see H.S. Jung, 4969
 Kim, H.-S. see S.C. Linn, 6217
 Kim, H.-Y. see J. Kim, 5251
 Kim, H.J., I. Tsoy, J.M. Park, J.I. Chung, S.C. Shin and K.C. Chang, Anthocyanins from soybean seed coat inhibit the expression of TNF- α -induced genes associated with ischemia/reperfusion in endothelial cell by NF- κ B-dependent pathway and reduce rat myocardial damages incurred by ischemia and reperfusion in vivo, 1391
 Kim, H.K. see W.S. Jang, 1490
 Kim, H.L. see J.S. Kong, 4900
 Kim, H.S., E.M. Kim, J. Lee, W.H. Yang, T.Y. Park, Y.M. Kim and J.W. Cho, Heat shock protein 60 modified with *O*-linked *N*-acetylglucosamine is involved in pancreatic β -cell death under hyperglycemic conditions, 2311
 Kim, H.Y. see K.-y. Kim, 3953
 Kim, I.-W. see S.V. Ambudkar, 1049
 Kim, I.Y. see H. Kim, 5661
 Kim, J.-H., K.W. Lee, M.-W. Lee, H.J. Lee, S.-H. Kim and Y.-J. Surh, Hirsutenone inhibits phorbol ester-induced upregulation of COX-2 and MMP-9 in cultured human mammary epithelial cells: NF- κ B as a potential molecular target, 385
 Kim, J. see Y. Kim, 3519
 Kim, J. and H.-Y. Kim, Functional analysis of a calcium-binding transcription factor involved in plant salt stress signaling, 5251
 Kim, J. see D.S. Jang, 4166
 Kim, J. see S.H. Choi, 6755
 Kim, J. see C.W. Kim, 4332
 Kim, J.-H. see H.-J. Do, 1865
 Kim, J.-H. see B.-K. Kim, 5869
 Kim, J.-R. see K.-H. Cho, 3511
 Kim, J.-R. see E.-J. Lim, 4533
 Kim, J.-T., K.D. Kim, E.Y. Song, H.G. Lee, J.W. Kim, J.W. Kim, S.-K. Chae, E. Kim, M.-S. Lee, Y. Yang and J.-S. Lim, Apoptosis-inducing factor (AIF) inhibits protein synthesis by interacting with the eukaryotic translation initiation factor 3 subunit p44 (eIF3g), 6375
 Kim, J.-Y., S.-M. Kim, J.-H. Ko, J.-H. Yim, J.-H. Park and J.-H. Park, Interaction of pro-apoptotic protein HGTD-P with heat shock protein 90 is required for induction of mitochondrial apoptotic cascades, 3270
 Kim, J.-Y. see S.-I. Ko, 3217
 Kim, J.E. see S.K. Cho, 3136
 Kim, J.F. see H.-Y. Kang, 2736
 Kim, J.G. see S.-K. Bae, 4105
 Kim, J.H. see Y.J. Kim, 206
 Kim, J.H. see K.-y. Kim, 3953
 Kim, J.H. see Y.-W. Kim, 4377
 Kim, J.K. see B. Yang, 6679
 Kim, J.S. see S.B. Kim, 311
 Kim, J.W. see J.-T. Kim, 6375
 Kim, J.Y. see S.-K. Bae, 4105
 Kim, J.-K. see B.C. Jeong, 669
 Kim, K.-y., H.Y. Kim, J.H. Kim, C.-H. Lee, D.-H. Kim, Y.H. Lee, S.H. Han, J.-S. Lim, D.H. Cho, M.-S. Lee, S. Yoon, K.I. Kim, D.-Y. Yoon and Y. Yang, Tumor necrosis factor- α and interleukin-1 β increases CTRP1 expression in adipose tissue, 3953
 Kim, K.D. see J.-T. Kim, 6375
 Kim, K.I. see K.-y. Kim, 3953
 Kim, K.K. see B.C. Jeong, 669
 Kim, M. see T. Yoon, 3558
 Kim, M.-Y. see B.C. Jeong, 669
 Kim, M.-M. and S.-K. Kim, Chitooligosaccharides inhibit activation and expression of matrix metalloproteinase-2 in human dermal fibroblasts, 2661
 Kim, M.H. see H.-Y. Kang, 2736
 Kim, N.-H. see H.-J. Do, 1865
 Kim, S.-A. see J.-H. Kang, 510
 Kim, S.-E. see B.-K. Kim, 5869
 Kim, S.-H., H.-J. Park, C.-M. Lee, I.-W. Choi, D.-O. Moon, H.-J. Roh, H.-K. Lee and Y.-M. Park, Epigallocatechin-3-gallate protects toluene diisocyanate-induced airway inflammation in a murine model of asthma, 1883
 Kim, S.-H. see J.-H. Kim, 385
 Kim, S.-H. see P. Tarapore, 399
 Kim, S.-J. see H.-H. Shin, 1601
 Kim, S.-K. see M.-M. Kim, 2661
 Kim, S.-K. see X. Xu, 6714
 Kim, S.-K. see B.-K. Kim, 5869
 Kim, S.-M. see J.-Y. Kim, 3270
 Kim, S.-M. see S.-I. Ko, 3217
 Kim, S.-R. see S.-K. Bae, 4105
 Kim, S.-Y. see D.-S. Kim, 1439
 Kim, S.A. see W.S. Jang, 1490
 Kim, S.B., J.S. Kim, J.H. Lee, W.J. Yoon, D.S. Lee, M.S. Ko, B.S. Kwon, D.H. Choi, H.R. Cho, B.J. Lee, D.K. Chung, H.W. Lee and J.W. Park, NF- κ B activation is required for cisplatin-induced apoptosis in head and neck squamous carcinoma cells, 311
 Kim, S.H. see E.-J. Suh, 6100
 Kim, S.J., S.H. Cheon, S.J. Yoo, J. Kwon, J.H. Park, C.G. Kim, K. Rhee, S. You, J.-Y. Lee, S.I. Roh and H.S. Yoon, Retraction notice to "Contribution of the PI3K/Akt/PKB signal pathway to maintenance of self-renewal in human embryonic stem cells" [FEBS Lett. 579 (2005) 534-540], 1529
 Kim, S.J. see S.A. Choi, 5275
 Kim, S.Y. see H.H. Jang, 351
 Kim, S.Y. see S.H. Choi, 6755
 Kim, T.-Y. see E.-J. Suh, 6100
 Kim, W.T. see S.K. Cho, 3136
 Kim, Y., J. Kim, J. Park, S. Bang, Y. Jung, J. Choe, K. Song and I. Lee, TC1(C8orf4) is upregulated by IL-1 β /TNF- α and enhances proliferation of human follicular dendritic cells, 3519

- Kim, Y. see R. Mittler, 6537
 Kim, Y.-H. see S.-W. Ryu, 988
 Kim, Y.-W., H. Chen, J.H. Kim and S.G. Withers, Catalytic properties of a mutant β -galactosidase from *Xanthomonas manihotis* engineered to synthesize galactosyl-thio- β -1,3 and - β -1,4-glycosides, 4377
 Kim, Y.C., Y.-C. Jung, Z. Xuan, H. Dong, M.Q. Zhang and S.M. Wang, Pan-genome isolation of low abundance transcripts using SAGE tag, 6721
 Kim, Y.J., J.H. Kim, C.E. Lee, Y.G. Mok, J.S. Choi, H.S. Shin and S. Hwang, Expression of yeast transcriptional activator MSN1 promotes accumulation of chromium and sulfur by enhancing sulfate transporter level in plants, 206
 Kim, Y.M. see H.S. Kim, 2311
 Kimura, A. see M. Okuyama, 2707
 Kimura, E.A. see F.L. D'Alexandri, 6343
 Kimura, F. see M. Arai, 184
 Kimura, T. see H. Nakamura, 2717
 King-Scott, S. see S.J. Holton, 6898
 King, B.L. see H.-J. Pan, 5953
 King, J.A. see A. Masedunskas, 2637
 Kinoshita, T. see Y. Hong, 603
 Kinukawa, M., S. Oda, Y. Shirakura, M. Okabe, J. Ohmuro, S.A. Baba, M. Nagata and F. Aoki, Roles of cAMP in regulating microtubule sliding and flagellar bending in demembrated hamster spermatozoa, 1515
 Kioka, N. see M. Mitsushima, 4288
 Király, R. see A. Muskotál, 3916
 Kirby, R. see J.-R. Ko, 3804
 Kirpichnikov, M.P. see V. Zamotin, 2451
 Kiselyov, V.V. see C. Christensen, 3386
 Kishigami, S., T. Hikichi, N. Van Thuan, H. Ohta, S. Wakayama, H.-T. Bui, E. Mizutani and T. Wakayama, Normal specification of the extraembryonic lineage after somatic nuclear transfer, 1801
 Kishimoto, R. see K. Amako, 6428
 Kita, K., N. Okumura, T. Takao, M. Watanabe, T. Matsubara, O. Nishimura and K. Nagai, Evidence for phosphorylation of rat liver glucose-regulated protein 58, GRP58/ERp57/ER-60, induced by fasting and leptin, 199
 Kitagawa, K. see C. Uchida, 1753
 Kitagawa, M. see C. Uchida, 1753
 Kitagawa, S. see T. Kato, 4582
 Kitami, T. see M.-I. Kitami, 474
 Kitami, M.-I., T. Kitami, M. Nagahama, M. Tagaya, S. Hori, A. Kakizuka, Y. Mizuno and N. Hattori, Dominant-negative effect of mutant valosin-containing protein in aggresome formation, 474
 Kitamura, M. see K. Horikawa, 3721
 Kitaoka, S., K. Wada, Y. Hasegawa, Y. Minami, K. Fukuyama and Y. Takahashi, Crystal structure of *Escherichia coli* SufC, an ABC-type ATPase component of the SUF iron-sulfur cluster assembly machinery, 137
 Kitashima, M. see J. Nomata, 6151
 Kitazato, K. see K. Watanabe, 5785
 Kiuchi, K. see K. Oh-hashii, 3943
 Kizaka-Kondoh, S. see H. Harada, 5718
 Klein, I. see M. Müller, 6139
 Klein, M., B. Burla and E. Martinoia, The multidrug resistance-associated protein (MRP/ABCC) subfamily of ATP-binding cassette transporters in plants, 1112
 Klein, M. see A. Frelet, 1064
 Klepetko, W. see A. Renigunta, 900
 Kleshchenko, Y.Y. see K.J. Simmons, 2365
 Klimmek, F. see R. Lucinski, 6485
 Klimyuk, V.I. see Y.L. Dorokhov, 3329
 Klimyuk, V.I. see Y.L. Dorokhov, 3872
 Klinov, D.V. see J. Adamcik, 5671
 Klipcan, L., I. Safro, B. Temkin and M. Safro, Optimal growth temperature of prokaryotes correlates with class II amino acid composition, 1672
 Klis, F.M. see C.H. Grün, 3780
 Klotz, L.-O. see J.I. Beier, 1859
 Knaff, D.B. see X. Xu, 6714
 Knapp, E.-W. see H. Ishikita, 4567
 Knezevich, A. see M. Baralle, 4449
 Knippschild, U. see S. Wolff, 6477
 Knop, M. see T. Engel, 4551
 Knox, B.E. see S. Babu, 1479
 Ko, H.-M., H.H. Jung, K.H. Seo, Y.-R. Kang, H.-A. Kim, S.J. Park, H.-K. Lee and S.-Y. Im, Platelet-activating factor-induced NF- κ B activation enhances VEGF expression through a decrease in p53 activity, 3006
 Ko, J.-h., S.-J. Lee, B. Cho and Y. Lee, Differential promoter usage of *infA* in response to cold shock in *Escherichia coli*, 539
 Ko, J.-H. see J.-Y. Kim, 3270
 Ko, J.-R., J.-Y. Wu, R. Kirby, I.-F. Li and A. Lin, Mapping the essential structures of human ribosomal protein L7 for nuclear entry, ribosome assembly and function, 3804
 Ko, M.S. see S.B. Kim, 311
 Ko, S.-I., I.-S. Lee, J.-Y. Kim, S.-M. Kim, D.-W. Kim, K.-S. Lee, K.-M. Woo, J.-H. Baek, J.-K. Choo and S.-B. Seo, Regulation of histone acetyltransferase activity of p300 and PCAF by proto-oncogene protein DEK, 3217
 Kobayashi, M. see T. Yamada, 4387
 Kobayashi, N. see K. Watanabe, 5785
 Kobayashi, R. see H. Tokumitsu, 5797
 Kobayashi, T. see M. Okochi, 885
 Kobayashi, T. see K. Mukougawa, 1333
 Kobayashi, T. see T. Takeuchi, 4521
 Kobayashi, Y. see T. Yonezawa, 6635
 Kocer, A. see M. Pannetier, 3715
 Koch, J., R. Guntrum and R. Tampé, The first N-terminal transmembrane helix of each subunit of the antigenic peptide transporter TAP is essential for independent tapasin binding, 4091
 Kodama, M. see N. Gurusamy, 1932
 Kodama, T. see K. Ishimoto, 4929
 Kodomari, I. see K. Oishi, 127
 Koehler, G.J. see C.C. Wood, 3931
 Köhler, G. see S. Leporatti, 450
 Koga, H. see K. Oh-hashii, 3943
 Kohara, M. see N. Kanzawa, 6807
 Kohchi, T. see M. Kajikawa, 149
 Kohchi, T. see K. Mukougawa, 1333
 Kohlstrunk, B. see S. Leporatti, 450
 Kohno, M. see J. Michaud, 4607
 Kohriyama, T. see T. Takahashi, 4479
 Koito, A. see N. Watanabe, 2598
 Kojima, M. see Y. Fukue, 3485
 Kojima, S. see S. Ichiyama, 23
 Kok, K.H. see D.C.-H. Ng, 191
 Kok, K.H. see D.C.-H. Ng, 191
 Kolanczyk, M. see T. Zemojtel, 455
 Kolb, H. see C. Habich, 115
 Kolch, W. see S. Park, 6405
 Kollmann, K. see F. Deuschl, 5747
 Komati, H. see H. Birbes, 6224
 Komen, J.C. and R.J.A. Wanders, Identification of the cytochrome P450 enzymes responsible for the ω -hydroxylation of phytanic acid, 3794
 Komiyama, J. see H. Ogawa, 5377
 Komlev, V. see Y. Torrente, 5759
 Kommer, A.A. see S.C. Agalarov, 6797
 Konarev, P. see A. Varga, 2698
 Kondo, A. see K.-i. Inamori, 627
 Kondo, H. see Y.-Q. Li, 1536
 Kondo, H. see T. Miyazaki, 4057
 Kondo, T. see Y. Tabuchi, 3035
 Kondoh, N. see M. Arai, 184
 Konermann, L. see Y.-H. Liu, 5137
 Kong, J.Y. see A. Gómez-Muñoz, 716
 Kong, J.S., J.-Y. Kang, H.L. Kim, O.-S. Kwon, K.H. Lee and Y.S. Park, 6-Pyruvoyltetrahydropterin synthase orthologs of either a single or dual domain structure are responsible for tetrahydrobiopterin synthesis in bacteria, 4900
 Kong, S.-K. see J.C.-K. Lui, 1965
 Kong, X., Z. Lin and J. Caro, Immunophilin-ligands FK506 and CsA inhibit HIF1 α expression by a VHL- and ubiquitin-independent mechanism, 6182
 Kong, Y.-Y. see D.-m. Gao, 1702
 Kong, Y.-Y. see K.-W. Yoo, 4409
 Konishi, K., T.Q.P. Uyeda and T. Kubo, Genetic engineering of a Ca²⁺ dependent chemical switch into the linear biomotor kinesin, 3589
 Kono, M., Constitutive activity of a UV cone opsin, 229
 Kono, T. see H. Ogawa, 5377
 Konstantinov, A.A. see V.B. Borisov, 4823
 Kontsekova, E. see N. Zilka, 3582
 Koo, B.-K. see K.-W. Yoo, 4409
 Koo, D.H.H., C. McFadden, Y. Huang, R. Abdulhussein, M. Friese-Hamim and W.F. Vogel, Pinpointing phosphotyrosine-dependent interactions downstream of the collagen receptor DDR1, 15
 Koo, T.H. see S.-K. Bae, 4105
 Kooyk, Y.v. see E. van Liemp, 6123

Kopácsi, S. see M. Müller, 6139
 Kopitar-Jerala, N., The role of cystatins in cells of the immune system, 6295
 Kopylov, A. see A. Golovin, 5858
 Koronakis, E. see E. Bokma, 5339
 Koronakis, V. see E. Bokma, 5339
 Kossler, N. see T. Zemojtel, 455
 Kosek, J.C. see P. Strnad, 2351
 Koshimizu, S. see T. Akashi, 5666
 Kosmidis, S. see S. Grammenoudi, 4602
 Koson, P. see N. Zilka, 3582
 Kossmann, J. see H. Gu, 5885
 Kostanyan, I.A. see V. Zamotin, 2451
 Kosuge, S. see M. Enomoto, 894
 Kotani, S. see M.R. Hasan, 3505
 Kotler, M. see M. Ilouze, 4473
 Kötter, P. see P. Ozimek, 46
 Kötting, O. see G. Ritte, 4872
 Koulen, P. see M. Tanaka, 6145
 Koulman, A. see S. Saikia, 1625
 Kovac, S. see K.A. Smith, 6195
 Kovacevic, A., A. Hammer, M. Sundl, B. Pfister, A. Hrzjenjak, A. Ray, B.K. Ray, W. Sattler and E. Malle, Expression of serum amyloid A transcripts in human trophoblast and fetal-derived trophoblast-like choriocarcinoma cells, 161
 Kovács, G.G. see J. Oláh, 5807
 Kovarik, Z. see G. Šinko, 3167
 Koyama, K., T. Tsuchiya, S. Akimoto, M. Yokono, H. Miyashita and M. Mimuro, New linker proteins in phycobilisomes isolated from the cyanobacterium *Gloeobacter violaceus* PCC 7421, 3457
 Koyama, M. see H. Nakamura, 2717
 Koyama, S. see H. Nakamura, 2717
 Koyama, Y. see S. Oshima, 1251
 Koyama, Y. see S. Oshima, 6519
 Kozasa, T. see Q. Zhao, 3879
 Kozlov, A.V. see I. Miller, 1257
 Kozubik, A. see A. Vaculová, 6565
 Kraehenbuhl, J.-P. see M. Rumbo, 2976
 Kraft, M., C. Schleberger, J. Weckesser and G.E. Schulz, Binding structure of the leucine aminopeptidase inhibitor microginin FR1, 6943
 Krajewski, J. see C. Batmunkh, 3153
 Kramhöft, B. see L. Kandra, 5049
 Krause, K.-H. see G. Gavazzi, 497
 Krause-Buchholz, U., U. Gey, J. Wünschmann, S. Becker and G. Rödel, *YIL042c* and *YOR090c* encode the kinase and phosphatase of the *Saccharomyces cerevisiae* pyruvate dehydrogenase complex, 2553
 Kreienkamp, H.-J. see C. Hartwig, 3489
 Krieger, M. see T. Bürckstümmer, 575
 Krick, R., J. Tolstrup, A. Appelles, S. Henke and M. Thumm, The relevance of the phosphatidylinositolphosphat-binding motif FRRGT of Atg18 and Atg21 for the Cvt pathway and autophagy, 4632
 Krishnan, A. see J.P. Zbilut, 4861
 Kriukiene, E., Domain organization and metal ion requirement of the Type IIS restriction endonuclease MnlI, 6115
 Křížová, H. see P. Macek, 682
 Krol, M. see A.G. Ivanov, 2797
 Kubo, T. see Y. Yamazaki, 2667
 Kubo, T. see K. Konishi, 3589
 Kuchitsu, K. see T. Sano, 597
 Kuchel, P.W. see A.M. Torres, 1587
 Kuchler, K. see H. Jungwirth, 1131
 Kück, U. see C. Balczun, 4527
 Kuehne, F. see L. Lehr, 4661
 Kuhlmann, J. see R. Hermkes, 3107
 Kuhn, C. see S. Bhushan, 3966
 Kulik, W. see R.H. Houtkooper, 3059
 Kulkarni, K.A., S. Sinha, S. Katiyar, A. Surolia, M. Vijayan and K. Suguna, Corrigendum to: "Structural basis for the specificity of basic winged bean lectin for the Tn-antigen: A crystallographic, thermodynamic and modelling study" [FEBS Lett. 579 (2005) 6775-6780], 2808
 Kumagai, Y. see Y. Shinkai, 1771
 Kumar, P.G. see R.K. Jha, 5653
 Kumar, S. see L. Homchaudhuri, 2097
 Kumar, V. see N. Kalra, 431
 Kume, H. see T. Miyazaki, 4057
 Kunert, R. see S. Sánchez-Martínez, 2395
 Kung, A.W.C. see W.M.W. Cheung, 121

Kung, H.-f. see M.-L. He, 2414
 Kungl, A. see I. Miller, 1257
 Kurane, I. see T. Mizutani, 1417
 Kuratsu, J.-i. see S. Tajiri, 3462
 Kuret, J. see H. Yin, 211
 Kuroishi, C. see T. Tanaka, 4225
 Kuroki, K. see M. Enomoto, 895
 Kurooka, H. see J. Makita, 1812
 Kurose, S. see Y. Ueki, 4069
 Kursula, I. see S. Müller, 341
 Kurtenbach, E. see T. Domitrovic, 6033
 Kusano, H. see S. Takahashi, 956
 Kusano, H. see T. Tomofuji, 3601
 Kusano, T. see K. Yamaguchi, 6783
 Kuschinsky, W. see M.H. Maurer, 4430
 Kushiuro, T. see P. Tansakul, 5143
 Kutay, U. see S. Hasan, 1263
 Kutsuna, H. see T. Kato, 4582
 Kuznetsova, I.A. see A.A. Andryushkova, 5089
 Kwan, K.H. see P.Y.P. Law, 3643
 Kwon, B.S. see S.B. Kim, 311
 Kwon, B.S. see H.-H. Shin, 1601
 Kwon, H.J. see S.H. Choi, 6755
 Kwon, J. see S.J. Kim, 1529
 Kwon, O.-S. see J.S. Kong, 4900
 Kwon, S.-B. see D.-S. Kim, 1439

L

Labesse, G. see A. Wehenkel, 3018
 Laezza, C., Simona Pisanti, E. Crescenzi and M. Bifulco, Anandamide inhibits Cdk2 and activates Chk1 leading to cell cycle arrest in human breast cancer cells, 6076
 Lagarde, M. see H. Birbes, 6224
 Lahn, B.T. see T.W. Vallender, 4560
 Lai, C.-W., Z.-R. Chan, D.-G. Yang, W.-H. Lo, Y.-K. Lai, M.D.-T. Chang and Y.-C. Hu, Accelerated induction of apoptosis in insect cells by baculovirus-expressed SARS-CoV membrane protein, 3829
 Lai, P.B.S. see P.M. Hau, 4727
 Lai, Y.-K. see C.-W. Lai, 3829
 Lalonde, S. see H. Gu, 5885
 Laloraya, M. see R.K. Jha, 5653
 Lam, E. see Y. Zhou, 4303
 Lam, M. see C. Gao, 5096
 Lam, S.C. see B. Xing, 2027
 Lam, S.L. see L.M. Chi, 6496
 Lama, A., S. Pawaria and K.L. Dikshit, Oxygen binding and NO scavenging properties of truncated hemoglobin, HbN, of *Mycobacterium smegmatis*, 4031
 Lamb, D.C. see S. Rupasinghe, 6338
 Lambert, B. and M. Buckle, Corrigendum to "Characterisation of the interface between nucleophosmin (NPM) and p53: Potential role in p53 stabilisation" [FEBS Lett. 580 (2006) 345-350], 996
 Lambert, B. and M. Buckle, Characterisation of the interface between nucleophosmin (NPM) and p53: Potential role in p53 stabilisation, 345
 Lamparter, T. see I. Oberpichler, 437
 Lan, C.L., J.-M. Neumann and N. Jamin, Role of the membrane interface on the conformation of the caveolin scaffolding domain: A CD and NMR study, 5301
 Lang, D. see R. Kakavanos, 4365
 Langdown, J., W.J. Carter, T.P. Baglin and J.A. Huntington, Allosteric activation of antithrombin is independent of charge neutralization or reversal in the heparin binding site, 4709
 Langer, J. see Q. Tong, 2207
 Langford, S.J. see T.J. Egan, 5105
 Langley-Evans, S.C. and D.V. Sculley, The association between birth-weight and longevity in the rat is complex and modulated by maternal protein intake during fetal life, 4150
 Langmann, T. see G. Schmitz, 5597
 Lanier, S.M. see K.S. Song, 1993
 Lannoo, N., W.J. Peumans, E.V. Pamel, R. Alvarez, T.-C. Xiong, G. Hause, C. Mazars and E.J.M. Van Damme, Localization and in vitro binding studies suggest that the cytoplasmic/nuclear tobacco

- lectin can interact in situ with high-mannose and complex *N*-glycans, 6329
- Lanza, A. see N. Cirillo, 3276
- Lanzavecchia, A. see D. Voß, 968
- Lapenta, C. see A.M. Giammarioli, 3335
- Lasfer, M., L. Davenne, N. Vadrot, C. Alexia, Z. Sadjji-Ouatas, A.-F. Bringuiet, G. Feldmann, D. Pessayre and F. Reyl-Desmars, Protein kinase PKC delta and c-Abl are required for mitochondrial apoptosis induction by genotoxic stress in the absence of p53, p73 and Fas receptor, 2547
- Latunde-Dada, G.O., K. Takeuchi, R.J. Simpson and A.T. McKie, Haem carrier protein 1 (HCP1): Expression and functional studies in cultured cells, 6865
- Lau, C.C.Y. see P.C.Y. Woo, 3409
- Lau, C.C.Y. see P.C.Y. Woo, 4976
- Lau, L.T. see H.L. Li, 1723
- Lau, S.K.P. see P.C.Y. Woo, 3409
- Lau, S.K.P. see P.C.Y. Woo, 4976
- Lauridsen, J.B. see C. Christensen, 3386
- Laurinová, K. see A. Sumová, 2836
- Lavandero, S. see V. Eisner, 3469
- Lavandero, S. see V. Eisner, 4495
- Lavelle, C. see J. Mozziconacci, 368
- Lavens, D. see T. Montoye, 3301
- Lavrikova, M.A. see V. Zamotin, 2451
- Law, K.M. see F. Zeng, 5612
- Law, P.Y.P., Y.-M. Liu, H. Geng, K.H. Kwan, M.M.-Y. Waye and Y.-Y. Ho, Expression and functional characterization of the putative protein 8b of the severe acute respiratory syndrome-associated coronavirus, 3643
- Lay, D. see B. Jeynov, 5917
- Lazarus, C.M. see O. Sayanova, 1946
- Le Cunff, M. see S. Le Jan, 3395
- Le Jan, S., N. Le Meur, A. Cazes, J. Philippe, M. Le Cunff, J. Léger, P. Corvol and S. Germain, Characterization of the expression of the hypoxia-induced genes neuritin, TXNIP and IGFBP3 in cancer, 3395
- Le Meur, N. see S. Le Jan, 3395
- Le Provost, F. see M. Pannetier, 3715
- Le Ret, M. see K.D. Raczynska, 5641
- Le Sourd, F., P. Cormier, S. Bach, S. Boulben, R. Bellé and O. Mulner-Lorillon, Cellular coexistence of two high molecular subsets of eEF1B complex, 2755
- Le Stunff, H. see M.-N. Raymond, 131
- Le, M.Q. see N. Kanzawa, 6807
- Le, Q.T. see N. Katunuma, 3699
- Lechward, K., E. Sugajska, I. de Baere, J. Goris, B.A. Hemmings and S. Zolnierowicz, Interaction of nucleoredoxin with protein phosphatase 2A, 3631
- Ledesma, M.D. and C.G. Dotti, Amyloid excess in Alzheimer's disease: What is cholesterol to be blamed for?, 5525
- Leduc, R. see A. Désilets, 2227
- Lee, B. see D.S. Jang, 4166
- Lee, B., C.-H. Kim and S.-K. Moon, Honokiol causes the p21WAF1-mediated G(1)-phase arrest of the cell cycle through inducing p38 mitogen activated protein kinase in vascular smooth muscle cells, 5177
- Lee, B.J. see S.B. Kim, 311
- Lee, C.-H. see K.-y. Kim, 3953
- Lee, C.-H. see E.-J. Lim, 4533
- Lee, C.-M. see S.-H. Kim, 1883
- Lee, D.S. see S.B. Kim, 311
- Lee, E.-A. see H.-H. Shin, 1601
- Lee, E.Y. see J.W. Yang, 6501
- Lee, H. see R. Mittler, 6537
- Lee, H.J. see J.-H. Kim, 385
- Lee, H.-K. see S.-H. Kim, 1883
- Lee, H.-K. see H.-M. Ko, 3006
- Lee, H.C. see D.S. Jang, 4166
- Lee, H.G. see J.-T. Kim, 6375
- Lee, H.J. see D.S. Jang, 4166
- Lee, H.K., I.A. Seo, H.K. Park and H.T. Park, Identification of the basement membrane protein nidogen as a candidate ligand for tumor endothelial marker 7 in vitro and in vivo, 2253
- Lee, H.W. see S.B. Kim, 311
- Lee, I. see Y. Kim, 3519
- Lee, I.-S. see S.-I. Ko, 3217
- Lee, I.H. see W.S. Jang, 1490
- Lee, J. see H.S. Kim, 2311
- Lee, J.-C. see C.-L. Su, 3185
- Lee, J.-G. see E.-J. Lim, 4533
- Lee, J.-H. see S.B. Rho, 4073
- Lee, J.-O. see S. An, 2741
- Lee, J.-Y. see S.J. Kim, 1529
- Lee, J.H. see B.C. Jeong, 669
- Lee, J.H. see S.B. Kim, 311
- Lee, J.M. see E.-H. Park, 1309
- Lee, K. see T. Yoon, 3558
- Lee, K. see M.-L. Giudici, 6933
- Lee, K.-F. see N.P.Y. Lee, 923
- Lee, K.-S. see S.-I. Ko, 3217
- Lee, K.W. see J.-H. Kim, 385
- Lee, K.-Y. see Y.-M. Gu, 305
- Lee, K.H. see J.S. Kong, 4900
- Lee, K.O. see H.H. Jang, 351
- Lee, K.S. see S.H. Choi, 6755
- Lee, K.Y. see W.S. Jang, 1490
- Lee, M.-J. see H.S. Jung, 4969
- Lee, M.-S. see K.-y. Kim, 3953
- Lee, M.-S. see J.-T. Kim, 6375
- Lee, M.-W. see J.-H. Kim, 385
- Lee, N.I. see S.H. Choi, 6755
- Lee, N.P.Y., M.K. Tong, P.P. Leung, V.W. Chan, S. Leung, P.-C. Tam, K.-W. Chan, K.-F. Lee, W.S.B. Yeung and J.M. Luk, Kidney claudin-19: Localization in distal tubules and collecting ducts and dysregulation in polycystic renal disease, 923
- Lee, S.-H. see S.B. Rho, 4073
- Lee, S.-H. see E.-J. Lim, 4533
- Lee, S.-H. and B.R. Hamaker, Cys155 of 27kDa maize γ -zein is a key amino acid to improve its in vitro digestibility, 5803
- Lee, S.-J., B.-C. Jang, S.-W. Lee, Y.-I. Yang, S.-I. Suh, Y.-M. Park, S. Oh, J.-G. Shin, S. Yao, L. Chen and I.-H. Choi, Interferon regulatory factor-1 is prerequisite to the constitutive expression and IFN- γ -induced upregulation of B7-H1 (CD274), 755
- Lee, S.-W. see S.-J. Lee, 755
- Lee, S.-W. see M.-S. Song, 5033
- Lee, S.H. see S.H. Choi, 6755
- Lee, S.-J. see J.-h. Ko, 539
- Lee, S.K. see J. Wehkamp, 5344
- Lee, S.W. see C. Glait, 5268
- Lee, S.Y. see H.H. Jang, 351
- Lee, S.Y. see H. Kim, 5661
- Lee, T. see S.G. Park, 822
- Lee, W.H. see N. Hanna, 2477
- Lee, W.S. see S. An, 2741
- Lee, Y. see J.-h. Ko, 539
- Lee, Y.-C. see R. Ray, 6022
- Lee, Y.-C., Z. Zhang and A.B. Mukherjee, Mice lacking uteroglobin are highly susceptible to developing pulmonary fibrosis, 4515
- Lee, Y.-S. see S.-W. Ryu, 988
- Lee, Y.-S., Y.-B. Ouyang and R.G. Giffard, Regulation of the rat brain Na⁺-driven Cl⁻/HCO₃⁻ exchanger involves protein kinase A and a multiprotein signaling complex, 4865
- Lee, Y.H. see K.-y. Kim, 3953
- Lee, Y.M. see H.H. Jang, 351
- Leech, M. see D. Aeberli, 974
- Léger, J. see S. Le Jan, 3395
- Lehn, P. see R. Kakavanos, 87
- Lehotzky, A. see J. Oláh, 5807
- Lehr, L., K. Canola, C. Asensio, M. Jimenez, F. Kuehne, J.-P. Giacobino and P. Muzzin, The control of UCPI is dissociated from that of PGC-1 α or of mitochondriogenesis as revealed by a study using β -less mouse brown adipocytes in culture, 4661
- Lehtimäki, K. see T. Liimatainen, 4746
- Lei, L. see S. Rupasinghe, 6338
- Lei, M. see H. Xiao, 4357
- Leibiger, I.B. see R. Efendiev, 5067
- Leipold, E. see S. Zorn, 1360
- Leitão, A. see Y. Reis, 4673
- Leiter, E.H. see H.-J. Pan, 5953
- Lemaire, J.-F. and P.S. McPherson, Binding of Vac14 to neuronal nitric oxide synthase: Characterisation of a new internal PDZ-recognition motif, 6948
- LeMaire, S.A. see J. Wang, 2779
- Lemmens, I. see T. Montoye, 3301
- LeMosy, E.K., Spatially dependent activation of the patterning protease, Easter, 2269
- Lenaerts, L., D. Daelemans, N. Geukens, E. De Clercq and L. Naesens, Mouse adenovirus type 1 attachment is not mediated by the coxsackie-adenovirus receptor, 3937

- Leporatti, S., A. Gerth, G. Köhler, B. Kohlstrunk, S. Hauschildt and E. Donath, Elasticity and adhesion of resting and lipopolysaccharide-stimulated macrophages, 450
- Lesne, A. see J. Mozziconacci, 368
- Lethias, C., A. Carisey, J. Comte, C. Cluzel and J.-Y. Exposito, A model of tenascin-X integration within the collagenous network, 6281
- Leto, G. see R. Masella, 2421
- Leung, F.C.C. see Y. Wang, 1277
- Leung, F.C.C. see F. Zeng, 5612
- Leung, J. see M. Riera, 4160
- Leung, K.W., Y.-K. Cheng, N.K. Mak, K.K.C. Chan, T.P. David Fan and R.N.S. Wong, Signaling pathway of ginsenoside-Rg1 leading to nitric oxide production in endothelial cells, 3211
- Leung, P.P. see N.P.Y. Lee, 923
- Leung, S. see N.P.Y. Lee, 923
- Leveziel, H. see C.H. Herrera-Mendez, 3477
- Levy, D.E. see W. Sun, 5880
- Lewin, A. and L. Hederstedt, Compact archaeal variant of heme A synthase, 5351
- Lewis, R.J. see S. Dutertre, 3860
- Li, B., W.-D. Zhao, Z.-M. Tan, W.-G. Fang, L. Zhu and Y.-H. Chen, Involvement of Rho/ROCK signalling in small cell lung cancer migration through human brain microvascular endothelial cells, 4252
- Li, B. see Q. Tong, 2207
- Li, B., Y. Huang and S.M. Paskewitz, Hen egg white lysozyme as an inhibitor of mushroom tyrosinase, 1877
- Li, C.-F. see M.B. Seigny, 6533
- Li, C.-J. see J. Chen, 3624
- Li, D. see Q. Tong, 2207
- Li, D.-F., J. Li, L. Ma, L. Zhang and Y.-T. Lu, Calmodulin isoform-specific activation of a rice calmodulin-binding kinase conferred by only three amino-acids of OsCaM61, 4325
- Li, G. see Y. Wang, 3787
- Li, H. see H. Wang, 795
- Li, H. see N.A. Shaharuddin, 6579
- Li, H.-q. see W. Li, 4905
- Li, H.-T. see H.-N. Du, 3657
- Li, H.L., Z. Li, L.Y. Qin, S. Liu, L.T. Lau, J.S. Han and A.C.H. Yu, The novel neurotrophin-regulated neuronal development-associated protein, NDAP, mediates apoptosis, 1723
- Li, I.-F. see J.-R. Ko, 3804
- Li, J. see D.-F. Li, 4325
- Li, J. see S. Nagao, 4371
- Li, J. see M. Jiang, 6561
- Li, J.-j. see B. Wang, 380
- Li, M. see S. Oshima, 1251
- Li, M. see B. Coblitz, 1531
- Li, M. see M. Wu, 5681
- Li, M. see S. Oshima, 6519
- Li, N. see N. Sivakumar, 2646
- Li, N. see H. Xu, 3610
- Li, Q. see G. Zhang, 1383
- Li, Q. see M. Ming, 6749
- Li, S. see C. Derunes, 175
- Li, W., M. Zhang, J.-l. Zhang, H.-q. Li, X.-c. Zhang, Q. Sun and C.-m. Qiu, Interactions of daidzin with intramolecular G-quadruplex, 4905
- Li, X. see C. Gao, 5096
- Li, X. see Y. Changchun, 6242
- Li, Y. see H.-L. Zhang, 469
- Li, Y. see Y.-C. Sun, 1521
- Li, Y., Y. Wang, Li, Y. and L. Yang, Prediction of the deleterious nsSNPs in ABCB transporters, 6800
- Li, Y. see L. Wang, 3677
- Li, Y., W. Lu, X. He and G. Bu, Modulation of LRP6-mediated Wnt signaling by molecular chaperone Mesd, 5423
- Li, Y. see L. Wang, 3677
- Li, Y. see Y.-C. Luo, 5111
- Li, Y., Y. Wang, Li, Y. and L. Yang, Prediction of the deleterious nsSNPs in ABCB transporters, 6800
- Li, Y.-C., X.-Q. Hu, K.-Y. Zhang, J. Guo, Z.-Y. Hu, S.-X. Tao, L.-J. Xiao, Q.-Z. Wang, C.-S. Han and Y.-X. Liu, Afaf, a novel vesicle membrane protein, is related to acrosome formation in murine testis, 4267
- Li, Y.-Q., S. Sueda, H. Kondo and Y. Kawarabayasi, A unique biotin carboxyl carrier protein in archaeon *Sulfolobus tokodaii*, 1536
- Li, Y.-Y. see J. Liu, 245
- Li, Y.-Y. see J. Liu, 245
- Li, Z. see H.L. Li, 1723
- Li, Z., J. Yang and H. Huang, Oxidative stress induces H2AX phosphorylation in human spermatozoa, 6161
- Liang, R.C. see P.M. Nissom, 2216
- Liang, X. see Y. Bian, 6007
- Liang, Y.-Z. see L.-Z. Yi, 6837
- Liang, Z. see F. Liu, 6269
- Liao, X.-M. see Q.-G. Ren, 2503
- Liao, Y. see Q. Yuan, 3192
- Liebesch, G. see G. Schmitz, 5597
- Liebl, U. see G. Lipowski, 5988
- Lieske, J. see S. Urig, 3595
- Ligon, L.A., S.S. Shelly, M.K. Tokito and E.L.F. Holzbaur, Microtubule binding proteins CLIP-170, EB1, and p150^{Glued} form distinct plus-end complexes, 1327
- Liimatainen, T., K. Lehtimäki, M. Ala-Korpela and J. Hakumäki, Identification of mobile cholesterol compounds in experimental gliomas by ¹H MRS in vivo: Effects of ganciclovir-induced apoptosis on lipids, 4746
- Lilischkis, R. see J.M. Lüscher-Firzlaff, 1716
- Lillicrap, M. see C. Habich, 115
- Lim, C.O. see H.H. Jang, 351
- Lim, E.-J., S.-H. Lee, J.-G. Lee, B.-R. Chin, Y.-S. Bae, J.-R. Kim, C.-H. Lee and S.-H. Baek, Activation of toll-like receptor-9 induces matrix metalloproteinase-9 expression through Akt and tumor necrosis factor- α signaling, 4533
- Lim, J.-S. see K.-y. Kim, 3953
- Lim, J.-S. see J.-T. Kim, 6375
- Lim, J.W.E. see P.M. Nissom, 2216
- Lim, K. see D.S. Jang, 4166
- Lim, K.-H. and H.-I. Chang, O-linked *N*-acetylglucosamine suppresses thermal aggregation of Sp1, 4645
- Lim, R. see M.-L. Giudici, 6933
- Lima, L.M.T.R. see J. Faber-Barata, 1919
- Lima, M.F. see K.J. Simmons, 2365
- Lin, A. see J.-R. Ko, 3804
- Lin, C.C. see J.-Y. Chang, 656
- Lin, C.-J. see C.-Y. Lin, 3042
- Lin, C.-N. see C.-L. Su, 3185
- Lin, C.-Y., C.-J. Lin, K.-H. Chen, J.-C. Wu, S.-H. Huang and S.-M. Wang, Macrophage activation increases the invasive properties of hepatoma cells by destabilization of the adherens junction, 3042
- Lin, D.-H. see H.-N. Du, 3657
- Lin, M.C. see M.-L. He, 2414
- Lin, X.-J. see H.-N. Du, 3657
- Lin, Y. see H.-L. Zhang, 469
- Lin, Z. see H. Wang, 6015
- Lin, Z. see X. Kong, 6182
- Lincker, F., M. Messmer, G. Houllé, M. Devic and M.-E. Chabouté, E2F factors rate controls the dual role of CDE/E2F composite element: A model of E2F-regulated gene expression in plant development, 5167
- Lindgren, H. see H. Gyllberg, 2603
- Lindsay, S.M. see R. Bash, 4757
- Ling, V. see M.M. Gottesman, 998
- Link, G. see J. Schweer, 6617
- Linn, S.C., L.M. Andras, H.-S. Kim, J. Wei, M.M. Nagiec, R.C. Dickson and A.H. Merrill, Functional characterization of the promoter for the mouse *SPTLC2* gene, which encodes subunit 2 of serine palmitoyltransferase, 6217
- Lintunen, M. see M.-L. Ankö, 6955
- Lipowski, G., U. Liebl, B. Guigliarelli, W. Nitschke and B. Schoep-Cothenet, Conformation of the *c*₅₅₂:*aa*₃ electron transfer complex in *Paracoccus denitrificans* studied by EPR on oriented samples, 5988
- Liscovitch, M. see C. Glait, 5268
- Lisewski, U. see W. Weidemann, 6649
- Lisso, J., T. Altmann and C. Müssig, The *AtNFXL1* gene encodes a NF-X1 type zinc finger protein required for growth under salt stress, 4851
- Litvak, Y. see Y. Opatowsky, 5959
- Liu, A., J. Oliver-Krasinski and D.A. Stoffers, Two conserved domains in PCIF1 mediate interaction with pancreatic transcription factor PDX-1, 6701
- Liu, B. see R. Zhai, 3811
- Liu, D.X. see Q. Yuan, 3192
- Liu, F., Z. Liang, J. Shi, D. Yin, E. El-Akkad, I. Grundke-Iqbal, K. Iqbal and C.-X. Gong, PKA modulates GSK-3 β - and cdk5-catalyzed phosphorylation of tau in site- and kinase-specific manners, 6269
- Liu, H. see X. Mao, 2615
- Liu, I.-H. see S.S. Huang, 6259

- Liu, J., Q. Guo, B. Chen, Y. Yu, H. Lu and Y.-Y. Li, Cathepsin B and its interacting proteins, bikunin and TSRC1, correlate with TNF-induced apoptosis of ovarian cancer cells OV-90, 245
- Liu, J. see H.-L. Zhou, 1239
- Liu, J. see D.-m. Gao, 1702
- Liu, J., X. Du and Y. Ke, Mapping nucleolar localization sequences of 1A6/DRIM, 1405
- Liu, J.-M. see Y. Liu, 1303
- Liu, N. and T. Wang, Protein-based phylogenetic analysis by using hydrophathy profile of amino acids, 5321
- Liu, Q. see Y. Liu, 1303
- Liu, S., S.P. Goff and G. Gao, Gln⁸⁴ of moloney murine leukemia virus reverse transcriptase regulates the incorporation rates of ribonucleotides and deoxyribonucleotides, 1497
- Liu, S. see H.L. Li, 1723
- Liu, S. see J.-H. Huang, 4807
- Liu, T. see J. Huang, 940
- Liu, W. see L. Di, 685
- Liu, W., C. Han, L. Hu, K. Chen, X. Shen and H. Jiang, Characterization and inhibitor discovery of one novel malonyl-CoA: Acyl carrier protein transacylase (MCAT) from *Helicobacter pylori*, 697
- Liu, W.-Q. see Y. Liu, 1303
- Liu, X. see X.-Y. Zhang, 2774
- Liu, X. see Y. Cheng, 4911
- Liu, X. see S. Elojeimy, 4751
- Liu, Y. and C.W. Taylor, Stimulation of arachidonic acid release by vasopressin in A7r5 vascular smooth muscle cells mediated by Ca²⁺-stimulated phospholipase A₂, 4114
- Liu, Y., T.-J. Zhao, J.-M. Liu, W.-Q. Liu, Q. Liu, Y.-B. Yan and H.-M. Zhou, The conserved Ala37 in the ERF/AP2 domain is essential for binding with the DRE element and the GCC box, 1303
- Liu, Y. see L. Di, 685
- Liu, Y. see M. Esaki, 5215
- Liu, Y. see T.-J. Zhao, 3835
- Liu, Y. see C. Gao, 5096
- Liu, Y.-H. and L. Konermann, Enzyme conformational dynamics during catalysis and in the 'resting state' monitored by hydrogen/deuterium exchange mass spectrometry, 5137
- Liu, Y.-M. see P.Y.P. Law, 3643
- Liu, Y.-X. see Y.-C. Li, 4267
- Liu, Z. see X. Zuo, 4508
- Liu, Z.-Q. see J.-H. Huang, 4807
- Lloyd, D. and D.B. Murray, The temporal architecture of eukaryotic growth, 2830
- Lloyd, D. and D.B. Murray, Corrigendum to "The temporal architecture of eukaryotic growth" [FEBS Lett. 580 (2006) 2830–2835], 4571
- Llull, D., R. López and E. García, Sk1, a novel choline-binding *N*-acetylmuramoyl-l-alanine amidase of *Streptococcus mitis* SK137 containing a CHAP domain, 1959
- Lo Schiavo, F. see E. Formentin, 5009
- Lo, J.C.Y. see P.M. Nissom, 2216
- Lo, S.L. see P.M. Nissom, 2216
- Lo, W.-H. see C.-W. Lai, 3829
- Lobedanz, S. see E. Bokma, 5339
- Lobna, B.M. see T. Akaihiro, 5947
- Locovei, S., J. Wang and G. Dahl, Activation of pannexin 1 channels by ATP through P2Y receptors and by cytoplasmic calcium, 239
- Löfgren, K. see H. Gyllberg, 2603
- Lohr, D. see R. Bash, 4757
- Lok, T.-M. see B. Wang, 380
- Long, S. see M. Wu, 5681
- Long, Y. see Z. Zhao, 2750
- Longpré, J.-M. see A. Désilets, 2227
- Looger, L.L. see H. Gu, 5885
- López-Hernández, E. see A. Palacios, 6903
- López-Serrano, M. see C. Gabaldón, 4311
- López-Soriano, F.J. see R. Moore-Carrasco, 691
- López-Villaseñor, I. see J. Sánchez, 6413
- López, E. see M. Torrado, 4182
- López, R. see D. Llull, 1959
- Lopez, A. see A. Saulière, 5227
- Lopez, E. see D. Duplat, 2435
- Lopez, L. see P. Facella, 4618
- Lopez, S. see J. Bayle, 2609
- Lorizate, M. see M.J. Gómara, 2561
- Lorizate, M. see S. Sánchez-Martínez, 2395
- Lortat-Jacob, H. see G. Tabarani, 2402
- Lorusso, M. see M. Di Paola, 775
- Loschelder, H. see J. Schweer, 6617
- Losi, A. see V. Buttani, 3818
- Lovestone, S. see F. Kerr, 3121
- Low, P. see J. Neuzil, 5125
- Lowe Jr., E.W. see N.R. McIntyre, 521
- Lu, B.-Y. see J.-Y. Chang, 656
- Lu, C. see H. Chen, 3145
- Lu, C., F. Qiu, H. Zhou, Y. Peng, W. Hao, J. Xu, J. Yuan, S. Wang, B. Qiang, C. Xu and X. Peng, Identification and characterization of senoprotein K: An antioxidant in cardiomyocytes, 5189
- Lu, H. see S. Sun, 1891
- Lu, H. see J. Liu, 245
- Lu, J. see C. Chen, 813
- Lu, J., B. Quearry and H. Harada, p38-MAP kinase activation followed by BIM induction is essential for glucocorticoid-induced apoptosis in lymphoblastic leukemia cells, 3539
- Lu, J., Y.-I. Zheng, D.-m. Wu, D.-x. Sun, Q. Shan and S.-h. Fan, Trace amounts of copper induce neurotoxicity in the cholesterol-fed mice through apoptosis, 6730
- Lu, R. see M.R. Hogan, 58
- Lu, W. see Y. Li, 5423
- Lu, X., Y. Xu, F. Zhang and Y.-K. Shin, Synaptotagmin I and Ca²⁺ promote half fusion more than full fusion in SNARE-mediated bilayer fusion, 2238
- Lu, Y.-T. see D.-F. Li, 4325
- Lübke, T. see F. Deuschl, 5747
- Lucas, P. see L. Gayet, 6891
- Luciani, S. see L. Trevisi, 2769
- Lucinski, R., V.H.R. Schmid, S. Jansson and F. Klimmek, Lhca5 interaction with plant photosystem I, 6485
- Ludwig, A.A. see V. Nekrasov, 4236
- Lueken, A. see T. Engel, 4551
- Lugli, E. see R. Ferraresi, 6612
- Lui, J.C.-K. and S.-K. Kong, Erythropoietin activates caspase-3 and downregulates CAD during erythroid differentiation in TF-1 cells – A protection mechanism against DNA fragmentation, 1965
- Luk, J.M. see N.P.Y. Lee, 924
- Lukačin, R. see F. Wellmann, 1642
- Lukashev, D. see S. Hägele, 3731
- Lumsden, N.G. see S. Dutertre, 3860
- Lunardi, J. see D. Ratel, 3179
- Lundin, C., R. Nordström, K. Wagner, C. Windpassinger, H. Andersson, G. von Heijne and I. Nilsson, Membrane topology of the human seipin protein, 2281
- Lunn, J.S. see T.G. Smith, 4242
- Luo, L. see H. Chen, 3145
- Luo, R. see S. Kang, 443
- Luo, X.-C. see T.-J. Zhao, 3835
- Luo, Y. see H. Wang, 6015
- Luo, Y.-C., H. Zhou, Y. Li, J.-Y. Chen, J.-H. Yang, Y.-Q. Chen and L.-H. Qu, Rice embryogenic calli express a unique set of microRNAs, suggesting regulatory roles of microRNAs in plant post-embryonic development, 5111
- Luo, Z. see S. Park, 6405
- Lupberger, J. see T. Bürckstümmer, 575
- Lupiañez, J.A. see F.J. Reyes, 6302
- Lurz, R. see T. Zemojtel, 455
- Lüscher-Firzlaff, J.M., R. Lilischkis and B. Lüscher, Regulation of the transcription factor FOXM1c by Cyclin E/CDK2, 1716
- Lüscher, B. see J.M. Lüscher-Firzlaff, 1716
- Lutz, M., F. Wempe, I. Bahr, D. Zopf and H.v. Melchner, Proteasomal degradation of the multifunctional regulator YB-1 is mediated by an F-Box protein induced during programmed cell death, 3921
- Lutz, T., R. Stöger and A. Nieto, CHD6 is a DNA-dependent ATPase and localizes at nuclear sites of mRNA synthesis, 5851
- Lye, Y.M., M. Chan and T.-S. Sim, Pfnek3: An atypical activator of a MAP kinase in *Plasmodium falciparum*, 6083
- Lyle, R. see B.R. Burkhardt, 553
- Lynch, M.J. see L.M. Grønning, 4126
- Lyu, M.R. see B. Wang, 380

M

- Ma, B. see H.-J. Sun, 620
- Ma, D. see M. Ming, 6749

- Ma, J.-x. see Y. Chen, 4200
 Ma, L. see D.-F. Li, 4325
 Ma, M. see N. Gurusamy, 1932
 Ma, R. see J. Chen, 4737
 Mabotha, T.E. see T.J. Egan, 5105
 Macek, P., P. Novák, H. Křížová, L. Židek and V. Sklenář, Molecular dynamics study of major urinary protein–pheromone interactions: A structural model for ligand-induced flexibility increase, 682
 MacGillivray, R.T.A. see E. Vottero, 2265
 Machado, E.E. see M. Bollo, 2686
 Machado, R.C. see A.C.A. Meireles-Filho, 2
 Machida, K. see K. Oishi, 127
 Machovič, M. and Š. Janeček, The evolution of putative starch-binding domains, 6349
 Maciver, S.K. see I. Ferjani, 4801
 Mackowski, S. see T.H.P. Brotsudarmo, 5257
 MacMillan, F., K. Budiman, H. Angerer and H. Michel, The role of tryptophan 272 in the *Paracoccus denitrificans* cytochrome *c* oxidase, 1345
 Macqueen, D.J. and I.A. Johnston, A novel salmonid myoD gene is distinctly regulated during development and probably arose by duplication after the genome tetraploidization, 4996
 Macqueen, D.J. and I.A. Johnston, Corrigendum to “A novel salmonid myoD gene is distinctly regulated during development and probably arose by duplication after the genome tetraploidization” [FEBS Lett. 580 (2006) 4996–5002], 6286
 Madura, K. see L. Chen, 3401
 Maeda, M. see S. Kataoka, 4667
 Maeda, Y. see Y. Hong, 603
 Maeno, E., N. Takahashi and Y. Okada, Dysfunction of regulatory volume increase is a key component of apoptosis, 6513
 Maftah, A. see C.H. Herrera-Mendez, 3477
 Magdalou, J. see M. Ouzzine, 1953
 Maggiora, M.T. see R. Masella, 2421
 Magnusson, K.-E. see E. Vikström, 6921
 Mahdy, A. see S. Elojeimy, 4751
 Maher, E.A. see M.A. Rodriguez Milla, 904
 Mahlow, S. see G. Ritte, 4872
 Maho, A. see M. Horckmans, 747
 Mahrhold, S., A. Rummel, H. Bigalke, B. Davletov and T. Binz, The synaptic vesicle protein 2C mediates the uptake of botulinum neurotoxin A into phrenic nerves, 2011
 Maia, A. see N. Malmanche, 2888
 Mairs, T. see I. Diaz-Moreno, 3023
 Maiti, T.K. see K.S. Ghosh, 4703
 Maitra, S. see A. Das-Chatterjee, 3980
 Majima, E. see N. Katunuma, 3699
 Majoul, I., Hans-Dieter Söling, Professor, University of Göttingen (1969–1997), Guest Professor, Max Planck Institute (1997–2006), 4574
 Majumder, A.L. see A. Das-Chatterjee, 3980
 Mak, N.K. see K.W. Leung, 3211
 Mäkinen, K.M. see Y.L. Dorokhov, 3329
 Mäkinen, K.M. see Y.L. Dorokhov, 3872
 Makita, J., H. Kurooka, K. Mori, Y. Akagi and Y. Yokota, Identification of the nuclear export signal in the helix–loop–helix inhibitor Id1, 1812
 Makusky, A. see R. Moharram, 3391
 Malik Peiris, J.S. see F. Zeng, 5612
 Malle, E. see A. Kovacevic, 161
 Malloy, C.R. see K.A. Stowe, 4282
 Malmanche, N., A. Maia and C.E. Sunkel, The spindle assembly checkpoint: Preventing chromosome mis-segregation during mitosis and meiosis, 2888
 Malmendal, A. see J. Underhaug, 4777
 Malmo, C. see S. Vilasi, 1681
 Malorni, W. see A.M. Giammaroli, 3335
 Manai, M. see I. Ferjani, 4801
 Manao, G. see M. Ramazzotti, 6763
 Mandal, A. see K.S. Ghosh, 4703
 Mandic, R., C.J. Rodgarkia-Dara, L. Zhu, B.J. Folz, M. Bette, E. Weihe, A. Neubauer and J.A. Werner, Treatment of HNSCC cell lines with the EGFR-specific inhibitor cetuximab (Erbix[®]) results in paradox phosphorylation of tyrosine 1173 in the receptor, 4793
 Mangel, W.F. see V. Graziano, 2577
 Mansell, A. see D. Aeberli, 974
 Manzano, A. see M.N. Calvo, 3308
 Mao, H.Z., W.D. Gray and J. Weber, Does F₁-ATPase have a catalytic site that preferentially binds MgADP?, 4131
 Mao, X., F. Cao, X. Nie, H. Liu and J. Chen, The Swi/Snf chromatin remodeling complex is essential for hyphal development in *Candida albicans*, 2615
 Mapelli, V. see E. Sacco, 6322
 Marcet, B. see M. Horckmans, 747
 Marchisio, P.C. see A. Donadini, 1983
 Marechal, J.-D. see N. Floquet, 5130
 Marella, M. see B.B. Seo, 6105
 Margis, R., A.F. Fusaro, N.A. Smith, S.J. Curtin, J.M. Watson, E.J. Finnegan and P.M. Waterhouse, The evolution and diversification of Dicers in plants, 2442
 Margulis, B.A. see A.L. Evdonin, 6674
 Mariggio, S., C. Iurisci, J. Sebastia, J. Patton-Vogt and D. Corda, Molecular characterization of a glycerophosphoinositol transporter in mammalian cells, 6789
 Marin, O. see M. Salvi, 3948
 Mariotti, V. see S. Fogli, 1733
 Marmuse, L. see I. Benoit, 5815
 Marra, E. see N. Guaragnella, 6880
 Marshall, J.C. see R.W.G. Watson, 996
 Martasek, P. see T. Zemojtel, 455
 Marteau, F. see M. Horckmans, 747
 Martens, S. see F. Wellmann, 1642
 Martin, I. see A. Palacios, 6903
 Martin, S.F., M.E. Herva, J.-C. Espinosa, B. Parra, J. Castilla, A. Brun and J.M. Torres, Cell expression of a four extra octarepeat mutated PrP^C modifies cell structure and cell cycle regulation, 4097
 Martin, B.M. see R. Moharram, 3391
 Martin, E. see B. Boisson, 1988
 Martin, S.E. and N.J. Caplen, Mismatched siRNAs downregulate mRNAs as a function of target site location, 3694
 Martinez, J. see M. Buisson, 6570
 Martinez, K.L. see B.H. Meyer, 1654
 Martinoia, E. see M. Klein, 1112
 Maru, Y. see K. Watanabe, 5785
 Marunouchi, T. see M. Tanaka, 6145
 Maruoka, M. see N. Hirao, 6464
 Marusawa, H. see T. Matsumoto, 731
 Maruyama, I. see Y. Nakajima, 613
 Maruyama, I. see K.K. Biswas, 703
 Maruyama, I. see K.K. Biswas, 1696
 Maruyama, I. see Y. Nakajima, 1909
 Maruyama, M. see T. Yamada, 4387
 Maruyama, M. see Y. Murata, 6093
 Maruyama, S. see M. Nakayama, 6938
 Maruyama, Y. see D. Takei, 5635
 Masedunskas, A., J.A. King, F. Tan, R. Cochran, T. Stevens, D. Sviridov and S.F. Ofori-Acquah, Activated leukocyte cell adhesion molecule is a component of the endothelial junction involved in transendothelial monocyte migration, 2637
 Masella, R., R. Vari, M. D'Archivio, C. Santangelo, B. Scazzocchio, M.T. Maggiora, L. Sernicola, F. Titti, M. Sanchez, U. Di Mario, G. Leto and C. Giovannini, Oxidised LDL modulate adipogenesis in 3T3-L1 preadipocytes by affecting the balance between cell proliferation and differentiation, 2421
 Massagué, J. and R.R. Gomis, The logic of TGFβ signaling, 2811
 Massillon, D. see A. Belkaid, 3746
 Massimino, M.L., J. Ferrari, M.C. Sorgato and A. Bertoli, Heterogeneous PrP^C metabolism in skeletal muscle cells, 878
 Mastroianni, F. see M.L. Panno, 2371
 Masuda, M., N. Dohmae, T. Nonaka, T. Oikawa, S.-i. Hisanaga, M. Goedert and M. Hasegawa, Cysteine misincorporation in bacterially expressed human α-synuclein, 1775
 Masuda, T. see N. Kanzawa, 6807
 Matera, M. see G. Petrosillo, 6311
 Matern, U. see F. Wellmann, 1642
 Mateus, N. see A. Faria, 155
 Mathews, A.J. see A. Fago, 4884
 Matskevich, A. see K. Moelling, 3545
 Matsubara, O. see M. Arai, 184
 Matsubara, T. see K. Kita, 199
 Matsuda, S. see N. Hirao, 6464
 Matsuda, T. see R. Muromoto, 93
 Matsuda, T. see K. Yamasaki, 2109
 Matsui, A. see N. Katunuma, 3699
 Matsui, K. see K. Oh, 5791
 Matsui, S. see T. Yamada, 4387
 Matsui, T. see T. Yoshida, 2788
 Matsumoto, H. see Y. Nishitani, 9
 Matsumoto, K. see S. Nagao, 4371

- Matsumoto, K. see A. Seki, 5044
 Matsumoto, K. see K. Higai, 6069
 Matsumoto, M. see T. Takahashi, 4479
 Matsumoto, T., H. Marusawa, Y. Endo, Y. Ueda, Y. Matsumoto and T. Chiba, Expression of APOBEC2 is transcriptionally regulated by NF- κ B in human hepatocytes, 731
 Matsumoto, Y. see T. Matsumoto, 731
 Matsunaga, T. see Y. Fukuda, 801
 Matsuno-Yagi, A. see B.B. Seo, 6105
 Matsuo, A. see K.-i. Hayashi, 6175
 Matsushima, K. see M.R. Hasan, 3505
 Matsushima, K. see N. Kanzawa, 6807
 Matsushita, Y. see S. Kataoka, 4667
 Matsuzaki-Kobayashi, M. see T. Hasegawa, 2147
 Matsuzaki, K. see K. Ikeda, 6587
 Matsuzawa, Y., The metabolic syndrome and adipocytokines, 2917
 Mattaj, I.W. see S. Ulbert, 6435
 Matthes, N., J.R. Mesters, B. Coutard, B. Canard, E.J. Snijder, R. Moll and R. Hilgenfeld, The non-structural protein Nsp10 of mouse hepatitis virus binds zinc ions and nucleic acids, 4144
 Maurer, E.M. see A.G. Atanasov, 4081
 Maurer, G. see P.J. Hohensinner, 3532
 Maurer, M.H., H.K. Geomor, H.F. Bürgers, D.W. Schelshorn and W. Kuschinsky, Adult neural stem cells express glucose transporters GLUT1 and GLUT3 and regulate GLUT3 expression, 4430
 Mauro, L. see M.L. Panno, 2371
 Mayeda, A. see P. Tarapore, 399
 Mayer, H. see C. Duvos, 1509
 Mayer, M.P. see H. Raviol, 168
 Mayer, U. see K.I. Gawlik, 1759
 Maynard, D. see R. Moharram, 3391
 Mazars, C. see N. Lannoo, 6329
 Mazères, S. see A. Saulière, 5227
 Mazid, Md.A., A.A. Chowdhury, K. Nagao, K. Nishimura, M. Jisaka, T. Nagaya and K. Yokota, Endogenous 15-deoxy- $\Delta^{12,14}$ -prostaglandin J₂ synthesized by adipocytes during maturation phase contributes to upregulation of fat storage, 6885
 Mazzone, G. see S. Calligaris, 1355
 McCarthy, J.V. see C. Twomey, 4015
 McClung, N. see M. Tanaka, 6145
 McConkey, G. see T. Rathjen, 5185
 McDearmon, E.L., A.C. Combs, K. Sekiguchi, H. Fujiwara and J.M. Ervasti, Brain α -dystroglycan displays unique glycoepitopes and preferential binding to laminin-10/11, 3381
 McDonnell, J.M. see N.E. Harwood, 2129
 McFadden, C. see D.H.H. Koo, 15
 McGann, M.J. see S.R. Inglis, 3911
 McGrath, W.J. see V. Graziano, 2577
 McGraw, E. see T. Rice, 3769
 McIlvain, V. see S. Babu, 1479
 McIntyre, N.R., E.W. Lowe Jr., G.H. Chew, T.C. Owen and D.J. Merkler, Thiorphan, tiopronin, and related analogs as substrates and inhibitors of peptidylglycine α -amidating monoxygenase (PAM), 521
 McKenzie, J.A.G., K. Riento and A.J. Ridley, Casein kinase I ϵ associates with and phosphorylates the tight junction protein occludin, 2388
 McKie, A.T. see G.O. Latunde-Dada, 6865
 McKinnon, S.J. see D. Ivanov, 331
 McManus, D.P. see L. Wang, 3677
 McManus, M. see R.W. Harper, 5150
 McMaster, C.R. see J.P. Fernández-Murray, 82
 McMorrow, T. see C. Slattery, 4021
 McNaughton, D. see T.J. Egan, 5105
 McPate, M.J. see J.M. Ridley, 1999
 McPherson, P.S. see J.-F. Lemaire, 6948
 Mechoulam, R. see E. Murillo-Rodríguez, 4337
 Medda, R. see A. Mura, 4317
 Medina, M.C., L.C. Souza, L.C. Caperuto, G.F. Anhô, A.M. Amanso, V.P.A. Teixeira, S. Bordin, A.R. Carpinelli, L.R.G. Britto, R.L. Barbieri, M.I. Borella and C.R.O. Carvalho, Dehydroepiandrosterone increases β -cell mass and improves the glucose-induced insulin secretion by pancreatic islets from aged rats, 285
 Medina, M.C., L.C. Souza, L.C. Caperuto, G.F. Anhô, A.M. Amanso, V.P.A. Teixeira, S. Bordin, A.R. Carpinelli, L.R.G. Britto, R.L. Barbieri, M.I. Borella and C.R.O. Carvalho, Erratum to: "Dehydroepiandrosterone increases β -cell mass and improves the glucose-induced insulin secretion by pancreatic islets from aged rats" [FEBS Lett. 580 (2006) 285–290], 1528
 Medveczky, P., J. Antal, A. Patthy, K. Kékési, G. Juhász, L. Szilágyi and L. Gráf, Myelin basic protein, an autoantigen in multiple sclerosis, is selectively processed by human trypsin 4, 545
 Medvedeva, N.D. see A.L. Evdonin, 6674
 Medzihradzsky, K.F. see J. Oláh, 5807
 Meenan, N.A.G. see E.S. Pilka, 273
 Mège, R.-M. see B. Guezguez, 3649
 Meggio, F. see M. Salvi, 3948
 Megy, S., G. Bertho, J. Gharbi-Benarous, F. Baleux, R. Benarous and J.-P. Girault, STD and TRNOESY NMR studies for the epitope mapping of the phosphorylation motif of the oncogenic protein β -catenin recognized by a selective monoclonal antibody, 5411
 Mehdizadeh, S. see N.A. Davies, 2123
 Mehemet, D.K. see F.C. Rodrigues-Lisoni, 1431
 Mehet, D.K. see F.C. Rodrigues-Lisoni, 1908
 Mehta, P. see E. van Liempt, 6123
 Meikle, P.J. see R. Kakavanos, 87
 Meikle, P.J. see R. Kakavanos, 4365
 Meireles-Filho, A.C.A., G.B. da S. Rivas, J.S.M. Gestó, R.C. Machado, C. Britto, N.A. de Souza and A.A. Peixoto, The biological clock of an hematophagous insect: Locomotor activity rhythms, circadian expression and downregulation after a blood meal2
 Melchner, H.v. see M. Lutz, 3921
 Melin, P. see C. Norez, 2081
 Méndez Vidal, C., M. Prah and K.G. Wiman, The p53-induced Wig-1 protein binds double-stranded RNAs with structural characteristics of siRNAs and miRNAs, 4401
 Mendoza, G. see C.A. Reyes-López, 2483
 Meng, D. see Q. Zhou, 5161
 Meng, G. see R. Zhai, 3811
 Meng, Y. see S. Kang, 443
 Menini, A. see S. Pifferi, 2853
 Mercado-Camargo, R. see R. Ortiz-Alvarado, 5371
 Merino, F. see C. Gabaldón, 4311
 Merlen, C., S. Fabrega, B. Desbuquois, C.G. Unson and F. Authier, Glucagon-mediated internalization of serine-phosphorylated glucagon receptor and Gs α in rat liver, 5697
 Merkler, D.J. see N.R. McIntyre, 521
 Merlot, S. see N. Robert, 4691
 Merrick, M. see L.F. Huergo, 5232
 Merrill, A.H. see S.C. Linn, 6217
 Merritt, M. see K.A. Stowe, 4282
 Messmer, M. see F. Lincker, 5167
 Mesters, J.R. see N. Matthes, 4143
 Metall, D. see E. Sacco, 6322
 Meurs, I. see M. Pennings, 5588
 Mewes, H.W. see A.V. Antonov, 844
 Meyer, A.J. see A. Grzam, 6384
 Meyer, B.H., K.L. Martinez, J.-M. Segura, P. Pascoal, R. Hovius, N. George, K. Johnson and H. Vogel, Covalent labeling of cell-surface proteins for in-vivo FRET studies, 1654
 Meyer, C. see S. Ferrario-Méry, 2015
 Mi, H. see Z. Zhao, 2750
 Miao, J. see Y. Cheng, 4911
 Miao, X.-P. see X.-Y. Zhang, 2774
 Michael, A. see K. Yamaguchi, 6783
 Michaud, J., M. Kohno, R.L. Proia and T. Hla, Normal acute and chronic inflammatory responses in sphingosine kinase 1 knockout mice, 4607
 Michel, H. see F. MacMillan, 1345
 Michel, H. see A.K. Shukla, 4261
 Michel, H. see G. Peng, 5934
 Middleton, D.A., L.O. Jakobsen and M. Esmann, Detection of nucleotide binding to Na,K-ATPase in an aqueous membrane suspension by ¹³C cross-polarization magic-angle spinning NMR spectroscopy, 6685
 Mierke, D.F. see A. Wittelsberger, 1872
 Miginiac-Maslow, M. see M. Seemann, 1547
 Miglietta, A. see M.L. Panno, 2371
 Mihara, T., A. Ueda, M. Hirayama, T. Takeuchi, S. Yoshida, K. Naito, H. Yamamoto and T. Mutoh, Detection of new anti-neutral glycosphingolipids antibodies and their effects on Trk neurotrophin receptors, 4991
 Mihelič, M., C. Teuscher, V. Turk and D. Turk, Mouse stefins A1 and A2 (*Stfa1* and *Stfa2*) differentiate between papain-like endo- and exopeptidases, 4195
 Mikami, F. see T. Sato, 491
 Mikhailov, A.T. see M. Torrado, 4182
 Mikula, I. see T. Zemojtel, 455
 Mikula, M. see A. Dzwonek, 1839

- Milet, C. see D. Duplat, 2435
 Milkowski, C. see F. Stehle, 6366
 Millán-Aldaco, D. see E. Murillo-Rodríguez, 4337
 Millar, D.J. see L.V. Bindschedler, 1541
 Miller, I., M. Gemeiner, B. Gesslbauer, A. Kungl, C. Piskernik, S. Haindl, S. Nürnberger, S. Bahrami, H. Redl and A.V. Kozlov, Proteome analysis of rat liver mitochondria reveals a possible compensatory response to endotoxic shock, 1257
 Miller, R.T. see C. Huang, 1795
 Millot, C. see A. Saulière, 5227
 Milnes, J.T. see J.M. Ridley, 1999
 Milon, A. see C.G. Nieto Penalver, 561
 Mimuro, M. see K. Koyama, 3457
 Minassi, A. see G. Appendino, 568
 Minami, A. see S. Oshima, 1251
 Minami, A. see S. Oshima, 6519
 Minami, Y. see S. Kitaoka, 137
 Minamimura, T. see H. Sakai, 3368
 Minamisawa, S., N. Uemura, Y. Sato, U. Yokoyama, T. Yamaguchi, K. Inoue, M. Nakagome, Y. Bai, H. Hori, M. Shimizu, S. Mochizuki and Y. Ishikawa, Post-transcriptional downregulation of sarcoplipin mRNA by triiodothyronine in the atrial myocardium, 2247
 Ming, M., Y. Wang, J. Wu, D. Ma, Q. Li and J. Ding, Triton X-100 can alter the temporal sequence of the light-driven proton pump of archaeorhodopsin 4, 6749
 Mingarro, I. see M.J. Gómara, 2561
 Mingorance, J. see M. Tadros, 4941
 Minier, F. see R. Baur, 1616
 Minik, O. see A. Szigeti, 6447
 Minnaard, R., P. Schrauwen, G. Schaart and M.K.C. Hesselink, UCP3 in muscle wasting, a role in modulating lipotoxicity?, 5172
 Miranda-Vizuete, A., J.C.F. González, G. Gahmon, J. Burghoorn, P. Navas and P. Swoboda, Lifespan decrease in a *Caenorhabditis elegans* mutant lacking TRX-1, a thioredoxin expressed in ASJ sensory neurons, 484
 Miranda-Vizuete, A. see A. Jiménez, 960
 Mirazimi, A. see S. Åkerström, 3799
 Mitchell, D.A. see E. Vottero, 2265
 Mitchell, E.P. see C. Sabin, 982
 Mitchell, J. see A.M. Riley, 324
 Miteva, M. see N. Hanna, 2477
 Mitra, D., S. Mukherjee and A.K. Das, Cyclosporin A binding to *Mycobacterium tuberculosis* peptidyl-prolyl *cis-trans* isomerase A – Investigation by CD, FTIR and fluorescence spectroscopy, 6846
 Mitra, K. and J. Frank, A model for co-translational translocation: Ribosome-regulated nascent polypeptide translocation at the protein-conducting channel, 3353
 Mitsushima, M., H. Takahashi, T. Shishido, K. Ueda and N. Kioka, Abl kinase interacts with and phosphorylates vixin, 4288
 Mittl, P.R.E. see C. Grütter, 99
 Mittler, R., Y. Kim, L. Song, J. Coutu, A. Coutu, S. Ciftci-Yilmaz, H. Lee, B. Stevenson and J.-K. Zhu, Gain- and loss-of-function mutations in *Zat10* enhance the tolerance of plants to abiotic stress, 6537
 Miura, A., R. Honma, T. Togashi, Y. Yanagisawa, E. Ito, J.-i. Imai, T. Isogai, N. Goshima, S. Watanabe and N. Nomura, Differential responses of normal human coronary artery endothelial cells against multiple cytokines comparatively assessed by gene expression profiles, 6871
 Miura, M. see S. Ohsawa, 5875
 Miura, Y. see H. Ishikawa, 4784
 Miwa, S. see C. Uchida, 1753
 Miwa, T. see T. Yamada, 4387
 Miyabayashi, K. see T. Yamada, 4387
 Miyamoto, R. see Y. Tsukatani, 2191
 Miyamoto, S. see M.R. Hasan, 3505
 Miyamoto, S. see H. Nakagawa, 3223
 Miyashita, H. see K. Koyama, 3457
 Miyauchi, A. see M. Hoshijima, 1376
 Miyazaki, A. see K. Yamaguchi, 6783
 Miyazaki, N. see K. Higai, 6069
 Miyazaki, T., K. Hashimoto, A. Uda, H. Sakagami, Y. Nakamura, S.-y. Saito, M. Nishi, H. Kume, A. Tohgo, I. Kaneko, H. Kondo, K. Fukunaga, M. Kano, M. Watanabe and H. Takeshima, Disturbance of cerebellar synaptic maturation in mutant mice lacking BSRPs, a novel brain-specific receptor-like protein family, 4057
 Miyazaki, T. see Y. Murata, 6093
 Miyoshi, E. see K.-i. Inamori, 627
 Miyoshi, H. see N. Watanabe, 2598
 Miyoshi, M. see R. Aoki, 6062
 Mizdrak, J. see P.G. Hains, 5071
 Mizobata, T. see K. Hongo, 34
 Mizoguchi, T., J. Harada and H. Tamiaki, Structural determination of dihydro- and tetrahydrogeranylgeranyl groups at the 17-propionate of bacteriochlorophylls-*a*, 6644
 Mizuno, K. see M. Yamamoto, 1789
 Mizuno, K. see T. Akihiro, 5947
 Mizuno, Y. see M.-I. Kitami, 474
 Mizushima, N. see N. Hosokawa, 2623
 Mizutani, E. see S. Kishigami, 1801
 Mizutani, T., S. Fukushi, M. Saijo, I. Kurane and S. Morikawa, Regulation of p90RSK phosphorylation by SARS-CoV infection in Vero E6 cells, 1417
 Mizuguchi, M. see T. Sato, 491
 Mladenova, V. and G. Russev, Enhanced repair of DNA interstrand crosslinks in S phase, 1631
 Mochizuki, S. see S. Minamisawa, 2247
 Modica, S. and A. Moschetta, Nuclear bile acid receptor FXR as pharmacological target: Are we there yet? 5492
 Moeller, J.V. see A.M.V. Giraldo, 607
 Moeller, J.V. see A.M.V. Giraldo, 2158
 Moelling, K. see A. Ress, 1227
 Moelling, K., S. Abels, J. Jendis, A. Matskevich and J. Heinrich, Silencing of HIV by hairpin-loop-structured DNA oligonucleotide, 3545
 Moens, L. see A. Fago, 4884
 Moerschbacher, B.M. see I. Ortman, 4491
 Mohana-Borges, R. see J. Faber-Barata, 1919
 Moharram, R., D. Maynard, E.S. Wang, A. Makusky, G.J. Murray and B.M. Martin, Reexamination of the cysteine residues in glucocerebrosidase, 3391
 Moiseyev, G. see Y. Chen, 4200
 Mok, D., R.K. Allan, A. Carrello, K. Wangoo, M.D. Walkinshaw and T. Ratajczak, The chaperone function of cyclophilin 40 maps to a cleft between the prolyl isomerase and tetratricopeptide repeat domains, 2761
 Mok, Y.G. see Y.J. Kim, 206
 Mokashi, A. see R.A. Hawkins, 4382
 Molina-Navarro, M.M., C. Casas, L. Piedrafita, G. Belli and E. Herero, Prokaryotic and eukaryotic monothiol glutaredoxins are able to perform the functions of Grx5 in the biogenesis of Fe/S clusters in yeast mitochondria, 2273
 Molina, I. see I. Oberpichler, 437
 Molina, R. see G. Agüero-Chapin, 723
 Moll, R. see N. Matthes, 4143
 Molla, G., S. Sacchi, M. Bernasconi, M.S. Pilone, K. Fukui and L. Pollegioni, Characterization of human d-amino acid oxidase, 2358
 Monetti, M. see S. Bellosta, 5974
 Monsan, P. see G. Joucla, 763
 Montagner, A. see N. Hanna, 2477
 Montecucco, C. see P. Caccin, 6317
 Monteiro, F.A., I. Cardoso, M.M. Sousa and M.J. Saraiva, In vitro inhibition of transthyretin aggregate-induced cytotoxicity by full and peptide derived forms of the soluble receptor for advanced glycation end products (RAGE), 3451
 Montoye, T., J. Piessevaux, D. Lavens, J. Wauman, D. Cateeuw, J. Vandekerckhove, I. Lemmens and J. Tavernier, Analysis of leptin signalling in hematopoietic cells using an adapted MAPPIT strategy, 3301
 Monypenny, J. see S. Yasuda, 3375
 Mooibroek, H. see V.A. van Beelen, 4587
 Mookerjee, R.P. see N.A. Davies, 2123
 Moon, D.-O. see S.-H. Kim, 1883
 Moon, H.-I. and J.H. Chung, The effect of 2',4',7-trihydroxyisoflavone on ultraviolet-induced matrix metalloproteinases-1 expression in human skin fibroblasts, 769
 Moon, H.-I. and J.H. Chung, Retraction notice to "The effect of 2',4',7-trihydroxyisoflavone on ultraviolet-induced matrix metalloproteinases-1 expression in human skin fibroblasts" [FEBS Lett. 580 (2006) 769–774], 3341
 Moon, S.-K. see B. Lee, 5177
 Moore-Carrasco, R., C. García-Martínez, S. Busquets, E. Ametller, E. Barreiro, F.J. López-Soriano and J.M. Argilés, The AP-1/CJUN signaling cascade is involved in muscle differentiation: Implications in muscle wasting during cancer cachexia, 691
 Moore, E.D. see J. Eldstrom, 6039
 Morabito, D. see F. Chedror, 77
 Moraczewski, J. see A. Gizak, 4042
 Moraes, J.C., M.E. Amaral, P.K. Picardi, V.C. Calegari, T. Romanatto, M. Bermúdez-Echeverry, S. Chiavegatto, M.J. Saad and L.A. Velloso, Inducible-NOS but not neuronal-NOS participate in the

- acute effect of TNF- α on hypothalamic insulin-dependent inhibition of food intake, 4625
- Morand, E.F. see D. Aeberli, 974
- Moranvillier, I. see N. Dragin, 3845
- Moreira, J.M.A. see J.E. Celis, 2935
- Moriello, A.S. see G. Appendino, 568
- Morelli, C. see M.L. Panno, 2371
- Morgan, J.E. see A.S. Vakkasoglu, 4613
- Morgan, R., *Engrailed*: Complexity and economy of a multi-functional transcription factor, 2531
- Mori, H. see M. Okuyama, 2707
- Mori, K. see J. Makita, 1812
- Mori, K. see M. Arai, 184
- Mori, L. see G. De Libero, 5580
- Mori, M. see S. Tajiri, 3462
- Morii, M. see H. Sakai, 3368
- Morikawa, S. see T. Mizutani, 1417
- Morin, D. see C.G. Nieto Penálver, 561
- Morioka, M. see S. Tajiri, 3462
- Morita, Y.S. see Y. Hong, 603
- Morita, I. see J. Hong, 2723
- Morita, K. see N. Kanzawa, 6807
- Morita, N. see Y. Orikasa, 4423
- Morozova-Roche, L.A. see V. Zamotin, 2451
- Morrice, N. see A. Hiraga, 1425
- Morrice, N.A. see M.J. Stafford, 4010
- Morris, R.J., C.J. Parkyn and A. Jen, Traffic of prion protein between different compartments on the neuronal surface, and the propagation of prion disease, 5565
- Morrisson, A. see J. Hoeks, 1371
- Moschetta, A. see S. Modica, 5492
- Mosieniak, G., M. Sliwinka, K. Piwocka and E. Sikora, Curcumin abolishes apoptosis resistance of calcitriol-differentiated HL-60 cells, 4653
- Moskovitz, Y. see I. Balint, 2117
- Motohashi, K. see Y. Yamaryo, 4086
- Motro, B. see N. Yissachar, 6489
- Motti, D. see M. Baralle, 4449
- Mouchel, N.A.P. and J.R. Jenkins, The identification of a functional interaction between PKC and topoisomerase II, 51
- Mowat, C.G. see C. Wardrope, 1677
- Mozziconacci, J., C. Lavelle, M. Barbi, A. Lesne and J.-M. Victor, A physical model for the condensation and decondensation of eukaryotic chromosomes, 368
- Mucke, M. see G. Tamulaitis, 1665
- Mühlhäusser, P. see S. Hasan, 1263
- Mujahid, A. see T. Abe, 4815
- Mukherjee, A.B. see Y.-C. Lee, 4515
- Mukherjee, A.B. see R. Ray, 6022
- Mukherjee, S. see D. Mitra, 6846
- Mukhopadhyay, R., Y.-S. Ho, P.J. Swiatek, B.P. Rosen and H. Bhat-tacharjee, Targeted disruption of the mouse *Asnal* gene results in embryonic lethality, 3889
- Mukhopadhyay, S. see M. Wu, 5681
- Mukougawa, K., H. Kanamoto, T. Kobayashi, A. Yokota and T. Kohchi, Metabolic engineering to produce phytochromes with phytochromobilin, phycoerythrobilin, or phycoerythrobilin chromophore in *Escherichia coli*, 1333
- Mulcahy, G. see M. Sekiya, 5016
- Mulet, J. see M. Castillo, 256
- Mulet, J. see M. Castillo, 6518
- Mulinari, S., U. Häcker and C. Castillejo-López, Expression and regulation of Spätzle-processing enzyme in *Drosophila*, 5406
- Müller-Esterl, W. see A. Icking, 223
- Müller-Esterl, W. see A. Icking, 223
- Müller-Taubenberger, A. see M. Fischer, 2495
- Müller-Taubenberger, A. see M. Etzrodt, 6707
- Müller, K. see D. Schreiner, 5295
- Müller, M., I. Klein, S. Kópácsi, A.T. Remaley, É. Rajnavölgyi, B. Sarkadi and A. Váradi, Co-expression of human ABCG5 and ABCG8 in insect cells generates an androstan stimulated membrane ATPase activity, 6139
- Müller, S., I. Kursula, P. Zou and M. Wilmanns, Crystal structure of the PBI domain of NBR1, 341
- Muller, D., P.M. Jones and S.J. Persaud, Autocrine anti-apoptotic and proliferative effects of insulin in pancreatic β -cells, 6977
- Mulner-Lorillon, O. see F. Le Sourd, 2755
- Munakata, H. see A. Hiraga, 1425
- Mundlos, S. see T. Zemojtel, 455
- Mundy, J. see M.H.H. Norholm, 2381
- Muqbil, I., A.S. Azmi and N. Banu, Prior exposure to restraint stress enhances 7,12-dimethylbenz(a)anthracene (DMBA) induced DNA damage in rats, 3995
- Mura, A., A. Padiglia, R. Medda, F. Pintus, A. Finazzi Agrò and G. Floris, Properties of copper-free pig kidney amine oxidase: Role of topa quinone, 4317
- Murakami, A. see A. Eguchi, 3321
- Murakami, A. see K. Kawabata, 5288
- Murakami, K.S. see M. Imashimizu, 3439
- Murakami, T. see H. Hagiwara, 4463
- Murao, K. see S. Nagao, 4371
- Murata, E. see N. Katunuma, 741
- Murata, E. see N. Katunuma, 3699
- Murata, J., D. Bienzle, J.E. Brandle, C.W. Sensen and V. De Luca, Expressed sequences tags from Madagascar periwinkle (*Catharanthus roseus*), 4501
- Murata, Y. see H. Nakamura, 2717
- Murata, Y., T. Wakoh, N. Uekawa, M. Sugimoto, A. Asai, T. Miyazaki and M. Maruyama, Death-associated protein 3 regulates cellular senescence through oxidative stress response, 6093
- Murillo-Rodríguez, E., D. Millán-Aldaco, M. Palomero-Rivero, R. Mechoulam and R. Drucker-Colín, Cannabidiol, a constituent of *Cannabis sativa*, modulates sleep in rats, 4337
- Murofushi, N. see K. Oh, 5791
- Muromoto, R., K. Okabe, M. Fujimuro, K. Sugiyama, H. Yokosawa, T. Seya and T. Matsuda, Physical and functional interactions between STAT3 and Kaposi's sarcoma-associated herpesvirus-encoded LANA, 93
- Murphy, A.S. see M. Geisler, 1094
- Murakami-Kawaguchi, S. see S. Takasawa, 585
- Murray-Rust, T.A., N.J. Oldham, K.S. Hewitson and C.J. Schofield, Purified recombinant hARD1 does not catalyse acetylation of Lys⁵³² of HIF-1 α fragments in vitro, 1911
- Murray, D.B. see D. Lloyd, 2830
- Murray, D.B. see D. Lloyd, 4571
- Murray, G.J. see R. Moharram, 3391
- Muskotál, A., R. Király, A. Sebestyén, Z. Gugolya, B.M. Végh and F. Vonderviszt, Interaction of FlIS flagellar chaperone with flagellin, 3916
- Muslin, A.J. see N. Gurusamy, 1932
- Müssig, C. see J. Lisso, 4851
- Mutoh, T. see T. Mihara, 4991
- Mutus, B. see I. Sliskovic, 2233
- Muzzin, P. see L. Lehr, 4661

N

- Nabiev, I. see V.A. Oleinikov, 4953
- Nada, A. see B. Bölter, 789
- Nadano, D. see R. Aoki, 6062
- Naesens, L. see L. Lenaerts, 3937
- Nagai, K. see K. Kita, 199
- Nagano, Y. see T. Takahashi, 4479
- Nagahama, M. see M.-I. Kitami, 474
- Nagamune, K. see Y. Hong, 603
- Naganuma, A. see G.-W. Hwang, 6813
- Nagao, K. see Md.A. Mazid, 6885
- Nagao, S., K. Murao, H. Imachi, W.-M. Cao, X. Yu, J. Li, K. Matsu-moto, T. Nishiuchi, R.A.M. Ahmed, N.C.W. Wong, K. Ueda and T. Ishida, Platelet derived growth factor regulates ABCA1 expression in vascular smooth muscle cells, 4371
- Nagata-Ohashi, K. see M. Yamamoto, 1789
- Nagata, H., Y. Akiba, H. Suzuki, H. Okano and T. Hibi, Expression of Musashi-1 in the rat stomach and changes during mucosal injury and restitution, 27
- Nagata, K. see K. Watanabe, 5785
- Nagata, M. see M. Kinukawa, 1515
- Nagaya, T. see Md.A. Mazid, 6885
- Nagel, R.L. see Q. Chen, 4485
- Nagiec, M.M. see S.C. Linn, 6217
- Naidoo, K.J. see T.J. Egan, 5105
- Naito, K. see T. Mihara, 4991
- Nakada-Tsukui, K. see D. Sato, 5306
- Nakagawara, A. see K.-i. Inamori, 627
- Nakagawa, H. see M.R. Hasan, 3505

- Nakagawa, H., A.G. Terasaki, H. Suzuki, K. Ohashi and S. Miyamoto, Short-term retention of actin filament binding proteins on lamellipodial actin bundles, 3223
- Nakagawa, K. see S. Takasawa, 585
- Nakagawa, J. see K. Horikawa, 3721
- Nakagome, M. see S. Minamisawa, 2247
- Nakahama, K.-i. see J. Hong, 2723
- Nakagawa, T. see K.-i. Inamori, 627
- Nakai, T., K. Kato, A. Shimmyo and M. Sekine, *Arabidopsis* KRPs have distinct inhibitory activity toward cyclin D2-associated kinases, including plant-specific B-type cyclin-dependent kinase, 336
- Nakajima, S. see Q. Zhao, 3879
- Nakajima, Y. see Q. Zhao, 3879
- Nakajima, Y., Y. Furuichi, K.K. Biswas, T. Hashiguchi, K.-i. Kawahara, K. Yamaji, T. Uchimura, Y. Izumi and I. Maruyama, Corrigendum to "Endocannabinoid, anandamide in gingival tissue regulates the periodontal inflammation through NF- κ B pathway inhibition" [FEBS Lett. 580 (2006) 613–619], 1909
- Nakajima, Y., Y. Furuichi, K.K. Biswas, T. Hashiguchi, K.-i. Kawahara, K. Yamaji, T. Uchimura, Y. Izumi and I. Maruyama, Endocannabinoid, anandamide in gingival tissue regulates the periodontal inflammation through NF- κ B pathway inhibition, 613
- Nakajima, Y. see A. Fukumoto, 5836
- Nakamoto, H. and D. Honma, Interaction of a small heat shock protein with light-harvesting cyanobacterial phycocyanins under stress conditions, 3029
- Nakamura, H. see A. Patil, 2041
- Nakamura, H., T. Kimura, S. Koyama, K. Ogita, T. Tsutsui, K. Shimoya, T. Taniguchi, M. Koyama, Y. Kaneda and Y. Murata, Mouse model of human infertility: Transient and local inhibition of endometrial STAT-3 activation results in implantation failure, 2717
- Nakamura, H. see D.M. Standley, 6199
- Nakamura, K. see T. Yoshida, 2788
- Nakamura, M. see T. Sato, 491
- Nakamura, M. see K. Niwa, 5283
- Nakamura, S. see D. Satoh, 3422
- Nakamura, T. see T. Ohtani, 1597
- Nakamura, T. see T. Takahashi, 4479
- Nakamura, Y. see K.-i. Inamori, 627
- Nakamura, Y. see T. Miyazaki, 4057
- Nakanishi, M. see M. Okochi, 885
- Nakanishi, T. see S. Iwase, 3129
- Nakano, H. see S. Suzuki, 3257
- Nakano, K. see M. Nakayama, 6938
- Nakano, T. see A. Seki, 5044
- Nakano, Y. see J. Hong, 2723
- Nakashima, I. see K. Takeda, 839
- Nakashima, Y. see Y. Fukue, 3485
- Nakayama, H. see S. Kataoka, 4667
- Nakayama, M., S. Maruyama, H. Kanda, N. Ohkita, K. Nakano, F. Ito and K. Kawasaki, Relationships of *Drosophila melanogaster* RECQ5/QE to cell-cycle progression and DNA damage, 6938
- Nakazawa, A. see H. Chida, 3763
- Napier, J.A. see O. Sayanova, 1946
- Narayanan, S., B. Kamps, W.C. Boelens and B. Reif, α B-crystallin competes with Alzheimer's disease β -amyloid peptide for peptide-peptide interactions and induces oxidation of Abeta-Met35, 5941
- Narita, S.-i. and H. Tokuda, An ABC transporter mediating the membrane detachment of bacterial lipoproteins depending on their sorting signals, 1164
- Narla, G. see M.S. Banck, 6981
- Narumiya, S. see S. Yasuda, 3375
- Naumov, A. see J.W. Peters, 363
- Nashev, L.G. see A.G. Atanasov, 4081
- Nasi, M. see R. Ferraresi, 6612
- Naso, A. see E. Formentin, 5009
- Nata, K. see S. Takasawa, 585
- Nathanson, L. see D. Ivanov, 331
- Natoli, G., Tuning up inflammation: How DNA sequence and chromatin organization control the induction of inflammatory genes by NF- κ B, 2843
- Navarro-Sabaté, A. see M.N. Calvo, 3308
- Navas, P. see A. Arroyo, 1740
- Navas, P. see A. Miranda-Vizuete, 484
- Nayeem, N. see F. Kerr, 3121
- Ncokazi, K.K. see T.J. Egan, 5105
- Nde, P.N. see K.J. Simmons, 2365
- Nebane, N.M., B. Kellie and Z.-H. Song, The effects of charge-neutralizing mutation D6.30N on the functions of CB1 and CB2 cannabinoid receptors, 5392
- Nedelcu, A.M., Evidence for p53-like-mediated stress responses in green algae, 3013
- Negoro, S. see T. Ohki, 5054
- Nekrasov, V., A.A. Ludwig and J.D.G. Jones, CITRX thioredoxin is a putative adaptor protein connecting Cf-9 and the ACIK1 protein kinase during the Cf-9/Avr9- induced defence response, 4236
- Nelen, M.R. see W.J.A.A. van den Broek, 5208
- Nemes, E. see R. Ferraresi, 6612
- Nemoto, K.-i. see A. Yamashita, 4121
- Némoz, G. see H. Birbes, 6224
- Nempont, C. see M. Rumbo, 2976
- Nervall, M. see H. Gutiérrez-de-Terán, 5910
- Nespereira, B. see M. Torrado, 4182
- Nespoulous, C. see L. Tcatchoff, 2102
- Netter, P. see M. Ouzzine, 1953
- Neubauer, A. see R. Mandic, 4793
- Neubauer, O. see I. Oberpichler, 437
- Neuert, G., C. Albrecht, E. Pamir and H.E. Gaub, Dynamic force spectroscopy of the digoxigenin-antibody complex, 505
- Neumann, J.-M. see C.L. Lan, 5301
- Neuwirt, J. see J.A. van der Merwe, 268
- Neuzil, J. see M. Tomasetti, 1925
- Neuzil, J. see R.E. Freeman, 2671
- Neuzil, J., X.-F. Wang, L.-F. Dong, P. Low and S.J. Ralph, Molecular mechanism of 'mitocan'-induced apoptosis in cancer cells epitomizes the multiple roles of reactive oxygen species and Bcl-2 family proteins, 5125
- Nevinsky, G.A. see A.A. Andryushkova, 5089
- Nevinsky, G.A. see I.R. Grin, 4916
- Ng, D.C.-H., S.-F. Chan, K.H. Kok, J.W.P. Yam, Y.-P. Ching, I.O.-I. Ng and D.-Y. Jin, Mitochondrial targeting of growth suppressor protein DLC2 through the START domain, 191
- Ng, I.O.-I. see D.C.-H. Ng, 191
- Ng, W.W. see W.M.W. Cheung, 121
- Nicol, C. see T. Rathjen, 5185
- Nidetzky, B. see A. Schwarz, 3905
- Nie, X. see X. Mao, 2615
- Nielsen, N.C. see J. Underhaug, 4777
- Nielsen, P.E. see T. Shiraishi, 1451
- Nieri, P. see S. Fogli, 1733
- Nieto, A. see T. Lutz, 5851
- Nieto Penalver, C.G., D. Morin, F. Cantet, O. Saurel, A. Milon and J.A. Vorholt, *Methylobacterium extorquens* AM1 produces a novel type of acyl-homoserine lactone with a double unsaturated side chain under methylotrophic growth conditions, 561
- Nieuwland, A.A. see C.H. Grün, 3780
- Nieva, J.L. see M.J. Gómara, 2561
- Nieva, J.L. see S. Sánchez-Martínez, 2395
- Niidome, T. see K. Yazawa, 6623
- Niikura, K. see J. Hong, 2723
- Niki, E. see Z.-H. Chen, 479
- Niino, Y. see T. Kawaguchi, 2458
- Niuro, A. see N. Kanzawa, 6807
- Nilsson, I. see C. Lundin, 2281
- Nimmo, R.H. see B.G. Schlarb-Ridley, 2166
- Ning, J., X.-B. Peng, L.-H. Qu, H.-P. Xin, T.-T. Yan and M. Sun, Differential gene expression in egg cells and zygotes suggests that the transcriptome is restructured before the first zygotic division in tobacco, 1747
- Nishi, M. see T. Miyazaki, 4057
- Nishida, T., Y. Orikasa, Y. Ito, R. Yu, A. Yamada, K. Watanabe and H. Okuyama, *Escherichia coli* engineered to produce eicosapentaenoic acid becomes resistant against oxidative damages, 2731
- Nishida, T. see Y. Orikasa, 4423
- Nishida, T., Y. Orikasa, K. Watanabe and H. Okuyama, The cell membrane-shielding function of eicosapentaenoic acid for *Escherichia coli* against exogenously added hydrogen peroxide, 6690
- Nishigaki, K. see N. Kanzawa, 6807
- Nishihara, Y. see N. Watanabe, 2598
- Nishihira, J. see S. Oshima, 1251
- Nishihira, J. see S. Oshima, 6519
- Nishikura, K. see Y. Kawahara, 2301
- Nishimori, K. see M. Kawamata, 6442
- Nishimura, A. see M. Iijima, 1365
- Nishimura, K. see Md.A. Mazid, 6885
- Nishimura, O. see K. Kita, 199
- Nishimura, T. see J.-J. Pei, 107
- Nishio, T. see R. Fujimoto, 425
- Nishio, T. see H. Chida, 3763

- Nishitani, Y. and H. Matsumoto, Ethanol rapidly causes activation of JNK associated with ER stress under inhibition of ADH9
- Nishiuchi, T. see S. Nagao, 4371
- Nishizawa, Y. see A. Suzuki, 2317
- Nissen, P. see A. Parmeggiani, 4576
- Nissom, P.M., S.L. Lo, J.C.Y. Lo, P.F. Ong, J.W.E. Lim, K. Ou, R.C. Liang, T.K. Seow and M.C.M. Chung, Hcc-2, a novel mammalian ER thioredoxin that is differentially expressed in hepatocellular carcinoma, 2216
- Nitschke, W. see G. Lipowski, 5988
- Niu, G., L. Huang, Q. Wang, L. Jiang, M. Huang, P. Shen and J. Fei, A novel strategy to identify the regulatory DNA-organized cooperations among transcription factors, 415
- Niwa, K., M. Nakamura and Y. Ohmiya, Stereoisomeric bio-inversion key to biosynthesis of firefly d-luciferin, 5283
- Nobre, L.S. see V.L. Gonçaves, 1817
- Noda, M. see M. Fukada, 4051
- Noda, M. see H. Higashida, 4857
- Noël, G. see T. Kardon, 2347
- Noel, S. see C. Norez, 2081
- Nofer, J.-R. see T. Engel, 4551
- Noguchi, N. see Z.-H. Chen, 479
- Noguchi, N. see S. Takasawa, 585
- Nomata, J., M. Kitashima, K. Inoue and Y. Fujita, Nitrogenase Fe protein-like Fe-S cluster is conserved in L-protein (BchL) of dark-operative prochlorophyllide reductase from *Rhodobacter capsulatus*, 6151
- Nomura, N. see A. Miura, 6871
- Nonaka, T. see M. Masuda, 1775
- Norberg, J. see J.-J. Pei, 107
- Nordheim, A. see T. Proikas-Cezanne, 5241
- Nordström, R. see C. Lundin, 2281
- Norez, C., S. Noel, M. Wilke, M. Bijvelds, H. Jorna, P. Melin, H. De-Jonge and F. Becq, Rescue of functional delF508-CFTR channels in cystic fibrosis epithelial cells by the α -glucosidase inhibitor miglustat, 2081
- Nørholm, M.H.H., H.H. Nour-Eldin, P. Brodersen, J. Mundy and B.A. Halkier, Expression of the *Arabidopsis* high-affinity hexose transporter STP13 correlates with programmed cell death, 2381
- Norris, J.S. see S. Elojeimy, 4751
- Notomi, M. see K.-i. Hayashi, 6175
- Nour-Eldin, H.H. see M.H.H. Nørholm, 2381
- Novak, M. see N. Zilka, 3582
- Novak, M. see A. Sengupta, 5925
- Novák, P. see P. Macek, 682
- Nowak, G. see K.H. Teoh, 1411
- Nozaki, H. see K.-i. Hayashi, 6175
- Nozaki, N. see H. Tokumitsu, 5797
- Nozaki, T. see D. Sato, 5306
- N'Guyen, V. see N. Robert, 4691
- Ntonuia-Fousara, S. see G. Wheeler, 2195
- Ntounia-Fousara, S. see L. Tuddenham, 4215
- Nürnberg, S. see I. Miller, 1257
- Nuzzi, R. see A.M. Sardanelli, 5690
- Nyquist, R.M. see M.M. Pereira, 1350
- Nyunoya, H. see S. Kataoka, 4667
- O
- Obara, Y. see T. Yonezawa, 6635
- Obata, Y. see H. Ogawa, 5377
- Obeid, L.M. see T.A. Taha, 6047
- Obeid, R. and W. Herrmann, Mechanisms of homocysteine neurotoxicity in neurodegenerative diseases with special reference to dementia, 2994
- Oberpichler, I., I. Molina, O. Neubauer and T. Lamparter, Phytochromes from *Agrobacterium tumefaciens*: Difference spectroscopy with extracts of wild type and knockout mutants, 437
- Occhiello, A. see A.M. Sardanelli, 5690
- Oceguera-Yanez, F. see S. Yasuda, 3375
- Ochiai, H., H. Harashima and H. Kamiya, Intracellular disposition of exogenous DNA in vivo: Silencing, methylation and fragmentation, 918
- Oda, S. see M. Kinukawa, 1515
- Oda, T. see C. Uchida, 1753
- Odaka, M. see S. Kataoka, 4667
- Odermatt, A. see A.G. Atanasov, 4081
- Ofman, R. see J. Gloerich, 2092
- Ofori-Acquah, S.F. see A. Masedunskas, 2637
- Ogasahara, K. see T. Tanaka, 4224
- Ogasawara, Y. see T. Sakamoto, 6543
- Ogawa, H., Q. Wu, J. Komiyama, Y. Obata and T. Kono, Disruption of parental-specific expression of imprinted genes in uniparental fetuses, 5377
- Ogino, K. see I. Popa, 1398
- Ogino, Y. see H. Katoh, 1607
- Ogita, K. see H. Nakamura, 2717
- Ogiyama, Y. see S. Takahashi, 955
- Ogretmen, B., Sphingolipids in cancer: Regulation of pathogenesis and therapy, 5467
- Ogura, Y. see Y. Yoshida, 3282
- Ogut, O. see A. El-Toukhy, 5779
- Oh-hashi, K., Y. Hirata, H. Koga and K. Kiuchi, GRP78-binding protein regulates cAMP-induced glial fibrillary acidic protein expression in rat C6 glioblastoma cells, 3943
- Oh-oka, H. see Y. Tsukatani, 2191
- Oh, K., T. Asami, K. Matsui, G.A. Howe and N. Murofushi, Characterization of novel imidazole derivative, JM-8686, a potent inhibitor of allene oxide synthase, 5791
- Oh, S. see S.-J. Lee, 755
- Oh, T.-K. see H.-Y. Kang, 2736
- Ohashi, A. see N. Katunuma, 741
- Ohashi, A. see N. Katunuma, 3699
- Ohashi, K. see M. Yamamoto, 1789
- Ohashi, K. see H. Nakagawa, 3223
- Ohgashi, H. see A. Eguchi, 3321
- Ohgashi, H. see K. Kawabata, 5288
- Ohira, M. see K.-i. Inamori, 627
- Ohishi, K. see Y. Hong, 603
- Ohki, T., Y. Wakitani, M. Takeo, K. Yasuhira, N. Shibata, Y. Higuchi and S. Negoro, Mutational analysis of 6-aminohexanoate-dimer hydrolase: Relationship between nylon oligomer hydrolytic and esterolytic activities, 5054
- Ohkita, N. see M. Nakayama, 6938
- Ohminami, H. see A. Suzuki, 2317
- Ohmiya, Y. see K. Niwa, 5283
- Ohmuro, J. see M. Kinukawa, 1515
- Ohsawa, S. and M. Miura, Caspase-mediated changes in Sir2 α during apoptosis, 5875
- Ohsawa, Y. see H. Hagiwara, 4463
- Ohsugi, M. see Y. Abe, 782
- Ohta, H. see S. Kishigami, 1801
- Ohta, H. see Y. Yamaryo, 4086
- Ohta, M. see T. Akihiro, 5947
- Ohta, Y. see M. Yamamoto, 1789
- Ohtaki, H. see T. Kawaguchi, 2458
- Ohtani, T., T. Nakamura, K.-i. Toda and F. Furukawa, Cyclophosphamide enhances TNF- α -induced apoptotic cell death in murine vascular endothelial cell, 1597
- Ohtsuki, K. see M. Enomoto, 894
- Ohuchi, K. see J. Hong, 2723
- Ohyama, K. see M. Kajikawa, 149
- Oikawa, T. see M. Masuda, 1775
- Oishi, K., G.-i. Atsumi, S. Sugiyama, I. Kodomari, M. Kasamatsu, K. Machida and N. Ishida, Disrupted fat absorption attenuates obesity induced by a high-fat diet in *Clock* mutant mice, 127
- Oishi, N. see K. Horikawa, 3721
- Oka, M. see Y. Higuchi, 3706
- Oka, T. see G.S. Hansman, 4047
- Oka, Y. see S. Ichiyama, 23
- Oka, Y. see D. Takei, 5635
- Okabe, K. see R. Muromoto, 93
- Okabe, M. see M. Kinukawa, 1515
- Okada, M. see D. Sato, 5306
- Okada, T. see K. Ikeda, 6587
- Okada, Y. see E. Maeno, 6513
- Okamura, Y. see Y. Fukuda, 801
- Okamoto, H. see S. Takasawa, 585
- Okano, H. see H. Nagata, 27
- Okazawa, H. see N. Yoshimura, 2335
- Okita, T.W. see S.-K. Hwang, 6741
- Okochi, M., M. Nakanishi, R. Kato, T. Kobayashi and H. Honda, High-throughput screening of cell death inducible short peptides from TNF-related apoptosis-inducing ligand sequence, 885

- Oku, S. see M. Tamura, 261
 Oku, T. see H. Chida, 3763
 Okumoto, S. see H. Gu, 5885
 Okumura, N. see K. Kita, 199
 Okuno, Y. see K. Takeda, 839
 Okuyama, H. see T. Nishida, 2731
 Okuyama, H. see Y. Orikasa, 4423
 Okuyama, H. see T. Nishida, 6690
 Okuyama, M., A. Kaneko, H. Mori, S. Chiba and A. Kimura, Structural elements to convert *Escherichia coli* α -xylosidase (YicI) into α -glucosidase, 2707
 Oláh, J., N. Tökési, O. Vincze, I. Horváth, A. Lehotzky, A. Erdei, E. Szájlí, K.F. Medzihradzky, F. Orosz, G.G. Kovács and J. Ovádi, Interaction of TPPP/p25 protein with glyceraldehyde-3-phosphate dehydrogenase and their co-localization in Lewy bodies, 5807
 Oldham, N.J. see T.A. Murray-Rust, 1911
 Olea-Azar, C. see V. Eisner, 4495
 Oleinikov, V.A., F. Fleury, A. Ianoul, S. Zaitsev and I. Nabiev, P-glycoprotein effect on the properties of its natural lipid environment probed by Raman spectroscopy and Langmuir–Blodgett technique, 4953
 Oliana, C. see M. Beatrice, 1941
 Oliveira, P.J. see J. Teodoro, 2153
 Oliver-Krasinski, J. see A. Liu, 6701
 Olivera, B.M. see S. Zorn, 1360
 Oliveros-Celis, C. see M. Di Paola, 775
 Olsson, P.-E. see E.A. Ostrakhovitch, 1235
 Olszewski, N.E. see J.d.J. Pérez, 5822
 Olszewski, N.E. see C.L. Scott, 5829
 Omary, M.B. see P. Strnad, 2351
 Omote, S. see K. Ishimoto, 4929
 Ong, P.F. see P.M. Nissom, 2216
 Ono, S. see K. Hongo, 34
 Onodera, M. see J. Hong, 2723
 Onodera, S. see S. Oshima, 1251
 Onodera, S. see S. Oshima, 6519
 Opatowsky, Y., Y. Sasson, I. Shaked, Y. Ward, O. Chomsky-Hecht, Y. Litvak, Z. Selinger, K. Kelly and J.A. Hirsch, Structure–function studies of the G-domain from human gem, a novel small G-protein, 5959
 Opitz, N. see A. Icking, 223
 Opitz, N. see A. Icking, 223
 Öquist, G. see A.G. Ivanov, 2797
 Öquist, G. see L. Hendrickson, 4959
 O'Brien, E.K. see T. Rice, 3769
 O'Connor, J.-E. see A. Avivar, 5222
 O'Hare, H.M., F. Huang, A. Holding, O.W. Choroba and J.B. Spencer, Conversion of hydroxyphenylpyruvate dioxygenases into hydroxymandelate synthases by directed evolution, 3445
 Orikasa, Y. see T. Nishida, 2731
 Orikasa, Y. see T. Nishida, 6690
 Orikasa, Y., T. Nishida, A. Hase, K. Watanabe, N. Morita and H. Okuyama, A phosphopantetheinyl transferase gene essential for biosynthesis of *n*-3 polyunsaturated fatty acids from *Moritella marina* strain MP-1, 4423
 Orlovskaya, I.A. see A.A. Andryushkova, 5089
 O'Neill, A. see R.W.G. Watson, 996
 O'Neill, C. see J.H. Stockley, 6550
 Orosz, F. see J. Oláh, 5807
 Orrù, S. see M. Caterino, 6527
 Ortiz-Alvarado, R., O. Guzmán-Quevedo, R. Mercado-Camargo, T. Haertle, C. Vignes and F. Bolaños-Jiménez, Expression of tryptophan hydroxylase in developing mouse taste papillae, 5371
 Ortmann, I., U. Conrath and B.M. Moerschbacher, Exopolysaccharides of *Pantoea agglomerans* have different priming and eliciting activities in suspension-cultured cells of monocots and dicots, 4491
 Ortt, K. and S. Sinha, Derivation of the consensus DNA-binding sequence for p63 reveals unique requirements that are distinct from p53, 4544
 Osada, H. see N. Watanabe, 2598
 Oshima, S., S. Onodera, N. Amizuka, M. Li, K. Irie, S. Watanabe, Y. Koyama, J. Nishihira, K. Yasuda and A. Minami, Macrophage migration inhibitory factor-deficient mice are resistant to ovariectomy-induced bone loss, 1251
 Oshima, S., S. Onodera, N. Amizuka, M. Li, K. Irie, S. Watanabe, Y. Koyama, J. Nishihira, K. Yasuda and A. Minami, Corrigendum to "Macrophage migration inhibitory factor-deficient mice are resistant to ovariectomy-induced bone loss" [FEBS Lett. 580 (2006) 1251–1256], 6519
 Oshitani, N. see T. Kato, 4582
 Osses, N. see R. Fernández-Lloris, 1215
 Ostergaard, L. see A.V. Due, 1485
 Östergård, M. see M.-L. Ånkö, 6955
 Ostrakhovitch, E.A., P.-E. Olsson, S. Jiang and M.G. Cherian, Interaction of metallothionein with tumor suppressor p53 protein, 1235
 Ostrow, J.D. see S. Calligaris, 1355
 Ostrowski, J. see A. Dzwonek, 1839
 Oswald, R. see D. Gizachew, 4296
 Otsuka, S. see S.H. Yoshimura, 3961
 Otsuka, T. see I. Taneike, 2323
 Ou, K. see P.M. Nissom, 2216
 Ouali, A. see C.H. Herrera-Mendez, 3477
 Oude Elferink, R.P.J. see C.C. Paulusma, 5500
 Oury, T.D. see A.V. Due, 1485
 Out, R. see M. Pennings, 5588
 Ouyang, Y.-B. see Y.-S. Lee, 4865
 Ouzzine, M., L. Barré, P. Netter, J. Magdalou and S. Fournel-Gigleux, Role of the carboxyl terminal stop transfer sequence of UGT1A6 membrane protein in ER targeting and translocation of upstream luminal domain, 1953
 Ovádi, J. see J. Oláh, 5807
 Overton, I.M. and G.J. Barton, A normalised scale for structural genomics target ranking: The OB-Score, 4005
 Owais, M. see S.M. Atif, 2183
 Owen, R. see N. Francis, 4713
 Owen, T.C. see N.R. McIntyre, 521
 Owolabi, S.A. and C.Y. Saab, Fractalkine and minocycline alter neuronal activity in the spinal cord dorsal horn, 4306
 Ozaki, K. see I. Taneike, 2323
 Ozanne, S.E. see J.-H. Chen, 6669
 Ozben, T., Mechanisms and strategies to overcome multiple drug resistance in cancer, 2903
 Ozimek, P., P. Kötter, M. Veenhuis and I.J. van der Klei, *Hansenula polymorpha* and *Saccharomyces cerevisiae* Pex5p's recognize different, independent peroxisomal targeting signals in alcohol oxidase, 46
- ## P
- Paasch, U. see S. Hägele, 3731
 Padiglia, A. see A. Mura, 4317
 Padilla, S. see A. Arroyo, 1740
 Padró, D. see A. Palacios, 6903
 Padula, F. see C. Giampietri, 6109
 Paes Leme, A.F. see A.T.C. Ching, 4417
 Paes Leme, A.F. see A.T.C. Ching, 5122
 Pagani, F. see Y.M. Ayala, 1339
 Page, M.J. see E. Vottero, 2265
 Paik, Y.-K. see S. An, 2741
 Pailhoux, E. see M. Pannetier, 3715
 Palacios, A., P. Garcia, D. Padró, E. López-Hernández, I. Martín and F.J. Blanco, Solution structure and NMR characterization of the binding to methylated histone tails of the plant homeodomain finger of the tumour suppressor ING4, 6903
 Paladino, S. see S. Tivodar, 5705
 Páldi, A. see T. Arányi, 6521
 Palfrey, H.C. see A. Elhamdani, 3263
 Palma, M.G. see M.L. Panno, 2371
 Palmeira, C.M. see J. Teodoro, 2153
 Palomero-Rivero, M. see E. Murillo-Rodríguez, 4337
 Palumbo, G. see R. Coinu, 2465
 Pamel, E.V. see N. Lannoo, 6329
 Pamir, E. see G. Neuert, 505
 Pan, F.-Y. see J. Chen, 3624
 Pan, H.-J., D.S. Agate, B.L. King, M.K. Wu, S.L. Roderick, E.H. Leiter and D.E. Cohen, A polymorphism in New Zealand inbred mouse strains that inactivates phosphatidylcholine transfer protein, 5953
 Pan, T. see J. Wang, 4392
 Pan, X. see B. Zhang, 3753
 Panchin, Y. see G. Dvorianchikova, 2178
 Pande, A.H. see R.K. Gupta, 1691
 Pandiancherri, S. see T.J. Egan, 5105

- Pannetier, M., G. Tilly, A. Kocer, M. Hudrisier, L. Renault, N. Chesnais, J. Costa, F. Le Provost, D. Vaiman, J.-L. Vilotte and E. Pailhoux, Goat *SRY* induces testis development in XX transgenic mice, 3715
- Panno, M.L., F. Giordano, F. Mastroianni, C. Morelli, E. Brunelli, M.G. Palma, M. Pellegrino, S. Aquila, A. Miglietta, L. Mauro, D. Bonofiglio and S. Andò, Evidence that low doses of Taxol enhance the functional transactivatory properties of p53 on p21 waf promoter in MCF-7 breast cancer cells, 2371
- Panula, P. see M.-L. Änkö, 6955
- Paone, A. see C. Giampietri, 6109
- Papa, S. see C. Piccoli, 4539
- Papa, S. see A.M. Sardanelli, 5690
- Papadakis, E.S., K.G. Finegan, X. Wang, A.C. Robinson, C. Guo, M. Kayahara and C. Tournier, The regulation of Bax by c-Jun N-terminal protein kinase (JNK) is a prerequisite to the mitochondrial-induced apoptotic pathway, 1320
- Papin, S. see C. Grütter, 99
- Papouškova, K. and H. Sychrova, *Yarrowia lipolytica* possesses two plasma membrane alkali metal cation/H⁺ antiporters with different functions in cell physiology, 1971
- Paradies, G. see G. Petrosillo, 6311
- Pardo, L.A. see W. Stühmer, 2850
- Pardo, L.A. see D. Gómez-Varela, 5059
- Parente, A. see S. Vilasi, 1681
- Parfait, B. see N. Hanna, 2477
- Parhar, K. see A. Gómez-Muñoz, 716
- Paria, B.C. see R. Aoki, 6062
- Park, B.-J. see Y.J. Ji, 3161
- Park, E.-H., J.M. Lee and J. Pelletier, The Tie2 5' untranslated region is inhibitory to 5' end-mediated translation initiation, 1309
- Park, H.-J. see S.-H. Kim, 1883
- Park, H.K. see H.K. Lee, 2253
- Park, H.T. see H.K. Lee, 2253
- Park, J. see Y. Kim, 3519
- Park, J. see S.H. Choi, 6755
- Park, J.-A. see S.K. Cho, 3136
- Park, J.-H. see J.-Y. Kim, 3270
- Park, J.H. see S.J. Kim, 1529
- Park, J.M. see H.J. Kim, 1391
- Park, J.W. see S.B. Kim, 311
- Park, J.W. see S.-W. Ryu, 988
- Park, K. see S.G. Park, 822
- Park, K. see S.B. Rho, 4073
- Park, K.-C. see D.-S. Kim, 1439
- Park, S., O. Rath, S. Beach, X. Xiang, S.M. Kelly, Z. Luo, W. Kolch and K.C. Yeung, Regulation of RKIP binding to the N-region of the Raf-1 kinase, 6405
- Park, S.-H. see H.-Y. Kang, 2736
- Park, S.-Y. see H. Chida, 3763
- Park, S.G., T. Lee, H.Y. Kang, K. Park, K.-H. Cho and G. Jung, The influence of the signal dynamics of activated form of IKK on NF- κ B and anti-apoptotic gene expressions: A systems biology approach, 822
- Park, S.J. see H.-M. Ko, 3006
- Park, S.K. see H.H. Jang, 351
- Park, T.Y. see H.S. Kim, 2311
- Park, Y.-M. see S.-J. Lee, 755
- Park, Y.-M. see S.-H. Kim, 1883
- Park, Y.G. see S.B. Rho, 4073
- Park, Y.S. see J.S. Kong, 4900
- Parker, E.J. see S. Saikia, 1625
- Parkinson-Lawrence, E.J. see R. Kakavanos, 87
- Parkyn, C.J. see R.J. Morris, 5565
- Parmeggiani, A. and P. Nissen, Elongation factor Tu-targeted antibiotics: Four different structures, two mechanisms of action, 4576
- Parmentier, M. see M. Horckmans, 747
- Parra, B. see S.F. Martín, 4097
- Parra, V. see V. Eisner, 3469
- Parrini, C. see M. Ramazzotti, 6763
- Parsiegla, G. see I. Benoit, 5815
- Pascoal, P. see B.H. Meyer, 1654
- Paskewitz, S.M. see B. Li, 1877
- Pasquale, E.B. see C. Derunes, 175
- Passarella, S. see N. Guaragnella, 6880
- Patel, B.K.C. see N. Sivakumar, 2646
- Patel, R. see H. Aronsson, 649
- Patil, A. and H. Nakamura, Disordered domains and high surface charge confer hubs with the ability to interact with multiple proteins in interaction networks, 2041
- Patthy, A. see P. Medveczky, 545
- Patton-Vogt, J. see S. Mariggio, 6789
- Paul, R.K. see Y. Yamazaki, 2667
- Pauli, E.K. see T. Bürckstümmer, 575
- Pauli, J.R. see P.O. Prada, 4889
- Paulusma, C.C. and R.P.J. Oude Elferink, Diseases of intramembranous lipid transport, 5500
- Pavlovsky, A. see A. Wlodawer, 3340
- Pawaria, S. see A. Lama, 4031
- Pawate, A.S. see A.S. Vakkasoglu, 4613
- Pease, J. see H. Sandig, 373
- Pecht, I. see O. Farver, 3417
- Pedemonte, C.H. see R. Efendiev, 5067
- Pedraza-Escalona, M. see C.A. Reyes-López, 2483
- Pedreño, M.A. see C. Gabaldón, 4311
- Pedrosa, F.O. see L.F. Huelgo, 5232
- Peggie, M.W. see M.J. Stafford, 4010
- Pei, J.-J., W.-L. An, X.-W. Zhou, T. Nishimura, J. Norberg, E. Benedikz, J. Götz and B. Winblad, P70 S6 kinase mediates tau phosphorylation and synthesis, 107
- Peiren, N., D.C. de Graaf, M. Brunain, C.H. Bridts, D.G. Ebo, W.J. Stevens and F.J. Jacobs, Molecular cloning and expression of icarapin, a novel IgE-binding bee venom protein, 4895
- Peiris, J.S.M. see Y. Zhou, 4303
- Peitl Jr., P. see F.C. Rodrigues-Lisoni, 1908
- Peitl Jr., P. see F.C. Rodrigues-Lisoni, 1431
- Peixoto, A.A. see A.C.A. Meireles-Filho, 2
- Péllissier, P. see C.H. Herrera-Mendez, 3477
- Pelkmans, L. see M. Bauer, 5559
- Pellegrini, S. see S. Fogli, 1733
- Pellegrino, M. see M.L. Panno, 2371
- Pelletier, J. see E.-H. Park, 1309
- Peltier, G. see L. Gayet, 6891
- Pelto-Huikko, M. see A. Jiménez, 960
- Peng, G., M. Bostina, M. Radermacher, I. Rais, M. Karas and H. Michel, Biochemical and electron microscopic characterization of the F₁F₀ ATP Synthase from the hyperthermophilic eubacterium *Aquifex aeolicus*, 5934
- Peng, X. see C. Lu, 5189
- Peng, X.-B. see J. Ning, 1747
- Peng, Y. see M.-L. He, 2414
- Peng, Y. see C. Lu, 5189
- Peng, Z. see Y. Bian, 6007
- Penicaud, L. see A. Galinier, 6391
- Pennathur, G. see S. Anishetty, 2071
- Pennings, M., I. Meurs, D. Ye, R. Out, M. Hoekstra, T.J.C. Van Berkel and M.V. Eck, Regulation of cholesterol homeostasis in macrophages and consequences for atherosclerotic lesion development, 5588
- Perahia, D. see N. Floquet, 5130
- Perales, J.C. see M.N. Calvo, 3308
- Pereira, C. see N. Guaragnella, 6880
- Pereira, M.M., F.L. Sousa, M. Teixeira, R.M. Nyquist and J. Heberle, A tyrosine residue deprotonates during oxygen reduction by the *caa3* reductase from *Rhodothermus marinus*, 1350
- Perelman, A. see I. Balint, 2117
- Peres, V.J. see F.L. D'Alexandri, 6343
- Pérez-Arellano, I., V. Rubio and J. Cervera, Mapping active site residues in glutamate-5-kinase. The substrate glutamate and the feedback inhibitor proline bind at overlapping sites, 6247
- Perez-Payá, E. see M.J. Gómara, 2561
- Pérez-Zúñiga, F. see M.A.G. Sillero, 5723
- Pérez, B. see C. Aguado, 1697
- Pérez, J.d.J., S. Juárez, D. Chen, C.L. Scott, L.M. Hartweck, N.E. Olszewski and J.A. Garcia, Mapping of two O-GlcNAc modification sites in the capsid protein of the potyvirus *Plum pox virus*, 5822
- Periquet, A. see A. Galinier, 6391
- Periquet, B. see A. Galinier, 6391
- Permi, P. see H. Tossavainen, 1822
- Pernollet, J.-C. see L. Tcatchoff, 2102
- Perrier, J. see S. Herga, 5899
- Perrier, S., F. Darakhshan and E. Hajdudch, IL-1 receptor antagonist in metabolic diseases: Dr Jekyll or Mr Hyde? 6289
- Perrotta, G. see P. Facella, 4618
- Perrotta, S. see M. Caterino, 6527
- Perry, G. see T. Hasegawa, 2147
- Persaud, S.J. see D. Muller, 6977
- Pertwee, R. see G. Appendino, 568
- Pervaiz, S. see K.R. Sakharkar, 1472
- Pessayre, D. see M. Lasfer, 2547

- Peter Matthiessen, H. see H.-L. Chan, 3229
 Peters, J.W., R.K. Szilagyí, A. Naumov and T. Douglas, A radical solution for the biosynthesis of the H-cluster of hydrogenase, 363
 Petersen, S.V. see A.V. Due, 1485
 Peterson, Y.K. see K.S. Song, 1993
 Petersson, U.A., T. Kieselbach, J.G. García-Cerdán and W.P. Schröder, The Prx Q protein of *Arabidopsis thaliana* is a member of the luminal chloroplast proteome, 6055
 Petrosillo, G., G. Casanova, M. Matera, F.M. Ruggiero and G. Paradies, Interaction of peroxidized cardiolipin with rat-heart mitochondrial membranes: Induction of permeability transition and cytochrome *c* release, 6311
 Petrungaro, S. see C. Giampietri, 6109
 Peuchant, E. see N. Dragin, 3845
 Peumans, W.J. see N. Lannoo, 6329
 Pfaffenberger, S. see P.J. Hohensinner, 3532
 Pfeiffer, T., T. Pisch, G. Devitt, D. Holtkotte and V. Bosch, Effects of signal peptide exchange on HIV-1 glycoprotein expression and viral infectivity in mammalian cells, 3775
 Pfister, B. see A. Kovacevic, 161
 Pfister, B.J., D.P. Bonislawski, D.H. Smith and A.S. Cohen, Stretch-grown axons retain the ability to transmit active electrical signals, 3525
 Pham, V. see C.Y. Edosada, 1581
 Philippe, J. see S. Le Jan, 3395
 Phillips-Jones, M.K. see C.A. Potter, 3206
 Phillips, A., C.J. Jones and J.P. Blaydes, The mechanisms of regulation of Hdm2 protein level by serum growth factors, 300
 Pica, A. see A.M. Sardaneli, 5690
 Picard-Jean, F. see I. Benzaghoul, 868
 Picardi, P.K. see J.C. Moraes, 4625
 Picault, N. see L. Gayet, 6891
 Picco, C. see E. Formentin, 5009
 Piccoli, C., S. Scacco, F. Bellomo, A. Signorile, A. Iuso, D. Boffoli, R. Scrima, N. Capitanio and S. Papa, cAMP controls oxygen metabolism in mammalian cells, 4539
 Pichard, A.-L. see C. Gregori, 410
 Pichon, O. see S. Ferrario-Méry, 2015
 Pickford, A.R. see E.S. Pilka, 273
 Pickford, J.L. see U. Kalnenieks, 5084
 Picorel, R. see R. Collados, 4934
 Piedrafitra, L. see M.M. Molina-Navarro, 2273
 Piesche, M. see S. Wolff, 6477
 Piessevaux, J. see T. Montoye, 3301
 Pifferi, S., A. Boccaccio and A. Menini, Cyclic nucleotide-gated ion channels in sensory transduction, 2853
 Pighin, I. see L. Trevisi, 2769
 Pikula, S. see M. Balcerzak, 3065
 Pikula, S. see M. Balcerzak, 5676
 Pilka, E.S., J.M. Werner, U. Schwarz-Linek, A.R. Pickford, N.A.G. Meenan, I.D. Campbell and J.R. Potts, Structural insight into binding of *Staphylococcus aureus* to human fibronectin, 273
 Pillich, R. see S. Tivodar, 5705
 Pilon, M.S. see G. Molla, 2358
 Pilot, G. see R. Pratelli, 6961
 Pimenta, D.C. see A.T.C. Ching, 5122
 Pimenta, D.C. see A.T.C. Ching, 4417
 Pinna, L.A. see M. Salvi, 3948
 Pinti, M. see R. Ferraresi, 6612
 Pintilie, G. see H.J. Feldman, 1649
 Pintus, F. see A. Mura, 4317
 Pio, F. see K. Dalal, 3083
 Piotrowski, M. see C. Balczun, 4527
 Pipaon, C. see P.J. Real, 5905
 Pisch, T. see T. Pfeiffer, 3775
 Piskareva, O. and V. Schmatchenko, DNA polymerization by the reverse transcriptase of the human L1 retrotransposon on its own template in vitro, 661
 Piskernik, C. see I. Miller, 1257
 Pitsillides, A.A. see N.A. Davies, 2123
 Piwocka, K. see G. Mosieniak, 4653
 Pizzio, G.A. see E.C. Hainich, 6665
 Pizzut, S. see G. Joucla, 763
 Platani, M. see S. Ulbert, 6435
 Platet, N. see D. Ratel, 3179
 Plée-Gautier, E. see J. Antoun, 3361
 Pluvinage, B. see J. Dairou, 1780
 Pokorná, M. see C. Sabin, 983
 Polgár, L. see T. Juhász, 3493
 Polichuk, D.R. see K.H. Teoh, 1411
 Pollari, M. see I. Tuominen, 319
 Pollegioni, L. see G. Molla, 2358
 Polverini, E. see V. Buttani, 3818
 Polycarpo, C.R., S. Herring, A. Bérubé, J.L. Wood, D. Söll and A. Ambrogelly, Pyrrolysine analogues as substrates for pyrrolysyl-tRNA synthetase, 6695
 Pomar, F. see C. Gabaldón, 4311
 Poole, R.K. see U. Kalnenieks, 5084
 Poolman, B. see E. Biemans-Oldehinkel, 1023
 Poolman, B. see P. Borst, 1085
 Poon, L.L.M. see Y. Zhou, 4303
 Poon, R.Y.C. see P.M. Hau, 4727
 Popa, I., D. Ishikawa, M. Tanaka, K. Ogino, J. Portoukalian and T. Taki, GD3-replica peptides selected from a phage peptide library induce a GD3 ganglioside antibody response, 1398
 Porée, F. see C.C. Wood, 3931
 Pornillos, O. and G. Chang, Inverted repeat domains in membrane proteins, 358
 Portoukalian, J. see I. Popa, 1398
 Possani, L.D. see Y. Abdel-Mottaleb, 592
 Potier, N. see N. de Val, 6275
 Potter, B.V.L. see A.M. Riley, 324
 Potter, C.A., E.-L. Jeong, M.P. Williamson, P.J.F. Henderson and M.K. Phillips-Jones, Redox-responsive in vitro modulation of the signalling state of the isolated PrtB sensor kinase of *Rhodobacter sphaeroides* NCIB 8253, 3206
 Potts, J.R. see E.S. Pilka, 273
 Power, D.M. see A.V.M. Canario, 291
 Powis, S.J. see S.M. Beynon-Jones, 1897
 Powis, S.J., CLIP-region mediated interaction of Invariant chain with MHC class I molecules, 3112
 Prada, P.O., J.R. Pauli, E.R. Ropelle, H.G. Zecchin, J.B.C. Carneira, L.A. Velloso and M.J.A. Saad, Selective modulation of the CAP/Cbl pathway in the adipose tissue of high fat diet treated rats, 4889
 Pradeep, L., H.-C. Shin and H.A. Scheraga, Correlation of folding kinetics with the number and isomerization states of prolines in three homologous proteins of the RNase family, 5029
 Prah, M. see C. Méndez Vidal, 4401
 Prakash, P. see N. Gurusamy, 1932
 Prangé, T. see L. Gabison, 2087
 Prasmickaite, L., L. Cekaite, M. Hellum, E. Hovig, A. Høgset and K. Berg, Transcriptome changes in a colon adenocarcinoma cell line in response to photochemical treatment as used in photochemical internalisation (PCI), 5739
 Pratelli, R. and G. Pilot, The plant-specific VIMAG domain of *Glutamine Dumper1* is necessary for the function of the protein in arabidopsis, 6961
 Price, B.D. see Y. Sun, 4353
 Price, N.C. see N.E. Harwood, 2129
 Price, W.S. see S.R. Inglis, 3911
 Prigent, A.-F. see H. Birbes, 6224
 Prinetti, A. see S. Tivodar, 5705
 Procopio, A. see M. Tomasetti, 1925
 Proia, R.L. see J. Michaud, 4607
 Proikas-Cezanne, T., A. Gaugel, T. Frickey and A. Nordheim, Rab14 is part of the early endosomal clathrin-coated TGN microdomain, 5241
 Puigserver, A. see S. Herga, 5899
 Puisségur, M. see D. Duplat, 2435
 Purhonen, S.L. see H. Tossavainen, 1822
 Purton, S. see B.G. Schlarb-Ridley, 2166
 Putterill, J. see K.M. David, 1193
- ## Q
- Qi, B. see O. Sayanova, 1946
 Qi, M.-I. see N. Yoshimura, 2335
 Qi, Q. see S. Hao, 2691
 Qian, K. see B.R. Burkhardt, 553
 Qian, X. see A.M. Riley, 324
 Qian, Y.R. see B.C. Jeong, 669
 Qiang, B. see C. Lu, 5189

Qiao, S. see G. Zhang, 1383
 Qin, L.Y. see H.L. Li, 1723
 Qiu, C.-m. see W. Li, 4905
 Qiu, F. see C. Lu, 5189
 Qu, L.-H. see J. Ning, 1747
 Qu, L.-H. see Y.-C. Luo, 5111
 Qu, X. see H. Zhang, 3726
 Qu, Z., Y. Cui and C. Hartzell, A short motif in the C-terminus of mouse bestrophin 4 inhibits its activation as a Cl channel, 2141
 Qu, Z.-S. see Q.-G. Ren, 2503
 Quadrini, K.J. and J.J. Bieker, EKLK/KLF1 is ubiquitinated in vivo and its stability is regulated by activation domain sequences through the 26S proteasome, 2285
 Quan, C. see C.Y. Edosada, 1581
 Quaranta, M.G. see A.M. Giammarioli, 3335
 Quearry, B. see J. Lu, 3539
 Quesada, I., W.-C. Chin and P. Verdugo, Mechanisms of signal transduction in photo-stimulated secretion in *Phaeocystis globosa*, 2201
 Quilici, D. see M.A. Rodriguez Milla, 905
 Quiroga, C. see V. Eisner, 3469
 Quiroga, C. see V. Eisner, 4495

R

Raab, G. see R. Aoki, 6062
 Raczynska, K.D., M. Le Ret, M. Rurek, G. Bonnard, H. Augustyniak and J.M. Gualberto, Plant mitochondrial genes can be expressed from mRNAs lacking stop codons, 5641
 Raddatz, G. see V.I. Bunik, 3551
 Radermacher, M. see G. Peng, 5934
 Radtke, F. see A. Wilson, 2860
 Raffaele, S., S. Rivas and D. Roby, An essential role for salicylic acid in AtMYB30-mediated control of the hypersensitive cell death program in Arabidopsis, 3498
 Raghav, S.K. see I. Chaudhury, 2046
 Raha, S. see P. Sen, 278
 Rahav, G. see M. Bakhanashvili, 5363
 Rais, I. see G. Peng, 5934
 Rajnavölgyi, E. see M. Müller, 6139
 Rakitina, D.V., N.E. Yelina and N.O. Kalinina, Zinc ions stimulate the cooperative RNA binding of hordeiviral γ b protein, 5077
 Ralph, S.J. see J. Neuzil, 5125
 Ramage, S.C. see M.L. Rufail, 5155
 Ramazzotti, M., C. Parrini, M. Stefani, G. Manao and D. Degl'Innocenti, The intrachain disulfide bridge is responsible of the unusual stability properties of novel acylphosphatase from *Escherichia coli*, 6763
 Ramesh, S., M.M.S. Bharath, N.R. Chandra and M.R.S. Rao, A K52Q substitution in the globular domain of histone H1t modulates its nucleosome binding properties, 5999
 Ranjan, A. see S. Yellaboina, 2567
 Ranjan, S. see S. Yellaboina, 2567
 Rank, F. see J.E. Celis, 2935
 Rao, J. see S. Hasegawa, 1592
 Rao, M.R.S. see S. Ramesh, 5999
 Rao, R. see C.L. Brett, 717
 Rappuoli, R. see D. Serruto, 2985
 Rasmø, D.D. see A.M. Sardaneli, 5690
 Ratajczak, T. see D. Mok, 2761
 Ratcliffe, E.C. see R.B. Tunnicliffe, 6967
 Ratel, D., J.-L. Ravanat, M.-P. Charles, N. Platet, L. Breuillaud, J. Lunardi, F. Berger and D. Wion, Undetectable levels of N6-methyl adenine in mouse DNA: Cloning and analysis of PRED28, a gene coding for a putative mammalian DNA adenine methyltransferase, 3179
 Rath, O. see S. Park, 6405
 Rathjen, T. see G. Wheeler, 2195
 Rathjen, T., C. Nicol, G. McConkey and T. Dalmay, Analysis of short RNAs in the malaria parasite and its red blood cell host, 5185
 Ravanat, J.-L. see D. Ratel, 3179
 Ravazzolo, R. see A. Donadini, 1983
 Ravid, D. see C. Glait, 5268
 Ravid, R. see J.H. Stockley, 6550
 Ravin, N.V. see Y.L. Dorokhov, 3329
 Ravin, N.V. see Y.L. Dorokhov, 3872
 Raviol, H., B. Bukau and M.P. Mayer, Human and yeast Hsp110 chaperones exhibit functional differences, 168
 Ray, A. see A. Kovacevic, 161
 Ray, B.K. see A. Kovacevic, 161
 Ray, R., Z. Zhang, Y.-C. Lee, J.-L. Gao and A.B. Mukherjee, Uteroglobin suppresses allergen-induced TH₂ differentiation by down-regulating the expression of serum amyloid A and SOCS-3 genes, 6022
 Ray, S. see A. Das-Chatterjee, 3980
 Rayapureddi, J.P. and R.S. Hegde, Branchio-oto-renal syndrome associated mutations in Eyes Absent 1 result in loss of phosphatase activity, 3853
 Raymond, M.-N. and H. Le Stunff, Involvement of de novo ceramide biosynthesis in macrophage death induced by activation of ATP-sensitive P2X₇ receptor, 131
 Raynal, P. see N. Hanna, 2477
 Real, P.J., C. Sanz, O. Gutierrez, C. Pipaon, A.M. Zubiaga and J.L. Fernandez-Luna, Transcriptional activation of the proapoptotic bik gene by E2F proteins in cancer cells, 5905
 Rebollar, E., V. Valadez-Graham, M. Vázquez, E. Reynaud and M. Zurita, Role of the p53 homologue from *Drosophila melanogaster* in the maintenance of histone H3 acetylation and response to UV-light irradiation, 642
 Record, E. see I. Benoit, 5815
 Redko, Y. see M. Riera, 4160
 Redl, H. see I. Miller, 1257
 Ree, M. see D.S. Jang, 4166
 Reece, J.M. see S. Deleu, 1709
 Reed, D.W. see K.H. Teoh, 1411
 Rega, G. see P.J. Hohensinner, 3532
 Regev, A., H. Rivkin, M. Gurevitz and N. Chejanovsky, New measures of insecticidal efficacy and safety obtained with the 39K promoter of a recombinant baculovirus, 6777
 Reher, M. and P. Schönheit, Glyceraldehyde dehydrogenases from the thermoacidophilic euryarchaeota *Picrophilus torridus* and *Thermoplasma acidophilum*, key enzymes of the non-phosphorylative Entner-Doudoroff pathway, constitute a novel enzyme family within the aldehyde dehydrogenase superfamily, 1198
 Rehm, B.H.A. see U. Remminghorst, 3883
 Reichenzeller, M. see J. Schumacher, 6211
 Reid, G.A. see C. Wardrope, 1677
 Reif, B. see S. Narayanan, 5941
 Reig, N. and F. Gisou van der Goot, About lipids and toxins, 5572
 Reina, J.J. see G. Tabarani, 2402
 Reinhart, C. see A.K. Shukla, 4261
 Reis, Y., H. Cortes, L. Viseu Melo, I. Fazendeiro, A. Leitão and H. Soares, Microtubule cytoskeleton behavior in the initial steps of host cell invasion by *Besnoitia besnoiti*, 4673
 Reiser, G. see V.I. Bunik, 3551
 Remacle, J. see S. Zdanov, 6455
 Remaley, A.T. see M. Müller, 6139
 Rемаud-Simeon, M. see G. Joucla, 763
 Remijsen, Q.F.M., A. Fontayne, F. Verdonck, E. Clynen, L. Schoofs and J. Willems, The antimicrobial peptide parabutopirin competes with p47^{phox} as a PKC-substrate and inhibits NADPH oxidase in human neutrophils, 6206
 Remminghorst, U. and B.H.A. Rehm, Alg44, a unique protein required for alginate biosynthesis in *Pseudomonas aeruginosa*, 3883
 Ren, J. see H. Zhang, 3726
 Ren, M. see M. Schlame, 5450
 Ren, Q.-G., X.-M. Liao, Z.-F. Wang, Z.-S. Qu and J.-Z. Wang, The involvement of glycogen synthase kinase-3 and protein phosphatase-2A in lactacystin-induced tau accumulation, 2503
 Renault, L. see M. Pannetier, 3715
 Renigunta, A., C. Hild, F. Rose, W. Klepetko, F. Grimminger, W. Seeger and J. Hänze, Human RELM β is a mitogenic factor in lung cells and induced in hypoxia, 900
 Rescher, U. see V. Goebeler, 2430
 Ress, A. and K. Moelling, Bcr interferes with β -catenin-Tcf1 interaction, 1227
 Reus, A. see V.A. van Beelen, 4587
 Reverter, A. see T. Rice, 3769
 Reyes-López, C.A., M. Pedraza-Escalona, G. Mendoza, A. Hernández-Santoyo and A. Rodríguez-Romero, A single amino acid substitution on the surface of a natural hevein isoform (Hev b 6.0202), confers different IgE recognition, 2483
 Reyes, C.L., A. Ward, J. Yu and G. Chang, The structures of MsbA: Insight into ABC transporter-mediated multidrug efflux, 1042
 Reyes, F.J., J.J. Centelles, J.A. Lupiáñez and M. Cascante, (2 α ,3 β)-2,3-Dihydroxyolean-12-en-28-oic acid, a new natural triterpene from

- Olea europaea*, induces caspase dependent apoptosis selectively in colon adenocarcinoma cells, 6302
- Reynaud, E. see E. Rebollar, 642
- Reyl-Desmars, F. see M. Lasfer, 2547
- Rhee, K. see S.J. Kim, 1529
- Rhee, M. see K.-W. Yoo, 4409
- Rho, S.B., Y.G. Park, K. Park, S.-H. Lee and J.-H. Lee, A novel cervical cancer suppressor 3 (CCS-3) interacts with the BTB domain of PLZF and inhibits the cell growth by inducing apoptosis, 4073
- Rice, T., E. McGraw, E.K. O'Brien, A. Reverter, D.J. Jackson and B.M. Degnan, Parasitic castration by the digenian trematode *Allopoecotyle* sp. alters gene expression in the brain of the host mollusc *Haliotis asinina*, 3769
- Riches, D.W.H. see S.M. Soond, 4591
- Richter, C. see R. Hermkes, 3107
- Rickle, A. see F. Kerr, 3121
- Ridley, A.J. see J.A.G. McKenzie, 2388
- Ridley, J.M., J.T. Milnes, R.S. Duncan, M.J. McPate, A.F. James, H.J. Witchel and J.C. Hancox, Inhibition of the HERG K⁺ channel by the antifungal drug ketoconazole depends on channel gating and involves the S6 residue F656, 1999
- Riento, K. see J.A.G. McKenzie, 2388
- Riera, M., Y. Redko and J. Leung, *Arabidopsis* RNA-binding protein UBA2a relocalizes into nuclear speckles in response to abscisic acid, 4160
- Rietjens, I.M.C.M. see V.A. van Beelen, 4587
- Rigoni, M. see P. Caccin, 6317
- Riley, A.M., S. Deleu, X. Qian, J. Mitchell, S.-K. Chung, S. Adelt, G. Vogel, B.V.L. Potter and S.B. Shears, On the contribution of stereochemistry to human ITPK1 specificity: Ins(1,4,5,6)P₄ is not a physiologic substrate, 324
- Rita Teodósio, H. see A.V.M. Canario, 291
- Ritte, G., M. Heydenreich, S. Mahlow, S. Haebel, O. Kötting and M. Steup, Phosphorylation of C6- and C3-positions of glucosyl residues in starch is catalysed by distinct dikinases, 4872
- Rivail, L. see M. Buisson, 6570
- Rivas, G. see M. Tadros, 4941
- Rivas, S. see S. Raffaele, 3498
- Rivett, A.J. see F.L.L. Stratford, 3989
- Rivkin, H. see A. Regev, 6777
- Roat, E. see R. Ferraresi, 6612
- Roberge, M. see E. Vottero, 2265
- Robert, B. see A. Gall, 3841
- Robert, C.H. see N. Floquet, 5130
- Robert, N., S. Merlot, V. N'Guyen, A. Boisson-Dernier and J.I. Schroeder, A hypermorphic mutation in the protein phosphatase 2C HABI strongly affects ABA signaling in *Arabidopsis*, 4691
- Robinson, A.C. see E.S. Papadakis, 1320
- Roby, D. see S. Raffaele, 3498
- Roca-Burgos, L. see S. Calligaris, 1355
- Rocha, M.M.T. see A.T.C. Ching, 4417
- Rocha, M.M.T. see A.T.C. Ching, 5122
- Roche, D. see J. Giraldo, 2170
- Rockliffe, N. and D. Gawler, Differential mechanisms of glutamate receptor regulation of SynGAP in cortical neurones, 831
- Rockwell, P. see V. Rodrik, 5647
- Rödel, G. see U. Krause-Buchholz, 2553
- Roderick, S.L. see H.-J. Pan, 5953
- Rodgarkia-Dara, C.J. see R. Mandic, 4793
- Rodrigues-Lima, F. see J. Dairou, 1780
- Rodrigues-Lisoni, F.C., D.K. Mehemet, P. Peitl Jr., C.D. John, E. Tajara, J.C. Buckingham and E. Solito, In vitro and in vivo studies on CCR10 regulation by Annexin A1, 1431
- Rodrigues-Lisoni, F.C., D.K. Mehet, P. Peitl Jr., C.D. John, W. Araújo da Silva Jr., E. Tajara, J.C. Buckingham and E. Solito, Corrigendum to: "In vitro and in vivo studies on CCR10 regulation by Annexin A1" [FEBS Letters 580 (2006) 1431–1438], 1908
- Rodrigues-Pousada, C., António V. Xavier (1943–2006), 3779
- Rodriguez Milla, M.A., Y. Uno, I.-F. Chang, J. Townsend, E.A. Maher, D. Quilici and J.C. Cushman, A novel yeast two-hybrid approach to identify CDPK substrates: Characterization of the interaction between AtCPK11 and AtDil9, a nuclear zinc finger protein¹, 904
- Rodríguez-Aguilera, J.C. see A. Arroyo, 1740
- Rodríguez-Concepción, M. see S. Sauret-Güeto, 736
- Rodríguez-Romero, A. see C.A. Reyes-López, 2483
- Rodríguez, A., V. Catalán, J. Gómez-Ambrosi and G. Frühbeck, Role of aquaporin-7 in the pathophysiological control of fat accumulation in mice, 4771
- Rodrik, V., E. Gomes, L. Hui, P. Rockwell and D.A. Foster, Myc stabilization in response to estrogen and phospholipase D in MCF-7 breast cancer cells, 5647
- Roh, H.-J. see S.-H. Kim, 1883
- Roh, J.K. see H.-C. Jeung, 1294
- Roh, S.I. see S.J. Kim, 1529
- Rohmer, M. see M. Seemann, 1547
- Roitsch, T. see T. Sano, 597
- Rojo, J. see G. Tabarani, 2402
- Rolkova, G. see N. Zilka, 3582
- Rollwitz, I., M. Santaella, D. Hille, U.-I. Flügge and K. Fischer, Characterization of AtNST-KT1, a novel UDP-galactose transporter from *Arabidopsis thaliana*, 4246
- Rolo, A.P. see J. Teodoro, 2153
- Romanatto, T. see J.C. Moraes, 4625
- Ropelle, E.R. see P.O. Prada, 4889
- Rosa, J.L. see R. Fernández-Lloris, 1215
- Rösch, P. see J. Ziegler, 2033
- Rose, F. see A. Renigunta, 900
- Rosen, B.P. see R. Mukhopadhyay, 3889
- Rosenblatt, M. see A. Wittelsberger, 1872
- Rosenkranz, S. see M. Vantler, 6769
- Ross, R. see G. Appendino, 568
- Rossetto, O. see P. Caccin, 6317
- Rossi, J.P.F.C. see A.M.V. Giraldo, 607
- Rossi, J.P.F.C. see A.M.V. Giraldo, 2158
- Rossoni, G. see S. Bellosta, 5974
- Roth, C. see S. Bhushan, 3966
- Rothkegel, C., P.M. Schmidt, F. Stoll, H. Schröder, H.H.H.W. Schmidt and J.-P. Stasch, Identification of residues crucially involved in soluble guanylate cyclase activation, 4205
- Rotllant, J. see A.V.M. Canario, 291
- Rountree, A.E. see J.C. Gandy, 3051
- Rousseau, M. see D. Duplat, 2435
- Roustan, C. see I. Ferjani, 4801
- Rovira, X. see J. Giraldo, 2170
- Roy, H., S. Bhardwaj and S. Ylä-Herttuala, Biology of vascular endothelial growth factors, 2879
- Ruban, A. see S. Crouchman, 2053
- Rubio, V. see I. Pérez-Arellano, 6247
- Rudland, P.S. see A. Dekanty, 2512
- Ruella, E. see M.-N. Vaultier, 4218
- Rufail, M.L., S.C. Ramage and R. van Antwerpen, C-reactive protein inhibits in vitro oxidation of low-density lipoprotein, 5155
- Ruggiero, F.M. see G. Petrosillo, 6311
- Ruhe, D. see V. Goebeler, 2430
- Ruigrok, R.W.H. see M. Buisson, 6570
- Ruiter, J.P.N. see J. Gloerich, 2092
- Ruiz-Ferrer, M. see A. Arroyo, 1740
- Rumbo, M., C. Nempont, J.-P. Kraehenbuhl and J.-C. Sirard, Mutual interplay among commensal and pathogenic bacteria: Lessons from flagellin and Toll-like receptor 5, 2976
- Rummel, A. see S. Mahrhold, 2011
- Ruoppolo, M. see M. Caterino, 6527
- Rupasinghe, S., M.A. Schuler, N. Kagawa, H. Yuan, L. Lei, B. Zhao, S.L. Kelly, M.R. Waterman and D.C. Lamb, The cytochrome P450 gene family CYP157 does not contain EXXR in the K-helix reducing the absolute conserved P450 residues to a single cysteine, 6338
- Rurek, M. see K.D. Raczynska, 5641
- Russev, G. see V. Mladenova, 1631
- Rustichelli, F. see Y. Torrente, 5759
- Rutkis, R. see U. Kalnenieks, 5084
- Ryan, M.P. see C. Slattey, 4021
- Rychli, K. see P.J. Hohensinner, 3532
- Ryu, H.J. see S.H. Choi, 6755
- Ryu, K.-H. see H.S. Jung, 4969
- Ryu, S.-W., J.H. Woo, Y.-H. Kim, Y.-S. Lee, J.W. Park and Y.-S. Bae, Downregulation of protein kinase CKII is associated with cellular senescence, 988

S

- Saab, C.Y. see S.A. Owolabi, 4306
- Saad, M.J. see J.C. Moraes, 4625
- Saad, M.J.A. see P.O. Prada, 4889

- Sabin, C., E.P. Mitchell, M. Pokorná, C. Gautier, J.-P. Utille, M. Wimmerová and A. Imberty, Binding of different monosaccharides by lectin PA-III from *Pseudomonas aeruginosa*: Thermodynamics data correlated with X-ray structures, 982
- Sabroe, I. see H. Sandig, 373
- Sacchi, S. see G. Molla, 2358
- Sacco, E., D. Metalli, S. Busti, S. Fantinato, A. D'Urzo, V. Mapelli, L. Alberghina and M. Vanoni, Catalytic competence of the Ras-GEF domain of hSos1 requires intra-REM domain interactions mediated by Phenylalanine 577, 6322
- Sadji-Ouatas, Z. see M. Lasfer, 2547
- Sadowski, I.J. see E. Vottero, 2265
- Sadre, R., J. Gruber and M. Frentzen, Characterization of homogentisate prenyltransferases involved in plastoquinone-9 and tocopherol biosynthesis, 5357
- Safro, I. see L. Klipcan, 1672
- Safro, M. see L. Klipcan, 1672
- Sage, S.O. see S. Cauwenberghs, 5313
- Sai, Y. see H.Z. Zhu, 4346
- Saito, Y. see Z.-H. Chen, 479
- Saijo, M. see T. Mizutani, 1417
- Saiki, I. see S. Suzuki, 3257
- Saikia, S., E.J. Parker, A. Koulman and B. Scott, Four gene products are required for the fungal synthesis of the indole-diterpene, paspaline, 1625
- Saito, H. see T. Sakamoto, 6543
- Saito, I. see A. Suzuki, 2317
- Saito, K. see I. Taneike, 2323
- Saito, S.-y. see T. Miyazaki, 4057
- Saito, T. see S. Iwano, 890
- Saito, Y. see T. Hirata, 5117
- Saito, Y. see T. Yoshida, 5203
- Saitoe, M. see N. Yoshimura, 2335
- Sakabe, N.J. see M.D. Vibriantovski, 1621
- Sakagami, H. see T. Miyazaki, 4057
- Sakaguchi, Y. see T. Tanaka, 4225
- Sakai, H., T. Suzuki, Y. Takahashi, M. Ukai, K. Tauchi, T. Fujii, N. Horikawa, T. Minamimura, Y. Tabuchi, M. Morii, K. Tsukada and N. Takeguchi, Upregulation of thromboxane synthase in human colorectal carcinoma and the cancer cell proliferation by thromboxane A₂, 3368
- Sakai, H. see Y. Tabuchi, 3035
- Sakai, J. see K. Ishimoto, 4929
- Sakai, Y. see M. Kajikawa, 149
- Sakamoto, T., H. Saito, K. Ishii, H. Takahashi, S. Tanabe and Y. Ogasawara, Aluminum inhibits proteolytic degradation of amyloid β peptide by cathepsin D: A potential link between aluminum accumulation and neuritic plaque deposition, 6543
- Sakamoto, T. see X. Wu, 5863
- Sakharkar, K.R., M.K. Sakharkar, C.T. Culiati, V.T.K. Chow and S. Pervaiz, Functional and evolutionary analyses on expressed intronless genes in the mouse genome, 1472
- Sakharkar, M.K. see K.R. Sakharkar, 1472
- Sakigi, Y. see K.-i. Hayashi, 6175
- Sakuma, S. see M. Fukada, 4051
- Sakurai, H. see S. Suzuki, 3257
- Sakurai, T. see Y. Ueki, 4069
- Sakurai, T., The alkaline pseudomorph of blue copper proteins, *Cucumis sativus* plastocyanin and *Pseudomonas aeruginosa* azurin, 1729
- Sala, F. see M. Castillo, 256
- Sala, F. see M. Castillo, 6518
- Sala, S. see M. Castillo, 256
- Sala, S. see M. Castillo, 6518
- Salaun, J.P. see J. Antoun, 3361
- Salem, H. see N. Yissachar, 6489
- Salh, B. see A. Gómez-Muñoz, 716
- Salmina, A. see H. Higashida, 4857
- Salomé, L. see A. Saulière, 5227
- Salvatore, F. see M. Caterino, 6527
- Salvi, M., S. Sarno, O. Marin, F. Meggio, E. Itarte and L.A. Pinna, Discrimination between the activity of protein kinase CK2 holoenzyme and its catalytic subunits, 3948
- Samani, N.J. see N.W. Chong, 4469
- Sanbe, T. see T. Tomofuji, 3601
- Sánchez-Martínez, S., M. Lorizate, H. Katinger, R. Kunert, G. Basañez and J.L. Nieva, Specific phospholipid recognition by human immunodeficiency virus type-1 neutralizing anti-gp41 2F5 antibody, 2395
- Sánchez, J. and I. López-Villaseñor, A simple model to explain three-base periodicity in coding DNA, 6413
- Sánchez, M.B., P. Barrado, A. Jiménez and M. Fernández Lobato, The *pur3* gene from the *pur* cluster encodes a monophosphatase essential for puromycin biosynthesis in *Streptomyces*, 1807
- Sanchez, M. see R. Masella, 2421
- Sanders, C.K. see A. Deshpande, 4172
- Sandig, H., D. Andrew, A.A. Barnes, I. Sabroe and J. Pease, 9 α ,11 β -PGF₂ and its stereoisomer PGF_{2 α} are novel agonists of the chemoattractant receptor, CRTH2, 373
- Sane, P.V. see A.G. Ivanov, 2797
- Sano, E. see N. Katunuma, 741
- Sano, M., Y. Kato and K. Taira, Sequence-specific interference by small RNAs derived from adenovirus VAI RNA, 1553
- Sano, T., T. Higaki, K. Handa, Y. Kadota, K. Kuchitsu, S. Hasezawa, A. Hoffmann, J. Endter, U. Zimmermann, R. Hedrich and T. Roitsch, Calcium ions are involved in the delay of plant cell cycle progression by abiotic stresses, 597
- Santaella, M. see I. Rollwitz, 4246
- Santangelo, C. see R. Masella, 2421
- Santer, R. see C. Hartwig, 3489
- Santibañez, J.F., JNK mediates TGF- β 1-induced epithelial mesenchymal transdifferentiation of mouse transformed keratinocytes, 5385
- Santibañez, J.F. see V. Eisner, 4495
- Santini, S.M. see A.M. Giammarioli, 3335
- Santos-Ocaña, C. see A. Arroyo, 1740
- Santos, L. see D. Aeberli, 974
- Sanz, C. see P.J. Real, 5905
- Saraiva, L.M. see V.L. Gonçalves, 1817
- Saraiva, M.J. see F.A. Monteiro, 3451
- Sardanelli, A.M., A. Signorile, R. Nuzzi, D.D. Rasmó, Z. Technikova-Dobrova, Z. Drahota, A. Occhiello, A. Pica and S. Papa, Occurrence of A-kinase anchor protein and associated cAMP-dependent protein kinase in the inner compartment of mammalian mitochondria, 5690
- Saris, W.H.M. see J. Hoeks, 1371
- Sarkadi, B. see G.E. Tusnády, 1017
- Sarkadi, B. see M. Müller, 6139
- Sarkar, D. see S. Gupta, 5328
- Sarker, K.P. see K.K. Biswas, 703
- Sarker, K.P. see K.K. Biswas, 1696
- Sarno, S. see M. Salvi, 3948
- Sarti, P. see V.B. Borisov, 4823
- Sarvas, M. see H. Tossavainen, 1822
- Sas, K.N., L. Hemmingsen and E. Danielsen, Long lived intermediate metal site structure upon binding of cadmium to plastocyanin, 6861
- Sasaki, S. see S. Inouye, 1977
- Sasson, Y. see Y. Opatowsky, 5959
- Sata, M. see T. Yoshida, 2788
- Sato, D., K. Nakada-Tsukui, M. Okada and T. Nozaki, Two cysteine protease inhibitors, EhICP1 and 2, localized in distinct compartments, negatively regulate secretion in *Entamoeba histolytica*, 5306
- Sato, K. see T. Abe, 4815
- Sato, M. see K.S. Song, 1993
- Sato, S. see N. Hirao, 6464
- Sato, T., Y. Ando, S. Susuki, F. Mikami, S. Ikemizu, M. Nakamura, O. Suhr, M. Anraku, T. Kai, M.A. Suico, T. Shuto, M. Mizuguchi, Y. Yamagata and H. Kai, Chromium(III) ion and thyroxine cooperate to stabilize the transthyretin tetramer and suppress in vitro amyloid fibril formation, 491
- Sato, T. see Y. Fukue, 3485
- Sato, Y. see S. Minamisawa, 2247
- Satoh, D., K. Shimizu, S. Nakamura and T. Terada, Folding free-energy landscape of a 10-residue mini-protein, chignolin, 3422
- Satoh, T. see H. Chida, 3763
- Sattler, W. see A. Kovacevic, 161
- Saulière, A., G. Gaibelet, C. Millot, S. Mazères, A. Lopez and L. Salomé, Diffusion of the mu opioid receptor at the surface of human neuroblastoma SH-SY5Y cells is restricted to permeable domains, 5227
- Sauna, Z.E. see S.V. Ambudkar, 1049
- Saurel, O. see C.G. Nieto Penalver, 561
- Sauret-Güeto, S., E.M. Urós, E. Ibáñez, A. Boronat and M. Rodríguez-Concepción, A mutant pyruvate dehydrogenase E1 subunit allows survival of *Escherichia coli* strains defective in 1-deoxy-D-xylulose 5-phosphate synthase, 736
- Savage, D.F., V. de Crécy-Lagard and A.C. Bishop, Molecular determinants of dihydrouridine synthase activity, 5198
- Savitch, L.V. see A.G. Ivanov, 2797
- Savoia, M. see M. Caterino, 6527
- Sawada, S.-i. see K. Ikeda, 6587
- Sawano, M. see T. Tanaka, 4224

- Sawano, Y. see M. Enomoto, 894
 Saxena, D. see R.K. Jha, 5653
 Sayanova, O., R. Haslam, B. Qi, C.M. Lazarus and J.A. Napier, The alternative pathway C₂₀ Δ8-desaturase from the non-photosynthetic organism *Acanthamoeba castellanii* is an atypical cytochrome b₅-fusion desaturase, 1946
 Scacco, S. see C. Piccoli, 4539
 Scavone, C. see T.M. de Lima, 3287
 Scazzocchio, B. see R. Masella, 2421
 Schaart, G. see J. Hoeks, 1371
 Schaart, G. see R. Minnaard, 5172
 Schalkwijk, C.G., J. van Bezu, R.C. van der Schors, K. Uchida, C.D.A. Stehouwer and V.W.M. van Hinsbergh, Heat-shock protein 27 is a major methylglyoxal-modified protein in endothelial cells, 1565
 Schalkwijk, C.G., J. van Bezu, R.C. van der Schors, K. Uchida, C.D.A. Stehouwer and V.W.M. van Hinsbergh, Erratum to: "Heat-shock protein 27 is a major methylglyoxal-modified protein in endothelial cells" [FEBS Lett. 580 (2006) 1565–1570], 2400
 Schappi, M. see G. Gavazzi, 497
 Scharff-Poulsen, A.M. see H. Gu, 5885
 Scharte, M., K. Jurk, B. Kehrel, A. Zarbock, H.V. Aken and K. Singbartl, IL-4 enhances hypoxia induced HIF-1 α protein levels in human transformed intestinal cells, 6399
 Schatz, D. see I. Balint, 2117
 Schaulvliege, R., S. Janssens and R. Beyaert, Pellino proteins are more than scaffold proteins in TLR/IL-1R signalling: A role as novel RING E3-ubiquitin-ligases, 4697
 Scheer, H. see T.H.P. Brotsudarmo, 5257
 Schelshorn, D.W. see M.H. Maurer, 4430
 Scheraga, H.A. see L. Pradeep, 5029
 Schilling, K. see A. Icking, 223
 Schlame, M. and M. Ren, Barth syndrome, a human disorder of cardiolipin metabolism, 5450
 Schlarb-Ridley, B.G., R.H. Nimmo, S. Purton, C.J. Howe and D.S. Bendall, Cytochrome c_{6A} is a funnel for thiol oxidation in the thylakoid lumen, 2166
 Schleberger, C. see M. Kraft, 6943
 Schmatchenko, V. see O. Piskareva, 661
 Schmid, E.M. see C. Sousa, 5713
 Schmid, V.H.R. see R. Lucinski, 6485
 Schmidt, F. see B. Jeynov, 5917
 Schmidt, H.H.H.W. see C. Rothkegel, 4205
 Schmidt, P.M. see C. Rothkegel, 4205
 Schmitt, L. see N. Hanekop, 1036
 Schmittl, S. see T. Bürkstümmer, 575
 Schmitz, G., G. Liebisch and T. Langmann, Lipidomic strategies to study structural and functional defects of ABC-transporters in cellular lipid trafficking, 5597
 Schnabel, P. see M. Vantler, 6769
 Schnölzer, M. see J. Schumacher, 6211
 Schoepp-Cothenet, B. see G. Lipowski, 5988
 Schofield, C.J. see T.A. Murray-Rust, 1911
 Scholthof, K.G. see J.S. Batten, 2591
 Schönheit, P. see M. Reher, 1198
 Schönitzer, V. see I.M. Weiss, 1846
 Schoofs, L. see Q.F.M. Remijsen, 6206
 Schoofs, L. see Y. Abdel-Mottaleb, 6254
 Schrauwen, P. see J. Hoeks, 1371
 Schrauwen, P. see R. Minnaard, 5172
 Schreiber-Agus, N. see R. Arrigoni, 6233
 Schreiber-Agus, N. see R. Arrigoni, 6754
 Schreiner, D., K. Müller and H.W. Hofer, The intracellular domain of the human protocadherin hFat1 interacts with Homer signalling scaffolding proteins, 5295
 Schröder, H. see C. Rothkegel, 4205
 Schröder, W.P. see U.A. Petersson, 6055
 Schroeder, J.I. see N. Robert, 4691
 Schroeder, S. see G. Zahner, 2523
 Schuelke, M. see T. Zemojtel, 455
 Schuhmann, H. see P.F. Huesgen, 6929
 Schuler, M.A. see S. Rupasinghe, 6338
 Schulz, B. and H. Üner Kolukisaoglu, Genomics of plant ABC transporters: The alphabet of photosynthetic life forms or just holes in membranes?, 1010
 Schulz, G.E. see M. Kraft, 6943
 Schumacher, J., M. Reichenzeller, T. Kempf, M. Schnölzer and H. Herrmann, Identification of a novel, highly variable amino-terminal amino acid sequence element in the nuclear intermediate filament protein lamin B₂ from higher vertebrates, 6211
 Schumacher, K. see A. Hong-Hermesdorf, 932
 Schünemann, D. see R. Hermkes, 3107
 Schürmann, P. see X. Xu, 6714
 Schwab, W. see F. Wellmann, 1642
 Schwarz-Linek, U. see E.S. Pilka, 273
 Schwarz, H. see C. Böttcher, 633
 Schwarz, A. and B. Nidetzky, Asp-196→Ala mutant of *Leuconostoc mesenteroides* sucrose phosphorylase exhibits altered stereochemical course and kinetic mechanism of glucosyl transfer to and from phosphate, 3905
 Schwarz, C. see C. Balczun, 4527
 Schwarz, H.-P. see H.-L. Chan, 3229
 Schwarz, R. see I. Balint, 2117
 Schwarzingner, S. see J. Ziegler, 2033
 Schweer, J., H. Loschelder and G. Link, A promoter switch that can rescue a plant sigma factor mutant, 6617
 Schweizer, R.A.S. see A.G. Atanasov, 4081
 Sciancalepore, M. see F. De Leo, 948
 Sciotti, M.A., S. Tam, B. Wermuth and M.E. Baker, Differences in catalytic activity between rat testicular and ovarian carbonyl reductases are due to two amino acids, 67
 Scott, B. see S. Saikia, 1625
 Scott, C.L., L.M. Hartweck, J. de Jesús Pérez, D. Chen, J.A. García and N.E. Olszewski, SECRET AGENT, an *Arabidopsis thaliana* O-GlcNAc transferase, modifies the *Plum pox virus* capsid protein, 5829
 Scott, C.L. see J.d.J. Pérez, 5822
 Scrima, R. see C. Piccoli, 4539
 Sculley, D.V. see S.C. Langley-Evans, 4150
 Scutt, A. see C. Duvos, 1509
 Sebastia, J. see S. Mariggio, 6789
 Sebestyén, A. see A. Muskotál, 3916
 Seedorf, U. see T. Engel, 4551
 Seeger, W. see A. Renigunta, 900
 Seemann, M., B. Tse Sum Bui, M. Wolff, M. Miginiac-Maslow and M. Rohmer, Isoprenoid biosynthesis in plant chloroplasts via the MEP pathway: Direct thylakoid/ferredoxin-dependent photoreduction of GcpE/IspG, 1547
 Segura, J.-M. see B.H. Meyer, 1654
 Segura, R.L. see I. Hormaeche, 3075
 Sekatskii, S.K. see J. Adamcik, 5671
 Seki, A. see M. Imashimizu, 3439
 Seki, A., T. Nakano, H. Takahashi, K. Matsumoto, M. Ikeuchi and K. Tanaka, Light-responsive transcriptional regulation of the *suf* promoters involved in cyanobacterium *Synechocystis* sp. PCC 6803 Fe-S cluster biogenesis, 5044
 Seki, E. see K. Yamasaki, 2109
 Seki, M. see K. Yamasaki, 2109
 Sekiguchi, K. see E.L. McDearmon, 3381
 Sekine, M. see T. Nakai, 336
 Sekine, M. see T. Nakai, 336
 Sekiya, M., G. Mulcahy, J.A. Irwin, C.M. Stack, S.M. Donnelly, W. Xu, P. Collins and J.P. Dalton, Biochemical characterisation of the recombinant peroxiredoxin (FhePrx) of the liver fluke, *Fasciola hepatica*, 5016
 Selinger, Z. see Y. Opatowsky, 5959
 Sellers, J.R. see X. Wu, 5863
 Sellos, D. see D. Duplat, 2435
 Selstam, E. see L. Hendrickson, 4959
 Selvakumar, P., E. Smith-Windsor, K. Bonham and R.K. Sharma, N-Myristoyltransferase 2 expression in human colon cancer: Cross-talk between the calpain and caspase system, 2021
 Selvarajoo, K., Discovering differential activation machinery of the Toll-like receptor 4 signaling pathways in MyD88 knockouts, 1457
 Sen, P., P.K. Chakraborty and S. Raha, Tea polyphenol epigallocatechin 3-gallate impedes the anti-apoptotic effects of low-grade repetitive stress through inhibition of Akt and NF κ B survival pathways, 278
 Sengupta, A., M. Novak, I. Grundke-Iqbal and K. Iqbal, Regulation of phosphorylation of tau by cyclin-dependent kinase 5 and glycogen synthase kinase-3 at substrate level, 5925
 Senior, A.E. see Z. Ahmad, 517
 Sensen, C.W. see J. Murata, 4501
 Sentandreu, M.A. see C.H. Herrera-Mendez, 3477
 Seo, B.B., M. Marella, T. Yagi and A. Matsuno-Yagi, The single subunit NADH dehydrogenase reduces generation of reactive oxygen species from complex I, 6105
 Seo, I.A. see H.K. Lee, 2253
 Seo, K.H. see H.-M. Ko, 3006

- Seo, S.-B. see S.-I. Ko, 3217
 Seoh, J.-Y. see H.S. Jung, 4969
 Seong, K.-H. see M. Tsuda, 3296
 Seow, T.K. see P.M. Nissom, 2216
 Seppala, R. see H. Tossavainen, 1822
 Sernicola, L. see R. Masella, 2421
 Serra, J. see J. Giraldo, 2170
 Serrano, S.M.T. see A.T.C. Ching, 4417
 Serrano, S.M.T. see A.T.C. Ching, 5122
 Serruto, D. and R. Rappuoli, Post-genomic vaccine development, 2985
 Sevigny, M.B., C.-F. Li, M. Alas and M. Hughes-Fulford, Glycosylation regulates turnover of cyclooxygenase-2, 6533
 Seya, T. see R. Muromoto, 93
 Shah, K. see S.J. Juris, 179
 Shah, M.R. see S.S. Huang, 6259
 Shaharuddin, N.A., Y. Han, H. Li and D. Grierson, The mechanism of graft transmission of sense and antisense gene silencing in tomato plants, 6579
 Shaked, I. see Y. Opatowsky, 5959
 Shan, Q. see J. Lu, 6730
 Shannon, F., Spotlight on... Frances Shannon1
 Shapiguzov, A., A. Edvardsson and A.V. Vener, Profound redox sensitivity of peptidyl-prolyl isomerase activity in Arabidopsis thylakoid lumen, 3671
 Sharanov, Yu.S., M.I. Zvereva and O.A. Dontsova, *Saccharomyces cerevisiae* telomerase subunit Est3p binds DNA and RNA and stimulates unwinding of RNA/DNA heteroduplexes, 4683
 Sharifmoghadam, M.R., P. Bustos-Sanmamed and M.-H. Valdivieso, The fission yeast Map4 protein is a novel adhesin required for mating, 4457
 Sharma, R.K. see P. Selvakumar, 2021
 Sharma, S.K. see P.L. Swarnamukhi, 2653
 Shears, S.B. see A.M. Riley, 324
 Shears, S.B. see S. Deleu, 1709
 Shelly, S.S. see L.A. Ligon, 1327
 Shen, B. see J. Wehkamp, 5344
 Shen, H. see G. Zhang, 1383
 Shen, H. see K. Yazawa, 6623
 Shen, H.-G. see Q.-Y. Teng, 4274
 Shen, L.N. see R. Fernández-Lloris, 1215
 Shen, P. see G. Niu, 415
 Shen, P. see Y. Bian, 6007
 Shen, S.-H. see M. Wu, 3246
 Shen, T. see J. Huang, 3571
 Shen, X. see W. Liu, 697
 Shen, Y.H. see J. Wang, 2779
 Sheng, H.-H. see J. Huang, 3571
 Sheng, W.-Y., Y.-R. Chen and T.V. Wang, A major role of PKC θ and NF κ B in the regulation of hTERT in human T lymphocytes, 6819
 Sheng, Y. see W. Jing, 1827
 Shenoy, A.R. and S.S. Visweswariah, Mycobacterial adenylyl cyclases: Biochemical diversity and structural plasticity, 3344
 Sherry, A.D. see K.A. Stowe, 4282
 Shervani, N.J. see S. Takasawa, 585
 Shestopalov, V.I. see D. Ivanov, 331
 Shestopalov, V.I. see G. Dvorianchikova, 2178
 Sheung, A. see G. Butland, 677
 Sheveleva, A.A. see Y.L. Dorokhov, 3872
 Shi, J. see F. Liu, 6269
 Shi, J.-H. see H.-N. Du, 3657
 Shi, L. see Z. Zhao, 2750
 Shi, Y.-H. see H.-N. Du, 3657
 Shibahara, N. see S. Iwano, 890
 Shibata, M. see N. Yoshimura, 2335
 Shibata, N. see T. Ohki, 5054
 Shibata, T. see T. Yoshida, 5203
 Shibuya, M. see P. Tansakul, 5143
 Shibuya, Y. see A. Suzuki, 2317
 Shikano, S. see B. Coblitz, 1531
 Shikano, S. see M. Wu, 5681
 Shim, J.-H. see B.-K. Kim, 5869
 Shimada, H. see S. Takahashi, 955
 Shimizu, K. see D. Satoh, 3422
 Shimizu, M. see S. Minamisawa, 2247
 Shimmyo, Y. see K. Yazawa, 6623
 Shimohata, T.-a. see K. Amako, 6428
 Shimoi, H. see Y. Haitani, 3433
 Shimoya, K. see H. Nakamura, 2717
 Shin, H.-C. see L. Pradeep, 5029
 Shin, H.-H., E.-A. Lee, S.-J. Kim, B.S. Kwon and H.-S. Choi, A signal through 4-1BB ligand inhibits receptor for activation of nuclear factor- κ B ligand (RANKL)-induced osteoclastogenesis by increasing interferon (IFN)-beta production, 1601
 Shin, H.S. see Y.J. Kim, 206
 Shin, H.Y. see H.S. Jung, 4969
 Shin, J.-G. see S.-J. Lee, 755
 Shin, S.-Y., S.-M. Choo, D. Kim, S.J. Baek, O. Wolkenhauer, and K.-H. Cho, Switching feedback mechanisms realize the dual role of MCIP in the regulation of calcineurin activity, 5965
 Shin, S.C. see H.J. Kim, 1391
 Shin, Y.-K. see X. Lu, 2238
 Shinjo, K. see Y. Taniguchi, 5003
 Shinkai, A. see T. Tanaka, 4224
 Shinkai, Y., D. Sumi, I. Fukami, T. Ishii and Y. Kumagai, Sulforaphane, an activator of Nrf2, suppresses cellular accumulation of arsenic and its cytotoxicity in primary mouse hepatocytes, 1771
 Shinkarev, V.P., Ubiquinone (coenzyme Q₁₀) binding sites: Low dielectric constant of the gate prevents the escape of the semiquinone, 2534
 Shinmura, K. see P. Tarapore, 399
 Shinmyo, A. see T. Nakai, 336
 Shinoda, C. see T. Yamada, 4387
 Shinozaki, K. see K. Yamasaki, 2109
 Shioda, S. see T. Kawaguchi, 2458
 Shiozaki, K. see L.-y. Wang, 2409
 Shirai, K. see Y. Yamazaki, 2667
 Shiraishi, T. and P.E. Nielsen, Photochemically enhanced cellular delivery of cell penetrating peptide-PNA conjugates, 1451
 Shirakawa, M. see S. Ichiyama, 23
 Shirakura, Y. see M. Kinukawa, 1515
 Shirouzu, M. see K. Yamasaki, 2109
 Shishido, T. see N. Hirao, 6464
 Shishido, T. see M. Mitsushima, 4288
 Shokat, K. see S.J. Juris, 179
 Shono, N. see S. Iwase, 3129
 Shoshan-Barmatz, V. see R. Zalk, 5894
 Shu, H.-B. see J. Huang, 940
 Shukla, A.K., C. Reinhart and H. Michel, Dimethylsulphoxide as a tool to increase functional expression of heterologously produced GPCRs in mammalian cells, 4261
 Shulkes, A. see K.A. Smith, 6195
 Shuto, T. see T. Sato, 491
 Siegel, M. see P. Strnad, 2351
 Sies, H. see J.I. Beier, 1859
 Sigel, E. see R. Baur, 1616
 Signorile, A. see C. Piccoli, 4539
 Signorile, A. see A.M. Sardanelli, 5690
 Sijtsma, L. see V.A. van Beelen, 4587
 Sikora, E. see G. Mosieniak, 4653
 Siksny, V. see G. Tamulaitis, 1665
 Sillero, A. see M.A.G. Sillero, 5723
 Sillero, M.A.G., A. de Diego, E. Silles, F. Pérez-Zúñiga and A. Sillero, Synthesis of bisphosphonate derivatives of ATP by T4 RNA ligase, 5723
 Silles, E. see M.A.G. Sillero, 5723
 Sim, E. see J. Dairou, 1780
 Sim, T.-S. see Y.M. Lye, 6083
 Simmons, K.J., P.N. Nde, Y.Y. Kleshchenko, M.F. Lima and F. Villalta, Stable RNA interference of host thrombospondin-1 blocks *Trypanosoma cruzi* infection, 2365
 Simon, B. see J. Antoun, 3361
 Simon, I. see G.E. Tusnády, 1017
 Simona Pisanti, see C. Laezza, 6076
 Simpson, I.A. see R.A. Hawkins, 4382
 Simpson, R.J. see G.O. Latunde-Dada, 6865
 Singbartl, K. see M. Scharte, 6399
 Singer-Krüger, B. see C. Böttcher, 633
 Singhal, J. see S.S. Singhal, 2258
 Singhal, S.S., D. Wickramarachchi, J. Singhal, S. Yadav, Y.C. Awasthi and S. Awasthi, Determinants of differential doxorubicin sensitivity between SCLC and NSCLC, 2258
 Singhirunusorn, P. see S. Suzuki, 3257
 Sinha, A. see S. Gupta, 5328
 Sinha, S. see K.A. Kulkarni, 2808
 Sinha, S. see K. Ortt, 4544
 Šinko, G., M. Calić and Z. Kovarik, *para*- and *ortho*-Pyridinium aldoximes in reaction with acetylthiocholine, 3167
 Sirangelo, I. see S. Vilasi, 1681

- Sirard, J.-C. see M. Rumbo, 2976
 Sitkovsky, M. see S. Hägele, 3731
 Siu, W.Y. see P.M. Hau, 4727
 Sivakumar, N., N. Li, J.W. Tang, B.K.C. Patel and K. Swaminathan, Crystal structure of AmyA lacks acidic surface and provide insights into protein stability at poly-extreme condition, 2646
 Skern, T. see C. Sousa, 5713
 Skinner, M.A. see D. Deng, 5247
 Sklenář, V. see P. Macek, 682
 Skoko, N. see M. Baralle, 4449
 Skottman, H., M.S. Dilber and O. Hovatta, The derivation of clinical-grade human embryonic stem cell lines, 2875
 Skoulakis, E.M.C. see S. Grammenoudi, 4602
 Skrabana, R. see N. Zilka, 3582
 Skryabin, K.G. see Y.L. Dorokhov, 3329
 Skryabin, K.G. see Y.L. Dorokhov, 3872
 Skurat, E.V. see Y.L. Dorokhov, 3329
 Skurat, E.V. see Y.L. Dorokhov, 3872
 Sládek, M. see A. Sumová, 2836
 Slattery, C., T. McMorrow and M.P. Ryan, Overexpression of E2A proteins induces epithelial-mesenchymal transition in human renal proximal tubular epithelial cells suggesting a potential role in renal fibrosis, 4021
 Sliskovic, I. and B. Mutus, Reversible inhibition of caspase-3 activity by iron(III). Potential role in physiological control of apoptosis, 2233
 Sliwinska, M. see G. Mosieniak, 4653
 Slotte, J.P. see B. Hezcková, 2471
 Sluiter, W. see J. Hoeks, 1371
 Smani, M. see N. Dragin, 3845
 Smets, B. see A.M. Aerts, 1903
 Smicun, Y. see S. Kang, 443
 Smith-Windsor, E. see P. Selvakumar, 2021
 Smith, D.H. see B.J. Pfister, 3525
 Smith, J. see X. Xu, 6714
 Smith, J.L. see J.M. Goldberg, 2059
 Smith, K.A., S. Kovac, G.J. Anderson, A. Shulkes and G.S. Baldwin, Circulating gastrin is increased in hemochromatosis, 6195
 Smith, M.A. see T. Hasegawa, 2147
 Smith, N.A. see R. Margis, 2442
 Smith, T. see S.S. Huang, 6259
 Smith, T.G., M. Karlsson, J.S. Lunn, M.C. Eblaghie, I.D. Keenan, E.R. Farrell, C. Tickle, K.G. Storey and S.M. Keyse, Negative feedback predominates over cross-regulation to control ERK MAPK activity in response to FGF signalling in embryos, 4242
 Snaar-Jagalska, B.E. see S.F. Gabby Krens, 4984
 Snijder, E.J. see N. Matthes, 4143
 Snyder, K.A. see H.J. Feldman, 1649
 Snyder, M. see W. Sun, 5880
 Soares, H. see Y. Reis, 4673
 Solá, R.J. and K. Griebenow, Chemical glycosylation: New insights on the interrelation between protein structural mobility, thermodynamic stability, and catalysis, 1685
 Solito, E. see F.C. Rodrigues-Lisoni, 1431
 Solito, E. see F.C. Rodrigues-Lisoni, 1908
 Söll, D. see C.R. Polycarpo, 6695
 Soll, J. see B. Bölter, 789
 Solomaha, E. see A. Elhamdani, 3263
 Somerharju, P. see G. van Meer, 1171
 Son, K.-N. see C.W. Kim, 4332
 Song, E.Y. see J.-T. Kim, 6375
 Song, H. see H.-J. Do, 1865
 Song, H.-O. see Y.J. Ji, 3161
 Song, K. see Y. Kim, 3519
 Song, K.S., Y.K. Peterson, A. Freidman, J.B. Blumer, M. Sato and S.M. Lanier, Identification and characterization of a G-protein regulatory motif in WAVE1, 1993
 Song, L. see R. Mittler, 6537
 Song, M.-S. and S.-W. Lee, Cancer-selective induction of cytotoxicity by tissue-specific expression of targeted *trans*-splicing ribozyme, 5033
 Song, W.K. see Y.J. Ji, 3161
 Song, Z.-H. see N.M. Nebane, 5392
 Sonnenberg, A. see K.I. Gawlik, 1759
 Sonnino, S. see S. Tivodar, 5705
 Soond, S.M., J.L. Terry and D.W.H. Riches, TRUSS, a tumor necrosis factor receptor-1-interacting protein, activates c-Jun NH₂-terminal kinase and transcription factor AP-1, 4591
 Sorgato, M.C. see M.L. Massimino, 878
 Sorscher, E.J. see A.E. Hill, 4303
 Souček, K. see A. Vaculová, 6565
 Soulat, D., A. Bauch, S. Stockinger, G. Superti-Furga and T. Decker, Cytoplasmic *Listeria monocytogenes* stimulates IFN- β synthesis without requiring the adapter protein MAVS, 2341
 Sousa, C., E.M. Schmid and T. Skern, Defining residues involved in human rhinovirus 2A proteinase substrate recognition, 5713
 Sousa, F.L. see M.M. Pereira, 1350
 Sousa, M.J. see N. Guaragnella, 6880
 Sousa, M.M. see F.A. Monteiro, 3451
 Souza, E.M. see L.F. Huergo, 5232
 Souza, L.C. see M.C. Medina, 285
 Souza, L.C. see M.C. Medina, 1528
 Spaink, H.P. see S.F. Gabby Krens, 4984
 Spániková, S. and P. Biely, Glucuronoyl esterase – Novel carbohydrate esterase produced by *Schizophyllum commune*, 4597
 Spät, A. see G. Turu, 41
 Speidl, W.S. see P.J. Hohensinner, 3532
 Spencer, J.B. see H.M. O'Hare, 3445
 Spencer, K.-A. and J.A. Hiscox, Characterisation of the RNA binding properties of the coronavirus infectious bronchitis virus nucleocapsid protein amino-terminal region, 5993
 Spieker, M. see M. Wu, 5681
 Spiridonova, V. see A. Golovin, 5858
 Spirin, A.S. see S.C. Agalarov, 6797
 Sprong, H. see G. van Meer, 1171
 Stack, C.M. see M. Sekiya, 5016
 Stadler, K. see D. Voß, 968
 Staffan Frayssé, A. see J. Crouzet, 1123
 Stafford, M.J., N.A. Morrice, M.W. Peggie and P. Cohen, Interleukin-1 stimulated activation of the COT catalytic subunit through the phosphorylation of Thr290 and Ser62, 4010
 Stahl, R.A.K. see G. Zahner, 2523
 Standart, N. see A. Devaux, 4947
 Standley, D.M., Y. Yonezawa, Y. Goto and H. Nakamura, Flexible docking of an amyloid-forming peptide from β_2 -microglobulin, 6199
 Stasch, J.-P. see C. Rothkegel, 4206
 Stefani, M. see M. Ramazzotti, 6763
 Stefanisko, K. see B. Asefa, 1205
 Steffens, M.B.R. see L.F. Huergo, 5232
 Stehle, F., W. Brandt, C. Milkowski and D. Strack, Structure determinants and substrate recognition of serine carboxypeptidase-like acyltransferases from plant secondary metabolism, 6366
 Stehouwer, C.D.A. see C.G. Schalkwijk, 2400
 Stehouwer, C.D.A. see C.G. Schalkwijk, 1565
 Steinbrecher, U.P. see A. Gómez-Muñoz, 716
 Stelzl, U. see W. Weidemann, 6649
 Steup, M. see G. Ritte, 4872
 Stevens, J.M. see J.W.A. Allen, 4827
 Stevens, T. see A. Masedunskas, 2637
 Stevens, W.J. see N. Peiren, 4895
 Stevenson, B. see R. Mittler, 6537
 Stevenson, D.E. see D. Deng, 5247
 Stewart, D.T. see R. Chakrabarti, 862
 Stewart, G.W. see M. Caterino, 6527
 Stockinger, S. see D. Soulat, 2341
 Stockley, J.H., R. Ravid and C. O'Neill, Altered β -secretase enzyme kinetics and levels of both BACE1 and BACE2 in the Alzheimer's disease brain, 6550
 Stoffers, D.A. see A. Liu, 6701
 Stöger, R. see T. Lutz, 5851
 Stoka, V., V. Turk and D.E. Bredesen, Differential regulation of the intrinsic pathway of apoptosis in brain and liver during ageing, 3739
 Stoll, F. see C. Rothkegel, 4205
 Storey, K.G. see T.G. Smith, 4242
 Stöter, M. see S. Wolff, 6477
 Stowe, K.A., S.C. Burgess, M. Merritt, A.D. Sherry and C.R. Malloy, Storage and oxidation of long-chain fatty acids in the C57/BL6 mouse heart as measured by NMR spectroscopy, 4282
 Strack, D. see F. Stehle, 6366
 Stratford, F.L.L., N. Chondrogianni, I.P. Trougakos, E.S. Gonos and A.J. Rivett, Proteasome response to interferon- γ is altered in senescent human fibroblasts, 3989
 Streete, I.M. see P.G. Hains, 5071
 Stricker, S. see T. Zemojtel, 455
 Strnad, P., M. Siegel, D.M. Toivola, K. Choi, J.C. Kosek, C. Khosla and M.B. Omary, Pharmacologic transglutaminase inhibition attenuates drug-primed liver hypertrophy but not Mallory body formation, 2351
 Stühmer, W., F. Alves, F. Hartung, M. Zientkowska and L.A. Pardo, Potassium channels as tumour markers, 2850

- Stühmer, W. see D. Gómez-Varela, 5059
 Stumpe, M. see R.K. Hughes, 4188
 Su, C.-L., L.L.H. Huang, L.-M. Huang, J.-C. Lee, C.-N. Lin and S.-J. Won, Caspase-8 acts as a key upstream executor of mitochondria during justicidin A-induced apoptosis in human hepatoma cells, 3185
 Su, M., Y. Yang and G. Yang, Quantitative measurement of hydroxyl radical induced DNA double-strand breaks and the effect of *N*-acetyl-L-cysteine, 4137
 Su, Y. see M. Jiang, 6561
 Subías, G. see I. Díaz-Moreno, 3023
 Subías, G. see I. Díaz-Moreno, 6187
 Subramanyam, R., C. Jolley, D.C. Brune, P. Fromme and A.N. Webber, Characterization of a novel Photosystem I-LHCI super-complex isolated from *Chlamydomonas reinhardtii* under anaerobic (State II) conditions, 233
 Subramony, S.H. see L. Grant, 5399
 Sueda, S. see Y.-Q. Li, 1536
 Sueyoshi, Y. see H. Tokumitsu, 5797
 Sugajska, E. see K. Lechward, 3631
 Sugeno, N. see T. Hasegawa, 2147
 Sugihara, K. see R. Aoki, 6062
 Sugimoto, H. see K. Yazawa, 6623
 Sugimoto, M. see Y. Murata, 6093
 Sugimura, T. see R. Fujimoto, 425
 Sugishima, M. see Y. Hagiwara, 3823
 Sugiyama, E. see T. Yamada, 4387
 Sugiyama, K. see R. Muromoto, 93
 Sugiyama, S. see K. Oishi, 127
 Suguna, K. see P.L. Swarnamukhi, 2653
 Suguna, K. see K.A. Kulkarni, 2808
 Suh, E.-J., T.-Y. Kim and S.H. Kim, PP2C γ -mediated S-phase accumulation induced by the proteasome-dependent degradation of p21^{WAF1/CIP1}, 6100
 Suh, S.-I. see S.-J. Lee, 755
 Suhr, O. see T. Sato, 491
 Suico, M.A. see T. Sato, 491
 Sulzenbacher, G. see I. Benoit, 5815
 Sumegi, B. see A. Szigeti, 6447
 Sumi, D. see Y. Shinkai, 1771
 Sumitomo, M. see K. Ishimoto, 4929
 Sumizawa, T. see H.-C. Jeung, 1294
 Sumová, A., Z. Bendová, M. Sládek, R. El-Hennamy, K. Laurinová, Z. Jindráková and H. Illnerová, Setting the biological time in central and peripheral clocks during ontogenesis, 2836
 Sumper, M. see I.M. Weiss, 1846
 Sun, D.-x. see J. Lu, 6730
 Sun, H.-J., M.-l. Cui, B. Ma and H. Ezura, Functional expression of the taste-modifying protein, miraculin, in transgenic lettuce, 620
 Sun, H. see H. Wang, 795
 Sun, J. see L. Grant, 5399
 Sun, M. see J. Ning, 1747
 Sun, Q. see C. Chen, 813
 Sun, Q. see W. Li, 4905
 Sun, S., Y. Zhao, Y. Jiao, Y. Yin, L. Cai, Y. Zhang, H. Lu, R. Chen and D. Bu, Faster and more accurate global protein function assignment from protein interaction networks using the MFGO algorithm, 1891
 Sun, W., M. Snyder, D.E. Levy and J.J. Zhang, Regulation of Stat3 transcriptional activity by the conserved LPMSF motif for OSM and IL-6 signaling, 5880
 Sun, X. see H. Wang, 6015
 Sun, Y., X. Jiang, S. Chen and B.D. Price, Inhibition of histone acetyltransferase activity by anacardic acid sensitizes tumor cells to ionizing radiation, 4353
 Sun, Y.-C., Y. Li, H. Zhang, H.-Q. Yan, D.N. Dowling and Y.-P. Wang, Reconstitution of the enzyme AroA and its glyphosate tolerance by fragment complementation, 1521
 Sunada, Y. see H. Hagiwara, 4463
 Sunderhaus, S. see N.V. Dudkina, 3427
 Sundl, M. see A. Kovacevic, 161
 Sundquist, W.I. see R. Arrigoni, 6233
 Sundquist, W.I. see R. Arrigoni, 6754
 Sung, J.J.Y. see M.-L. He, 2414
 Sung, M.-H. see K.-H. Cho, 3665
 Sunkel, C.E. see N. Malmanche, 2888
 Superti-Furga, G. see D. Soulat, 2341
 Surh, Y.-J. see J.-H. Kim, 385
 Surolia, A. see K.A. Kulkarni, 2808
 Surolia, A. see P.L. Swarnamukhi, 2653
 Surolia, N. see P.L. Swarnamukhi, 2653
 Suruga, K. see H. Chida, 3763
 Suso, H.-P. see L. Gayet, 6891
 Susuki, S. see T. Sato, 491
 Suzuki, A., A. Fujii, N. Yamamoto, M. Yamamoto, H. Ohnami, A. Kameyama, Y. Shibuya, Y. Nishizawa, I. Tokimitsu and I. Saito, Improvement of hypertension and vascular dysfunction by hydroxyhydroquinone-free coffee in a genetic model of hypertension, 2317
 Suzuki, H. see H. Nagata, 27
 Suzuki, H. see P. Tarapore, 399
 Suzuki, H. see K. Takeda, 839
 Suzuki, H. see H. Nakagawa, 3223
 Suzuki, J. see N. Hirao, 6464
 Suzuki, M. see M. Iijima, 1365
 Suzuki, N. see R. Aoki, 6062
 Suzuki, S., P. Singhirunusorn, H. Nakano, T. Doi, I. Saiki and H. Sakurai, Identification of TNF- α -responsive NF- κ B p65-binding element in the distal promoter of the mouse serine protease inhibitor *SerpinE2*, 3257
 Suzuki, T. see H. Sakai, 3368
 Svensson, B. see L. Kandra, 5049
 Svensson, C.I., T.K. Tran, B. Fitzsimmons, T.L. Yaksh and X.-Y. Hua, Descending serotonergic facilitation of spinal ERK activation and pain behavior, 6629
 Svergun, D. see A. Varga, 2698
 Sviridov, D. see A. Masedunskas, 2637
 Swaminathan, K. see N. Sivakumar, 2646
 Swaminathan, R. see L. Homchaudhuri, 2097
 Swarnamukhi, P.L., S.K. Sharma, P. Bajaj, N. Surolia, A. Surolia and K. Suguna, Crystal structure of dimeric FabZ of *Plasmodium falciparum* reveals conformational switching to active hexamers by peptide flips, 2653
 Swiatek, P.J. see R. Mukhopadhyay, 3889
 Swoboda, P. see A. Miranda-Vizuete, 484
 Sychrova, H. see K. Papouskova, 1971
 Szabó, J. see A. Varga, 2698
 Szájli, E. see J. Oláh, 5807
 Sze, K.-H. see H. Wang, 795
 Szeltner, Z. see T. Juhász, 3493
 Szidonya, L. see G. Turu, 41
 Szigeti, A., S. Belyei, B. Gasz, A. Boronkai, E. Hocsak, O. Minik, Z. Bognar, G. Varbiro, B. Sumegi and F. Gallyas, Induction of necrotic cell death and mitochondrial permeabilization by heme binding protein 2/SOUL, 6447
 Szilágyi, L. see P. Medveczky, 545
 Szilágyi, R.K. see J.W. Peters, 363
- ## T
- Tabarani, G., J.J. Reina, C. Ebel, C. Vivès, H. Lortat-Jacob, J. Rojo and F. Fieschi, Mannose hyperbranched dendritic polymers interact with clustered organization of DC-SIGN and inhibit gp120 binding, 2402
 Tabuchi, Y. see H. Sakai, 3368
 Tabuchi, Y., I. Takasaki, T. Doi, Y. Ishii, H. Sakai and T. Kondo, Genetic networks responsive to sodium butyrate in colonic epithelial cells, 3035
 Tachibana, K. see K. Ishimoto, 4929
 Tachikawa, H. see H. Ishikawa, 4784
 Tada, Y. see L. Yang, 3315
 Tados, M., J.M. González, G. Rivas, M. Vicente and J. Mingorance, Activation of the *Escherichia coli* cell division protein FtsZ by a low-affinity interaction with monovalent cations, 4941
 Tafazoli, F. see E. Vikström, 6921
 Tagaya, M. see M.-I. Kitami, 474
 Taha, T.A., M. El-Alwani, Y.A. Hannun and L.M. Obeid, Sphingosine kinase-1 is cleaved by cathepsin B in vitro: Identification of the initial cleavage sites for the protease, 6047
 Tahirovic, S. see B. Jeynov, 5917
 Taira, K. see M. Sano, 1553
 Tajara, E. see F.C. Rodrigues-Lisoni, 1431
 Tajara, E. see F.C. Rodrigues-Lisoni, 1908
 Tajiri, S., S. Yano, M. Morioka, J.-i. Kuratsu, M. Mori and T. Gotoh, CHOP is involved in neuronal apoptosis induced by neurotrophic factor deprivation, 3462

- Takada, T. see A. Yamashita, 4121
 Takagi, H. see Y. Haitani, 3433
 Takagi, Y. see W.M. Holleran, 5456
 Takahashi, I. see S. Takasawa, 585
 Takahashi, H. see S.H. Yoshimura, 3961
 Takahashi, H. see A. Seki, 5044
 Takahashi, H. see T. Sakamoto, 6543
 Takahashi, H. see M. Mitsushima, 4288
 Takahashi, M. see K. Takeda, 839
 Takahashi, N. see H. Ishikawa, 4784
 Takahashi, N. see E. Maeno, 6513
 Takahashi, S., Y. Ogiyama, H. Kusano, H. Shimada, M. Kawamukai and K.-i. Kadowaki, Metabolic engineering of coenzyme Q by modification of isoprenoid side chain in plant, 955
 Takahashi, S. see S. Iwase, 3129
 Takahashi, T. see Y. Fukue, 3485
 Takahashi, T., H. Yamashita, Y. Nagano, T. Nakamura, T. Kohriyama and M. Matsumoto, Interactions of Synphilin-1 with phospholipids and lipid membranes, 4479
 Takahashi, T. see T. Yonezawa, 6635
 Takahashi, T. see K. Yamaguchi, 6783
 Takahashi, Y. see H. Sakai, 3368
 Takahashi, Y. see S. Kitaoka, 137
 Takahashi, Y. see Y. Chen, 4200
 Takahashi, Y. see K. Yamaguchi, 6783
 Takahashi, Y. see Y. Hagiwara, 3823
 Takaiwa, F. see L. Yang, 3315
 Takamiya, K.-i. see Y. Yamaryo, 4086
 Takano, K. see M. Tamura, 261
 Takano, M. see I. Taneike, 2323
 Takano, T. see I. Taneike, 2323
 Takano, Y. see K. Horikawa, 3721
 Takao, T. see K. Kita, 199
 Takasaki, I. see Y. Tabuchi, 3035
 Takasawa, S., T. Ikeda, T. Akiyama, K. Nata, K. Nakagawa, N.J. Shervani, N. Noguchi, S. Murakami-Kawaguchi, A. Yamauchi, I. Takahashi, T. Tomioka-Kumagai and H. Okamoto, Cyclin D1 activation through ATF-2 in Reg-induced pancreatic β -cell regeneration, 585
 Takayama, Y. see H. Chida, 3763
 Takeda, A. see T. Hasegawa, 2147
 Takeda, K., Y. Kawamoto, Y. Okuno, M. Kato, M. Takahashi, H. Suzuki, K. Isobe and I. Nakashima, A PKC-mediated backup mechanism of the MXXCW motif-linked switch for initiating tyrosine kinase activities, 839
 Takeda, N. see G.S. Hansman, 4047
 Takeguchi, N. see H. Sakai, 3368
 Takei, D., H. Ishihara, S. Yamaguchi, T. Yamada, A. Tamura, H. Katagiri, Y. Maruyama and Y. Oka, WFS1 protein modulates the free Ca^{2+} concentration in the endoplasmic reticulum, 5635
 Takenaka, M. see J.A. van der Merwe, 268
 Takeo, M. see T. Ohki, 5054
 Takeshima, H. see T. Miyazaki, 4057
 Takeuchi, H. see Y. Yamazaki, 2667
 Takeuchi, K. see G.O. Latunde-Dada, 6865
 Takeuchi, M. see T. Yoshida, 2788
 Takeuchi, T., T. Kobayashi, S. Tamura and H. Yokosawa, Negative regulation of protein phosphatase 2C β by ISG15 conjugation, 4521
 Takeuchi, T. see T. Mihara, 4991
 Takeyama, H. see Y. Fukuda, 801
 Takeyasu, K. see S.H. Yoshimura, 3961
 Taki, T. see I. Popa, 1398
 Takigawa, M. see M. Hoshijima, 1376
 Tam, J.P. see Q. Yuan, 3192
 Tam, P.-C. see N.P.Y. Lee, 923
 Tam, P.-H. see H. Iwai, 1853
 Tam, S. see M.A. Sciotti, 67
 Tama, N. see K.M. David, 1193
 Tamaki, N. see T. Tomofuji, 3601
 Tamiaki, H. see T. Mizoguchi, 6644
 Tampé, R. see J. Koch, 4091
 Tampé, R. see R. Abele, 1156
 Tamulaitis, G., M. Mucke and V. Siksnys, Biochemical and mutational analysis of EcoRII functional domains reveals evolutionary links between restriction enzymes, 1665
 Tamura, A. see D. Takei, 5635
 Tamura, M., K. Itoh, H. Akita, K. Takano and S. Oku, Identification of an actin-binding site in p47^{phox} an organizer protein of NADPH oxidase, 261
 Tamura, S. see A. Hiraga, 1425
 Tamura, S. see T. Takeuchi, 4521
 Tan, F. see A. Masedunskas, 2637
 Tan, S.-M. see R.-H. Tang, 4435
 Tan, Y.-J. see S. Åkerström, 3799
 Tan, Z.-M. see B. Li, 4252
 Tanabe, A. see M. Iijima, 1365
 Tanabe, S. see T. Sakamoto, 6543
 Tanaka, A. see K. Yamasaki, 2109
 Tanaka, K. see M. Imashimizu, 3439
 Tanaka, K. see A. Seki, 5044
 Tanaka, M. see I. Popa, 1398
 Tanaka, M., R.S. Duncan, N. McClung, J.S. Yannazzo, S.-Y. Hwang, T. Marunouchi, K. Inokuchi and P. Koulen, Homer proteins control neuronal differentiation through IP₃ receptor signaling, 6145
 Tanaka, T., M. Sawano, K. Ogasahara, Y. Sakaguchi, B. Bagautdinov, E. Katoh, C. Kuroishi, A. Shinkai, S. Yokoyama and K. Yutani, Hyper-thermostability of CutA1 protein, with a denaturation temperature of nearly 150°C, 4224
 Tanaka, T. see T. Yoshida, 5203
 Tanaka, T. see K. Ishimoto, 4929
 Tancharoen, S. see K.K. Biswas, 1696
 Tancharon, S. see K.K. Biswas, 703
 Tandon, N.N. see A. Chabowski, 3617
 Taneike, I., T. Otsuka, S. Dohmae, K. Saito, K. Ozaki, M. Takano, W. Higuchi, T. Takano and T. Yamamoto, Molecular nature of methicillin-resistant *Staphylococcus aureus* derived from explosive nosocomial outbreaks of the 1980s in Japan, 2323
 Tang, B. see Y. Bian, 6007
 Tang, J.W. see N. Sivakumar, 2646
 Tang, R.-H., S.K. Alex Law and S.-M. Tan, Selective recruitment of src family kinase Hck by leukocyte integrin $\alpha_M\beta_2$ but not $\alpha_L\beta_2$ or $\alpha_X\beta_2$, 4435
 Tang, X.-F. see Y. Bian, 6007
 Tang, Z.-Y. see H.-L. Zhang, 469
 Tani, K. see N. Hirao, 6464
 Taniguchi, H. see S. Yasuda, 3375
 Taniguchi, N. see K.-i. Inamori, 627
 Taniguchi, T. see H. Nakamura, 2717
 Taniguchi, Y., H. Tonai-Kachi and K. Shinjo, Zaprinast, a well-known cyclic guanosine monophosphate-specific phosphodiesterase inhibitor, is an agonist for GPR35, 5003
 Tansakul, P., M. Shibuya, T. Kushiro and Y. Ebizuka, Dammareniol-II synthase, the first dedicated enzyme for ginsenoside biosynthesis, in *Panax ginseng*, 5143
 Tao, S.-X. see Y.-C. Li, 4266
 Tarapore, P., K. Shinmura, H. Suzuki, Y. Tokuyama, S.-H. Kim, A. Mayeda and K. Fukasawa, Thr¹⁹⁹ phosphorylation targets nucleophosmin to nuclear speckles and represses pre-mRNA processing, 399
 Taskén, K. see L.M. Grønning, 4126
 Tateishi, Y. see S. Ichiyama, 23
 Tatsuno, I. see T. Yoshida, 5203
 Tauchi, K. see H. Sakai, 3368
 Tavernier, J. see T. Montoye, 3301
 Taylor, C.W. see Y. Liu, 4114
 Taylor, W.R., Topological accessibility shows a distinct asymmetry in the folds of $\beta\alpha$ proteins, 5263
 Tcatchoff, L., C. Nespoulous, J.-C. Pernollet and L. Briand, A single lysyl residue defines the binding specificity of a human odorant-binding protein for aldehydes, 2102
 Technikova-Dobrova, Z. see A.M. Sardanelli, 5690
 Tegoni, M. see V. Campanacci, 4877
 Teixeira, M. see M.M. Pereira, 1350
 Teixeira, M. see V.L. Gonçalves, 1817
 Teixeira, V.P.A. see M.C. Medina, 1528
 Teixeira, V.P.A. see M.C. Medina, 285
 Temkin, B. see L. Klipcan, 1672
 ten Dijke, P. see M. Inamitsu, 6603
 ten Freyhaus, H. see M. Vantler, 6769
 Teng, Q.-Y., J.-Y. Zhou, J.-J. Wu, J.-Q. Guo and H.-G. Shen, Characterization of chicken interleukin 2 receptor α chain, a homolog to mammalian CD25, 4274
 Tennenbaum, T. see N. Yissachar, 6489
 Tennstedt, P. see A. Grzam, 6384
 Teodoro, J., A.P. Rolo, P.J. Oliveira and C.M. Palmeira, Decreased ANT content in Zucker fatty rats: Relevance for altered hepatic mitochondrial bioenergetics in steatosis, 2153
 Teoh, K.H., D.R. Polichuk, D.W. Reed, G. Nowak and P.S. Covello, *Artemisia annua* L. (Asteraceae) trichome-specific cDNAs reveal

- CYP71AV1, a cytochrome P450 with a key role in the biosynthesis of the antimalarial sesquiterpene lactone artemisinin, 1411
- Terada, T. see K. Yamasaki, 2109
- Terada, T. see D. Satoh, 3422
- Teranishi, H. see Y. Fukue, 3485
- Terasaki, A.G. see H. Nakagawa, 3223
- Terlau, H. see S. Zorn, 1360
- Terry, J.L. see S.M. Soond, 4591
- Teshima, T. see H. Hagiwara, 4463
- Teuscher, C. see M. Mihelić, 4195
- Teutloff, C., S. Keßen, J. Kern, A. Zouni and R. Bittl, High-field (94-GHz) EPR spectroscopy on the S₂ multiline signal of photosystem II, 3605
- Theodoulou, F.L., M. Holdsworth and A. Baker, Peroxisomal ABC transporters, 1139
- Thevissen, K. see A.M. Aerts, 1903
- Thiagarajan, D. see S. Tundup, 1285
- Thomas, A. see G. Appendino, 568
- Thomas, B.E. see A. Wittelsberger, 1872
- Thomas, G. see S.G. Dann, 2821
- Thöny-Meyer, L. see U. Ahuja, 216
- Thumm, M. see R. Krick, 4632
- Thuppal, S. see B. Xing, 2027
- Tian, F. see X.-Y. Zhang, 2774
- Tian, L., J.W. Blount and R.A. Dixon, Phenylpropanoid glycosyltransferases from osage orange (*Maclura pomifera*) fruit, 6915
- Tickle, C. see T.G. Smith, 4242
- Ticoll, A. see H.J. Feldman, 1649
- Tielens, A.G.M. see J.J. van Hellemond, 5552
- Tien, P. see W. Yang, 4231
- Tikhonov, D.B., I. Bruhova and B.S. Zhorov, Atomic determinants of state-dependent block of sodium channels by charged local anesthetics and benzocaine, 6027
- Tilleray, V., C. Constantinou and M.J. Clemens, Regulation of protein synthesis by inducible wild-type p53 in human lung carcinoma cells, 1766
- Tilly, G. see M. Pannetier, 3715
- Timms, J.F. see H.-L. Chan, 3229
- Tiribelli, C. see S. Calligaris, 1355
- Titti, F. see R. Masella, 2421
- Titus, S. see R.K. Jha, 5653
- Tivodar, S., S. Paladino, R. Pillich, A. Prinetti, V. Chigorno, G. van Meer, S. Sonnino and C. Zurzolo, Analysis of detergent-resistant membranes associated with apical and basolateral GPI-anchored proteins in polarized epithelial cells, 5705
- Toda, K.-i. see T. Ohtani, 1597
- Togashi, T. see A. Miura, 6871
- Tohgo, A. see T. Miyazaki, 4057
- Toivola, D.M. see P. Strnad, 2351
- Tökési, N. see J. Oláh, 5807
- Tokimitsu, I. see A. Suzuki, 2317
- Tokito, M.K. see L.A. Ligon, 1327
- Tokuda, H. see S.-i. Narita, 1164
- Tokumitsu, H., N. Hatano, S. Yokokura, Y. Sueyoshi, N. Nozaki and R. Kobayashi, Phosphorylation of Numb regulates its interaction with the clathrin-associated adaptor AP-2, 5797
- Tokuyama, Y. see P. Tarapore, 399
- Tolstrup, J. see R. Krick, 4632
- Toma, M.M. see U. Kalnenieks, 5084
- Tomasetti, M., L. Andera, R. Alleva, B. Borghi, J. Neuzil and A. Procopio, α -Tocopheryl succinate induces DR4 and DR5 expression by a p53-dependent route: Implication for sensitisation of resistant cancer cells to TRAIL apoptosis, 1925
- Tomic, S., A.E. Johnson, F.U. Hartl and S.A. Etchells, Exploring the capacity of trigger factor to function as a shield for ribosome bound polypeptide chains, 72
- Tomioka-Kumagai, T. see S. Takasawa, 585
- Tomita, M. see N. Yachie, 6909
- Tomo, Y. see K. Yamasaki, 2109
- Tomoda, K. see A. Fukumoto, 5836
- Tomofuji, T., T. Azuma, H. Kusano, T. Sanbe, D. Ekuni, N. Tamaki, T. Yamamoto and T. Watanabe, Oxidative damage of periodontal tissue in the rat periodontitis model: Effects of a high-cholesterol diet, 3601
- Tonai-Kachi, H. see Y. Taniguchi, 5003
- Tong, M.K. see N.P.Y. Lee, 923
- Tong, Q., L. Zheng, Q. Kang, J. Dodd-o, J. Langer, B. Li, D. Wang and D. Li, Upregulation of hypoxia-induced mitogenic factor in bacterial lipopolysaccharide-induced acute lung injury, 2207
- Tong, W. see J. Wang, 4392
- Tontonoz, P. see M. Chen, 4835
- Toossi, Z. see N. Hasan, 2517
- Torii, R. see A. Yamashita, 4121
- Toro, B. see V. Eisner, 3469
- Torrado, M., B. Nespereira, Y. Bouzamayor, A. Centeno, E. López and A.T. Mikhailov, Differential atrial versus ventricular ANKRD1 gene expression is oppositely regulated at diastolic heart failure, 4183
- Torrente, Y., M. Gavina, M. Belicchi, F. Fiori, V. Komlev, N. Bresolin and F. Rustichelli, High-resolution X-ray microtomography for three-dimensional visualization of human stem cell muscle homing, 5759
- Torres, A.M., M. Tsampazi, C. Tsampazi, E.C. Kennett, K. Belov, D.P. Geraghty, P.S. Bansal, P.F. Alewood and P.W. Kuchel, Mammalian l-to-d-amino-acid-residue isomerase from platypus venom, 1578
- Torres, J. see Q. Yuan, 3192
- Torres, J.M. see S.F. Martin, 4097
- Tossavainen, H., P. Permi, S.L. Purhonen, M. Sarvas, I. Kilpeläinen and R. Seppala, NMR solution structure and characterization of substrate binding site of the PPIase domain of PrsA protein from *Bacillus subtilis*, 1822
- Tournier, C. see E.S. Papadakis, 1320
- Toussaint, O. see S. Zdanov, 6455
- Townsend, J. see M.A. Rodriguez Milla, 904
- Toyomizu, M. see T. Abe, 4815
- Traggiai, E. see D. Voß, 968
- Tramontano, A., The role of molecular modelling in biomedical research, 2928
- Trampczynska, A., C. Böttcher and S. Clemens, The transition metal chelator nicotianamine is synthesized by filamentous fungi, 3173
- Tran, T. see C.Y. Edosada, 1581
- Tran, T.K. see C.I. Svensson, 6629
- Trdan, R.J. see R. Chakrabarti, 862
- Trevisi, L., I. Pighin, S. Bazzan and S. Luciani, Inhibition of 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) endocytosis by ouabain in human endothelial cells, 2769
- Tripathy, J.N. see X. Xu, 6714
- Troiano, L. see R. Ferraresi, 6612
- Trombik, T. see J. Crouzet, 1123
- Troncoso, R. see V. Eisner, 4495
- Trougakos, I.P. see F.L.L. Stratford, 3989
- Truscott, R.J.W. see P.G. Hains, 5071
- Tsampazi, C. see A.M. Torres, 1587
- Tsampazi, M. see A.M. Torres, 1587
- Tsang, P.W.K. see M.-H. Yau, 1465
- Tschopp, J. see C. Grütter, 99
- Tse Sum Bui, B. see M. Seemann, 1547
- Tse, H. see P.C.Y. Woo, 3409
- Tse, H. see P.C.Y. Woo, 4976
- Tsoy, I. see H.J. Kim, 1391
- Tsuchiya, T. see K. Koyama, 3457
- Tsuda, M., K.-H. Seong and T. Aigaki, POSH, a scaffold protein for JNK signaling, binds to ALG-2 and ALIX in *Drosophila*, 3296
- Tsujimoto, M. see Y. Goto, 1833
- Tsukada, K. see H. Sakai, 3368
- Tsukahara, F. see K. Watanabe, 5785
- Tsukatani, Y., R. Miyamoto, S. Itoh and H. Oh-oka, Soluble cytochrome *c-55a*, *CycA*, is not essential for photosynthetic electron transfer in *Chlorobium tepidum*, 2191
- Tsunemi, J. see K. Hongo, 34
- Tsuneyoshi, K. see H.-C. Jeung, 1294
- Tsutsui, T. see H. Nakamura, 2717
- Tuddenham, L., G. Wheeler, S. Ntounia-Fousara, J. Waters, M.K. Hajihosseini, I. Clark and T. Dalmay, The cartilage specific microRNA-140 targets histone deacetylase 4 in mouse cells, 4214
- Tundup, S., Y. Akhter, D. Thiagarajan and S.E. Hasnain, Clusters of PE and PPE genes of *Mycobacterium tuberculosis* are organized in operons: Evidence that PE Rv2431c is co-transcribed with PPE Rv2430c and their gene products interact with each other, 1285
- Tunncliffe, R.B., E.C. Ratcliffe, C.N. Hunter and M.P. Williamson, The solution structure of the PufX polypeptide from *Rhodobacter sphaeroides*, 6967
- Tuominen, I., M. Pollari, E. Tyystjärvi and T. Tyystjärvi, The SigB factor mediates high-temperature responses in the cyanobacterium *Synechocystis* sp. PCC6803, 319
- Tuominen, I., M. Pollari, E. Tyystjärvi and T. Tyystjärvi, The SigB σ factor mediates high-temperature responses in the cyanobacterium *Synechocystis* sp. PCC6803, 319

Turecek, P.L. see H.-L. Chan, 3229
 Turk, D. see M. Mihelič, 4195
 Turk, V. see M. Mihelič, 4195
 Turk, V. see V. Stoka, 3739
 Turu, G., L. Szidonya, Z. Gáborik, L. Buday, A. Spät, A.J.L. Clark and L. Hunyady, Differential β -arrestin binding of AT₁ and AT₂ angiotensin receptors, 41
 Tusnády, G.E., B. Sarkadi, I. Simon and A. Váradi, Membrane topology of human ABC proteins, 1017
 Twomey, C. and J.V. McCarthy, Presenilin-1 is an unprimed glycogen synthase kinase-3 β substrate, 4015
 Tytgat, J. see Y. Abdel-Mottaleb, 6254
 Tytgat, J. see E. Cuypers, 5728
 Tytgat, J. see Y. Abdel-Mottaleb, 592
 Tyystjärvi, E. see I. Tuominen, 319
 Tyystjärvi, T. see I. Tuominen, 319

U

Ubbink, M. see X. Xu, 6714
 Uchida, C., S. Miwa, T. Isobe, K. Kitagawa, T. Hattori, T. Oda, H. Yasuda and M. Kitagawa, Effects of MdmX on Mdm2-mediated downregulation of pRB, 1753
 Uchida, C. see J. Fanghänel, 3237
 Uchida, K. see C.G. Schalkwijk, 1565
 Uchida, K. see C.G. Schalkwijk, 2400
 Uchida, T. see J. Fanghänel, 3237
 Uchida, Y. see W.M. Holleran, 5456
 Uchimura, T. see Y. Nakajima, 613
 Uchimura, T. see Y. Nakajima, 1909
 Uda, A. see T. Miyazaki, 4057
 Udvardi, M.K. see C.C. Wood, 3931
 Ueda, A. see T. Mihara, 4991
 Ueda, K. see S. Abe-Dohmae, 1178
 Ueda, K. see M. Mitsushima, 4288
 Ueda, K. see S. Nagao, 4371
 Ueda, T. see S. Umekage, 1222
 Ueda, Y. see T. Matsumoto, 731
 Uekawa, N. see Y. Murata, 6093
 Ueki, C. see T. Akihiro, 5947
 Ueki, Y., M. Inoue, S. Kurose, K. Kataoka and T. Sakurai, Mutations at Asp112 adjacent to the trinuclear Cu center in CueO as the proton donor in the four-electron reduction of dioxygen, 4069
 Uemura, C. see K. Hongo, 34
 Uemura, N. see S. Minamisawa, 2247
 Ueno, K. see T. Hirata, 5117
 Ueno, K. see T. Yoshida, 5203
 Ueno, T. see T. Yoshida, 2788
 Uesugi, Y. see J. Arima, 912
 Ugarte, M. see C. Aguado, 1697
 Ukai, M. see H. Sakai, 3368
 Ulbert, S., W. Antonin, M. Platani and I.W. Mattaj, The inner nuclear membrane protein Lem2 is critical for normal nuclear envelope morphology, 6435
 Ullrich, A. see I. Bhattacharya, 5765
 Ullrich, K. see C. Hartwig, 3489
 Ullrich, R. see P.J. Hohensinner, 3532
 Umekage, S. and T. Ueda, Spermidine inhibits transient and stable ribosome subunit dissociation, 1222
 Umezawa, T. see T. Akihiro, 5947
 Underhaug, J., L.O. Jakobsen, M. Esmann, A. Malmendal and N.C. Nielsen, NMR studies of the fifth transmembrane segment of Na⁺,K⁺-ATPase reveals a non-helical ion-binding region, 4777
 Üner Kolukisaoglu, H. see B. Schulz, 1010
 Ung, K.S.E. and Y. Av-Gay, Mycothiol-dependent mycobacterial response to oxidative stress, 2712
 Uno, Y. see M.A. Rodriguez Milla, 904
 Unoki, H. see T. Hirata, 5117
 Unson, C.G. see C. Merlen, 5697
 Unzai, S. see H. Chida, 3763
 Uraji, M. see J. Arima, 912
 Uriarte, E. see G. Agüero-Chapin, 723
 Urig, S., J. Lieske, K. Fritz-Wolf, A. Irmeler and K. Becker, Truncated mutants of human thioredoxin reductase 1 do not exhibit glutathione reductase activity, 3595
 Urós, E.M. see S. Sauret-Güeto, 736
 Utama, B. see J. Wang, 2779
 Uuille, J.-P. see C. Sabin, 983
 Uyeda, T.Q.P. see K. Konishi, 3589

V

Vacquier, V.D. see H.J. Gunaratne, 3900
 Vacratsis, P.O. see S.J. Juris, 179
 Vaculová, A., J. Hofmanová, K. Souček and A. Kozubík, Different modulation of TRAIL-induced apoptosis by inhibition of pro-survival pathways in TRAIL-sensitive and TRAIL-resistant colon cancer cells, 6565
 Vadrot, N. see M. Lasfer, 2547
 Vaiman, D. see M. Pannetier, 3715
 Vakkasoglu, A.S., J.E. Morgan, D. Han, A.S. Pawate and R.B. Genis, Mutations which decouple the proton pump of the cytochrome *c* oxidase from *Rhodobacter sphaeroides* perturb the environment of glutamate 286, 4613
 Valadez-Graham, V. see E. Rebollar, 642
 Valdivieso, M.-H. see M.R. Sharifmoghadam, 4457
 Vallender, T.W. and B.T. Lahn, Localized methylation in the key regulator gene *endothelin-1* is associated with cell type-specific transcriptional silencing, 4560
 Valnickova, Z. see A.V. Due, 1485
 van Antwerpen, R. see M.L. Ruffail, 5155
 van Beelen, V.A., J.M.M.J.G. Aarts, A. Reus, H. Mooibroek, L. Sijtsma, D. Bosch, I.M.C.M. Rietjens and G.M. Alink, Differential induction of electrophile-responsive element-regulated genes by *n*-3 and *n*-6 polyunsaturated fatty acids, 4587
 Van Berkel, T.J.C. see M. Pennings, 5588
 van Bezu, J. see C.G. Schalkwijk, 1565
 van Bezu, J. see C.G. Schalkwijk, 2400
 Van Damme, E.J.M. see N. Lannoo, 6329
 van de Wetering, K. see P. Borst, 1085
 van den Brink, D.M. see J. Gloerich, 2092
 van den Broek, W.J.A.A., M.R. Nelen, G.W. van der Heijden, D.G. Wansink and B. Wieringa, *Fen1* does not control somatic hypermutability of the (CTG)_n/(CAG)_n repeat in a knock-in mouse model for DM1, 5208
 van der Heijden, G.W. see W.J.A.A. van den Broek, 5208
 van der Klei, I.J. see P. Ozimek, 46
 van der Merwe, J.A., M. Takenaka, J. Neuwirt, D. Verbitskiy and A. Brennicke, RNA editing sites in plant mitochondria can share *cis*-elements, 268
 van der Schors, R.C. see C.G. Schalkwijk, 1565
 van der Schors, R.C. see C.G. Schalkwijk, 2400
 van der Spoel, D. see C. Hetényi, 1447
 van der Zee, R. see C. Habich, 115
 van Die, I. see E. van Liempt, 6123
 Van Haastert, P.J.M. see J.M. Goldberg, 2059
 van Heerden, P.D.R. see K. Groten, 1269
 van Hellemond, J.J. and A.G.M. Tielens, Adaptations in the lipid metabolism of the protozoan parasite *Trypanosoma brucei*, 5552
 van Hinsbergh, V.W.M. see C.G. Schalkwijk, 1565
 van Hinsbergh, V.W.M. see C.G. Schalkwijk, 2400
 van Lenthe, H. see R.H. Houtkooper, 3059
 van Liempt, E., C.M.C. Bank, P. Mehta, J.J. Garcia-Vallejo, Z.S. Kavar, R. Geyer, R.A. Alvarez, R.D. Cummings, Y.v. Kooyk and I. van Die, Specificity of DC-SIGN for mannose- and fucose-containing glycans, 6123
 Van Lijsebettens, M. see R. Vanderhaeghen, 2630
 van Meer, G. see U.-I. Flügge, 997
 van Meer, G., D. Halter, H. Sprong, P. Somerharju and M.R. Egmond, ABC lipid transporters: Extruders, flippases, or floppers activators?, 1171
 van Meer, G. see B. Helms, 5429
 van Meer, G. see S. Tivodar, 5705
 Van Montagu, M. see R. Vanderhaeghen, 2630
 Van Roy, F. see T. Denayer, 393

- Van Schaftingen, E. see T. Kardon, 2347
 Van Thuan, N. see S. Kishigami, 1801
 Van Wagoner, D.R. see J. Eldstrom, 6039
 Van Wormhoudt, A. see D. Duplat, 2435
 Vanacker, H. see K. Groten, 1269
 Vance, D.E., Fundamental research is the basis for understanding and treatment of many human diseases, 5430
 Vance, J.E., Lipid imbalance in the neurological disorder, Niemann-Pick C disease, 5518
 Vandekerckhove, J. see T. Montoye, 3301
 Vanderhaeghen, R., R. De Clercq, M. Karimi, M. Van Montagu, P. Hilson and M. Van Lijsebettens, Leader sequence of a plant ribosomal protein gene with complementarity to the 18S rRNA triggers in vitro cap-independent translation, 2630
 Vanoni, M. see E. Sacco, 6322
 Vantler, M., M. Huntgeburth, E. Caglayan, H. ten Freyhaus, P. Schnabel and S. Rosenkranz, PI3-kinase/Akt-dependent antiapoptotic signaling by the PDGF α receptor is negatively regulated by Src family kinases, 6769
 Váradi, A. see G.E. Tusnády, 1017
 Váradi, A. see M. Müller, 6139
 Varbiro, G. see A. Szigeti, 6447
 Varga, A., B. Flachner, P. Konarev, É. Gráczer, J. Szabó, D. Svergun, P. Závodszy and M. Vas, Substrate-induced double sided H-bond network as a means of domain closure in 3-phosphoglycerate kinase, 2698
 Vari, R. see R. Masella, 2421
 Varona-Santos, J. see G. Agüero-Chapin, 723
 Varotto, S. see E. Formentin, 5009
 Vas, M. see A. Varga, 2698
 Vatanpour, H. see Y. Abdel-Mottaleb, 6254
 Vaughan, O.A. see R. Fernández-Lloris, 1215
 Vaultier, M.-N., C. Cantrel, C. Vergnolle, A.-M. Justin, C. Demandre, G. Benhassaine-Kesri, D. Çiçek, A. Zachowski and E. Ruelland, Desaturase mutants reveal that membrane rigidification acts as a cold perception mechanism upstream of the diacylglycerol kinase pathway in *Arabidopsis* cells, 4218
 Vavasseur, A. see L. Gayet, 6891
 Vaz, F.M. see R.H. Houtkooper, 3059
 Vázquez, M. see E. Rebollar, 642
 Vecchio, L.D. see M. Caterino, 6527
 Vecino, A.J. see I. Hormaeche, 3075
 Veenhuis, M. see P. Ozimek, 46
 Végh, B.M. see A. Muskotál, 3916
 Velasco, G. see A. Carracedo, 1571
 Velloso, L.A. see J.C. Moraes, 4625
 Velloso, L.A. see P.O. Prada, 4889
 Vener, A.V. see A. Shapiguzov, 3671
 Ventura, F. see R. Fernández-Lloris, 1215
 Ventura, S. see N.S. de Groot, 6471
 Verbitskiy, D. see J.A. van der Merwe, 268
 Vercellotti, G.M. see J. Wang, 2779
 Verdonck, F. see Q.F.M. Remijsen, 6206
 Verdugo, P. see I. Quesada, 2201
 Vergnolle, C. see M.-N. Vaultier, 4218
 Verkhatsky, A. see D. Burdakov, 463
 Verkman, A.S. see B. Yang, 6679
 Vernick, K. see B. Boisson, 1988
 Vertommen, D. see T. Kardon, 2347
 Vibranovski, M.D., N.J. Sakabe and S.J. de Souza, A possible role of exon-shuffling in the evolution of signal peptides of human proteins, 1621
 Vicente, J.B. see V.L. Gonçalves, 1817
 Vicente, M. see M. Tadros, 4941
 Vicogne, J. see C. Dissous, 2968
 Victor, J.-M. see J. Mozziconacci, 368
 Vidal, M. see N. Hanna, 2477
 Vidaud, M. see N. Hanna, 2477
 Viehrig, C. see J. Ziegler, 2033
 Vigneron, P. see B. Guezguez, 3649
 Vignes, C. see R. Ortíz-Alvarado, 5371
 Vijayan, M. see K.A. Kulkarni, 2808
 Vijayaraghavan, S. see R. Chakrabarti, 862
 Vikström, E., F. Tafazoli and K.-E. Magnusson, *Pseudomonas aeruginosa* quorum sensing molecule *N*-(3-oxododecanoyl)-l-homoserine lactone disrupts epithelial barrier integrity of Caco-2 cells, 6921
 Vilasi, S., R. Dosi, C. Iannuzzi, C. Malmo, A. Parente, G. Irace and I. Sirangelo, Kinetics of amyloid aggregation of mammal apomyoglobins and correlation with their amino acid sequences, 1681
 Villalta, F. see K.J. Simmons, 2365
 Villani, M. see S. Elojeimy, 4751
 Vilotte, J.-L. see M. Pannetier, 3715
 Viña, J.R. see R.A. Hawkins, 4382
 Vincze, O. see J. Oláh, 5807
 Vindal, V. see S. Yellaboina, 2567
 Vingron, M. see T. Zemojtel, 455
 Viora, M. see A.M. Giammarioli, 3335
 Viseu Melo, L. see Y. Reis, 4673
 Visweswariah, S.S. see A.R. Shenoy, 3344
 Vitte, A.-L., S. Buchsbaum and P. Jalinot, Modulation of HIV-1 Rev protein abundance and activity by polyubiquitination with unconventional Lys-33 branching, 6155
 Vivès, C. see G. Tabarani, 2402
 Vlčková, A. see L. Hendrickson, 4959
 Vlemminckx, K. see T. Denayer, 393
 Vliegthart, J.F.G. see C.H. Grün, 3780
 Vliegthart, J.F.G., Carbohydrate based vaccines, 2945
 Vogel, G. see A.M. Riley, 324
 Vogel, H. see B.H. Meyer, 1654
 Vogel, W.F. see D.H.H. Koo, 15
 Volkmer, J. see A. Weitzmann, 5237
 Volpicella, M. see F. De Leo, 949
 von Figura, K. see F. Deuschl, 5747
 von Heijne, G. see C. Lundin, 2281
 von Montfort, C. see J.I. Beier, 1859
 Vonderviszt, F. see A. Muskotál, 3916
 Voß, D., A. Kern, E. Traggiai, M. Eickmann, K. Stadler, A. Lanzavecchia and S. Becker, Characterization of severe acute respiratory syndrome coronavirus membrane protein, 968
 Vorholt, J.A. see C.G. Nieto Penálver, 561
 Vottero, E., D.A. Mitchell, M.J. Page, R.T.A. MacGillivray, I.J. Sadowski, M. Roberge and A. Grant Mauk, Cytochrome *b*₅ is a major reductant in vivo of human indoleamine 2,3-dioxygenase expressed in yeast, 2265
 Vukojević, V. see L. Hugonin, 3201
 Vuori, K. see C. Derunes, 175
 Vuylsteke, M. see T. Aelbrecht, 4155

W

- Wada, K. see S. Kitaoka, 137
 Wagner, K. see C. Lundin, 2281
 Wakamoto, A. see Y. Yamazaki, 2667
 Wakatsuki, T. see M. Arai, 184
 Wakayama, S. see S. Kishigami, 1801
 Wakayama, T. see S. Kishigami, 1801
 Wakitani, Y. see T. Ohki, 5054
 Wakoh, T. see Y. Murata, 6093
 Walker, J.M. see R. Chakrabarti, 862
 Walkinshaw, M.D. see C. Wardrope, 1677
 Walkinshaw, M.D. see D. Mok, 2761
 Walma, T., Spotlight on... Veli-Pekka Lehto, 357
 Walma, T., Spotlight on... Takashi Gojbori. Editor of *FEBS Letters* since 1997, 2159
 Walma, T., Spotlight on... Judit Ovádi, Editor of *FEBS Letters* since 2000, 2401
 Walma, T., *Featuring*... Theresia Stradal. Winner of the 2006 *FEBS Letters* Award for Young Scientists, 2810
 Walma, T., Spotlight on... Stuart Ferguson. Editor of *FEBS Letters* since 2001, 2993
 Walma, T., Spotlight on... Ulrike Kutay. Editor of *FEBS Letters* since 2002, 4573
 Walma, T., Spotlight on... Varda Rotter. Editor of *FEBS Letters* since 2003, 4763
 Walma, T., Spotlight on... Jesús Avila. Editor of *FEBS Letters* since 1997, 5611
 Walsh, M.J. see M.S. Banck, 6981
 Wamstad, J.A. see R. Arrigoni, 6233
 Wamstad, J.A. see R. Arrigoni, 6754
 Wan, M., X. Wu, K.-L. Guan, M. Han, Y. Zhuang and T. Xu, Muscle atrophy in transgenic mice expressing a human TSC1 transgene, 5621

- Wanders, R.J.A. see J. Gloerich, 2092
Wanders, R.J.A. see J.C. Komen, 3794
Wanders, R.J.A. see R.H. Houtkooper, 3059
Wanders, R.J.A. see V.I. Bunik, 3551
Wang, B., P. Chen, D.-S. Huang, J.-j. Li, T.-M. Lok and M.R. Lyu, Predicting protein interaction sites from residue spatial sequence profile and evolution rate, 380
Wang, C. see Z. Zhao, 2750
Wang, C.-L.A. see R. Huang, 63
Wang, D. see Q. Tong, 2207
Wang, E.S. see R. Moharram, 3391
Wang, H., Q. Zhang, B. Cai, H. Li, K.-H. Sze, Z.-X. Huang, H.-M. Wu and H. Sun, Solution structure and dynamics of human metallothionein-3 (MT-3), 795
Wang, H., X. Sun, Y. Luo, Z. Lin and J. Wu, Adapter protein NRBP associates with Jab1 and negatively regulates AP-1 activity, 6015
Wang, H. see R. Bash, 4757
Wang, J. see S. Locovei, 239
Wang, J.-Y. see L. Di, 685
Wang, J. see M.-H. Yau, 1465
Wang, J., S. Yuan and S. Jiang, Corrigendum to: "The ribosomal protein L32-2 (RPL32-2) of *S. pombe* exhibits a novel extraribosomal function by acting as a potential transcriptional regulator" [FEBS Lett. 580 (2006) 1827–1832], 2529
Wang, J., Y.H. Shen, B. Utama, Wang, J., S.A. LeMaire, J.S. Coselli, G.M. Vercellotti and X.L. Wang, HCMV infection attenuates hydrogen peroxide induced endothelial apoptosis – involvement of ERK pathway, 2779
Wang, J. see S. Locovei, 239
Wang, J., Y.H. Shen, B. Utama, Wang, J., S.A. LeMaire, J.S. Coselli, G.M. Vercellotti and X.L. Wang, HCMV infection attenuates hydrogen peroxide induced endothelial apoptosis – involvement of ERK pathway, 2779
Wang, J. see Y. Wang, 3787
Wang, J., W. Tong, X. Zhang, L. Chen, Z. Yi, T. Pan, Y. Hu, L. Xiang and Z. Yuan, Hepatitis C virus non-structural protein NS5A interacts with FKBP38 and inhibits apoptosis in Huh7 hepatoma cells, 4392
Wang, J.-G. see G.C. Bao, 3687
Wang, J.-Z. see Q.-G. Ren, 2503
Wang, L. see G. Zhang, 1383
Wang, L., Z. Yang, Y. Li, F. Yu, P.J. Brindley, D.P. McManus, D. Wei, Z. Han, Z. Feng, Y. Li and W. Hu, Reconstruction and in silico analysis of the MAPK signaling pathways in the human blood fluke, *Schistosoma japonicum*, 3677
Wang, L.-f. see D.-m. Gao, 1702
Wang, L.-y. and K. Shiozaki, The fission yeast stress MAPK cascade regulates the *pmp3⁺* gene that encodes a highly conserved plasma membrane protein, 2409
Wang, Q. see G. Niu, 415
Wang, Q.-Z. see Y.-C. Li, 4266
Wang, S. see C. Lu, 5189
Wang, S. see J. Chen, 3624
Wang, S.-M. see C.-Y. Lin, 3042
Wang, S.M. see Y.C. Kim, 6721
Wang, S.W. see A. Gómez-Muñoz, 716
Wang, T. see N. Liu, 5321
Wang, T.V. see W.-Y. Sheng, 6819
Wang, W. see H.Z. Zhu, 4346
Wang, X. see E.S. Papadakis, 1320
Wang, X. see G. Zhang, 1383
Wang, X. see H. Xu, 3610
Wang, X.-F. see J. Neuzil, 5125
Wang, X.L. see J. Wang, 2779
Wang, Y. see D.-m. Gao, 1702
Wang, Y. and F.C.C. Leung, Long inverted repeats in eukaryotic genomes: Recombinogenic motifs determine genomic plasticity, 1277
Wang, Y. see M. Ming, 6749
Wang, Y., J. Wang and G. Li, Leucine zipper-like domain is required for tumor suppressor ING2-mediated nucleotide excision repair and apoptosis, 3787
Wang, Y. see Y. Li, 6800
Wang, Y.-L. see T.-J. Zhao, 3835
Wang, Y.-P. see Y.-C. Sun, 1521
Wang, Y.-Q. see J. Chen, 3624
Wang, Y.-X. see Z.-H. Zhang, 6169
Wang, Z.-F. see Q.-G. Ren, 2503
Wang, Z.-H. see Z.-H. Zhang, 6169
Wangoo, K. see D. Mok, 2761
Wanker, E.E. see W. Weidemann, 6649
Wansink, D.G. see W.J.A.A. van den Broek, 5208
Ward, A. see C.L. Reyes, 1042
Ward, Y. see Y. Opatowsky, 5959
Wardrope, C., C.G. Mowat, M.D. Walkinshaw, G.A. Reid and S.K. Chapman, Fumarate reductase: Structural and mechanistic insights from the catalytic reduction of 2-methylfumarate, 1677
Watanabe, K. and A. Yamagishi, The effects of multiple ancestral residues on the *Thermus thermophilus* 3-isopropylmalate dehydrogenase, 3867
Watanabe, K. see N. Gurusamy, 1932
Watanabe, K. see T. Nishida, 2731
Watanabe, K. see T. Nishida, 6690
Watanabe, K. see Y. Orikasa, 4423
Watanabe, K., T. Fuse, I. Asano, F. Tsukahara, Y. Maru, K. Nagata, K. Kitazato and N. Kobayashi, Identification of Hsc70 as an influenza virus matrix protein (M1) binding factor involved in the virus life cycle, 5785
Watanabe, M. see K. Kita, 199
Watanabe, M. see T. Miyazaki, 4057
Watanabe, N., Y. Nishihara, T. Yamaguchi, A. Koito, H. Miyoshi, H. Kakeya and H. Osada, Fumagillin suppresses HIV-1 infection of macrophages through the inhibition of Vpr activity, 2598
Watanabe, S. see S. Oshima, 1251
Watanabe, S. see S. Yasuda, 3375
Watanabe, S. see S. Oshima, 6519
Watanabe, S. see A. Miura, 6871
Watanabe, T. see T. Tomofuji, 3601
Watanabe, Y. see K. Ishimoto, 4929
Waterfield, M.D. see H.-L. Chan, 3229
Waterham, H.R., Defects of cholesterol biosynthesis, 5442
Waterhouse, P.M. see R. Margis, 2442
Waterman, M.R. see S. Rupasinghe, 6338
Waters, J. see L. Tuddenham, 4214
Waters, T.R., J. Eryilmaz, S. Geddes and T.E. Barrett, Damage detection by the UvrABC pathway: Crystal structure of UvrB bound to fluorescein-adducted DNA, 6423
Watson, J.M. see R. Margis, 2442
Watson, R.W.G., A. O'Neill, A.E. Brannigan, R. Coffey, J.C. Marshall, H.R. Brady and J.M. Fitzpatrick-Flügge, U.-I. and G. van Meer, Corrigendum to "Regulation of Fas antibody induced neutrophil apoptosis is both caspase and mitochondrial dependent" [FEBS Lett. 453 (1999) 67–71], 996
Wauman, J. see T. Montoye, 3301
Waye, M.M.-Y. see P.Y.P. Law, 3643
Webber, A.N. see R. Subramanyam, 233
Weber, J. see H.Z. Mao, 4131
Weckesser, J. see M. Kraft, 6943
Wehenkel, A., P. Fernandez, M. Bellinzoni, V. Catherinot, N. Barilone, G. Labesse, M. Jackson and P.M. Alzari, The structure of PknB in complex with mitoxantrone, an ATP-competitive inhibitor, suggests a mode of protein kinase regulation in mycobacteria, 3018
Wehkamp, J., H. Chu, B. Shen, R.W. Feathers, R.J. Kays, S.K. Lee and C.L. Bevins, Paneth cell antimicrobial peptides: Topographical distribution and quantification in human gastrointestinal tissues, 5344
Wei, D. see L. Wang, 3677
Wei, J. see S.C. Linn, 6217
Weidemann, W., U. Stelzl, U. Lisewski, K. Bork, E.E. Wanker, S. Hinderlich and R. Horstkorte, The collapsin response mediator protein 1 (CRMP-1) and the promyelocytic leukemia zinc finger protein (PLZF) bind to UDP-*N*-acetylglucosamine 2-epimerase/*N*-acetylmannosamine kinase (GNE), the key enzyme of sialic acid biosynthesis, 6649
Weiergräber, O.H., A. Eckhoff and J. Granzin, Crystal structure of a plant immunophilin domain involved in regulation of MDR-type ABC transporters, 251
Weihe, E. see R. Mandic, 4793
Weiss, I.M., V. Schönitzer, N. Eichner and M. Sumper, The chitin synthase involved in marine bivalve mollusk shell formation contains a myosin domain, 1846
Weitzmann, A., J. Volkmer and R. Zimmermann, The nucleotide exchange factor activity of Grp170 may explain the non-lethal phenotype of loss of Sill function in man and mouse, 5237
Wellmann, F., M. Griesser, W. Schwab, S. Martens, W. Eisenreich, U. Matern and R. Lukačín, Anthocyanidin synthase from *Gerbera hybrida* catalyzes the conversion of (+)-catechin to cyanidin and a novel procyanidin, 1642
Wempe, F. see M. Lutz, 3921
Wenger, R.H. see S. Hägele, 3731

- Wenk, M.R., Lipidomics of host-pathogen interactions, 5541
 Wermuth, B. see M.A. Sciotti, 67
 Werner, H. see C. Glait, 5268
 Werner, J.A. see R. Mandic, 4793
 Werner, J.M. see E.S. Pilka, 273
 Wheeler, G. see L. Tuddenham, 4214
 Wheeler, G., S. Ntonuia-Fousara, B. Granda, T. Rathjen and T. Dalmay, Identification of new central nervous system specific mouse microRNAs, 2195
 Whitaker, S.L. see S. Babu, 1479
 Whitelegge, J.P. see L.V. Bindschedler, 1541
 Whiteway, M. see M. Wu, 3246
 Wickramarachchi, D. see S.S. Singhal, 2258
 Wicky, S. see C. Böttcher, 633
 Wieringa, B. see W.J.A.A. van den Broek, 5208
 Wiesenthal, A. see A. Icking, 223
 Wiesenthal, A. see A. Icking, 223
 Wiesmann, C. see C.Y. Edosada, 1581
 Wiesner, S. see M. Fischer, 2495
 Wilke, M. see C. Norez, 2081
 Wilkens, S. see Z. Zhang, 2006
 Willems, J. see J. Hoeks, 1371
 Willems, J. see Q.F.M. Remijns, 6206
 Williamson, M.P. see C.A. Potter, 3206
 Williamson, M.P. see R.B. Tunnicliffe, 6967
 Wilmanns, M. see S. Müller, 341
 Wilmanns, M. see S.J. Holton, 6898
 Wilson, A. and F. Radtke, Multiple functions of Notch signaling in self-renewing organs and cancer, 2860
 Wiman, K.G. see C. Méndez Vidal, 4401
 Wimmerová, M. see C. Sabin, 982
 Winblad, B. see J.-J. Pei, 107
 Winderickx, J. see A.M. Aerts, 1903
 Windpassinger, C. see C. Lundin, 2281
 Wion, D. see D. Ratel, 3179
 Wirtz, K.W.A., Phospholipid transfer proteins in perspective, 5436
 Witchel, H.J. see J.M. Ridley, 1999
 Withers, S.G. see Y.-W. Kim, 4377
 Wittelsberger, A., B.E. Thomas, D.F. Mierke and M. Rosenblatt, Methionine acts as a "magnet" in photoaffinity crosslinking experiments, 1872
 Witz, G. see J. Adamcik, 5671
 Wlodawer, A., A. Pavlovsky and A. Gustchina, Corrigendum to "Crystal structure of human recombinant interleukin-4 at 2.25Å resolution" [FEBS Lett. 309 (1992) 59-64], 3340
 Wojta, J. see P.J. Hohensinner, 3532
 Wolf, B.B. see C.Y. Edosada, 1581
 Wolf, G. see G. Zahner, 2523
 Wolfe, J. see S. Hägele, 3731
 Wolff, M. see M. Seemann, 1547
 Wolff, S., M. Stöter, G. Giamas, M. Piesche, D. Henne-Bruns, G. Banting and U. Knippschild, Casein kinase 1 delta (CK1δ) interacts with the SNARE associated protein snapin, 6477
 Wolins, N.E., D.L. Brasaemle and P.E. Bickel, A proposed model of fat packaging by exchangeable lipid droplet proteins, 5484
 Wolkenhauer, O. see S.-Y. Shin, 5965
 Wolpin, E.S. see J.M. Goldberg, 2059
 Won, M.H. see S.H. Choi, 6755
 Won, S.-J. see C.-L. Su, 3185
 Wong, E.Y.L. see Y. Zhou, 4303
 Wong, K.-L. see M.-L. He, 2414
 Wong, N. see P.M. Hau, 4727
 Wong, N.C.W. see S. Nagao, 4371
 Wong, P. see G. Butland, 677
 Wong, R.N.S. see K.W. Leung, 3211
 Woo, D.-H. see B.-K. Kim, 5869
 Woo, J.H. see S.-W. Ryu, 988
 Woo, K.-M. see S.-I. Ko, 3217
 Woo, P.C.Y., K.T.K. Chong, H. Tse, J.J. Cai, C.C.Y. Lau, A.C. Zhou, S.K.P. Lau and K.-y. Yuen, Genomic and experimental evidence for a potential sexual cycle in the pathogenic thermal dimorphic fungus *Penicillium marneffei*, 3409
 Woo, P.C.Y., K.T.K. Chong, H. Tse, J.J. Cai, C.C.Y. Lau, A.C. Zhou, S.K.P. Lau and K.-y. Yuen, Corrigendum to "Genomic and experimental evidence for a potential sexual cycle in the pathogenic thermal dimorphic fungus *Penicillium marneffei*" [FEBS Lett. 580 (2006) 3409-3416], 4976
 Wood, B.R. see T.J. Egan, 5105
 Wood, C.C., F. Porée, I. Dreyer, G.J. Koehler and M.K. Udvardi, Mechanisms of ammonium transport, accumulation, and retention in oocytes and yeast cells expressing *Arabidopsis* AtAMT1;1, 3931
 Wood, J.L. see C.R. Polycarpo, 6695
 Woods Jr., V.L. see C. Derunes, 175
 Wörmke, S. see T.H.P. Brotosudarmo, 5257
 Wrobel, E. see A. Gizak, 4042
 Wu, D.-m. see J. Lu, 6730
 Wu, H.-M. see H. Wang, 795
 Wu, J. see H. Wang, 6015
 Wu, J. see M. Ming, 6749
 Wu, J.-C. see C.-Y. Lin, 3042
 Wu, J.-J. see Q.-Y. Teng, 4274
 Wu, J.-Y. see J.-R. Ko, 3804
 Wu, M. see B. Coblitz, 1531
 Wu, M., Z. Yu, J. Fan, A. Caron, M. Whiteway and S.-H. Shen, Functional dissection of human protease μ -calpain in cell migration using RNAi, 3246
 Wu, M., B. Coblitz, S. Shikano, S. Long, M. Spieker, A.G. Frutos, S. Mukhopadhyay and M. Li, Phospho-specific recognition by 14-3-3 proteins and antibodies monitored by a high throughput label-free optical biosensor, 5681
 Wu, M.K. see H.-J. Pan, 5953
 Wu, Q. see H. Ogawa, 5377
 Wu, X., T. Sakamoto, F. Zhang, J.R. Sellers and J.A. Hamner, In vitro reconstitution of a transport complex containing Rab27a, melanophilin and myosin Va, 5863
 Wu, X. see M. Wan, 5621
 Wu, Y. see H. Chen, 3145
 Wu, Y.-Q. see X.-Y. Zhang, 2774
 Wu, Z. see C. Huang, 1795
 Wünschmann, J. see U. Krause-Buchholz, 2553
 Wurm, C.A. and S. Jakobs, Differential protein distributions define two sub-compartments of the mitochondrial inner membrane in yeast, 5628
- ## X
- Xi, J. see G. Zhang, 1383
 Xia, D. see S.V. Ambudkar, 1049
 Xia, Y.-J. see X.-Y. Zhang, 2774
 Xiang, L. see J. Wang, 4392
 Xiang, X. see S. Park, 6405
 Xiao, H., V. Jackson and M. Lei, The FK506-binding protein, Fpr4, is an acidic histone chaperone, 4357
 Xiao, H.-S. see J. Huang, 3571
 Xiao, L.-J. see Y.-C. Li, 4266
 Xiaolei, Z. see Y. Changchun, 6242
 Xie, C. see X.-G. Zhen, 5733
 Xie, Y.-h. see D.-m. Gao, 1702
 Xin, H. see F. Alimirah, 1659
 Xin, H. see F. Alimirah, 2294
 Xin, H.-P. see J. Ning, 1747
 Xing, B., S. Thuppal, A. Jedsadayanmata, X. Du and S.C.-T. Lam, TA205, an anti-talin monoclonal antibody, inhibits integrin-talin interaction, 2027
 Xiong, T.-C. see N. Lannoo, 6329
 Xu, C. see R.W. Harper, 5150
 Xu, C. see C. Lu, 5189
 Xu, H. see L. Grant, 5399
 Xu, H., X. Wang, Z. Du and N. Li, Identification of microRNAs from different tissues of chicken embryo and adult chicken, 3610
 Xu, J. see B. Boisson, 1988
 Xu, J. see C. Lu, 5189
 Xu, L.-G. see J. Huang, 940
 Xu, Q. see X. Zuo, 4508
 Xu, T. see M. Wan, 5621
 Xu, W. see M. Sekiya, 5016
 Xu, X., S.-K. Kim, P. Schürmann, M. Hirasawa, J.N. Tripathy, J. Smith, D.B. Knaff and M. Ubbink, Ferredoxin/ferredoxin-thioredoxin reductase complex: Complete NMR mapping of the interaction site on ferredoxin by gallium substitution, 6714
 Xu, Y. see X. Lu, 2238
 Xuan, Z. see Y.C. Kim, 6721

Xue, B. see H. Chen, 3145
 Xue, B. see J. Chen, 3624
 Xue, J.L. see H.Z. Zhu, 4346

Y

- Yabe, Y. see Y. Higuchi, 3706
 Yabuki, T. see K. Yamasaki, 2109
 Yachie, N., K. Arakawa and M. Tomita, On the interplay of gene positioning and the role of rho-independent terminators in *Escherichia coli*, 6909
 Yadav, S. see S.S. Singhal, 2258
 Yagi, T. see B.B. Seo, 6105
 Yagi, T. see R. Yamamoto, 6357
 Yaksh, T.L. see C.I. Svensson, 6629
 Yam, J.W.P. see D.C.-H. Ng, 191
 Yamada, A. see T. Nishida, 2731
 Yamada, G. see H. Katoh, 1607
 Yamada, M. see M. Iijima, 1365
 Yamada, S. see H. Chida, 3763
 Yamada, T. see D. Takei, 5635
 Yamada, T., M. Maruyama, T. Fujita, K. Miyabayashi, C. Shinoda, Y. Kawagishi, T. Fujishita, R. Hayashi, T. Miwa, N. Arai, S. Matsui, E. Sugiyama and M. Kobayashi, Ionizing radiation suppresses FAP-1 mRNA level in A549 cells via p53 activation, 4387
 Yamada, Y. see X.-G. Zhen, 5733
 Yamagata, Y. see T. Sato, 491
 Yamagishi, A. see K. Watanabe, 3867
 Yamagishi, S.-i. see T. Yoshida, 2788
 Yamaguchi, K., Y. Takahashi, T. Berberich, A. Imai, A. Miyazaki, T. Takahashi, A. Michael and T. Kusano, The polyamine spermine protects against high salt stress in *Arabidopsis thaliana*, 6783
 Yamaguchi, S. see D. Takei, 5635
 Yamaguchi, T. see S. Minamisawa, 2247
 Yamaguchi, T. see N. Watanabe, 2598
 Yamaji, K. see Y. Nakajima, 613
 Yamaji, K. see Y. Nakajima, 1909
 Yamamoto, G. see A. Yamashita, 4121
 Yamamoto, H. see T. Mihara, 4991
 Yamamoto, M. see M. Arai, 184
 Yamamoto, M., K. Nagata-Ohashi, Y. Ohta, K. Ohashi and K. Mizuno, Identification of multiple actin-binding sites in cofilin-phosphatase Slingshot-1L, 1789
 Yamamoto, M. see A. Suzuki, 2317
 Yamamoto, M.P. see L. Yang, 3315
 Yamamoto, N. see A. Suzuki, 2317
 Yamamoto, N. see K. Yuyama, 6972
 Yamamoto, R., H.-a. Yanagisawa, T. Yagi and R. Kamiya, A novel subunit of axonemal dynein conserved among lower and higher eukaryotes, 6357
 Yamamoto, T. see Y. Abe, 782
 Yamamoto, T. see I. Taneike, 2323
 Yamamoto, T., S. Izumi and K. Gekko, Mass spectrometry of hydrogen/deuterium exchange in 70S ribosomal proteins from *E. coli*, 3638
 Yamamoto, T. see T. Tomofuji, 3601
 Yamamura, Y. see J.S. Batten, 2591
 Yamano, Y. see M. Enomoto, 894
 Yamaryo, Y., K. Motohashi, K.-i. Takamiya, T. Hisabori and H. Ohta, In vitro reconstitution of monogalactosyldiacylglycerol (MGDG) synthase regulation by thioredoxin, 4086
 Yamasaki, D. see K. Ishimoto, 4929
 Yamasaki, K., T. Kigawa, M. Inoue, T. Yamasaki, T. Yabuki, M. Aoki, E. Seki, T. Matsuda, Y. Tomo, T. Terada, M. Shirouzu, A. Tanaka, M. Seki, K. Shinozaki and S. Yokoyama, An *Arabidopsis* SBP-domain fragment with a disrupted C-terminal zinc-binding site retains its tertiary structure, 2109
 Yamasaki, T. see K. Yamasaki, 2109
 Yamashita, A., T. Takada, K.-i. Nemoto, G. Yamamoto and R. Torii, Transient suppression of PPAR γ directed ES cells into an osteoblastic lineage, 4121
 Yamashita, F. see Y. Higuchi, 3706
 Yamashita, H. see T. Takahashi, 4479
 Yamashita, M., 'Quantal' Ca²⁺ release reassessed – a clue to oscillation and synchronization, 4979
 Yamato, K.T. see M. Kajikawa, 149
 Yamauchi, A. see S. Takasawa, 585
 Yamazaki, Y., K. Shirai, R.K. Paul, T. Fujiyuki, A. Wakamoto, H. Takeuchi and T. Kubo, Differential expression of *HR38* in the mushroom bodies of the honeybee brain depends on the caste and division of labor, 2667
 Yan, B. see Q. Zhou, 5161
 Yan, H.-Q. see Y.-C. Sun, 1521
 Yan, J. see C. Chen, 813
 Yan, T.-T. see J. Ning, 1747
 Yan, X., S. Khan, T. Hase, M.J. Emes and C.G. Bowsher, Differential uptake of photosynthetic and non-photosynthetic proteins by pea root plastids, 6509
 Yan, X., S. Khan, T. Hase, M.J. Emes and C.G. Bowsher, Corrigendum to "Differential uptake of photosynthetic and non-photosynthetic proteins by pea root plastids" [FEBS Lett. 580 (2006) 6509–6512], 6987
 Yan, Y.-B. see Y. Liu, 1303
 Yan, Y.-B. see T.-J. Zhao, 3835
 Yanagihara, A. see E. Cuypers, 5728
 Yanagisawa, H.-a. see R. Yamamoto, 6357
 Yanagisawa, K. see K. Yuyama, 6972
 Yanagisawa, Y. see A. Miura, 6871
 Yang, B., J.K. Kim and A.S. Verkman, Comparative efficacy of HgCl₂ with candidate aquaporin-1 inhibitors DMSO, gold, TEA⁺ and acetazolamide, 6679
 Yang, D.-G. see C.-W. Lai, 3829
 Yang, G. see M. Su, 4137
 Yang, H. see W. Yang, 4231
 Yang, H. see G.-H. Fan, 3091
 Yang, H.-M. see H.-J. Do, 1865
 Yang, J. see X.-G. Zhen, 5733
 Yang, J. see Z. Li, 6161
 Yang, J.-H. see Y.-C. Luo, 5111
 Yang, J.W., E.Y. Lee and K.W. Kang, ErbB2 overexpression in p53-inactivated mammary epithelial cells, 6501
 Yang, J.-X. see H.-L. Zhang, 469
 Yang, L., Y. Tada, M.P. Yamamoto, H. Zhao, M. Yoshikawa and F. Takaiwa, A transgenic rice seed accumulating an anti-hypertensive peptide reduces the blood pressure of spontaneously hypertensive rats, 3315
 Yang, L. see Y. Li, 6800
 Yang, S.Y. and G. Goldspink, Corrigendum to: "Different roles of the IGF-I Ec peptide (MGF) and mature IGF-I in myoblast proliferation and differentiation" [FEBS Lett. 522 (2002) 156–160], 2530
 Yang, W., H. Yang and P. Tien, *In vitro* self-propagation of recombinant PrP^{Sc}-like conformation generated in the yeast cytoplasm, 4232
 Yang, W. see G. Butland, 677
 Yang, W.H. see H.S. Kim, 2311
 Yang, X. and E. Atalar, MRI-guided gene therapy, 2958
 Yang, Y. see G. Zhang, 1383
 Yang, Y. see D. Aeberli, 974
 Yang, Y. see K.-y. Kim, 3953
 Yang, Y. see M. Su, 4136
 Yang, Y. see J.-T. Kim, 6375
 Yang, Y.-I. see S.-J. Lee, 755
 Yang, Z. see B. Yu, 3117
 Yang, Z. see L. Wang, 3677
 Yannazzo, J.S. see M. Tanaka, 6145
 Yano, S. see S. Tajiri, 3462
 Yao, J. see K. Horikawa, 3721
 Yao, L. see C. Chen, 813
 Yao, S. see S.-J. Lee, 755
 Yasuda, H. see C. Uchida, 1753
 Yasuda, K. see S. Oshima, 1251
 Yasuda, K. see S. Oshima, 6519
 Yasuda, S., H. Taniguchi, F. Ocegüera-Yanez, Y. Ando, S. Watanabe, J. Monypenny and S. Narumiya, An essential role of Cdc42-like GTPases in mitosis of HeLa cells, 3375
 Yasuda, T. see T. Yoshida, 5203
 Yasuhira, K. see T. Ohki, 5054
 Yasui, F. see N. Kanzawa, 6807
 Yau, M.-H., J. Wang, P.W.K. Tsang and W.-P. Fong, J1 acylase, a glutaryl-7-aminocephalosporanic acid acylase from *Bacillus laterosporus* J1, is a member of the α/β -hydrolase fold superfamily, 1465

- Yazaki, K., ABC transporters involved in the transport of plant secondary metabolites, 1183
- Yazawa, K., T. Kihara, H. Shen, Y. Shimmyo, T. Niidome and H. Sugimoto, Distinct mechanisms underlie distinct polyphenol-induced neuroprotection, 6623
- Ye, D. see M. Pennings, 5588
- Ye, J. see X. Zuo, 4508
- Yelina, N.E. see D.V. Rakitina, 5077
- Yellaboina, S., S. Ranjan, V. Vindal and A. Ranjan, Comparative analysis of iron regulated genes in mycobacteria, 2567
- Yeo, C.-Y. see Y.-M. Gu, 305
- Yeo, S.I. see S.H. Choi, 6755
- Yeung, K.C. see S. Park, 6405
- Yeung, W.S.B. see N.P.Y. Lee, 923
- Yeung, Y.S. see F. Zeng, 5612
- Yi, L.-Z., J. He, Y.-Z. Liang, D.-L. Yuan and F.-T. Chau, Plasma fatty acid metabolic profiling and biomarkers of type 2 diabetes mellitus based on GC/MS and PLS-LDA, 6837
- Yi, Z. see J. Wang, 4392
- Yim, J.-H. see J.-Y. Kim, 3270
- Yin, D. see F. Liu, 6269
- Yin, H. and J. Kuret, C-terminal truncation modulates both nucleation and extension phases of τ fibrillization, 211
- Yin, Y. see S. Sun, 1891
- Yin, Z. see H. Chen, 3145
- Yip, C.W. see F. Zeng, 5612
- Yissachar, N., H. Salem, T. Tennenbaum and B. Motro, Nek7 kinase is enriched at the centrosome, and is required for proper spindle assembly and mitotic progression, 6489
- Ylä-Herttuala, S. see H. Roy, 2879
- Yodh, J. see R. Bash, 4757
- Yohda, M. see S. Kataoka, 4667
- Yokokura, S. see H. Tokumitsu, 5797
- Yokomakura, A. see J. Hong, 2723
- Yokono, M. see K. Koyama, 3457
- Yokosawa, H. see R. Muromoto, 93
- Yokosawa, H. see T. Takeuchi, 4521
- Yokota, A. see K. Mukougawa, 1333
- Yokota, K. see Md.A. Mazid, 6885
- Yokota, Y. see J. Makita, 1812
- Yokouchi, M. see K. Horikawa, 3721
- Yokoyama, S. see S. Abe-Dohmae, 1178
- Yokoyama, S. see K. Yamasaki, 2109
- Yokoyama, S. see T. Tanaka, 4224
- Yokoyama, S. see H. Higashida, 4857
- Yokoyama, T. see H. Chida, 3763
- Yokoyama, U. see S. Minamisawa, 2247
- Yoneda-Kato, N. see A. Fukumoto, 5836
- Yonekawa, T. see T. Yoshida, 5203
- Yonezawa, T., S. Haga, Y. Kobayashi, T. Takahashi and Y. Obara, Visfatin is present in bovine mammary epithelial cells, lactating mammary gland and milk, and its expression is regulated by cAMP pathway, 6635
- Yonezawa, Y. see D.M. Standley, 6199
- Yoo, K.-W., E.-H. Kim, S.-H. Jung, M. Rhee, B.-K. Koo, K.-J. Yoon, Y.-Y. Kong and C.-H. Kim, Snx5, as a Mind bomb-binding protein, is expressed in hematopoietic and endothelial precursor cells in zebrafish, 4409
- Yoo, M.-A. see S.-K. Bae, 4105
- Yoo, S.J. see S.J. Kim, 1529
- Yoon, D.-Y. see K.-y. Kim, 3953
- Yoon, H.S. see S.J. Kim, 1529
- Yoon, J. see D.S. Jang, 4166
- Yoon, K.-J. see K.-W. Yoo, 4409
- Yoon, S. see K.-y. Kim, 3953
- Yoon, T., M. Kim and K. Lee, Inhibition of Na,K-ATPase-suppressive activity of translationally controlled tumor protein by sorting nexin 6, 3558
- Yoon, W.J. see S.B. Kim, 311
- Yoon, Y.J. see D.S. Jang, 4166
- Yoshida, S. see T. Mihara, 4991
- Yoshida, T., S.-i. Yamagishi, K. Nakamura, T. Matsui, T. Imaizumi, M. Takeuchi, T. Ueno and M. Sata, Pigment epithelium-derived factor (PEDF) inhibits advanced glycation end product (AGE)-induced C-reactive protein expression in hepatoma cells by suppressing Rac-1 activation, 2788
- Yoshida, T., M. Asanuma, L. Grossmann, M. Fuse, T. Shibata, T. Yonekawa, T. Tanaka, K. Ueno, T. Yasuda, Y. Saito and I. Tatsuno, Geranylgeranyl-pyrophosphate (GGPP) synthase is down-regulated during differentiation of osteoblastic cell line MC3T3-E1, 5203
- Yoshida, Y. see Z.-H. Chen, 479
- Yoshida, Y., Y. Ogura and K. Hasunuma, Interaction of nucleoside diphosphate kinase and catalases for stress and light responses in *Neurospora crassa*, 3282
- Yoshikawa, M. see L. Yang, 3315
- Yoshimura, N., D. Horiuchi, M. Shibata, M. Saitoe, M.-I. Qi and H. Okazawa, Expression of human PQBP-1 in *Drosophila* impairs long-term memory and induces abnormal courtship, 2335
- Yoshimura, S.H., H. Takahashi, S. Otsuka and K. Takeyasu, Development of glutathione-coupled cantilever for the single-molecule force measurement by scanning force microscopy, 3961
- You, S. see S.J. Kim, 1529
- Yu, A.C.H. see H.L. Li, 1723
- Yu, B., E.J. Chapman, Z. Yang, J.C. Carrington and X. Chen, Transgenically expressed viral RNA silencing suppressors interfere with microRNA methylation in *Arabidopsis*, 3117
- Yu, C. see J.-Y. Chang, 656
- Yu, F. see L. Wang, 3677
- Yu, H. see H. Zhang, 3726
- Yu, J. see C.L. Reyes, 1042
- Yu, J.-R. see Y.J. Ji, 3161
- Yu, L. see J. Guo, 581
- Yu, R. see T. Nishida, 2731
- Yu, X. see S. Nagao, 4371
- Yu, Y. see J. Liu, 245
- Yu, Y. see J. Liu, 245
- Yu, Z. see M. Wu, 3246
- Yuan, D.-L. see L.-Z. Yi, 6837
- Yuan, H. see S. Rupasinghe, 6338
- Yuan, J. see C. Lu, 5189
- Yuan, Q., Y. Liao, J. Torres, J.P. Tam and D.X. Liu, Biochemical evidence for the presence of mixed membrane topologies of the severe acute respiratory syndrome coronavirus envelope protein expressed in mammalian cells, 3192
- Yuan, S. see J. Wang, 2529
- Yuan, Z. see J. Wang, 4392
- Yuen, K.-y. see P.C.Y. Woo, 3409
- Yuen, K.-y. see P.C.Y. Woo, 4976
- Yuen, K.Y. see M.-L. He, 2414
- Yun, D.-J. see H.H. Jang, 351
- Yun, I. see S.-K. Bae, 4105
- Yusuf, N. see N. Hasan, 2517
- Yutani, K. see T. Tanaka, 4224
- Yuyama, K., N. Yamamoto and K. Yanagisawa, Chloroquine-induced endocytic pathway abnormalities: Cellular model of GM1 ganglioside-induced A β fibrillogenesis in Alzheimer's disease, 6972

Z

- Zaccagnino, P. see M. Di Paola, 775
- Zachowski, A. see M.-N. Vaultier, 4218
- Zagari, A. see A. De Simone, 2488
- Zahner, G., G. Wolf, S. Schroeder and R.A.K. Stahl, Inhibition of platelet-derived growth factor-induced mesangial cell proliferation by cyclooxygenase-2 overexpression is abolished through reactive oxygen species, 2523
- Zaidan, Y. see S. Elojeimy, 4751
- Zaitsev, S. see V.A. Oleinikov, 4953
- Zaitseva, J. see N. Hanekop, 1036
- Zalk, R. and V. Shoshan-Barmatz, Characterization of DIDS-sensitive ATP accumulation in brain synaptic vesicles, 5894
- Zamble, D.B. see G. Butland, 677
- Zámocký, M. and C. Dunand, Divergent evolutionary lines of fungal cytochrome *c* peroxidases belonging to the superfamily of bacterial, fungal and plant heme peroxidases, 6655
- Zamotin, V., A. Gharibyan, N.V. Gibanova, M.A. Lavrikova, D.A. Dolgikh, M.P. Kirpichnikov, I.A. Kostanyan and L.A. Morozova-Roche, Cytotoxicity of albebetin oligomers depends on cross- β -sheet formation, 2451

- Zarbock, A. see M. Scharte, 6399
 Závodszky, P. see A. Varga, 2698
 Zbilut, J.P., G.H. Chua, A. Krishnan, C. Bossa, M. Colafranceschi and A. Giuliani, Entropic criteria for protein folding derived from recurrences: Six residues patch as the basic protein word, 4861
 Zdanov, S., F. Debacq-Chainiaux, J. Remacle and O. Toussaint, Identification of p38^{MAPK}-dependent genes with changed transcript abundance in H₂O₂-induced premature senescence of IMR-90 hTERT human fibroblasts, 6455
 Zecchin, H.G. see P.O. Prada, 4889
 Zee, O. see J. Hong, 2723
 Zeiller, C. see H. Birbes, 6224
 Zelcer, N. see P. Borst, 1085
 Zemojtel, T., M. Kolanczyk, N. Kossler, S. Stricker, R. Lurz, I. Mikula, M. Duchniewicz, M. Schuelke, P. Ghafourifar, P. Martasek, M. Vingron and S. Mundlos, Mammalian mitochondrial nitric oxide synthase: Characterization of a novel candidate, 455
 Zeng, F., C.C. Hon, C.W. Yip, K.M. Law, Y.S. Yeung, K.H. Chan, J.S. Malik Peiris and F.C.C. Leung, Quantitative comparison of the efficiency of antibodies against S1 and S2 subunit of SARS coronavirus spike protein in virus neutralization and blocking of receptor binding: Implications for the functional roles of S2 subunit, 5612
 Zhai, R., G. Meng, Y. Zhao, B. Liu, G. Zhang and X. Zheng, A novel nuclear-localized protein with special adenylate kinase properties from *Caenorhabditis elegans*, 3811
 Zhai, Z. see J. Huang, 940
 Zhang, B., X. Pan and T.A. Anderson, Identification of 188 conserved maize microRNAs and their targets, 3753
 Zhang, F. see X. Lu, 2238
 Zhang, F. see H.-N. Du, 3657
 Zhang, F. see X. Wu, 5863
 Zhang, G., J. Guo, J. Zhou, X. Wang, Q. Li, Y. Yang, H. Shen, D. Zhao, H. Zhang, J. Xi, L. Wang, S. Qiao and X. Jin, Identification of the linear epitope for Fc-binding on the bovine IgG2 Fc receptor (boFcy2R) using synthetic peptides, 1383
 Zhang, G. see R. Zhai, 3811
 Zhang, H. see G. Zhang, 1383
 Zhang, H. see Y.-C. Sun, 1521
 Zhang, H.-L., Z.-Y. Tang, J.-X. Yang, Y. Zhang, Y. Li and Y. Lin, Bidirectional regulation of emodin and quercetin on smooth muscle myosin of gizzard, 469
 Zhang, H., H. Yu, J. Ren and X. Qu, PolydA and polyrA self-structured by a europium and amino acid complex, 3726
 Zhang, J.W. see G. Butland, 677
 Zhang, J. and A.A. Abdel-Rahman, Nischarin as a functional imidazole (I₁) receptor, 3070
 Zhang, J. see D. Deng, 5247
 Zhang, J.-I. see W. Li, 4905
 Zhang, J.-S. see H.-L. Zhou, 1239
 Zhang, J.-S. see H. Higashida, 4857
 Zhang, J.J. see W. Sun, 5880
 Zhang, K.-Y. see Y.-C. Li, 4266
 Zhang, L. see D.-F. Li, 4325
 Zhang, M. see W. Li, 4905
 Zhang, M.Q. see Y.C. Kim, 6721
 Zhang, Q. see H. Wang, 795
 Zhang, Q. see J. Huang, 3571
 Zhang, Q.-H. see J. Huang, 3571
 Zhang, S. see N. Gurusamy, 1932
 Zhang, S. see Y. Cheng, 4911
 Zhang, X. see J. Wang, 4392
 Zhang, X. see H. Chen, 3145
 Zhang, X.-c. see W. Li, 4905
 Zhang, X.-Y., Y. Hu, Y.-P. Cui, X.-P. Miao, F. Tian, Y.-J. Xia, Y.-Q. Wu and X. Liu, Integrated genome-wide gene expression map and high-resolution analysis of aberrant chromosomal regions in squamous cell lung cancer, 2774
 Zhang, Y. see H.-L. Zhang, 469
 Zhang, Y.C. see B.R. Burkhardt, 553
 Zhang, Y. see S. Sun, 1891
 Zhang, Y. see X.-G. Zhen, 5733
 Zhang, Y. see H. Chen, 3145
 Zhang, Z., T. Inoue, M. Forgac and S. Wilkens, Localization of subunit C (Vma5p) in the yeast vacuolar ATPase by immuno electron microscopy, 2006
 Zhang, Z. see Y.-C. Lee, 4515
 Zhang, Z. see R. Ray, 6022
 Zhang, Z. see M. Jiang, 6561
 Zhang, Z.-H., Z.-H. Wang, Z.-R. Zhang and Y.-X. Wang, A novel method for apoptosis protein subcellular localization prediction combining encoding based on grouped weight and support vector machine, 6169
 Zhang, Z.-R. see Z.-H. Zhang, 6169
 Zhao, B. see S. Rupasinghe, 6338
 Zhao, D. see G. Zhang, 1383
 Zhao, D.-H. see J. Chen, 3624
 Zhao, H. see L. Yang, 3315
 Zhao, H.-Y. see H.-C. Jeung, 1294
 Zhao, P. see Q. Zhao, 3879
 Zhao, Q., A.M. Albsoul-Younes, P. Zhao, T. Kozasa, Y. Nakajima and S. Nakajima, Dominant negative effects of a G β mutant on G-protein coupled inward rectifier K⁺ channel, 3879
 Zhao, Q. see Y. Cheng, 4911
 Zhao, S. see J. Guo, 581
 Zhao, T.-J. see Y. Liu, 1303
 Zhao, T.-J., S. Feng, Y.-L. Wang, Y. Liu, X.-C. Luo, H.-M. Zhou and Y.-B. Yan, Impact of intra-subunit domain-domain interactions on creatine kinase activity and stability, 3835
 Zhao, W.-D. see B. Li, 4252
 Zhao, Y. see S. Sun, 1891
 Zhao, Y. see R. Zhai, 3811
 Zhao, Z., C. Wang, M. Guo, L. Shi, Y. Fan, Y. Long and H. Mi, Molecular imprinted polymer with cloned bacterial protein template enriches authentic target in cell extract, 2750
 Zharkov, D.O. see I.R. Grin, 4916
 Zhen, X.-G., C. Xie, Y. Yamada, Y. Zhang, C. Doyle and J. Yang, A single amino acid mutation attenuates rundown of voltage-gated calcium channels, 5733
 Zheng, B.-j. see M.-L. He, 2414
 Zheng, C.-L. see H.-C. Jeung, 1294
 Zheng, L. see Q. Tong, 2207
 Zheng, X. see R. Zhai, 3811
 Zheng, Y.-I. see J. Lu, 6730
 Zhong, Z.-G. see H. Higashida, 4857
 Zhorov, B.S. see D.B. Tikhonov, 6027
 Zhou, A.C. see P.C.Y. Woo, 3409
 Zhou, A.C. see P.C.Y. Woo, 4976
 Zhou, H. see C. Lu, 5189
 Zhou, H. see Y.-C. Luo, 5111
 Zhou, H.-L., W.-H. Cao, Y.-R. Cao, J. Liu, Y.-J. Hao, J.-S. Zhang and S.-Y. Chen, Roles of ethylene receptor NTHK1 domains in plant growth, stress response and protein phosphorylation, 1239
 Zhou, H.-M. see Y. Liu, 1303
 Zhou, H.-M. see T.-J. Zhao, 3835
 Zhou, H.-Y. see G.-H. Fan, 3091
 Zhou, J. see G. Zhang, 1383
 Zhou, J.-Y. see Q.-Y. Teng, 4274
 Zhou, Q., D. Meng, B. Yan, B.-H. Jiang and J. Fang, Transactivation of epidermal growth factor receptor by insulin-like growth factor 1 requires basal hydrogen peroxide, 5161
 Zhou, X.-W. see J.-J. Pei, 107
 Zhou, Y., J.H. Chan, A.Y. Chan, R.K.F. Chak, E.Y.L. Wong, M.-L. Chye, J.S.M. Peiris, L.L.M. Poon and E. LamHill, A.E. and E.J. Sorscher, Corrigendum to "Transgenic plant-derived siRNAs can suppress propagation of influenza virus in mammalian cells" [FEBS Lett. 577 (2004) 345-350], 4303
 Zhu, H.Z., W. Wang, D.M. Feng, Y. Sai and J.L. Xue, Conditional gene modification in mouse liver using hydrodynamic delivery of plasmid DNA encoding Cre recombinase, 4346
 Zhu, J.-K. see R. Mittler, 6537
 Zhu, L. see B. Li, 4252
 Zhu, L. see R. Mandic, 4793
 Zhu, S. and B. Gao, Molecular characterization of a possible progenitor sodium channel toxin from the Old World scorpion *Mesobuthus martensii*, 5979
 Zhu, S. and B. Gao, Molecular characterization of a new scorpion venom lipolysis activating peptide: Evidence for disulfide bridge-mediated functional switch of peptides, 6825
 Zhu, W. see J. Chen, 4737
 Zhuang, Y. see M. Wan, 5621
 Židek, L. see P. Macek, 682
 Ziegler, J., C. Viehrig, S. Geimer, P. Rösch and S. Schwarzinger, Putative aggregation initiation sites in prion protein, 2033
 Zientkowska, M. see W. Stühmer, 2850
 Zilka, N., P. Filipcik, P. Koson, L. Fialova, R. Skrabana, M. Zilkova, G. Rolkova, E. Kontsejkova and M. Novak, Truncated tau from

- sporadic Alzheimer's disease suffices to drive neurofibrillary degeneration in vivo, 3582
- Zilkova, M. see N. Zilka, 3582
- Zimmermann, R. see A. Weitzmann, 5237
- Zimmermann, U. see T. Sano, 597
- Ziparo, E. see C. Giampietri, 6109
- Zolnierowicz, S. see K. Lechward, 3631
- Zopf, D. see M. Lutz, 3921
- Zorn, S., E. Leipold, A. Hansel, G. Bulaj, B.M. Olivera, H. Terlau and S.H. Heinemann, The μ O-conotoxin MrVIA inhibits voltage-gated sodium channels by associating with domain-3, 1360
- Zou, P. see S. Müller, 341
- Zouni, A. see C. Teutloff, 3605
- Zubiaga, A.M. see P.J. Real, 5905
- Züger, S. see H. Iwai, 1853
- Zumbusch, A. see T.H.P. Brotosudarmo, 5257
- Zuo, X., H. He, M. He, Z. Liu, Q. Xu, J. Ye and Y. Ji, Comparative pharmacology and cloning of two novel arachnid sodium channels: Exploring the adaptive insensitivity of scorpion to its toxins, 4508
- Zurita, M. see E. Rebolgar, 642
- Zurzolo, C. see S. Tivodar, 5705
- Zvereva, M.I. see Yu.S. Sharanov, 4683