

**Author Index
Volumes 146–155
1992**

A

- Aase, A., see Michaelsen, T.E. (146) 9
 Abe, A., Kitagawa, M., Ikuta, Y., Miyakoshi, S., Danbara, H., Kashiwagi, N. and Obata, F.
 Rapid DNA typing utilizing immobilized oligonucleotide probe and a nonradioactive detection system. Application to HLA-DR typing of the Japanese population (154) 205
 Abo, T., see Watanabe, H. (146) 145
 Aboulker, J.P., Autran, B., Beldjord, K., Touraine, F. and Debre, P.
 Consistency of routine measurements of CD4⁺, CD8⁺ peripheral blood lymphocytes (154) 155
 Abraham, S.J.R., see Thomas, T.E. (154) 245
 Agbarakwe, A.E., see Faux, J.A. (153) 167
 Agrewala, J.N., see Raghava, G.P.S. (153) 263
 Akahane, Y., see Yoshikawa, A. (148) 143
 Alam, R., Sim, T.C., Hilsmeier, K. and Grant, J.A.
 Development of a new technique for recovery of cytokines from inflammatory sites *in situ* (155) 25
 Alberts, C., see Van de Graaf, E.A. (147) 241
 Aldao, M.A.J., see Zalazar, F.E. (152) 1
 Alexander, R.B., Bolton, E.S., Koenig, S., Jones, G.M., Topalian, S.L., June, C.H. and Rosenberg, S.A.
 Detection of antigen specific T lymphocytes by determination of intracellular calcium concentration using flow cytometry (148) 131
 Ali, E., Sengupta, J. and Dhar, T.K.
 Sandwich immunoassay of small molecules. I. Investigation with testosterone as model hapten (147) 173
 Ali, E., see Dhar, T.K. (147) 167
 Ali, E., see Sengupta, J. (147) 181
 Allen, C.A., Broom, M.F. and Chadwick, V.S.
 Flow cytometry analysis of the expression of neutrophil FMLP receptors (149) 159
 Allen, J.N., see Herzyk, D.J. (148) 243
 Allmeling, A.-M., see Padovan, C.S. (147) 27
 Alvarez, R., see Garcia-Peñarrubia, P. (155) 133
 Alzani, R., Rossi, R., Cozzi, E., Trizio, D. and Marcucci, F.
 Detection of mycoplasma contamination through modulation (stimulation or inhibition) of thymidine incorporation by unstimulated mouse spleen cells (152) 35
 Ambo, H., see Katayama, M. (153) 41
 Ambrogi, F., see Azzarà, A. (148) 29
 Andersen, O., see Holmskov, U. (148) 225
 Anderson, R.
 A peroxidase-independent method for the quantitation of extracellular hydrogen peroxide generated by activated phagocytes *in vitro* (155) 49
 Andreoni, C. and Delaage, M.
 Avidin-binding to peripheral blood B lymphocytes and monocytes (151) 249
 Aoki, Y., see Takeda, A. (147) 217
 Aparna, K., see Talwar, G.P. (150) 121
 Arakere, G., see Herrmann, D.J. (148) 101

- Araki, Y., see Katayama, M. (153) 41
 Arata, Y., see Kim, H.H. (153) 223
 Arnholdt, H., see Rutenfranz, I. (148) 233
 Artus, A., see Delaage, M. (150) 103
 Asano, Y., see Hu, F.-y. (152) 123
 Ashktorab, H., see Gazitt, Y. (148) 159
 Athlin, L., see Lundqvist, C. (152) 253
 Atzpodien, E., see Baumgärtner, W. (151) 309
 Aubonney, N., see Gruber, P. (149) 215
 Aucouturier, P., see Preud'homme, J.L. (146) 259
 Autran, B., see Aboulker, J.P. (154) 155
 Avrameas, S.
 Amplification systems in immunoenzymatic techniques (150) 23
 Axelsen, N., see Dziegieł, M. (155) 207
 Axelsson, B., see Jakobson, E. (152) 49
 Azzarà, A., Chimenti, M., Azzarelli, L., Fantini, E., Carulli, G. and Ambrogi, F.
 An image processing workstation for automatic evaluation of human granulocyte motility (148) 29
 Azzarelli, L., see Azzarà, A. (148) 29

B

- Bachhawat, B.K., see Paul, A. (148) 151
 Bailey, M., Stevens, K., Bland, P.W. and Stokes, C.R.
 A monoclonal antibody recognising an epitope associated with pig interleukin-2 receptors (153) 85
 Bailey, M., Williams, N.A., Wilson, A.D. and Stokes, C.R.
 PROBIT: weighted probit regression analysis for estimation of biological activity (153) 261
 Baker, A.E.M., see Ong, G.L. (154) 37
 Baker, D.L., see Gibson, U.E.M. (155) 249
 Bakker, M.M., see Van de Graaf, E.A. (147) 241
 Balaguer, P., see Chikhaoui, Y. (150) 51
 Baldo, B.A., see Cooney, S.J. (151) 131
 Balkian, G.K., see Walker, K.W. (154) 121
 Balkwill, F.R., see Thavasu, P.W. (153) 115
 Ballardie, F.W., see De Caestecker, M.P. (154) 11
 Balogh, P., Bebök, Z. and Németh, P.
 Cellular enzyme-linked immunocircle assay. A rapid assay of hybridomas produced against cell surface antigens (153) 141
 Banerjee, K., see Talwar, G.P. (150) 121
 Bara, J., Decaens, C., Lorida-Rosa, B. and Oriol, R.
 Immunohistological characterization of mucin epitopes by pre-treatment of gastro-intestinal sections with periodic acid (149) 105
 Barak, V., see Peritt, D. (155) 159
 Barak, V., see Peritt, D. (155) 167
 Baralle, F., see Romano, M. (154) 265

- Barbet, J., see Delaage, M. (150) 103
- Barbieri, L., see Strocchi, P. (155) 57
- Bardsley, W.G., Ross Wilson, A., Kyprianou, E.K. and Melikhova, E.M.
A statistical model and computer program to estimate association constants for the binding of fluorescent-labelled monoclonal antibodies to cell surface antigens and to interpret shifts in flow cytometry data resulting from alterations in gene expression (153) 235
- Barington, T. and Heilmann, C.
An improved haemolytic plaque assay for the detection of cells secreting antibody to bacterial antigens (146) 129
- Barington, T., see Herrmann, D.J. (148) 101
- Bártek, J., see Vojtěšek, B. (151) 237
- Barth, R.F., see Tzeng, J.-J. (146) 177
- Bas, J., see Romeu, M.A. (154) 7
- Basi, G.S., Riggs, M.B., Nash, K. and Singer, R.
Antibodies to soluble human T cell receptor β chain recognize multiple epitopes on cell surface TcR (155) 175
- Batchelor, J.R., see Zumla, A. (149) 69
- Batchelor, R., see Deacock, S. (147) 83
- Bauer-Sardina, I., see Tomita, Y. (151) 269
- Baumgärtner, W., Atzpodien, E., Weintraut, H. and Seibold, G.
Factors influencing computer-assisted video image analysis of immunocytochemically stained lymphocytes and macrophages in the spleen of mice (151) 309
- Baxendale, P.M., see Horton, J.K. (155) 31
- Bayney, R.M., see Wunderlich, D. (147) 1
- Bean, C.C., see Diamandis, E.P. (147) 251
- Bebök, Z., see Balogh, P. (153) 141
- Beelen, R.H.J., see Havenith, C.E.G. (153) 73
- Behr, J., see Padovan, C.S. (147) 27
- Beldjord, K., see Aboulker, J.P. (154) 155
- Bell, C.J., see Granade, T.C. (154) 225
- Bennett, B., Check, I.J., Olsen, M.R. and Hunter, R.L.
A comparison of commercially available adjuvants for use in research (153) 31
- Bennett, S. and Riley, E.M.
The statistical analysis of data from immunoepidemiological studies (146) 229
- Bennett, S., Por, S.B., Stanley, E.R. and Breit, S.N.
Monocyte proliferation in a cytokine-free, serum-free system (153) 201
- Bennink, J.R., see Eisenlohr, L.C. (154) 131
- Berg, L., see Zhou, X. (153) 193
- Berger, A.E., see Herzyk, D.J. (148) 243
- Berger, P., see Madersbacher, S. (152) 9
- Bergh, K. and Iversen, O.-J.
Production of monoclonal antibodies against the human anaphylatoxin C5a des Arg and their application in the neopeptide-specific sandwich-ELISA for the quantification of C5a des Arg in plasma (152) 79
- Bernard, S., see Tô, L.-T. (154) 195
- Bernhagen, J., see Hamblin, A. (146) 219
- Bettinardi, A., Imberti, L., Sottini, A. and Primi, D.
Analysis of amplified T cell receptor V β transcripts by a non-isotopic immunoassay (146) 71
- Beumer, T., Stoffelen, E., Smits, J. and Carpay, W.
Microplate washing: process description and improvements (154) 77
- Beuvery, E.C., see Coco-Martin, J.M. (155) 241
- Bevan, L.J., see Walker, M.R. (149) 77
- Bignold, L.P., see Rice, J.E. (149) 121
- Birkedal-Hansen, H., see Zucker, S. (148) 189
- Birkenmeier, G., see Sulk, B. (149) 165
- Birrell, G.W., see Devine, P.L. (149) 143
- Birx, D.L., see VanCott, T.C. (146) 163
- Bitton, G., see Brigmon, R.L. (152) 135
- Black, K.S., see Walker, K.W. (154) 121
- Blackmore, E.W., see Thomas, T.E. (154) 245
- Blanca, M., Mayorga, C., Perez, E., Suau, R., Juarez, C., Vega, J.M., Carmona, M.J., Perez-Estrada, M. and Garcia, J.
Determination of IgE antibodies to the benzyl penicilloyl determinant. A comparison between poly-L-lysine and human serum albumin as carriers (153) 99
- Bland, P.W., see Bailey, M. (153) 85
- Blaser, K., see D'Uscio, C. (146) 63
- Bo, A., see Chiechio, A. (147) 211
- Bobrow, M.N., Litt, G.J., Shaughnessy, K.J., Mayer, P.C. and Conlon, J.
The use of catalyzed reporter deposition as a means of signal amplification in a variety of formats (150) 145
- Böcher, M., Giersch, T. and Schmid, R.D.
Dextran, a hapten carrier in immunoassays for *s*-triazines. A comparison with ELISAs based on hapten-protein conjugates (151) 1
- Bodmer, J.G., see Sadler, A.M. (149) 11
- Boersma, W.J.A., see Claassen, E. (150) 207
- Bolton, E.S., see Alexander, R.B. (148) 131
- Bonnefoy, J.-Y., see Graber, P. (149) 215
- Booth, N.A., see Duncan, M.E. (151) 227
- Boraker, D.K., Bugbee, S.J. and Reed, B.A.
Acoustic probe-based ELISA (155) 91
- Bord, A., see Carayon, P. (147) 225
- Borre, M.B., see Dziegieł, M. (155) 207
- Borzi, R.M., Dal Monte, P., Honorati, M.C. and Facchini, A.
IgG subclass distribution of anti-HBs antibodies following vaccination with cDNA HBsAg (146) 17
- Bosshard, H.R., see Schwab, C. (147) 125
- Bottomly, K., see Carding, S.R. (151) 277
- Boussouix, A.-M., see Chikhaoui, Y. (150) 51
- Boven, E., see Haisma, H.J. (154) 55
- Bowden, S.J., see Ratcliffe, W.A. (146) 33
- Bowen, G., see Tomkins, P. (151) 313
- Braddy, S., see Morrissey, P.J. (147) 141
- Brade, H., see Kuhn, H.-M. (155) 201
- Brade, L., see Kuhn, H.-M. (155) 201
- Bradford, T.M., see Brooks, D.A. (155) 129
- Brändén, H., see Hedman, H. (146) 203
- Brandtzaeg, P., see Hvatum, M. (148) 77
- Bray, A.M., see Maeji, N.J. (146) 83
- Breedijk, A.J., see Havenith, C.E.G. (153) 73
- Breit, S.N., see Bennett, S. (153) 201
- Breit, S.N., see Ma, J. (155) 121

- Brenchley, P.E.C., see Lamb, W.R. (155) 215
- Brigmon, R.L., Zam, S.G., Bitton, G. and Farrah, S.R.
Detection of *Salmonella enteritidis* in environmental samples by monoclonal antibody-based ELISA (152) 135
- Brooks, D.A., Bradford, T.M. and Hopwood, J.J.
An improved method for the purification of IgG monoclonal antibodies from culture supernatants (155) 129
- Broom, M.F., see Allen, C.A. (149) 159
- Brossier, P., see Salmain, M. (148) 65
- Brossmer, R., see Kemmner, W. (147) 197
- Brown, A., see Ekong, T. (151) 217
- Brown, C.S., see Herrmann, D.J. (148) 101
- Brown, W.R., see Butler, J.E. (150) 77
- Bruderer, U., Deusinger, M., Schürch, U. and Lang, A.B.
Analyses of affinity distributions within polyclonal populations of antigen-specific antibodies. Evaluation of their accuracy in population detection using monoclonal antibodies (151) 157
- Bruderer, U., see Lang, A.B. (154) 21
- Brunink, F., see Coco-Martin, J.M. (155) 241
- Bryant, J., Day, R., Whiteside, T.L. and Herberman, R.B.
Calculation of lytic units for the expression of cell-mediated cytotoxicity (146) 91
- Buendia, E., see Romeu, M.A. (154) 7
- Bugbee, S.J., see Boraker, D.K. (155) 91
- Bulmer, J.N., see Rasheed, F.N. (146) 185
- Bunn-Moreno, M.M., see De Miranda-Santos, I.K.F. (146) 261
- Burrows, S.R., see Suhrbier, A. (148) 265
- Butler, J.S., see Salmain, M. (148) 65
- Butler, J.E., Ni, L., Nessler, R., Joshi, K.S., Suter, M., Rosenberg, B., Chang, J., Brown, W.R. and Cantarero, L.A.
The physical and functional behavior of capture antibodies adsorbed on polystyrene (150) 77
- Butterworth, A.E., see Thorne, K.J.I. (149) 137
- Butterworth, A.E., see Thorne, K.J.I. (149) 139
- Bystryn, J.-C., see Cui, J. (147) 13
- C**
- Cabrera, L., see Garcia-Peñaarrubia, P. (155) 133
- Caignault, L., see Rasmussen, A.-M. (146) 195
- Callahan, G.N., see Dinchuk, J.E. (155) 257
- Campos-Neto, A., see De Miranda-Santos, I.K.F. (146) 261
- Cantarero, L.A., see Butler, J.E. (150) 77
- Capparelli, R., see Iannelli, D. (154) 211
- Carayon, P. and Bord, A.
Identification of DNA-replicating lymphocyte subsets using a new method to label the bromo-deoxyuridine incorporated into the DNA (147) 225
- Carding, S.R., Lu, D. and Bottomly, K.
A polymerase chain reaction assay for the detection and quantitation of cytokine gene expression in small numbers of cells (151) 277
- Cariani, L., see Gebran, S.J. (151) 255
- Carmona, M.J., see Blanca, M. (153) 99
- Carpay, W., see Beumer, T. (154) 77
- Carulli, G., see Azzarà, A. (148) 29
- Casadevall, A., Mukherjee, J. and Scharff, M.D.
Monoclonal antibody based ELISAs for cryptococcal polysaccharide (154) 27
- Casado, J.A., see Merino, J. (153) 151
- Casale, T.B., see Erger, R.A. (152) 115
- Case, R., see Saha, K. (151) 307
- Castell, L.M.
Separation of peripheral blood lymphocytes with low platelet and erythrocyte contamination, using ADP aggregation (146) 49
- Cease, K.B., see Kaldjian, E.P. (147) 189
- Chadwick, V.S., see Allen, C.A. (149) 159
- Chalifour, R.J., Michon, F., Jennings, H.J. and Lacroix, M.
Use of defined oligosaccharide epitopes in an ELISA for group B streptococcus (154) 69
- Chang, J., see Butler, J.E. (150) 77
- Chang, L., see Gazitt, Y. (148) 159
- Chapel, H.M., see Faux, J.A. (153) 167
- Chapman, C.B., see Kachab, E.H. (147) 33
- Chapman, V., Fletcher, S.M. and Jones, M.N.
Freeze-thaw effects on the detection of blood group substances in detergent extracts by enzyme-linked immunosorbent assays (ELISA) (149) 147
- Check, I.J., see Bennett, B. (153) 31
- Chen, A.B., see Gibson, U.E.M. (155) 249
- Chen, G.-H., see Kaldjian, E.P. (147) 189
- Chen, S.-L., see Ma, J. (155) 121
- Chesterman, C.N., see Khachigian, L.M. (149) 267
- Chevailler, A., Noel, L.H., Renier, G., Gardembas-Pain, M., Subra, J.F., Nusbaum, P., Hurez, D. and Lesavre, P.
Determination of anti-neutrophil cytoplasm antibodies (ANCA) specificity by immunofluorescence on chronic myelocytic leukemia cells (147) 101
- Chiabrando, G.A., see Zalazar, F.E. (152) 1
- Chiechio, A., Giglioli, F., Malvano, R., Ringhini, R., Manzone, P. and Bo, A.
The imprecision profile in immunoassay. A study using a resampling technique (147) 211
- Chikanza, I.C., Corrigal, V., Kingsley, G. and Panayi, G.S.
Enumeration of interleukin-1 alpha and beta producing cells by flow cytometry (154) 173
- Chikhaoui, Y., Balaguer, P., Terouanne, B., Boussioux, A.-M. and Nicolas, J.-C.
A multiple luminescent procedure for the detection of different papillomaviruses on dot blots (150) 51
- Chimenti, M., see Azzarà, A. (148) 29
- Cho, S.-O., see McCune, C. (155) 267
- Christensson, B., see Islam, K.B. (154) 163
- Christopoulos, T.K., see Diamandis, E.P. (147) 251
- Cid, J., see Merino, J. (153) 151

- Claassen, E., Gerritse, K., Laman, J.D. and Boersma, W.J.A.
New immunoenzyme-cytochemical stainings for the *in situ* detection of epitope specificity and isotype of antibody forming B cells in experimental and natural (auto)immune responses in animals and man (150) 207
- Claassen, E.
Post-formation fluorescent labelling of liposomal membranes. *In vivo* detection, localisation and kinetics (147) 231
- Claassen, E., see Van Rooijen, N. (151) 149
- Clancy, R.L., see Taylor, D.C. (146) 55
- Clem, L.W., see Pascual, D.W. (146) 249
- Clift, R., see Godfrey, M.A.J. (149) 21
- Coco-Martin, J.M., Brunink, F., Van der Velden-de Groot, T.A.M. and Beuvery, E.C.
Analysis of glycoforms present in two mouse IgG2a monoclonal antibody preparations (155) 241
- Cohen, R.J., see Gazitt, Y. (148) 159
- Collins, M.K.L., see Ormerod, M.G. (153) 57
- Collins, M.K.L., see Porter, C.D. (155) 151
- Coloma, M.J., Hastings, A., Wims, L.A. and Morrison, S.L.
Novel vectors for the expression of antibody molecules using variable regions generated by polymerase chain reaction (152) 89
- Compiano, J.M., see Delaage, M. (150) 103
- Conlon, J., see Bobrow, M.N. (150) 145
- Conroy, L., see De Boer, M. (152) 15
- Cooney, S.J., Smal, M.A. and Baldo, B.A.
Measurement of PAF in blood by radioimmunoassay. Examination of interfering factors and problems involved in accurate quantification (151) 131
- Cooper, K., see Tomkins, P. (151) 313
- Corominas, M., see Romeu, M.A. (154) 7
- Corradin, G., see Widmann, C. (155) 95
- Correa, I., see Lenstra, J.A. (152) 149
- Corrigal, V., see Chikanza, I.C. (154) 173
- Cox, J.C., Moisidis, A.V., Shepherd, J.M., Drane, D.P. and Jones, S.L.
A novel format for a rapid sandwich EIA and its application to the identification of snake venoms (146) 213
- Cox, J.C., see Jones, S.L. (155) 233
- Coyle, P.V., Wyatt, D., McCaughey, C. and O'Neill, H.J.
A simple standardised protocol for the production of monoclonal antibodies against viral and bacterial antigens (153) 81
- Cozzi, E., see Alzani, R. (152) 35
- Crawford-Sharpe, G.C., see Harris, J.F. (148) 199
- Crimando, J. and Hoffman, S.A.
Detection of brain-reactive autoantibodies in the sera of autoimmune mice using ELISA (149) 87
- Cripps, A.W., see Taylor, D.C. (146) 55
- Cronan, Jr., J.E., see Munford, R.S. (148) 115
- Cross, A.M., see McLean, G.W. (155) 113
- Cui, J. and Bystryn, J.-C.
An improved europium release assay for complement-mediated cytosis (147) 13
- Cunningham-Rundles, C., Zhuo, Z., Griffith, B. and Keenan, J.
Biological activities of polyethylene-glycol immunoglobulin conjugates. Resistance to enzymatic degradation (152) 177
- Curtis, P.J., see Nesbit, M. (151) 201
- Cushing, A., see Horton, J.K. (155) 31
- Custer, M., see Hwu, P. (151) 139
- Cybinski, D.H., see Zakrzewski, H. (151) 289
- Czerninsky, C., see Eriksson, K. (153) 107
- Czerninsky, C., see Sedgwick, J.D. (150) 159

D

- Dal Monte, P., see Borzì, R.M. (146) 17
- Damjanov, I., see Thakur, M.L. (152) 209
- Danbara, H., see Abe, A. (154) 205
- Daniels, J., see Walker, M.R. (149) 77
- Danve, B., see Herrmann, D.J. (148) 101
- Davies, D.H., see Murphy, J.F. (154) 89
- Day, N.K., see Tomita, Y. (151) 269
- Day, R., see Bryant, J. (146) 91
- Deacock, S., Schwarer, A., Batchelor, R., Goldman, J. and Lechler, R.
A rapid limiting dilution assay for measuring frequencies of alloreactive, interleukin-2-producing T cells in humans (147) 83
- Dealtry, G.B., see Swann, I.D. (152) 245
- De Boer, M., Conroy, L., Min, H.Y. and Kwekkeboom, J.
Generation of monoclonal antibodies to human lymphocyte cell surface antigens using insect cells expressing recombinant proteins (152) 15
- De Boer, M., see Wiemer, E.A.C. (151) 165
- Debre, P., see Aboulker, J.P. (154) 155
- De Brujin, M.L.H., see Ossevoort, M.A. (155) 101
- Decaens, C., see Bara, J. (149) 105
- De Caestecker, M.P., Telfer, B.A., Hutchinson, I.V. and Ballardie, F.W.
The detection of intracytoplasmic interleukin-1 α , interleukin-1 β and tumour necrosis factor α expression in human monocytes using two colour immunofluorescence flow cytometry (154) 11
- Deeb, B.J., DiGiacomo, R.F., Kunz, L.L. and Stewart, J.L.
Comparison of Freund's and Ribi adjuvants for inducing antibodies to the synthetic antigen (TG)-AL in rabbits (152) 105
- Deelder, A.M., see Gundersen, S.G. (148) 1
- DeFulvio, J., see Thakur, M.L. (152) 209
- De Jonge, N., see Gundersen, S.G. (148) 1
- Deka, N., see Talwar, G.P. (150) 121

- Delaage, M., Compiano, J.M., Barbet, J., Artus, A. and Prince, P.
Statistical properties of immunoanalytic system (150) 103
- Delaage, M., see Andreoni, C. (151) 249
- De Leij, L., see Schilizzi, B.M. (153) 49
- DeMaria, M.A., see Hardin, J.A. (154) 99
- Demedts, P., see Ntakarutimana, V. (153) 133
- De Miranda-Santos, I.K.F., Mengel Junior, J.O., Bunn-
Moreno, M.M. and Campos-Neto, A.
Reply to the letter of J.L. Preud'homme et al. (146) 261
- DeRocquigny, H., see Germani, Y. (146) 25
- Deusinger, M., see Bruderer, U. (151) 157
- DeVeaux, L.C., see Munford, R.S. (148) 115
- Devine, P.L. and Birrell, G.W.
A method for screening large numbers of samples on
immunoblots (149) 143
- Dhar, T.K. and Ali, E.
Direct microtitre plate enzyme immunoassay of testos-
terone in unextracted serum (147) 167
- Dhar, T.K., see Ali, E. (147) 173
- Dhar, T.K., see Sengupta, J. (147) 181
- Diamandis, E.P., Christopoulos, T.K. and Bean, C.C.
Quantitative Western blot analysis and spot immunodetec-
tion using time-resolved fluorometry (147) 251
- DiGiacomo, R.F., see Deeb, B.J. (152) 105
- Dimitrov, D.G., Sedlák, R., Nouza, K. and Kinský, R.
A quantitative objective method for the evaluation of
anti-sperm cell-mediated immunity in humans (154) 147
- Dinarello, C.A.
ELISA kits based on monoclonal antibodies do not meas-
ure total IL-1 β synthesis (148) 255
- Dinchuk, J.E., Kelley, K.A. and Callahan, G.N.
Flow cytometric analysis of transport activity in lympho-
cytes electroporated with a fluorescent organic anion dye
(155) 257
- Di Stefano, G., see Provinciali, M. (155) 19
- Dowdle, E.B., see Veenstra, H. (146) 257
- Drane, D.P., see Cox, J.C. (146) 213
- Drexler, H.G., see Uphoff, C.C. (149) 43
- Drexler, H.G., see Uphoff, C.C. (149) 55
- Dri, P., see Romano, M. (154) 265
- Driscoll, D.P., see Sturmer, A.M. (146) 105
- Druet, P.
Diagnosis of autoimmune diseases (150) 177
- Duncan, M.E., McAleese, S.M., Booth, N.A., Melvin, W.T.
and Fothergill, J.E.
A simple enzyme-linked immunosorbent assay (ELISA)
for the neuron-specific γ isozyme of human enolase (NSE)
using monoclonal antibodies raised against synthetic pep-
tides corresponding to isozyme sequence differences (151)
227
- Durrant, L.G.
A rapid method for separating tumour infiltrating cells
and tumour cells from colorectal tumours (147) 57
- D'Uscio, C. and Blaser, K.
Establishment of anti-human neuroblastoma-selective iso-
type-switch variants (146) 63
- Dyrberg, T., see Petersen, J.S. (151) 15

- Dziegieł, M., Borre, M.B., Petersen, E., Högh, B., Jepsen, S.,
Vuust, J. and Axelsen, N.
Capture ELISA for IgM antibodies against *Plasmodium*
falciparum glutamate rich protein (155) 207

E

- Economou, M., Papadopoulos, G.K., Seferiadis, K., Heimer,
E.P., Felix, A.M. and Tsolas, O.
A sensitive and specific competition microELISA for the
immunoactive polypeptide parathymosin and detection of
this peptide in porcine tissues (148) 87
- Edberg, J.C. and Kimberly, R.P.
Receptor specific probes for the study of Fc γ receptor
specific function (148) 179
- Eeftinck Schattenkerk, J.-K.M., see Van de Graaf, E.A. (147)
241
- Ego, E., see Schuh, R. (152) 59
- Ehlers, M., see Grunwald, U. (155) 225
- Eisenbach, L., see Katz, A. (149) 255
- Eisenlohr, L.C., Yewdell, J.W. and Bennink, J.R.
A transient transfection system for identifying biosynthe-
sized proteins processed and presented to class I MHC
restricted T lymphocytes (154) 131
- Eiskjær, H., see Ingwersen, S.H. (149) 237
- Ekong, T., Hill, A.M., Gompels, M., Brown, A. and Pinching,
A.J.
The effect of the temperature and duration of sample
storage on the measurement of lymphocyte subpopulations
from HIV-1-positive and control subjects (151) 217
- Emly, J., see Ratcliffe, W.A. (146) 33
- Engel, W.D. and Khanna, P.L.
CEDIA in vitro diagnostics with a novel homogeneous
immunoassay technique. Current status and future pros-
pects (150) 99
- Engelman, R.W., see Tomita, Y. (151) 269
- Enjuanes, L., see Lenstra, J.A. (152) 149
- Erdos, G.W., see Gazitt, Y. (148) 159
- Erger, R.A. and Casale, T.B.
Comparison of methodologies to measure human lung
histamine (152) 115
- Eriksson, K., Nordström, I., Horal, P., Jeansson, S., Svensson-
holm, B., Vahlne, A., Holmgren, J. and Czerkinsky, C.
Amplified ELISPOT assay for the detection of HIV-
specific antibody-secreting cells in subhuman primates
(153) 107
- Erikstein, B.K., see Rasmussen, A.-M. (146) 195
- Erkens, J.H.F., see Lenstra, J.A. (152) 149
- Evangelatos, G.P., see Livaniou, E. (148) 9
- Evin, G., see Khachigian, L.M. (149) 267

F

- Faarup, P., see Ingwersen, S.H. (149) 237
 Fabris, N., see Provinciali, M. (155) 19
 Facchini, A., see Borzì, R.M. (146) 17
 Facchini, A., see Vitale, M. (149) 189
 Fantini, E., see Azzarà, A. (148) 29
 Farrah, S.R., see Brigmon, R.L. (152) 135
 Faux, J.A., Agbarakwe, A.E., Misbah, S.A. and Chapel, H.M.
 A comparison of specific IgG antibody levels to the cell wall mannan of *Candida albicans* in normal individuals and in patients with primary antibody deficiency (153) 167
 Feldman, M., see Katz, A. (149) 255
 Felix, A.M., see Economou, M. (148) 87
 Fernan, A., see Suurbier, A. (148) 265
 Fernando, S.A. and Wilson, G.S.
 Multiple epitope interactions in the two-step sandwich immunoassay (151) 67
 Fernando, S.A. and Wilson, G.S.
 Studies of the 'hook' effect in the one-step sandwich immunoassay (151) 47
 Fernando, S.A., Sportsman, J.R. and Wilson, G.S.
 Studies of the low dose 'hook' effect in a competitive homogeneous immunoassay (151) 27
 Fernie, B.A., see Hobart, M.J. (153) 93
 Ferrara, L., see Iannelli, D. (154) 211
 Ferrara, S., see Storek, J. (151) 261
 Ferrer-Di Martino, M., see Lalmanach, G. (149) 197
 Ferrua, B., see Nordström, I. (150) 199
 Festin, R.
 Differential membrane labelling of human lymphocyte subsets by PKH-2 examined by multiparameter flow cytometry. A possible correlation between lipid composition of cellular membranes and functional properties? (154) 47
 Fidgor, C.G., see Ossevoort, M.A. (155) 101
 Figenbach, K.J., see Gundersen, S.G. (148) 1
 Finkelstein, G.L., see Linden, J. (151) 209
 Fjeld, J.G. and Skretting, A.
 Evaluation of labelled monoclonal antibodies by simultaneous estimation of the association constant, the immunoreactive fraction, and the number of effective binding sites on the specific target (151) 97
 Flechner, I., see Peritt, D. (155) 159
 Flechner, I., see Peritt, D. (155) 167
 Fleit, H.B., see Salcedo, T.W. (148) 209
 Fletcher, S.M., see Chapman, V. (149) 147
 Flores, K.M., see Walker, K.W. (154) 121
 Flye, M.W., see Roland, C.R. (154) 139
 Folch, H., see Ojeda, F. (152) 171
 Fonteneau, P., see Giaimis, J. (154) 185
 Fothergill, J.E., see Duncan, M.E. (151) 227
 Fountoulakis, M., see Ozmen, L. (147) 261
 Fracasso, R.P., see Wunderlich, D. (147) 1
 Frasch, C.E., see Herrmann, D.J. (148) 101
 Freund, J., see Hammerl, P. (151) 299

- Fu, Z.F., see Nesbit, M. (151) 201
 Fukada, M., see Takahashi, K. (153) 67
 Funderud, S., see Rasmussen, A.-M. (146) 195
 Fung, M.-C., Mak, N.-K., Leung, K.-N. and Hapel, A.J.
 Distinguishing between mouse IL-3 and IL-3 receptor-like (IL-5/GM-CSF receptor converter) mRNAs using the polymerase chain reaction method (149) 97
 Furutani-Seiki, M., see Hu, F.-y. (152) 123

G

- Galili, U., Ron, M. and Sharon, R.
 The natural anti- α -galactosyl IgG in seminal fluid. A simple means to determine damage to the blood-genital tract barrier in infertile males (151) 117
 Galvez, J., see Garcia-Péñarrubia, P. (155) 133
 Garcia, J., see Blanca, M. (153) 99
 Garcia-Péñarrubia, P., Cabrera, L., Alvarez, R. and Galvez, J.
 Effector-target interactions: saturability, affinity and binding isotherms. A study of such interactions in the human NK cell-K562 tumour cell system (155) 133
 Gardembas-Pain, M., see Chevailler, A. (147) 101
 Garotta, G., see Ozmen, L. (147) 261
 Gauthier, F., see Lalmanach, G. (149) 197
 Gazitt, Y., He, Y.J. and Graham-Pole, J.
 A novel methodology for the establishment of neuroblastoma cell lines from metastatic marrow. Expression of surface markers, neurofilaments, MDR-1 and myc proteins (148) 171
 Gazitt, Y., He, Y.J., Erdos, G.W., Chang, L., Ashktorab, H. and Cohen, R.J.
 Development of a two color immunofluorescence stain and immunolocalization method for N-myc and c-myc oncoproteins with a newly generated mouse IgM anti N-myc antibody (148) 159
 Gebauer, F., see Lenstra, J.A. (152) 149
 Gebran, S.J., Romano, E.L., Pons, H.A., Cariani, L. and Soyano, A.N.
 A modified colorimetric method for the measurement of phagocytosis and antibody-dependent cell cytotoxicity using 2,7-diaminofluorene (151) 255
 Gee, J., see Jasani, B. (150) 193
 George, J.R., see Granade, T.C. (154) 225
 Gerlach, J.T., see Padovan, C.S. (147) 27
 Germani, Y., DeRocquigny, H. and Guesdon, J.L.
 Escherichia coli heat-stable enterotoxin (STa)-biotin conjugates for the titration of STa antisera by an enzyme-linked immunosorbent assay (146) 25
 Gerrits, K., see Claassen, E. (150) 207
 Gerth, R., see Madersbacher, S. (152) 9
 Geysen, H.M., see Maeji, N.J. (146) 83

- Ghosh, P.C., see Paul, A. (148) 151
 Ghosh, S., see Talwar, G.P. (150) 121
 Giaimis, J., Lombard, Y., Makaya-Kumba, M., Fonteneau, P. and Poindron, P.
 A new and simple method for studying the binding and ingestion steps in the phagocytosis of yeasts (154) 185
 Gibson, U.E.M., Chen, A.B., Baker, D.L. and Sinicropi, D.V.
 An antibody capture bioassay (ACB) for DNase in human serum samples (155) 249
 Giersch, T., see Böcher, M. (151) 1
 Giglioli, F., see Chieccchio, A. (147) 211
 Gignac, S.M., see Uphoff, C.C. (149) 43
 Gignac, S.M., see Uphoff, C.C. (149) 55
 Goddard, R.H., see McCune, C. (155) 267
 Godfrey, M.A.J., Kwasowski, P., Clift, R. and Marks, V.
 A sensitive enzyme-linked immunosorbent assay (ELISA) for the detection of staphylococcal protein A (SpA) present as a trace contaminant of murine immunoglobulins purified on immobilized protein A (149) 21
 Goldman, J., see Deacock, S. (147) 83
 Goldsby, R.A., see Ravichandran, K.S. (153) 249
 Golombek, M., see Goppelt-Strübe, M. (151) 245
 Gompels, M., see Ekong, T. (151) 217
 Gonatas, J.O., see Gonatas, N.K. (150) 185
 Gonatas, N.K., Gonatas, J.O. and Stieber, A.
 Contributions of peroxidase immunocytochemistry in the ultrastructural detection of membrane bound antigens (150) 185
 González, L., see Romeu, M.A. (154) 7
 Good, R.A., see Tomita, Y. (151) 269
 Gooding, R., see Riches, P. (153) 125
 Goppelt-Strübe, M. and Golombek, M.
 Fluorometric determination of the DNA content of cells cultured in tissue culture plates (151) 245
 Gordon, T.P., see Xu, H.J. (146) 241
 Gruber, P., Jansen, K., Pochon, S., Shields, J., Aubonne, N., Turcatti, G. and Bonnefoy, J.-Y.
 Purification and characterization of biologically active human recombinant 37 kDa soluble CD23 (sFcεRII) expressed in insect cells (149) 215
 Graham-Pole, J., see Gazitt, Y. (148) 171
 Graham, S., see Marsden, H.S. (147) 65
 Granade, T.C., Phillips, S.K., Bell, C.J., Pau, C.-P., Parekh, B., Hannon, W.H., Gwinn, M., Redus, M.A., Schuchman, G. and George, J.R.
 Factors influencing HIV-1 banding patterns in miniaturized Western blot testing of dried blood spot specimens (154) 225
 Grant, J.A., see Alam, R. (155) 25
 Greenbaum, C.J., see Hegewald, M.J. (154) 61
 Greenwood, B.M., see Rasheed, F.N. (146) 185
 Gribnau, T.C.J., see Van Erp, R. (152) 191
 Griffith, B., see Cunningham-Rundles, C. (152) 177
 Groscurth, P., see Vollenweider, I. (149) 133
 Grunwald, U., Krüger, C., Westermann, J., Lukowsky, A., Ehlers, M. and Schütt, C.
 An enzyme-linked immunosorbent assay for the quantification of solubilized CD14 in biological fluids (155) 225
 Gualde, N., see Preud'homme, J.L. (146) 259
 Guarda, M.I., see Ojeda, F. (152) 171
 Guenther, M.M., see Rodgers, J.R. (152) 159
 Guesdon, J.-L.
 Immunoenzymatic techniques applied to the specific detection of nucleic acids. A review (150) 33
 Guesdon, J.L., see Germani, Y. (146) 25
 Gundersen, S.G., Haagensen, I., Jonassen, T.O., Figenschau, K., De Jonge, N. and Deelder, A.M.
 Magnetic bead antigen capture enzyme-linked immunoassay in microtitre trays for rapid detection of schistosomal circulating anodic antigen (148) 1
 Gupta, S.K., see Talwar, G.P. (150) 121
 Gurfinkel, M., see Zucker, S. (148) 189
 Gwinn, M., see Granade, T.C. (154) 225

H

- Haagensen, I., see Gundersen, S.G. (148) 1
 Haas, H., see Holmskov, U. (148) 225
 Hadding, U., see Kamla, V. (147) 73
 Haisma, H.J., Pinedo, H.M., Silva, C.A. and Boven, E.
 Determination of the immunoreactive fraction of radiolabelled monoclonal antibodies directed against intracellular antigens (154) 55
 Hallett, M.B., see Jiang, W.G. (152) 201
 Halperin, T., see Peritt, D. (155) 159
 Halperin, T., see Peritt, D. (155) 167
 Hamblin, A., Taylor, M., Bernhagen, J., Shakoor, Z., Mayall, S., Noble, G. and McCarthy, D.
 A method of preparing blood leucocytes for flow cytometry which prevents upregulation of leucocyte integrins (146) 219
 Hamilton, R.G., see Herrmann, D.J. (148) 101
 Hammarström, L., see Islam, K.B. (154) 163
 Hammarström, M.-L., see Lundqvist, C. (152) 253
 Hammarström, S., see Lundqvist, C. (152) 253
 Hammerl, P., Hartl, A., Freund, J. and Thalhamer, J.
 A method for the detection of serologically crossreacting antigens both within and between protein mixtures: the Western cross blot (151) 299
 Handa, M., see Katayama, M. (153) 41
 Hannon, W.H., see Granade, T.C. (154) 225
 Hapel, A.J., see Fung, M.-C. (149) 97
 Hara, M., see Ishizuka, T. (153) 213
 Harcourt, G., see Hawke, S. (155) 41
 Hardin, J.A., Sherr, D.H., DeMaria, M.A. and Lopez, P.A.
 A simple fluorescence method for surface antigen phenotyping of lymphocytes undergoing DNA fragmentation (154) 99
 Harigai, M., see Ishizuka, T. (153) 213

- Haritos, A., see Livaniou, E. (148) 9
- Harris, J.F., Hawley, R.G., Hawley, T.S. and Crawford-Sharpe, G.C.
Increased frequency of both total and specific monoclonal antibody producing hybridomas using a fusion partner that constitutively expresses recombinant IL-6 (148) 199
- Hartl, A., see Hammerl, P. (151) 299
- Hassan-King, M., see Rasheed, F.N. (146) 185
- Hastings, A., see Coloma, M.J. (152) 89
- Haugland, R.P., see Huang, Z. (149) 261
- Havenith, C.E.G., Breedijk, A.J., Verdaasdonk, M.A.M., Kamperdijk, E.W.A. and Beelen, R.H.J.
An improved and rapid method for the isolation of rat lymph node or spleen T lymphocytes for T cell proliferation assays (153) 73
- Hawke, S., Willcox, N., Harcourt, G., Vincent, A. and Newsom-Davis, J.
Stimulation of human T cells by sparse antigens captured on immunomagnetic particles (155) 41
- Hawley, R.G., see Harris, J.F. (148) 199
- Hawley, T.S., see Harris, J.F. (148) 199
- Hay, A.J., see Mahmood, N. (151) 9
- Hay, F.C., see Manyonda, I.T. (149) 1
- He, Y.J., see Gazitt, Y. (148) 159
- He, Y.J., see Gazitt, Y. (148) 171
- Hedman, H., Brändén, H. and Lundgren, E.
Physical separation of ICAM-1 binding cells (146) 203
- Hegewald, M.J., Schoenfeld, S.L., McCulloch, D.K., Greenbaum, C.J., Klaff, L.J. and Palmer, J.P.
Increased specificity and sensitivity of insulin antibody measurements in autoimmune thyroid disease and type I diabetes (154) 61
- Heilmann, C., see Barington, T. (146) 129
- Heimer, E.P., see Economou, M. (148) 87
- Heinicke, E., Kumar, U. and Munoz, D.G.
Quantitative dot-blot assay for proteins using enhanced chemiluminescence (152) 227
- Hemmilä, I., see Suonpää, M. (149) 247
- Henrich, B., see Kamla, V. (147) 73
- Hentges, R., see Sharief, M.K. (147) 51
- Henwick, S., Hetherington, S.V. and Hostetter, M.K.
Specificity of three anti-complement factor 3 monoclonal antibodies (153) 173
- Herberman, R.B., see Bryant, J. (146) 91
- Herlyn, D., see Kasai, Y. (155) 77
- Herrmann, D.J., Hamilton, R.G., Barington, T., Frasch, C.E., Arakere, G., Mäkelä, O., Mitchell, L.A., Nagel, J., Rijkers, G.T., Zegers, B., Danve, B., Ward, J.I. and Brown, C.S.
Quantitation of human IgG subclass antibodies to *Haemophilus influenzae* type b capsular polysaccharide. Results of an international collaborative study using enzyme immunoassay methodology (148) 101
- Herzyk, D.J., Berger, A.E., Allen, J.N. and Wewers, M.D.
Sandwich ELISA formats designed to detect 17 kDa IL-1 β significantly underestimate 35 kDa IL-1 β (148) 243
- Hetherington, S.V., see Henwick, S. (153) 173
- Hewitt, C.W., see Walker, K.W. (154) 121
- Heyes, J.M., see Sadler, A.M. (149) 11
- Heyman, B., see Michaelsen, T.E. (146) 9
- Heynen, C.A. and Holzer, T.J.
Evaluation of a flow cytometric model for monitoring HIV antigen expression in vitro (152) 25
- Hidaka, T., see Ishizuka, T. (153) 213
- Higuchi, A., see Kim, H.H. (153) 223
- Hill, A.M., see Ekong, T. (151) 217
- Hilsmeier, K., see Alam, R. (155) 25
- Hirai, S., see Katayama, M. (153) 41
- Hirata, K., see Wada, Y. (154) 235
- Hoare, J.A. and Trees, A.J.
Comparison of selected protocols for the generation of IgA isotype monoclonal antibodies against the gut parasite, *Eimeria tenella* (153) 161
- Hobart, M.J., Fernie, B.A. and Lachmann, P.J.
A cleavable biotinylating agent and its use in protein electroblots (153) 93
- Hoebeke, J., see Lalimanach, G. (149) 197
- Hoffman, S.A., see Crimando, J. (149) 87
- Högl, B., see Dziegieł, M. (155) 207
- Holmgren, J., see Eriksson, K. (153) 107
- Holmskov, U., Haas, H., Teisner, B., Andersen, O. and Jensenius, J.C.
Calcium-dependent and calcium-independent signals in the conglutinin-binding assay (KgBa) for immune complexes. Influence of anti-collagen-antibodies (148) 225
- Holzer, T.J., see Heynen, C.A. (152) 25
- Honna, Y., see Ohmori, H. (147) 119
- Honorati, M.C., see Borzì, R.M. (146) 17
- Hopwood, J.J., see Brooks, D.A. (155) 129
- Horal, P., see Eriksson, K. (153) 107
- Horton, J.K., Martin, R.C., Kalinka, S., Cushing, A., Kitcher, J.P., O'Sullivan, M.J. and Baxendale, P.M.
Enzyme immunoassays for the estimation of adenosine 3',5' cyclic monophosphate and guanosine 3',5' cyclic monophosphate in biological fluids (155) 31
- Hostetter, M.K., see Henwick, S. (153) 173
- Howard, C.R., see Okawa, Y. (149) 127
- Hoyer, P.E., see Marshall, M.O. (149) 63
- Hu, F.-y., Asano, Y., Sano, K., Inoue, T., Furutani-Seiki, M. and Tada, T.
Establishment of stable CD8 $^{+}$ suppressor T cell clones and the analysis of their suppressive function (152) 123
- Hu, Y., see Tie, F. (149) 115
- Hu, Z.-Q., Yoshida, T. and Shimamura, T.
Induction and identification of mast cells from long-term culture of mouse spleen cells without conditioned medium (149) 173
- Huang, L., see Nair, S. (152) 237
- Huang, Z., Olson, N.A., You, W. and Haugland, R.P.
A sensitive competitive ELISA for 2,4-dinitrophenol using 3,6-fluorescein diphosphate as a fluorogenic substrate (149) 261
- Hudecz, F. and Price, M.R.
Monoclonal antibody binding to peptide epitopes conjugated to synthetic branched chain polypeptide carriers. Influence of the carrier upon antibody recognition (147) 201

- Hughes, S., see Ratcliffe, W.A. (146) 33
 Huisman, J.G., see Veldhoven, C.H.A. (151) 177
 Hundhausen, T., Laus, R. and Müller-Ruchholtz, W.
 New parental cell lines for generating human hybridomas (153) 21
 Hunter, R.L., see Bennett, B. (153) 31
 Hurez, D., see Chevallier, A. (147) 101
 Hutchinson, I.V., see De Caestecker, M.P. (154) 11
 Hvatum, M., Scott, H. and Brandtzaeg, P.
 Pitfalls in determining IgG and IgG-subclass antibodies to food antigens (148) 77
 Hwu, P., Schwarz, S., Custer, M., Smith, C.A., Mulé, J.J. and Rosenberg, S.A.
 Use of soluble recombinant TNF receptor to improve detection of TNF secretion in cultures of tumor infiltrating lymphocytes (151) 139

I

- Iannelli, D., Capparelli, R., Scala, F. and Ferrara, L.
 Isolation of mouse Lyt2⁻ mutant cells using magnetic particles (154) 211
 Iino, S., see Maruyama, T. (155) 65
 Ikarashi, Y., see Watanabe, H. (146) 145
 Ikeda, H., see Wada, Y. (154) 235
 Ikeda, K.W.Y., see Katayama, M. (153) 41
 Ikegami, H., see Ogata, A. (148) 15
 Ikuta, Y., see Abe, A. (154) 205
 Imberti, L., see Bettinardi, A. (146) 71
 Ingwersen, S.H., Jørgensen, P.N., Eiskjær, H., Langeland Johansen, N., Madsen, K. and Faarup, P.
 Superiority of sandwich ELISA over competitive RIA for the estimation of ANP-270, an analogue of human atrial natriuretic factor (149) 237
 Inoue, T., see Hu, F.-y. (152) 123
 Ishizuka, T., Kawagoe, M., Suzuki, K., Hara, M., Harigai, M., Kawakami, M., Kawaguchi, Y., Hidaka, T., Matsuki, Y., Tanaka, N., Kitani, A. and Nakamura, H.
 An ultrasensitive system to detect IL-4: enzyme-linked immunosorbent assay (ELISA) combined with an avidin-biotin and enzyme amplification system (153) 213
 Islam, K.B., Christensson, B., Hammarström, L. and Smith, C.I.E.
 Analysis of human IgA subclasses by *in situ* hybridization and combined *in situ* hybridization/immunohistochemistry (154) 163
 Ivanov, V.S., Suvorova, Z.K., Tchikin, L.D., Kozhich, A.T. and Ivanov, V.T.
 Effective method for synthetic peptide immobilization that increases the sensitivity and specificity of ELISA procedures (153) 229

- Ivanov, V.T., see Ivanov, V.S. (153) 229
 Iversen, O.-J., see Bergh, K. (152) 79

J

- Jackson-Matthews, D.E., see Sturmer, A.M. (146) 105
 Jain, R.K., see Kaufman, E.N. (155) 1
 Jakobson, E., Axelsson, B. and Paulie, S.
 Agonistic properties of anti-B cell antibodies purified on staphylococcal protein A may be due to contaminating protein A (152) 49
 Jansen, H.M., see Van de Graaf, E.A. (147) 241
 Jansen, K., see Graber, P. (149) 215
 Jaouen, G., see Salmain, M. (148) 65
 Jasani, B., Thomas, N.D., Navabi, H., Millar, D.M., Newman, G.R., Gee, J. and Williams, E.D.
 Dinitrophenyl (DNP) hapten sandwich staining (DHSS) procedure. A 10 year review of its principle reagents and applications (150) 193
 Jawla, M.F.B., see Rasheed, F.N. (146) 185
 Jeansson, S., see Eriksson, K. (153) 107
 Jenkins, S.H.
 Homogeneous enzyme immunoassay (150) 91
 Jennings, H.J., see Chalifour, R.J. (154) 69
 Jensenius, J.C., see Holmskov, U. (148) 225
 Jepsen, S., see Dziegiel, M. (155) 207
 Jeurissen, S.H.M., see Vervelde, L. (151) 191
 Jiang, W.G., Puntis, M.C.A. and Hallett, M.B.
 U937 cells stimulated with opsonised zymozan particles provide a convenient laboratory source of tumour necrosis factor α (152) 201
 Jiang, X.P., see Macey, M.G. (149) 37
 Jiao, H., Soejima, Y., Ohe, Y. and Sajio, N.
 A new MTT assay for examining the cytotoxicity of activated macrophages towards the non-adherent P388 leukaemia cell line (153) 265
 Joel, S.P., see Thavasu, P.W. (153) 115
 John, E., see Thakur, M.L. (152) 209
 Jonassen, T.O., see Gundersen, S.G. (148) 1
 Jondal, M., see Zhou, X. (153) 193
 Jones, G.M., see Alexander, R.B. (148) 131
 Jones, M.N., see Chapman, V. (149) 147
 Jones, S.L., Cox, J.C., Shepherd, J.M., Rothel, J.S., Wood, P.R. and Radford, A.J.
 Removal of false-positive reactions from plasma in an enzyme immunoassay for bovine interferon- γ (155) 233
 Jones, S.L., see Cox, J.C. (146) 213
 Jørgensen, P.N., see Ingwersen, S.H. (149) 237
 Joshi, A.K., see Raghava, G.P.S. (153) 263
 Joshi, K.S., see Butler, J.E. (150) 77
 Jost, L.M., Kirkwood, J.M. and Whiteside, T.L.
 Improved short- and long-term XTT-based colorimetric

- cellular cytotoxicity assay for melanoma and other tumor cells (147) 153
 Juarez, C., see Blanca, M. (153) 99
 June, C.H., see Alexander, R.B. (148) 131

K

- Kabelitz, D., see Pechhold, K. (147) 135
 Kachab, E.H., Wu, W.-Y. and Chapman, C.B.
 The development of an enzyme-linked immunosorbent assay (ELISA) for cephalixin (147) 33
 Kaldjian, E.P., Chen, G.-H. and Cease, K.B.
 Enhancement of lymphocyte proliferation assays by use of serum-free medium (147) 189
 Kalinka, S., see Horton, J.K. (155) 31
 Kamla, V., Henrich, B. and Hadding, U.
 Species differentiation of mycoplasmas by EF-Tu specific monoclonal antibodies (147) 73
 Kamperdijk, E.W.A., see Havenith, C.E.G. (153) 73
 Kang, T.L., see Misso, N.L.A. (149) 183
 Karol, M.H., see Ruppel-Kerr, R. (154) 179
 Kasahara, T., see Ko, Y.-c. (149) 227
 Kasai, Y., Herlyn, D., Sperlagh, M., Maruyama, H., Matsushita, S. and Linnenbach, A.J.
 Molecular cloning of murine monoclonal anti-idiotypic Fab (155) 77
 Kashiwagi, N., see Abe, A. (154) 205
 Kast, W.M., see Ossevoort, M.A. (155) 101
 Katayama, M., Handa, M., Ambo, H., Araki, Y., Hirai, S., Kato, I., Kawai, Y. and Ikeda, K.W.Y.
 A monoclonal antibody-based enzyme immunoassay for human GMP-140/P-selectin (153) 41
 Kato, I., see Katayama, M. (153) 41
 Kato, K., see Kim, H.H. (153) 223
 Katz, A., Feldman, M. and Eisenbach, L.
 The use of [³⁵S]methionine as a target cell label in long term cytotoxic assays (149) 255
 Kaufman, E.N. and Jain, R.K.
 In vitro measurement and screening of monoclonal antibody affinity using fluorescence photobleaching (155) 1
 Kawagoe, M., see Ishizuka, T. (153) 213
 Kawaguchi, Y., see Ishizuka, T. (153) 213
 Kawai, M., see Takahashi, K. (153) 67
 Kawai, T., see Ko, Y.-c. (149) 227
 Kawai, Y., see Katayama, M. (153) 41
 Kawakami, M., see Ishizuka, T. (153) 213
 Keenan, J., see Cunningham-Rundles, C. (152) 177
 Keisari, Y.
 A colorimetric microtiter assay for the quantitation of cytokine activity on adherent cells in tissue culture (146) 155
 Kelley, K.A., see Dinchuk, J.E. (155) 257

- Kemeny, D.M.
 Titration of antibodies (150) 57
 Kemmner, W., Moldenhauer, G., Schlag, P. and Brossmer, R.
 Separation of tumor cells from a suspension of dissociated human colorectal carcinoma tissue by means of monoclonal antibody-coated magnetic beads (147) 197
 Kerr, M.A., see Mazengera, R.L. (146) 121
 Khachigian, L.M., Evin, G., Morgan, F.J., Owensby, D.A. and Chesterman, C.N.
 A crossreactive antipeptide monoclonal antibody with specificity for lysyl-lysine (J. Immunol. Methods 140 (1991) 249–258) (149) 267
 Khandekar, P.S., see Talwar, G.P. (150) 121
 Khanna, P.L., see Engel, W.D. (150) 99
 Kiessig, S.T., see Porstmann, T. (150) 5
 Kikuchi, K., see Wada, Y. (154) 235
 Kim, H.H., Kato, K., Higuchi, A., Nomura, N., Noguchi, H. and Arata, Y.
 ¹³C-NMR spectral analysis of the structures of mouse immunoglobulin G1 carrying allotypes a and j (153) 223
 Kimberly, R.P., see Edberg, J.C. (148) 179
 Kimura, M., see Watanabe, H. (146) 145
 Kingsley, G., see Chikanza, I.C. (154) 173
 Kinnon, C., see Porter, C.D. (155) 151
 Kinský, R., see Dimitrov, D.G. (154) 147
 Kirchner, H., see Rutenfranz, I. (148) 233
 Kirkwood, J.M., see Jost, L.M. (147) 153
 Kirstein, D., see Löster, K. (148) 41
 Kishimoto, S., see Yoshikawa, A. (148) 143
 Kishimoto, T., see Ogata, A. (148) 15
 Kitagawa, M., see Abe, A. (154) 205
 Kitani, A., see Ishizuka, T. (153) 213
 Kitcher, J.P., see Horton, J.K. (155) 31
 Klaff, L.J., see Hegewald, M.J. (154) 61
 Klinman, D.M.
 Analysis of B lymphocyte cross-reactivity at the single cell level (152) 217
 Knol, E.F., see Mul, F.P.J. (149) 207
 Ko, H.S., see Walker, K.W. (154) 121
 Ko, Y.-c., Mukaida, N., Panyutich, A., Voitenok, N.N., Matsushima, K., Kawai, T. and Kasahara, T.
 A sensitive enzyme-linked immunosorbent assay for human interleukin-8 (149) 227
 Koehler, J.A., see Peppard, J.V. (148) 23
 Koehne, C.F., see Peppard, J.V. (148) 23
 Koenig, S., see Alexander, R.B. (148) 131
 Kojima, M., see Yong Park, S. (154) 109
 Kokkinopoulos, D., Perez, S., Sotiriadou, R., Stinios, J. and Papamichail, M.
 The use of nylon wool for the isolation of T lymphocyte subpopulations (154) 1
 Konstadoulakis, M.M., see Kroubouzos, G. (148) 261
 Kopa, D., see Passmore, D. (155) 193
 Kopperschläger, G., see Sulk, B. (149) 165
 Kors, N., see Van Rooijen, N. (151) 149
 Kozhich, A.T., see Ivanov, V.S. (153) 229
 Kraal, G., see Van Rooijen, N. (151) 149
 Krausa, P., see Sadler, A.M. (149) 11
 Kremmer, E., see Schuh, R. (152) 59

- Kroesen, B.-J., see Schilizzi, B.M. (153) 49
 Krombach, F.P., see Padovan, C.S. (147) 27
 Kroubouzos, G., Tosca, A., Konstadoulakis, M.M. and Vareltzidis, A.
 Poly-L-lysine causes false positive results in ELISA methods detecting anti-dsDNA antibodies (148) 261
 Krüger, C., see Grunwald, U. (155) 225
 Kruse, A., see Rutenfranz, I. (148) 233
 Kuhn, H.-M., Brade, L. and Brade, H.
 A complement-dependent enzyme immunoassay (C-EIA) with increased sensitivity for IgM-rich rabbit sera (155) 201
 Kumar, U., see Heinicke, E. (152) 227
 Kunz, L.L., see Deeb, B.J. (152) 105
 Kurimoto, M., see Ogata, A. (148) 15
 Kuritani, T., see Ogata, A. (148) 15
 Kurokawa, K., see Maruyama, T. (155) 65
 Kusumi, A., see Watanabe, H. (146) 145
 Kwasowski, P., see Godfrey, M.A.J. (149) 21
 Kwekkeboom, J., see De Boer, M. (152) 15
 Kyprianou, E.K., see Bardsley, W.G. (153) 235
- L**
- Lachmann, P.J., see Hobart, M.J. (153) 93
 Lacroix, M., see Chalifour, R.J. (154) 69
 Lalmanach, G., Hoebeke, J., Moreau, T., Ferrer-Di Martino, M. and Gauthier, F.
 An immunochemical approach to investigating the mechanism of inhibition of cysteine proteinases by members of the cystatin superfamily (149) 197
 Laman, J.D., see Claassen, E. (150) 207
 Lamb, W.R., Pumphrey, R.S.H. and Brenchley, P.E.C.
 A peroxidase-linked enzyme immunoassay for tumour necrosis factor α utilising alternative colorimetric or chemilumimetric substrates (155) 215
 Lane, A.C., see Reynolds, W.M. (151) 123
 Lane, D.P., see Vojtěšek, B. (151) 237
 Lang, A.B., Schürch, U., Zimmermann, F. and Bruderer, U.
 Selective generation of antigen-specific human hybridomas optimized for large scale growth in serum-free medium (154) 21
 Lang, A.B., see Bruderer, U. (151) 157
 Langeland Johansen, N., see Ingwersen, S.H. (149) 237
 Langeveld, J.G.A., see Lenstra, J.A. (152) 149
 Langlet, C. and Schmitt-Verhulst, A.-M.
 Electroporation of CTL clones: a useful method to investigate signalling pathways leading to the expression of effector functions (151) 107
 Lansdorp, P.M., see Thomas, T.E. (154) 245
 Laus, R., see Hundhausen, T. (153) 21
 Lechner, R., see Deacock, S. (147) 83
 Lechner, R.I., see Zumla, A. (149) 69
 Lee, A., see Wunderlich, D. (147) 1
- Lee, T., see Ogata, A. (148) 15
 Lemp, J.A., see Ruppel-Kerr, R. (154) 179
 Lenstra, J.A., Erkens, J.H.F., Langeveld, J.G.A., Posthumus, W.P.A., Meloen, R.H., Gebauer, F., Correa, I., Enjuanes, L. and Stanley, K.K.
 Isolation of sequences from a random-sequence expression library that mimic viral epitopes (152) 149
 Lesavre, P., see Chevailler, A. (147) 101
 Leung, K.-N., see Fung, M.-C. (149) 97
 Levinsky, R.J., see Porter, C.D. (155) 151
 Lew, A.M., see Sun, S. (152) 43
 Linden, J., Vandenhoff, G.E., Taylor, D. and Finkelstein, G.L.
 Solid phase enzyme immunoassay of cyclic adenosine 3',5'-monophosphate. Effect of coating strategy upon assay performance in comparison with radioimmunoassay (151) 209
 Linders, Y.E.M., see Van Erp, R. (152) 191
 Linnenbach, A.J., see Kasai, Y. (155) 77
 Liotta, L.A., see Zucker, S. (148) 189
 Litt, G.J., see Bobrow, M.N. (150) 145
 Livanou, E., Mihelič, M., Evangelatos, G.P., Haritos, A. and Voelter, W.
 A thymosin β_4 ELISA using an antibody against the N terminal fragment thymosin β_4 [1–14] (148) 9
 Llull, R., see Walker, K.W. (154) 121
 Løfsgaard, M.F., see Michaelsen, T.E. (146) 9
 Lombard, Y., see Giaimis, J. (154) 185
 Longhurst, S., see Thavasu, P.W. (153) 115
 Loomis, L.D., see VanCott, T.C. (146) 163
 Lopez, P.A., see Hardin, J.A. (154) 99
 Loridon-Rosa, B., see Bara, J. (149) 105
 Löster, K., Seidel, S., Kirstein, D., Schneider, F. and Noll, F.
 Novel antibody coating of a magnetizable solid phase for use in enzyme immunoassays (148) 41
 Lu, D., see Carding, S.R. (151) 277
 Luke, F.J. and Schlegel, W.
 Determination of prostaglandin metabolites in biological samples by competitive time-resolved fluoroimmunoassay (148) 217
 Lukowsky, A., see Grunwald, U. (155) 225
 Lundgren, E., see Hedman, H. (146) 203
 Lundqvist, C., Hammarström, M.-L., Athlin, L. and Hammarström, S.
 Isolation of functionally active intraepithelial lymphocytes and enterocytes from human small and large intestine (152) 253
 Lysik, R.M., see Zucker, S. (148) 189
- M**
- Ma, J., Walsh, B., Chen, S.-L., Penny, R. and Breit, S.N.
 Restoring antibody activity of a monoclonal anti-RNP

- antibody by dissociative HPLC. Demonstration of blocking antibody binding sites with antigen released from effete hybridoma cells (155) 121
- Macey, M.G., Jiang, X.P., Veys, P., McCarthy, D. and Newland, A.C.
Expression of functional antigens on neutrophils. Effects of preparation (149) 37
- Madan, S., see Paul, A. (148) 151
- Madersbacher, S., Wolf, H., Gerth, R. and Berger, P.
Increased ELISA sensitivity using a modified method for conjugating horseradish peroxidase to monoclonal antibodies (152) 9
- Madsen, K., see Ingwersen, S.H. (149) 237
- Maeji, N.J., Tribbick, G., Bray, A.M. and Geysen, H.M.
Simultaneous multiple synthesis of peptide-carrier conjugates (146) 83
- Magdelénat, H.
Tumour markers in oncology: past, present and future (150) 133
- Mahmood, N. and Hay, A.J.
An ELISA utilizing immobilised snowdrop lectin GNA for the detection of envelope glycoproteins of HIV and SIV (151) 9
- Maini, R.N., see Williams, R.O. (147) 93
- Mak, N.-K., see Fung, M.-C. (149) 97
- Makaya-Kumba, M., see Giaimis, J. (154) 185
- Mäkelä, O., see Herrmann, D.J. (148) 101
- Maldonado, C., see Ojeda, F. (152) 171
- Malvano, R., see Chiechio, A. (147) 211
- Mann, W., see Zucker, S. (148) 189
- Mannik, M. and Person, R.E.
New antigenic determinants revealed on human IgG by binding to immunoblotting membranes (148) 267
- Manyonda, I.T., Soltys, A.J. and Hay, F.C.
A critical evaluation of the magnetic cell sorter and its use in the positive and negative selection of CD45RO⁺ cells (149) 1
- Manzoli, F.A., see Vitale, M. (149) 189
- Manzone, P., see Chiechio, A. (147) 211
- Marcucci, F., see Alzani, R. (152) 35
- Marguerie, C., see Zumla, A. (149) 69
- Markela, E., see Suonpää, M. (149) 247
- Marks, V., see Godfrey, M.A.J. (149) 21
- Marsden, H.S., Owsianka, A.M., Graham, S., McLean, G.W., Robertson, C.A. and Subak-Sharpe, J.H.
Advantages of branched peptides in serodiagnosis. Detection of HIV-specific antibodies and the use of glycine spacers to increase sensitivity (147) 65
- Marsden, H.S., see McLean, G.W. (155) 113
- Marsh, S.G.E., see Sadler, A.M. (149) 11
- Marshall, M.O. and Höyer, P.E.
A quantitative immunocytochemical method for the measurement of islet cell cytoplasmic antibodies (149) 63
- Martin, D.C., see Walker, K.W. (154) 121
- Martin, K.J., see Roland, C.R. (154) 139
- Martin, R.C., see Horton, J.K. (155) 31
- Maruyama, H., see Kasai, Y. (155) 77
- Maruyama, T., Thornton, G.B., Iino, S., Kurokawa, K. and Milich, D.R.
- Use of anti-peptide antibodies for the design of antigen-specific immune complex assays (155) 65
- Maryanski, J.L., see Widmann, C. (155) 95
- Massip, E., see Romeu, M.A. (154) 7
- Matsuki, Y., see Ishizuka, T. (153) 213
- Matsuhashima, K., see Ko, Y.-c. (149) 227
- Matsushita, S., see Kasai, Y. (155) 77
- Matthes, M.J., see Ong, G.L. (154) 37
- Mayall, S., see Hamblin, A. (146) 219
- Mayer, P.C., see Bobrow, M.N. (150) 145
- Mayorga, C., see Blanca, M. (153) 99
- Mayumi, M., see Yoshikawa, A. (148) 143
- Mazengera, R.L., Kerr, M.A. and Todd, A.S.
The use of spent renal dialysis membranes for the isolation of large numbers of human neutrophils for biochemical studies. Application to purification of the myeloid IgA receptor (Fc α R) (146) 121
- Mazzag, G., see Thorne, K.J.I. (149) 137
- Mazzotti, G., see Vitale, M. (149) 189
- McAleese, S.M., see Duncan, M.E. (151) 227
- McCarthy, D., see Hamblin, A. (146) 219
- McCarthy, D., see Macey, M.G. (149) 37
- McCaughay, C., see Coyle, P.V. (153) 81
- McCulloch, D.K., see Hegewald, M.J. (154) 61
- McCune, C., Goddard, R.H., Cho, S.-O. and Wick, S.M.
Use of the lipid emulsion system and *Salmonella typhimurium* mitogen adjuvant to stimulate IgG production in chickens (155) 267
- McDevitt, M.R., see Thakur, M.L. (152) 209
- McDonald-Smith, J., see Nesbit, M. (151) 201
- McLean, G.W., Cross, A.M., Munns, M.S. and Marsden, H.S.
Rapid attachment of a helper T cell epitope to branched peptides by fragment condensation to give enhanced immunogenicity (155) 113
- McLean, G.W., see Marsden, H.S. (147) 65
- McNeilage, J., see Xu, H.J. (146) 241
- Mehlig, M., see Scheicher, C. (154) 253
- Meilof, J.F., see Veldhoven, C.H.A. (151) 177
- Melief, C.J.M., see Ossevoort, M.A. (155) 101
- Melikhova, E.M., see Bardsley, W.G. (153) 235
- Melo, C., see Romano, M. (154) 265
- Meloen, R.H., see Lenstra, J.A. (152) 149
- Melvin, W.T., see Duncan, M.E. (151) 227
- Mengel Junior, J.O., see De Miranda-Santos, I.K.F. (146) 261
- Merino, J., Casado, J.A., Cid, J., Sánchez-Ibarrola, A. and Subirá, M.L.
The measurement of transforming growth factor type β (TGF β) levels produced by peripheral blood mononuclear cells requires the efficient elimination of contaminating platelets (153) 151
- Mestre, M., see Romeu, M.A. (154) 7
- Michael, J.G., see Pesce, A.J. (150) 111
- Michaelsen, T.E., Løfgaard, M.F., Aase, A. and Heyman, B.
Unexpected interaction of some anti-TNP hybridoma antibodies with Superose HPLC gel filtration resins (146) 9
- Michon, F., see Chalifour, R.J. (154) 69
- Middelkoop, E., see Wiemer, E.A.C. (151) 165
- Midgley, C.A., see Vojtěšek, B. (151) 237
- Mierz, D.V., see Wunderlich, D. (147) 1

- Mihelič, M., see Livaniou, E. (148) 9
 Milich, D.R., see Maruyama, T. (155) 65
 Millar, B.C., see Riches, P. (153) 125
 Millar, D.M., see Jasani, B. (150) 193
 Milstein, C., see Pannell, R. (146) 43
 Min, H.Y., see De Boer, M. (152) 15
 Misbah, S.A., see Faux, J.A. (153) 167
 Misso, N.L.A., Kang, T.L., Phillips, M.J. and Thompson, P.J.
 Assessment of neutrophil chemotaxis by laser and video densitometry (149) 183
 Mitchell, L.A., see Herrmann, D.J. (148) 101
 Miyakawa, Y., see Yoshikawa, A. (148) 143
 Miyakoshi, S., see Abe, A. (154) 205
 Moisidis, A.V., see Cox, J.C. (146) 213
 Moldenhauer, G., see Kemmner, W. (147) 197
 Monti, G., see Vitale, M. (149) 189
 Moreau, T., see Lalmanach, G. (149) 197
 Morgan, F.J., see Khachigian, L.M. (149) 267
 Morrison, L., see Rasheed, F.N. (146) 185
 Morrison, S.L., see Coloma, M.J. (152) 89
 Morrissey, P.J., Sato, T. and Braddy, S.
 The response of the IL-6-dependent cell line, B9, to IL-6 is not augmented by recombinant derived purified IL-2 (147) 141
 Moss, D.J., see Suhrbier, A. (148) 265
 Motal, U.M.A., see Zhou, X. (153) 193
 Mukaida, N., see Ko, Y.-c. (149) 227
 Mukherjee, J., see Casadevall, A. (154) 27
 Mukherjee, R., see Talwar, G.P. (150) 121
 Mul, F.P.J., Knol, E.F. and Roos, D.
 An improved method for the purification of basophilic granulocytes from human blood (149) 207
 Mulé, J.J., see Hwu, P. (151) 139
 Müller-Ruchholtz, W., see Hundhausen, T. (153) 21
 Munford, R.S., DeVeaux, L.C., Cronan, Jr., J.E. and Rick, P.D.
 Biosynthetic radiolabeling of bacterial lipopolysaccharide to high specific activity (148) 115
 Munns, M.S., see McLean, G.W. (155) 113
 Munoz, D.G., see Heinicke, E. (152) 227
 Murphy, J.F., Davies, D.H. and Smith, C.J.
 The development of enzyme-linked immunosorbent assays (ELISA) for the catecholamines adrenalin and noradrenalin (154) 89
 delivered by liposomes containing lipophilic polylysines (152) 237
 Naito, S., see Yoshikawa, A. (148) 143
 Nakamura, H., see Ishizuka, T. (153) 213
 Nakamura, Y., see Takeda, A. (147) 217
 Nakane, P.K.
 Modern histochemical methods using enzymes as markers (150) 151
 Nash, K., see Basi, G.S. (155) 175
 Navabi, H., see Jasani, B. (150) 193
 Németh, P., see Balogh, P. (153) 141
 Nesbit, M., Fu, Z.F., McDonald-Smith, J., Steplewski, Z. and Curtis, P.J.
 Production of a functional monoclonal antibody recognizing human colorectal carcinoma cells from a baculovirus expression system (151) 201
 Nessler, R., see Butler, J.E. (150) 77
 Newkirk, M.M.
 Identification of IgG rheumatoid factors by a novel method utilizing immunoblotting (148) 93
 Newland, A.C., see Macey, M.G. (149) 37
 Newman, G.R., see Jasani, B. (150) 193
 Newman, I. and Wilkinson, P.C.
 Methods for phenotyping polarized and locomotor human lymphocytes (147) 43
 Newsom-Davis, J., see Hawke, S. (155) 41
 Ni, L., see Butler, J.E. (150) 77
 Nicolas, J.-C., see Chikhaoui, Y. (150) 51
 Noble, G., see Hamblin, A. (146) 219
 Noel, L.H., see Chevailler, A. (147) 101
 Noguchi, H., see Kim, H.H. (153) 223
 Noll, F., see Löster, K. (148) 41
 Nomura, N., see Kim, H.H. (153) 223
 Nordström, I. and Ferrua, B.
 Reverse ELISPOT assay for clonal analysis of cytokine production. II. Enumeration of interleukin-1-secreting cells by amplified (avidin-biotin anti-peroxidase) assay (150) 199
 Nordström, I., see Eriksson, K. (153) 107
 Nouza, K., see Dimitrov, D.G. (154) 147
 Ntakarutimana, V., Demedts, P., Van Sande, M. and Scharpé, S.
 A simple and economical strategy for downstream processing of specific antibodies to human transferrin from egg yolk (153) 133
 Nusbaum, P., see Chevailler, A. (147) 101

N

- Nag, B., see Passmore, D. (155) 193
 Nagata, M. and Tanaka, T.
 Detection of fecal blood by colloidal gold agglutination using an anti-human hemoglobin monoclonal antibody (153) 185
 Nagel, J., see Herrmann, D.J. (148) 101
 Nair, S., Zhou, X., Huang, L. and Rouse, B.T.
 Class I restricted CTL recognition of a soluble protein

O

- Obata, F., see Abe, A. (154) 205
 Ofman, R., see Wiemer, E.A.C. (151) 165
 Ogata, A., Tagoh, H., Lee, T., Kuritani, T., Takahara, Y., Shimamura, T., Ikegami, H., Kurimoto, M., Yoshizaki, K. and Kishimoto, T.

- A new highly sensitive immunoassay for cytokines by dissociation-enhanced lanthanide fluoroimmunoassay (DE-LFIA) (148) 15
- Ohe, Y., see Jiao, H. (153) 265
- Ohkawara, H., see Yazawa, S. (147) 21
- Ohmori, H., Takai, T., Tanigawa, T. and Honma, Y. Establishment of an enzyme release assay for cytotoxic T lymphocyte activity (147) 119
- Ohmori, K., see Watanabe, H. (146) 145
- Ohta, M., see Wada, Y. (154) 235
- Ohteki, T., see Watanabe, H. (146) 145
- Ohtsuka, K., see Watanabe, H. (146) 145
- Ojeda, F., Guarda, M.I., Maldonado, C. and Folch, H. A flow-cytometric method to study DNA fragmentation in lymphocytes (152) 171
- Okamoto, H., see Yoshikawa, A. (148) 143
- Okawa, Y., Howard, C.R. and Steward, M.W. Production of anti-peptide specific antibody in mice following immunization with peptides conjugated to mannose (149) 127
- Okunev, E., see Peritt, D. (155) 159
- Okunev, E., see Peritt, D. (155) 167
- Olijve, W., see Steenbakkers, P.G.A. (152) 69
- Olsen, M.R., see Bennett, B. (153) 31
- Olson, N.A., see Huang, Z. (149) 261
- O'Neill, H.J., see Coyle, P.V. (153) 81
- Ong, G.L., Baker, A.E.M. and Mattes, M.J. Analysis of high complement levels in *Mus hortulanus* and BUB mice (154) 37
- Oriol, R., see Bara, J. (149) 105
- Ormerod, M.G., Collins, M.K.L., Rodriguez-Tarduchy, G. and Robertson, D. Apoptosis in interleukin-3-dependent haemopoietic cells. Quantification by two flow cytometric methods (153) 57
- Orosz, C.G., see Tzeng, J.-J. (146) 177
- Osborne, B.A., see Ravichandran, K.S. (153) 249
- Ossevoort, M.A., Toes, R.E.M., De Bruijn, M.L.H., Melief, C.J.M., Figdor, C.G. and Kast, W.M. A rapid isolation procedure for dendritic cells from mouse spleen by centrifugal elutriation (155) 101
- O'Sullivan, M.J., see Horton, J.K. (155) 31
- Otter, A.J., see Thomas, T.E. (154) 245
- Out, T.A., see Van de Graaf, E.A. (147) 241
- Owensby, D.A., see Khachigian, L.M. (149) 267
- Owsianka, A.M., see Marsden, H.S. (147) 65
- Ozmen, L., Fountoulakis, M. and Garotta, G. A novel solid-phase test to study the binding of IFN- γ to its receptor (147) 261
- Immunophenotyping of lymphocyte subsets in bronchoalveolar lavage fluid. Comparison of flow cytometric and immunocytochemical techniques (147) 27
- Palmer, J.P., see Hegewald, M.J. (154) 61
- Pan, A., see Tie, F. (149) 115
- Panayi, G.S., see Chikanza, I.C. (154) 173
- Pannell, R. and Milstein, C. An oscillating bubble chamber for laboratory scale production of monoclonal antibodies as an alternative to ascitic tumours (146) 43
- Panyutich, A., see Ko, Y.-c. (149) 227
- Papa, S., see Vitale, M. (149) 189
- Papadopoulos, G.K., see Economou, M. (148) 87
- Papamichail, M., see Kokkinopoulos, D. (154) 1
- Parekh, B., see Granade, T.C. (154) 225
- Parkar, M.H., see Porter, C.D. (155) 151
- Pascual, D.W. and Clem, L.W. Low temperature pepsin proteolysis. An effective procedure for mouse IgM F(ab')₂ fragment production (146) 249
- Passmore, D., Kopa, D. and Nag, B. Preparative-scale purification and characterization of MHC class II monomers (155) 193
- Pau, C.-P., see Granade, T.C. (154) 225
- Paul, A., Madan, S., Vasandani, V.M., Ghosh, P.C. and Bachhawat, B.K. Liposome immune lysis assay (LILA) for gelonin (148) 151
- Paulie, S., see Jakobson, E. (152) 49
- Pechhold, K. and Kabelitz, D. A rapid staining procedure for two-color analysis of lymphocyte antigen expression (147) 135
- Penny, R., see Ma, J. (155) 121
- Peppard, J.V., Rediske, J.J., Koehler, J.A. and Koehne, C.F. A simple and rapid radioimmunoassay for human interleukin-6 (148) 23
- Perez, E., see Blanca, M. (153) 99
- Perez-Estrada, M., see Blanca, M. (153) 99
- Perez, S., see Kokkinopoulos, D. (154) 1
- Peritt, D., Flechner, I., Okunev, E., Yanai, P., Halperin, T., Treves, A.J. and Barak, V. The M20 IL-1 inhibitor. I. Purification by preparative isoelectric focusing in free solution (155) 159
- Peritt, D., Flechner, I., Yanai, P., Okunev, E., Halperin, T., Treves, A.J. and Barak, V. The M20 IL-1 inhibitor. II. Biological characterization (155) 167
- Person, R.E., see Mannik, M. (148) 267
- Pesce, A.J. and Michael, J.G. Artifacts and limitations of enzyme immunoassay (150) 111
- Petersen, E., see Dziegiele, M. (155) 207
- Petersen, J.S. and Dyrberg, T. Production of epitope specific monoclonal IgG antibodies to HLA class II molecules by combining *in vivo* and *in vitro* immunization (151) 15
- Phillips, M.J., see Misso, N.L.A. (149) 183
- Phillips, S.K., see Granade, T.C. (154) 225
- Pinching, A.J., see Ekong, T. (151) 217
- Pinedo, H.M., see Haisma, H.J. (154) 55
- Pistole, T.G., see Sloan, A.R. (154) 217
- Pochon, S., see Gruber, P. (149) 215

P

Padovan, C.S., Behr, J., Allmeling, A.-M., Gerlach, J.T., Voelkelmeier, C. and Krombach, F.P.

- Poindron, P., see Gaiamis, J. (154) 185
 Pokrić, B. and Pučar, Z.
 Microgravimetric determination of precipitable antigens and antibodies in native biological fluids (148) 49
 Pons, H.A., see Gebran, S.J. (151) 255
 Por, S.B., see Bennett, S. (153) 201
 Porstmann, T. and Kiessig, S.T.
 Enzyme immunoassay techniques. An overview (150) 5
 Porter, C.D., Parkar, M.H., Collins, M.K.L., Levinsky, R.J. and Kinnon, C.
 Superoxide production by normal and chronic granulomatous disease (CGD) patient-derived EBV-transformed B cell lines measured by chemiluminescence-based assays (155) 151
 Posthumus, W.P.A., see Lenstra, J.A. (152) 149
 Preud'homme, J.L., Aucouturier, P. and Gualde, N.
 Jacalin and artocarpin (146) 259
 Price, M.R., see Hudecz, F. (147) 201
 Primi, D., see Bettinardi, A. (146) 71
 Prince, P., see Delaage, M. (150) 103
 Provinciali, M., Di Stefano, G. and Fabris, N.
 Optimization of cytotoxic assay by target cell retention of the fluorescent dye carboxyfluorescein diacetate (CFDA) and comparison with conventional ^{51}Cr release assay (155) 19
 Pučar, Z., see Pokrić, B. (148) 49
 Pumphrey, R.S.H., see Lamb, W.R. (155) 215
 Puntis, M.C.A., see Jiang, W.G. (152) 201

Q

- Qadri, A., see Talwar, G.P. (150) 121

R

- Radford, A.J., see Jones, S.L. (155) 233
 Raghava, G.P.S., Joshi, A.K. and Agrewala, J.N.
 Calculation of antibody and antigen concentrations from ELISA data using a graphical method (153) 263
 Ramabhadran, T.V., see Wunderlich, D. (147) 1
 Ramsamooj, R., see Walker, K.W. (154) 121
 Rapley, R., see Walker, M.R. (149) 77
 Rasheed, F.N., Bulmer, J.N., Morrison, L., Jawla, M.F.B., Hassan-King, M., Riley, E.M. and Greenwood, B.M.
 Isolation of maternal mononuclear cells from placentas for use in *in vitro* functional assays (146) 185

- Rasmussen, A.-M., Smeland, E.B., Erikstein, B.K., Caignault, L. and Funderud, S.
 A new method for detachment of Dynabeads from positively selected B lymphocytes (146) 195
 Ratcliffe, J.G., see Ratcliffe, W.A. (146) 33
 Ratcliffe, W.A., Bowden, S.J., Emly, J., Hughes, S. and Ratcliffe, J.G.
 Production and characterisation of monoclonal antibodies to the mid-region 37–67 sequence of parathyroid hormone-related protein (146) 33
 Ravichandran, K.S., Semproni, A.R., Goldsby, R.A. and Osborne, B.A.
 Immunoglobulin V_H usage analysis by fluorescent *in situ* hybridization and flow cytometry (153) 249
 Ray, R., see Talwar, G.P. (150) 121
 Reddi, P.P., see Talwar, G.P. (150) 121
 Redfield, R.R., see VanCott, T.C. (146) 163
 Rediske, J.J., see Peppard, J.V. (148) 23
 Redus, M.A., see Granade, T.C. (154) 225
 Reed, B.A., see Boraker, D.K. (155) 91
 Reed, G.L.
 Generation of species-specific, rat monoclonal antibodies that bind to the κ chain of mouse immunoglobulin (147) 111
 Rehfeld, J.F.
 In vivo immunosorption – a method for the examination of hormone heterogeneity at low plasma concentrations. Application to progastrin and its products (153) 7
 Renier, G., see Chevallier, A. (147) 101
 Reske, K., see Scheicher, C. (154) 253
 Reynolds, W.M., Williamson, A.M., Smith, G.J. and Lane, A.C.
 A simple technique for the determination of κ and λ immunoglobulin light chain expression by B cells in whole blood (151) 123
 Rice, J.E. and Bignold, L.P.
 Chemotaxis of polymorphonuclear leukocytes in whole blood in the ‘sparse-pore’ polycarbonate (Nuclepore) membrane/Boyden chamber assay (149) 121
 Rich, R.R., see Rodgers, J.R. (152) 159
 Richardson, B.A., see Thorne, K.J.I. (149) 137
 Richardson, B.A., see Thorne, K.J.I. (149) 139
 Riches, P., Gooding, R., Millar, B.C. and Rowbottom, A.W.
 Influence of collection and separation of blood samples on plasma IL-1, IL-6 and TNF- α concentrations (153) 125
 Rick, P.D., see Munford, R.S. (148) 115
 Rickwood, D., see Swann, I.D. (152) 245
 Riggs, M.B., see Basi, G.S. (155) 175
 Rijkers, G.T., see Herrmann, D.J. (148) 101
 Riley, E.M., see Bennett, S. (146) 229
 Riley, E.M., see Rasheed, F.N. (146) 185
 Ringhini, R., see Chieccchio, A. (147) 211
 Rink, L., see Rutenfranz, I. (148) 233
 Roberts, A.M., see Walker, M.R. (149) 77
 Roberts-Thomson, P.J., see Xu, H.J. (146) 241
 Robertson, C.A., see Marsden, H.S. (147) 65
 Robertson, D., see Ormerod, M.G. (153) 57
 Rodgers, J.R., Shawar, S.M., Guenther, M.M. and Rich, R.R.
 Kinetics of killing by monoclonal cytotoxic T lymphocytes.

- I. Colorimetric detection of cryptic CTL determinants on adherent target cells and survivorship analysis (152) 159
 Rodriguez-Tarduchy, G., see Ormerod, M.G. (153) 57
 Roland, C.R., Martin, K.J. and Flye, M.W.
 Buffering requirements for cAMP determination by radioimmunoassay in cultured macrophages (154) 139
 Romano, E.L., see Gebran, S.J. (151) 255
 Romano, M., Melo, C., Baralle, F. and Dri, P.
 cDNA clones of myeloperoxidase (MPO) and eosinophil peroxidase (EPO) from human blood mononuclear cells differentiated into granulocyte precursors in liquid cultures (154) 265
 Romero, P., see Widmann, C. (155) 95
 Romeu, M.A., Mestre, M., González, L., Valls, A., Verdaguera, J., Corominas, M., Bas, J., Massip, E. and Buendia, E.
 Lymphocyte immunophenotyping by flow cytometry in normal adults. Comparison of fresh whole blood lysis technique, Ficoll-Paque separation and cryopreservation (154) 7
 Ron, M., see Galili, U. (151) 117
 Roos, D., see Mul, F.P.J. (149) 207
 Rosenberg, B., see Butler, J.E. (150) 77
 Rosenberg, S.A., see Alexander, R.B. (148) 131
 Rosenberg, S.A., see Hwu, P. (151) 139
 Rosenthal, K.A., see Rowland, A.M. (151) 87
 Rossi, R., see Alzani, R. (152) 35
 Ross Wilson, A., see Bardsley, W.G. (153) 235
 Rothel, J.S., see Jones, S.L. (155) 233
 Rottier, M.M.A., see Walker, M.R. (149) 77
 Rouse, B.T., see Nair, S. (152) 237
 Rowbottom, A.W., see Riches, P. (153) 125
 Rowland, A.M., Wooldridge, M.A., Rosenthal, K.A. and Wong, W.L.T.
 A simple approach to improving sensitivity in a one-step monoclonal antibody-based ELISA for human IIbIIIa using multiple conjugates (151) 87
 Ru, B., see Tie, F. (149) 115
 Ruppel-Kerr, R., Lemp, J.A. and Karol, M.H.
 Antibody to recombinant murine tumor necrosis factor (TNF) neutralizes guinea pig TNF (154) 179
 Rutenfranz, I., Kruse, A., Rink, L., Wenzel, B., Arnholdt, H. and Kirchner, H.
 In situ hybridization of the mRNA for interferon- γ , interferon- α E, interferon- β , interleukin-1 β and interleukin-6 and characterization of infiltrating cells in thyroid tissues (148) 233
 Sadler, A.M., Krausa, P., Marsh, S.G.E., Heyes, J.M. and Bodmer, J.G.
- Saha, K., Case, R. and Wong, P.K.Y.
 A microELISA assay for detection of anti-HLA activity of mouse monoclonal antibodies using an Astroscan 2100 automated plate reader (149) 11
 Saito, T., see Zumla, A. (149) 69
 Salcedo, T.W. and Fleit, H.B.
 Detection of tumor necrosis factor induced nuclear damage with *p*-phenylenediamine (148) 209
 Salmain, M., Vessières, A., Brossier, P., Butler, I.S. and Jaouen, G.
 Carboxylmetalloimmunoassay (CMIA) a new type of non-radioisotopic immunoassay. Principles and application to phenobarbital assay (148) 65
 Sánchez-Ibarrola, A., see Merino, J. (153) 151
 Sano, K., see Hu, F.-y. (152) 123
 Sato, N., see Wada, Y. (154) 235
 Sato, T., see Morrissey, P.J. (147) 141
 Saul, A., see Suhrbier, A. (148) 265
 Saxon, A., see Storek, J. (151) 261
 Scala, F., see Iannelli, D. (154) 211
 Scharff, M.D., see Casadevall, A. (154) 27
 Scharff, M.D., see Spira, G. (148) 121
 Scharpé, S., see Ntakarutimana, V. (153) 133
 Scheicher, C., Mehlig, M., Zecher, R. and Reske, K.
 Dendritic cells from mouse bone marrow: in vitro differentiation using low doses of recombinant granulocyte-macrophage colony-stimulating factor (154) 253
 Schilizzi, B.M., Kroesen, B.-J., The, T.H. and De Leij, L.
 Increased production of antigen-specific B lymphocytes during in vitro immunization using carrier-specific T helper hybridomas (153) 49
 Schlaeger, E.-J. and Schumpp, B.
 Propagation of a mouse myeloma cell line J558L producing human CD4 immunoglobulin G1 (146) 111
 Schlag, P., see Kemmner, W. (147) 197
 Schlegel, W., see Lüke, F.J. (148) 217
 Schmid, I., see Storek, J. (151) 261
 Schmid, R.D., see Böcher, M. (151) 1
 Schmitt-Verhulst, A.-M., see Langlet, C. (151) 107
 Schneider, F., see Löster, K. (148) 41
 Schochetman, G., see Granade, T.C. (154) 225
 Schoenfeld, S.L., see Hegewald, M.J. (154) 61
 Schuh, R., Kremmer, E., Ego, E., Wasiliu, M. and Thierfelder, S.
 Determination of monoclonal antibody specificity by immunoadsorption and Western blotting (152) 59
 Schumpp, B., see Schlaeger, E.-J. (146) 111
 Schürch, U., see Bruderer, U. (151) 157
 Schürch, U., see Lang, A.B. (154) 21
 Schütt, C., see Grunwald, U. (155) 225
 Schwab, C. and Bosshard, H.R.
 Caveats for the use of surface-adsorbed protein antigen to test the specificity of antibodies (147) 125
 Schwarer, A., see Deacock, S. (147) 83
 Schwarz, S., see Hwu, P. (151) 139
 Scott, H., see Hvatum, M. (148) 77

S

- Sedgwick, J.D. and Czerninsky, C.
Detection of cell-surface molecules, secreted products of single cells and cellular proliferation by enzyme immunoassay (150) 159
- Sedlák, R., see Dimitrov, D.G. (154) 147
- Seferiadis, K., see Economou, M. (148) 87
- Seibold, G., see Baumgärtner, W. (151) 309
- Seidel, S., see Löster, K. (148) 41
- Seiki, S., see Watanabe, H. (146) 145
- Semproni, A.R., see Ravichandran, K.S. (153) 249
- Sengupta, J., Dhar, T.K. and Ali, E.
Sandwich immunoassay of small molecules. II. Effects of heterology and development of a highly sensitive and specific enzyme immunoassay for testosterone (147) 181
- Sengupta, J., see Ali, E. (147) 173
- Shakoor, Z., see Hamblin, A. (146) 219
- Sharief, M.K., Hentges, R. and Thompson, E.J.
Determination of interleukin-2 in cerebrospinal fluid by a sensitive enzyme-linked immunosorbent assay (147) 51
- Sharma, M., see Talwar, G.P. (150) 121
- Sharma, M.D., see Talwar, G.P. (150) 121
- Sharma, S.K.
Protein growth factor(s) from C6 glioma cells. A reaction to an article by Gomathi et al. (JIM 139 (1991) 101–105) (154) 269
- Sharma, S.K.
Reply to the letter of Sanjeev Kumar Sharma (154) 271
- Sharon, R., see Galili, U. (151) 117
- Shaughnessy, K.J., see Bobrow, M.N. (150) 145
- Shawar, S.M., see Rodgers, J.R. (152) 159
- Shepherd, J.M., see Cox, J.C. (146) 213
- Shepherd, J.M., see Jones, S.L. (155) 233
- Sherr, D.H., see Hardin, J.A. (154) 99
- Shields, J., see Gruber, P. (149) 215
- Shimamura, T., see Hu, Z.-Q. (149) 173
- Shimamura, T., see Ogata, A. (148) 15
- Shinohara, N., see Yong Park, S. (154) 109
- Silva, C.A., see Haisma, H.J. (154) 55
- Sim, T.C., see Alam, R. (155) 25
- Siman, P.
Computer program for planning and evaluating microplate experiments (146) 1
- Siman, P.
MPLAT – a program for the planning and evaluation of microplate experiments (146) 139
- Singer, R., see Basi, G.S. (155) 175
- Sinicropi, D.V., see Gibson, U.E.M. (155) 249
- Skretting, A., see Fjeld, J.G. (151) 97
- Slevin, M.L., see Thavasius, P.W. (153) 115
- Sloan, A.R. and Pistole, T.G.
A quantitative method for measuring the adherence of group B streptococci to murine peritoneal exudate macrophages (154) 217
- Smal, M.A., see Cooney, S.J. (151) 131
- Smeenk, R.J.T., see Veldhoven, C.H.A. (151) 177
- Smeland, E.B., see Rasmussen, A.-M. (146) 195
- Smith, C.A., see Hwu, P. (151) 139
- Smith, C.I.E., see Islam, K.B. (154) 163
- Smith, C.J., see Murphy, J.F. (154) 89
- Smith, G.J., see Reynolds, W.M. (151) 123
- Smits, J., see Beumer, T. (154) 77
- So, A., see Zumla, A. (149) 69
- Soejima, Y., see Jiao, H. (153) 265
- Soltys, A.J., see Manyonda, I.T. (149) 1
- Sotiriadou, R., see Kokkinopoulos, D. (154) 1
- Sottini, A., see Bettinardi, A. (146) 71
- Soyano, A.N., see Gebran, S.J. (151) 255
- Sperlagh, M., see Kasai, Y. (155) 77
- Spiller, D.G. and Tidd, D.M.
Abrogation of c-MYC protein degradation in human lymphocyte lysates by prior precipitation with perchloric acid (149) 29
- Spira, G. and Scharff, M.D.
Identification of rare immunoglobulin switch variants using the ELISA spot assay (148) 121
- Sportsman, J.R., see Fernando, S.A. (151) 27
- Ståhlberg, T., see Suonpää, M. (149) 247
- Stanley, E.R., see Bennett, S. (153) 201
- Stanley, K.K., see Lenstra, J.A. (152) 149
- Steenbakkers, P.G.A., Van Meel, F.C.M. and Olijve, W.
A new approach to the generation of human or murine antibody producing hybridomas (152) 69
- Steplewski, Z., see Nesbit, M. (151) 201
- Stettler-Stevenson, W., see Zucker, S. (148) 189
- Stevens, K., see Bailey, M. (153) 85
- Steward, M.W., see Okawa, Y. (149) 127
- Stewart, J.L., see Deeb, B.J. (152) 105
- Stieber, A., see Gonatas, N.K. (150) 185
- Stinios, J., see Kokkinopoulos, D. (154) 1
- Stirpe, F., see Strocchi, P. (155) 57
- Stoffelen, E., see Beumer, T. (154) 77
- Stokes, C.R., see Bailey, M. (153) 261
- Stokes, C.R., see Bailey, M. (153) 85
- Storek, J., Schmid, I., Ferrara, S. and Saxon, A.
A novel B cell stimulation/proliferation assay using simultaneous flow cytometric detection of cell surface markers and DNA content (151) 261
- Strocchi, P., Barbieri, L. and Stirpe, F.
Immunological properties of ribosome-inactivating proteins and a saporin immunotoxin (155) 57
- Sturmer, A.M., Driscoll, D.P. and Jackson-Matthews, D.E.
A quantitative immunoassay using chicken antibodies for detection of native and recombinant α -amidating enzyme (146) 105
- Suan, R., see Blanca, M. (153) 99
- Subak-Sharpe, J.H., see Marsden, H.S. (147) 65
- Subirá, M.L., see Merino, J. (153) 151
- Subra, J.F., see Chevailler, A. (147) 101
- Suhrbier, A., Fernan, A., Burrows, S.R., Saul, A. and Moss, D.J.
BLT esterase activity as an alternative to chromium release in cytotoxic T cell assays (148) 265
- Sulk, B., Birkenmeier, G. and Kopperschläger, G.
Application of phase partitioning and thiophilic adsorption chromatography to the purification of monoclonal antibodies from cell culture fluid (149) 165

- Sun, S. and Lew, A.M.
Chimaeric protein A/protein G and protein G/alkaline phosphatase as reporter molecules (152) 43
- Suonpää, M., Markela, E., Ståhlberg, T. and Hemmilä, I.
Europium-labelled streptavidin as a highly sensitive universal label. Indirect time-resolved immunofluorometry of FSH and TSH (149) 247
- Suter, M., see Butler, J.E. (150) 77
- Suvorova, Z.K., see Ivanov, V.S. (153) 229
- Suzuki, H., see Yong Park, S. (154) 109
- Suzuki, K., see Ishizuka, T. (153) 213
- Svennerholm, B., see Eriksson, K. (153) 107
- Swann, I.D., Dealtry, G.B. and Rickwood, D.
Differentiation-related changes in quantitative binding of immunomagnetic beads (152) 245
- T**
- Tada, T., see Hu, F.-y. (152) 123
- Tager, J.M., see Wiemer, E.A.C. (151) 165
- Tagoh, H., see Ogata, A. (148) 15
- Takahara, Y., see Ogata, A. (148) 15
- Takahashi, K., Fukada, M., Kawai, M. and Yokochi, T.
Detection of lipopolysaccharide (LPS) and identification of its serotype by an enzyme-linked immunosorbent assay (ELISA) using poly-L-lysine (153) 67
- Takahashi, K., see Yoshikawa, A. (148) 143
- Takahashi, S., see Wada, Y. (154) 235
- Takai, T., see Ohmori, H. (147) 119
- Takeda, A., Nakamura, Y. and Aoki, Y.
Enzyme-linked immunosorbent assay for the detection of cathepsin-kininogen complexes in human plasma (147) 217
- Talwar, G.P., Banerjee, K., Reddi, P.P., Sharma, M., Qadri, A., Gupta, S.K., Mukherjee, R., Ray, R., Ghosh, S., Deka, N., Sharma, M.D., Aparna, K. and Khandekar, P.S.
Diagnostics for the tropical countries (150) 121
- Tanaka, N., see Ishizuka, T. (153) 213
- Tanaka, T., see Nagata, M. (153) 185
- Tanaka, T., see Yoshikawa, A. (148) 143
- Tanigawa, T., see Ohmori, H. (147) 119
- Taylor, D., see Linden, J. (151) 209
- Taylor, D.C., Cripps, A.W. and Clancy, R.L.
Measurement of lysozyme by an enzyme-linked immunosorbent assay (146) 55
- Taylor, M., see Hamblin, A. (146) 219
- Tchikin, L.D., see Ivanov, V.S. (153) 229
- Teisner, B., see Holmskov, U. (148) 225
- Telfer, B.A., see De Caestecker, M.P. (154) 11
- Ter Hart, H., see Van Rooijen, N. (151) 149
- Terouanne, B., see Chikhaoui, Y. (150) 51
- Thakur, M.L., DeFulvio, J., Tong, J., John, E., McDevitt, M.R. and Damjanov, I.
Evaluation of biological response modifiers in the enhancement of tumor uptake of technetium-99m labeled macromolecules. A preliminary report (152) 209
- Thalhamer, J., see Hammerl, P. (151) 299
- Thavasu, P.W., Longhurst, S., Joel, S.P., Slevin, M.L. and Balkwill, F.R.
Measuring cytokine levels in blood. Importance of anticoagulants, processing, and storage conditions (153) 115
- The, T.H., see Schilizzi, B.M. (153) 49
- Thierfelder, S., see Schuh, R. (152) 59
- Thomas, N.D., see Jasani, B. (150) 193
- Thomas, T.E., Abraham, S.J.R., Otter, A.J., Blackmore, E.W. and Lansdorp, P.M.
High gradient magnetic separation of cells on the basis of expression levels of cell surface antigens (154) 245
- Thompson, E.J., see Sharief, M.K. (147) 51
- Thompson, P.J., see Misso, N.L.A. (149) 183
- Thorne, K.J.I., Richardson, B.A. and Butterworth, A.E.
Increased binding of urease by activated eosinophils. Re-assessment of an ELISA for CD11b (149) 139
- Thorne, K.J.I., Richardson, B.A., Mazza, G. and Butterworth, A.E.
A new method for measuring eosinophil activating factors, based on the increased expression of CR3 α chain (CD11b) on the surface of activated eosinophils. A correction (149) 137
- Thornton, G.B., see Maruyama, T. (155) 65
- Tidd, D.M., see Spiller, D.G. (149) 29
- Tie, F., Pan, A., Ru, B., Wang, W. and Hu, Y.
An improved ELISA with linear sweep voltammetry detection (149) 115
- Tô, L.-T. and Bernard, S.
Effect of fixation on the detection of transmissible gastroenteritis coronavirus antigens by the fixed-cell immunoperoxidase technique (154) 195
- Todd, A.S., see Mazengera, R.L. (146) 121
- Toes, R.E.M., see Ossevoort, M.A. (155) 101
- Tomita, Y., Engelman, R.W., Bauer-Sardina, I., Day, N.K. and Good, R.A.
Improved enzyme immunosorbent assay for mouse prolactin using penicillinase as label (151) 269
- Tomkins, P., Cooper, K., Webber, D. and Bowen, G.
The L929 cell bioassay for murine tumour necrosis factor is not influenced by other murine cytokines (151) 313
- Tong, J., see Thakur, M.L. (152) 209
- Topalian, S.L., see Alexander, R.B. (148) 131
- Tosca, A., see Kroubouzos, G. (148) 261
- Touraine, F., see Aboulker, J.P. (154) 155
- Trees, A.J., see Hoare, J.A. (153) 161
- Treves, A.J., see Peritt, D. (155) 159
- Treves, A.J., see Peritt, D. (155) 167
- Tribbick, G., see Maeji, N.J. (146) 83
- Trizio, D., see Alzani, R. (152) 35
- Tsolas, O., see Economou, M. (148) 87
- Tsuda, F., see Yoshikawa, A. (148) 143
- Turcatti, G., see Gruber, P. (149) 215

Tzeng, J.-J., Barth, R.F. and Orosz, C.G.

Quantitation of glioma-reactive cytolytic T lymphocyte precursors by means of limiting dilution analysis (146) 177

U

Ueda, D., see Wada, Y. (154) 235

Umapathysivam, K., see Xu, H.J. (146) 241

Uphoff, C.C., Gignac, S.M. and Drexler, H.G.

Mycoplasma contamination in human leukemia cell lines. I. Comparison of various detection methods (149) 43

Uphoff, C.C., Gignac, S.M. and Drexler, H.G.

Mycoplasma contamination in human leukemia cell lines. II. Elimination with various antibiotics (149) 55

V

Vahlne, A., see Eriksson, K. (153) 107

Valls, A., see Romeu, M.A. (154) 7

Valmori, D., see Widmann, C. (155) 95

VanCott, T.C., Loomis, L.D., Redfield, R.R. and Birx, D.L. Real-time biospecific interaction analysis of antibody reactivity to peptides from the envelope glycoprotein, gp160, of HIV-1 (146) 163

Van de Graaf, E.A., Jansen, H.M., Bakker, M.M., Alberts, C., Eeftinck Schattenkerk, J.-K.M. and Out, T.A. ELISA of complement C3a in bronchoalveolar lavage fluid (147) 241

Vandenhoff, G.E., see Linden, J. (151) 209

Van der Velden-de Groot, T.A.M., see Coco-Martin, J.M. (155) 241

Van Erp, R., Linders, Y.E.M., Van Sommeren, A.P.G. and Gribnau, T.C.J.

Characterization of monoclonal antibodies physically adsorbed onto polystyrene latex particles (152) 191

Van Meel, F.C.M., see Steenbakkers, P.G.A. (152) 69

Van Rooijen, N., Ter Hart, H., Kraal, G., Kors, N. and Claassen, E.

Monoclonal antibody mediated targeting of enzymes. A comparative study using the mouse spleen as a model system (151) 149

Van Sande, M., see Ntakarutimana, V. (153) 133

Van Sommeren, A.P.G., see Van Erp, R. (152) 191

Varelzidis, A., see Kroubouzos, G. (148) 261

Vasandani, V.M., see Paul, A. (148) 151

Veenstra, H. and Dowdle, E.B.

Multi-well cell monolayers for immunocytochemistry. An alternative to cytocentrifuge preparations (146) 257

Vega, J.M., see Blanca, M. (153) 99

Veldhoven, C.H.A., Meilof, J.F., Huisman, J.G. and Smeenk, R.J.T.

The development of a quantitative assay for the detection of anti-Ro/SS-A and anti-LA/SS-B autoantibodies using purified recombinant proteins (151) 177

Verdaasdonk, M.A.M., see Havenith, C.E.G. (153) 73

Verdaguer, J., see Romeu, M.A. (154) 7

Vermeulen, A.N., see Vervelde, L. (151) 191

Vervelde, L., Vermeulen, A.N. and Jeurissen, S.H.M.

In situ immunocytochemical detection of cells containing antibodies specific for *Eimeria tenella* antigens (151) 191

Vessières, A., see Salmain, M. (148) 65

Veys, P., see Macey, M.G. (149) 37

Vides, M.A., see Zalazar, F.E. (152) 1

Vincent, A., see Hawke, S. (155) 41

Vitale, M., Zamai, L., Papaà, S., Mazzotti, G., Facchini, A., Monti, G. and Manzoli, F.A.

Natural killer function in flow cytometry. III. Surface marker determination of K562-conjugated lymphocytes by dual laser flow cytometry (149) 189

Voelter, W., see Livaniou, E. (148) 9

Vogelmeier, C., see Padovan, C.S. (147) 27

Voitenok, N.N., see Ko, Y.-c. (149) 227

Vojtěšek, B., Bárték, J., Midgley, C.A. and Lane, D.P.

An immunochemical analysis of the human nuclear phosphoprotein p53. New monoclonal antibodies and epitope mapping using recombinant p53 (151) 237

Vollenweider, I. and Groscurth, P.

Comparison of four DNA staining fluorescence dyes for measuring cell proliferation of lymphokine-activated killer (LAK) cells (149) 133

Vuust, J., see Dziegiel, M. (155) 207

W

Wada, Y., Ikeda, H., Ueda, D., Ohta, M., Takahashi, S., Hirata, K., Sato, N. and Kikuchi, K.

In vitro proliferation and the cytotoxic specificity of a cryopreserved cytotoxic T cell clone reacting against human autologous tumor cells (154) 235

Walker, K.W., Llull, R., Balkian, G.K., Ko, H.S., Flores, K.M., Ramsamooj, R., Black, K.S., Hewitt, C.W. and Martin, D.C.

A rapid and sensitive cellular enzyme-linked immunoabsorbent assay (CELISA) for the detection and quantitation of antibodies against cell surface determinants. I. A comparison of cell fixation and storage techniques (154) 121

- Walker, M.R., Bevan, L.J., Daniels, J., Rottier, M.M.A., Rapley, R. and Roberts, A.M.
Isolation and amplification of human IgE Fd encoding mRNA from human peripheral blood lymphocytes (149) 77
- Walker, P.J., see Zakrzewski, H. (151) 289
- Walsh, B., see Ma, J. (155) 121
- Wanders, R.J.A., see Wiemer, E.A.C. (151) 165
- Wang, W., see Tie, F. (149) 115
- Ward, J.I., see Herrmann, D.J. (148) 101
- Wasiliu, M., see Schuh, R. (152) 59
- Watanabe, H., Ohtsuka, K., Kimura, M., Ikarashi, Y., Ohmori, K., Kusumi, A., Ohteki, T., Seki, S. and Abo, T.
Details of an isolation method for hepatic lymphocytes in mice (146) 145
- Webber, D., see Tomkins, P. (151) 313
- Weintraut, H., see Baumgärtner, W. (151) 309
- Wenzel, B., see Rutenfranz, I. (148) 233
- Westermann, J., see Grunwald, U. (155) 225
- Wewers, M.D., see Herzyk, D.J. (148) 243
- Whiteside, T.L., see Bryant, J. (146) 91
- Whiteside, T.L., see Jost, L.M. (147) 153
- Whittington, R.J.
Evaluation of a simple method for improving the precision of an ELISA detecting antibody in serum (148) 57
- Wick, S.M., see McCune, C. (155) 267
- Widmann, C., Romero, P., Maryanski, J.L., Corradin, G. and Valmori, D.
T helper epitopes enhance the cytotoxic response of mice immunized with MHC class I-restricted malaria peptides (155) 95
- Wiemer, E.A.C., Ofman, R., Middelkoop, E., De Boer, M., Wanders, R.J.A. and Tager, J.M.
Production and characterisation of monoclonal antibodies against native and disassembled human catalase (151) 165
- Wilkinson, P.C., see Newman, I. (147) 43
- Willcox, N., see Hawke, S. (155) 41
- Williams, D.G., see Williams, R.O. (147) 93
- Williams, E.D., see Jasani, B. (150) 193
- Williams, N.A., see Bailey, M. (153) 261
- Williams, R.O., Williams, D.G. and Maini, R.N.
Anti-type II collagen ELISA. Increased disease specificity following removal of anionic contaminants from salt-fractionated type II collagen (147) 93
- Williamson, A.M., see Reynolds, W.M. (151) 123
- Wilson, A.D., see Bailey, M. (153) 261
- Wilson, G.S., see Fernando, S.A. (151) 27
- Wilson, G.S., see Fernando, S.A. (151) 47
- Wilson, G.S., see Fernando, S.A. (151) 67
- Wims, L.A., see Coloma, M.J. (152) 89
- Wolf, H., see Madersbacher, S. (152) 9
- Wong, P.K.Y., see Saha, K. (151) 307
- Wong, W.L.T., see Rowland, A.M. (151) 87
- Wood, P.R., see Jones, S.L. (155) 233
- Wooldridge, M.A., see Rowland, A.M. (151) 87
- Wu, W.-Y., see Kachab, E.H. (147) 33

- Wunderlich, D., Lee, A., Fracasso, R.P., Mierz, D.V., Bayney, R.M. and Ramabhadran, T.V.
Use of recombinant fusion proteins for generation and rapid characterization of monoclonal antibodies. Application to the Kunitz domain of human β amyloid precursor protein (147) 1
- Wyatt, D., see Coyle, P.V. (153) 81

X

- Xu, H.J., Umapathysivam, K., McNeilage, J., Gordon, T.P. and Roberts-Thomson, P.J.
An enhanced chemiluminescence detection system combined with a modified immunoblot technique for the detection of low molecular weight IgM in sera from healthy adults and neonates (146) 241

Y

- Yamasaki, M., see Yoshikawa, A. (148) 143
- Yanai, P., see Peritt, D. (155) 159
- Yanai, P., see Peritt, D. (155) 167
- Yazawa, S. and Ohkawara, H.
A simple and sensitive method for the determination of blood group antigens in secretions (147) 21
- Yewdell, J.W., see Eisenlohr, L.C. (154) 131
- Yokochi, T., see Takahashi, K. (153) 67
- Yokoyama, W.M., see Zumla, A. (149) 69
- Yong Park, S., Kojima, M., Suzuki, H. and Shinohara, N.
Effective blocking of natural cytotoxicity of young rabbit serum on murine thymocytes by high concentration of glucose in complement-dependent cytotoxicity method (154) 109
- Yoshida, T., see Hu, Z.-Q. (149) 173
- Yoshikawa, A., Takahashi, K., Kishimoto, S., Tsuda, F., Akahane, Y., Naito, S., Tanaka, T., Yoshizawa, H., Yamasaki, M., Okamoto, H., Miyakawa, Y. and Mayumi, M.
Serodiagnosis of hepatitis C virus infection by ELISA for antibodies against the putative core protein (p20^c) expressed in *Escherichia coli* (148) 143
- Yoshizaki, K., see Ogata, A. (148) 15
- Yoshizawa, H., see Yoshikawa, A. (148) 143
- You, W., see Huang, Z. (149) 261

Z

- Zakrzewski, H., Cybinski, D.H. and Walker, P.J.
A blocking ELISA for the detection of specific antibodies
to bovine ephemeral fever virus (151) 289
- Zalazar, F.E., Chiabrando, G.A., Aldao, M.A.J. and Vides,
M.A.
Parameters affecting the adsorption of ligands to polyvinyl
chloride plates in enzyme immunoassays (152) 1
- Zam, S.G., see Brigmon, R.L. (152) 135
- Zamai, L., see Vitale, M. (149) 189
- Zarrabi, M.H., see Zucker, S. (148) 189
- Zecher, R., see Scheicher, C. (154) 253
- Zegers, B., see Herrmann, D.J. (148) 101

- Zhou, X., Berg, L., Motal, U.M.A. and Jondal, M.
In vivo primary induction of virus-specific CTL by immunization
with 9-mer synthetic peptides (153) 193
- Zhou, X., see Nair, S. (152) 237
- Zhuo, Z., see Cunningham-Rundles, C. (152) 177
- Zimmermann, F., see Lang, A.B. (154) 21
- Zucker, S., Lysik, R.M., Gurfinkel, M., Zarrabi, M.H.,
Stetler-Stevenson, W., Liotta, L.A., Birkedal-Hansen, H.
and Mann, W.
Immunoassay of type IV collagenase/gelatinase (MMP-2)
in human plasma (148) 189
- Zumla, A., Marguerie, C., So, A., Yokoyama, W.M., Saito, T.,
Batchelor, J.R. and Lechler, R.I.
Co-expression of human T cell receptor chains with mouse
CD3 on the cell surface of a mouse T cell hybridoma (149)
69