

Appendix B - Ningaloo Marine Park Pressures Report

North-west Marine Parks Network

Table of contents

Pressures 1

Pressures

Understanding of Pressures




Figure B.1: Seasonal sea level anomaly, seasonal sea surface temperature and Degree Heating Weeks at the scale of Ningaloo Marine Park. Solid lines represent mean values for sea level anomaly (SLA), sea surface temperature (SST) and Degree Heating Weeks (DHW). Confidence bounds represent standard errors. Red dashed vertical lines represent maximum DHW values that are plotted spatially in Figure B.4.




Figure B.2: Sea level anomaly, as an index of upwelling, at the scale of Ningaloo Marine Park. Heatmap values represent high (yellow) and low (blue) bimonthly sea level anomaly (SLA). Grey polygons represent State spatial management and Australian Marine Park boundaries.




Figure B.3: Sea surface temperature at the scale of Ningaloo Marine Park. Heatmap values represent high (yellow) and low (blue) bimonthly sea surface temperature (SST). Grey polygons represent State spatial management and Australian Marine Park boundaries.




Figure B.4: Maximum Degree Heating Weeks at the scale of Ningaloo Marine Park. Heatmap values representing high (yellow) and low (blue) monthly Degree Heating Weeks (DHW) for the two most recent marine heatwave periods on record. Grey polygons represent State spatial management and Australian Marine Park boundaries.