AMI® GitSPX

Data Sheet Overview

AMI® GitSPX is a Command Line tool designed to improve the MegaRAC® SPX developer experience.

Key Benefits:

- **Faster Build time**
  - Reduces the number of commands necessary for building a MegaRAC® SP-X project
  - Saves over 10 mins per build
- **Backwards Compatibility**
  - Eliminates the dependency of tools on releases
  - Allows developers to use the latest versions of the tools on older MegaRAC® SP-X projects
- **Ease of Integration**
  - Enables developers to invoke these tools in the back-end of any IDE or directly from CLI
  - Integrates with GitLab™ CI/CD and leverages Docker™ containers
  - Facilitates customer MegaRAC® SP-X project integration with AMI Meridian™ Firmware DevOps
- **Ease of Use**
  - Empowers developers with key MegaRAC® Developer Studio (MDS) features without the need to download MDS

Commands Supported

Convert/Extract Commands

Command	Description
convert	Used to convert source packages to MegaRAC® SP-X packages. Additionally, it supports single package conversions and can convert linked packages from a source package.
extract	Used to extract MegaRAC® SP-X packages to source packages. It can also perform single package extractions.

Build Commands

Command	Description
build	Used to build converted MegaRAC® SP-X packages from source. Additionally, it supports building with device mapper and updating the project (PRJ) file before building.
buildsrc	Used to build packages from source. Additionally, it supports building with device mapper and updating the PRJ file with packages before building.
build-busybox	Used to build BusyBox package for an existing workspace. This command supports both MegaRAC® SP-X packages and source packages.
build-image	Used to build an image from an existing workspace. This command supports both MegaRAC® SP-X packages and source packages.
build-kernel	Used to build a kernel from an existing workspace. This command supports both MegaRAC® SP-X packages and source packages.
build-uboot	Used to build a U-Boot package from an existing workspace. This command supports both MegaRAC® SP-X packages and source packages.
debug	Used to build a package with debug symbols enabled. This requires a workspace built with the build or buildsrc command.
sentry-debug	Used to build a package with sentry-debug enabled with BMC error logs sent to a Sentry® server. This requires a workspace built with the build or buildsrc command.
wipe	Wipes and rebuilds an existing available workspace.

Feature/Techpack Commands

Command	Description
list-available-features	Used to list all available feature packages that can be added to MegaRAC® SP-X packages.
list-available-techpacks	Used to list all available technology packages that can be added to MegaRAC® SP-X packages.
add-feature	Used to add a new feature as a submodule to an existing MegaRAC® SP-X repository that is listed from the list-available-features list.
remove-feature	Removes a feature pack from the MegaRAC® SP-X package.
add-techpack	Used to add a techpack as a submodule to an existing MegaRAC® SP-X repository that is listed from the list-available-techpack list.
remove-techpack	Removes a techpack from the MegaRAC® SP-X package.

Portable Editor Launch Commands

Command	Description
configure	Used to launch a portable version of MegaRAC® SPX-PRJ Editor.
ddfeditor	Used to launch a portable version of MegaRAC® SPX-DDF Editor.
pmcpeditor	Used to launch a portable version of MegaRAC® SPX-PMCP Editor.
cdfeditor	Used to launch a portable version of MegaRAC® SPX-CDF Editor.

Other Commands

Command	Description
update-prj	Used to update the PRJ file from the command line. This command supports both MegaRAC® SP-X packages and source packages.
error-reporting	Used to enable/disable Sentry® error reporting of the AMI® GitSPX plugin.
fix-credentials	Used to reset the user access token when the token becomes invalid.
repack	Used to repack manual changes inside the /workspace/source/ directory.
sentry-debug	Integrates *Sentry for Breakpad* with AMI® GitSPX.
setbashrc	Used to set up the environment before executing any AMI® GitSPX command.
update	Used to update AMI® GitSPX to the latest version.
version	Used to view the installed version of AMI® GitSPX, check for updates and update information.
help	Provides a list of all available AMI® GitSPX commands.

Resources

AMI® GitSPX User's Guide https://docs.ami.com/products/documents/5556/DevNet/Git-SPX-Plugin/UserGuides/#/Git-SPX-Plugin-UserGuide.md
AMI® GitSPX Commands https://docs.ami.com/products/documents/5556/DevNet/Git-SPX-Plugin/UserGuides/#/GitSPX-Commands.md

Trademarks, Trade Names and Other Acknowledgements

GITLAB is a trademark of GitLab Inc. in the United States and other countries and regions. • Docker is a trademark or registered trademark of Docker, Inc. in the United States and/or other countries. • Sentry is a registered trademark of Functional Software, Inc. • BusyBox https://www.busybox.net • Das U-Boot https://www.denx.de/wiki/U-Boot • Senrty for Breakpad https://sentry.io/for/breakpad/ • Device mapper https://sourceware.org/dm/

For more information, contact your AMI Representative or visit ami.com/contact.

Copyright ©2022 AMI. All rights reserved. Product specifications are subject to change without notice. Products mentioned herein may be trademarks or registered trademarks of their respective companies. No warranties are made, either expressed or implied, with regard to the contents of this work, its merchantability or fitness for a particular use. This publication contains proprietary information and is protected by copyright. AMI reserves the right to update, change and/or modify this product at any time.

AMI® GitSPX Data Sheet