hardeningkitty_report_tfm-vm-c2_finding_list_0x6d69636b_machine-20250818-102250

ID	Category	Name	Severity	Result	Recommended	TestResult	SeverityFinding
1000	Features	SMBv1 Support	Passed	Disabled	Disabled	Passed	High
1103	Account Policies	Store passwords using reversible encryption	Passed	0	0	Passed	High
1101	Account Policies	Account lockout duration	Passed	30	15	Passed	Low
1100	Account Policies	Account lockout threshold	Passed	5	10	Passed	Low
1104	Account Policies	Allow Administrator account lockout	Passed	1	1	Passed	Medium
1102	Account Policies	Reset account lockout counter	Passed	30	15	Passed	Low
1200	User Rights Assignment	Access this computer from the network	Medium	Todos;BUILTIN\Administradores;BUILTIN\Usuarios;BUILTIN\Operadores de copia de seguridad	BUILTIN\Administrators	Failed	Medium
1201	User Rights Assignment	Allow log on locally	Medium	Invitado;BUILTIN\Administradores;BUILTIN\Usuarios;BUILTIN\Operadores de copia de seguridad	BUILTIN\Users;BUILTIN\Administrators	Failed	Medium
1202	User Rights Assignment	Debug programs	Medium	BUILTIN\Administradores		Failed	Medium
1203	User Rights Assignment	Deny access to this computer from the network	Medium	Invitado	BUILTIN\Guests;NT AUTHORITY\Local account	Failed	Medium
1204	User Rights Assignment	Deny log on as a batch job	Medium		BUILTIN\Guests	Failed	Medium
1205	User Rights Assignment	Deny log on as a service	Medium		BUILTIN\Guests	Failed	Medium
1206	User Rights Assignment	Deny log on through Remote Desktop Services	Medium		BUILTIN\Guests;NT AUTHORITY\Local account	Failed	Medium
1300	Security Options	Accounts: Block Microsoft accounts	Low	0	3	Failed	Low
1301	Security Options	Audit: Force audit policy subcategory settings to override audit policy category settings	Passed	1	1	Passed	Low
1302	Security Options	Interactive logon: Do not require CTRL+ALT+DEL	Low	1	0	Failed	Low
1303	Security Options	Interactive logon: Don't display last signed-in	Low	0	1	Failed	Low
1304	Security Options	Interactive logon: Don't display username at sign-in	Low	0	1	Failed	Low
1305	Security Options	Microsoft network client: Digitally sign communications (always)	Passed	1	1	Passed	Medium
1306	Security Options	Microsoft network client: Digitally sign communications (if server agrees)	Passed	1	1	Passed	Medium
1307	Security Options	Microsoft network server: Digitally sign communications (always)	Passed	1	1	Passed	Medium
1308	Security Options	Microsoft network server: Digitally sign communications (if client agrees)	Passed	1	1	Passed	Medium
1309	Security Options	Network access: Do not allow anonymous enumeration of SAM accounts	Passed	1	1	Passed	Medium
1310	Security Options	Network access: Do not allow anonymous enumeration of SAM accounts and shares	Passed	1	1	Passed	Medium
1311	Security Options	Network access: Do not allow storage of passwords and credentials for network authentication	Passed	1	1	Passed	Medium
	Security Options	Network access: Restrict anonymous access to Named Pipes and Shares	Passed	1	1	Passed	Medium
1325	Security Options	Network access: Restrict clients allowed to make remote calls to SAM	Medium		O:BAG:BAD:(A;;RC;;;BA)	Failed	Medium
1312	Security Options	Network security: Allow LocalSystem NULL session fallback	Passed	0	0	Passed	Medium
	Security Options	Network security: Do not store LAN Manager hash value on next password change	Passed	1	1	Passed	High
	Security Options	Network security: LAN Manager authentication level	Medium	3		Failed	Medium
	Security Options	Network security: LDAP client signing requirements	Passed	1	1	Passed	Medium
	Security Options	Network security: Minimum session security for NTLM SSP based (including secure RPC) clients	Medium	536870912	537395200	Failed	Medium
	Security Options	Network security: Minimum session security for NTLM SSP based (including secure RPC) servers	Medium	536870912	537395200		Medium
1317	Security Options	Network security: Restrict NTLM: Audit Incoming NTLM Traffic	Medium	0	2	Failed	Medium
	Security Options	Network security: Restrict NTLM: Audit NTLM authentication in this domain	Medium	0		Failed	Medium
	Security Options	Network security: Restrict NTLM: Outgoing NTLM traffic to remote servers	Medium	0		Failed	Medium
	Security Options	Shutdown: Allow system to be shut down without having to log on	Medium	1		Failed	Medium
	Security Options	User Account Control: Admin Approval Mode for the Built-in Administrator account	Medium	0		Failed	Medium
	Security Options	User Account Control: Behavior of the elevation prompt for administrators in Admin Approval Mode		2		Passed	Medium
	Security Options	User Account Control: Behavior of the elevation prompt for standard users	Medium	3		Failed	Medium
1400		EnableFirewall (Domain Profile, Policy)	Medium	0		Failed	Medium
	Windows Firewall	EnableFirewall (Domain Profile)	Passed	1		Passed	Medium
-	Windows Firewall	Inbound Connections (Domain Profile, Policy)	Passed	1		Passed	Medium
	Windows Firewall	Inbound Connections (Domain Profile)	Passed	1		Passed	Medium

1402 Windows Firewall	Outbound Connections (Domain Profile, Policy)	Passed	0	0	Passed	Medium
1420 Windows Firewall	Outbound Connections (Domain Profile)	Passed	0		Passed	Medium
1403 Windows Firewall	Log size limit (Domain Profile, Policy)	Medium	4096	16384		Medium
1421 Windows Firewall	Log size limit (Domain Profile) Log size limit (Domain Profile)	Medium	4096		Failed	Medium
1404 Windows Firewall	Log dropped packets (Domain Profile, Policy)	Medium	4090		Failed	Medium
1422 Windows Firewall		Passed	1		Passed	Medium
1405 Windows Firewall	Log dropped packets (Domain Profile)	Low			Failed	Low
	Log successful connections (Domain Profile, Policy)		1			
1423 Windows Firewall	Log successful connections (Domain Profile)	Passed Medium			Passed	Low
1406 Windows Firewall 1424 Windows Firewall	EnableFirewall (Private Profile, Policy)	Passed	0		Failed	Medium
	EnableFirewall (Private Profile)		'		Passed	
1407 Windows Firewall	Inbound Connections (Private Profile, Policy)	Passed	1		Passed	Medium
1425 Windows Firewall	Inbound Connections (Private Profile)	Passed	1		Passed	Medium
1408 Windows Firewall	Outbound Connections (Private Profile, Policy)	Passed	0		Passed	Medium
1426 Windows Firewall	Outbound Connections (Private Profile)	Passed	0		Passed	Medium
1409 Windows Firewall	Log size limit (Private Profile, Policy)	Medium	4096		Failed	Medium
1427 Windows Firewall	Log size limit (Private Profile)	Medium	4096		Failed	Medium
1410 Windows Firewall	Log dropped packets (Private Profile, Policy)	Medium	0		Failed	Medium
1428 Windows Firewall	Log dropped packets (Private Profile)	Passed	1		Passed	Medium
1411 Windows Firewall	Log successful connections (Private Profile, Policy)	Low	0		Failed	Low
1429 Windows Firewall	Log successful connections (Private Profile)	Passed	1		Passed	Low
1412 Windows Firewall	EnableFirewall (Public Profile, Policy)	Medium	0	1	Failed	Medium
1430 Windows Firewall	EnableFirewall (Public Profile)	Passed	1	1	Passed	Medium
1413 Windows Firewall	Inbound Connections (Public Profile, Policy)	Passed	1	1	Passed	Medium
1431 Windows Firewall	Inbound Connections (Public Profile)	Passed	1	1	Passed	Medium
1414 Windows Firewall	Outbound Connections (Public Profile, Policy)	Passed	0	0	Passed	Medium
1432 Windows Firewall	Outbound Connections (Public Profile)	Passed	0	0	Passed	Medium
1415 Windows Firewall	Log size limit (Public Profile, Policy)	Medium	4096	16384	Failed	Medium
1433 Windows Firewall	Log size limit (Public Profile)	Medium	4096	16384	Failed	Medium
1416 Windows Firewall	Log dropped packets (Public Profile, Policy)	Medium	0	1	Failed	Medium
1434 Windows Firewall	Log dropped packets (Public Profile)	Passed	1	1	Passed	Medium
1417 Windows Firewall	Log successful connections (Public Profile, Policy)	Low	0	1	Failed	Low
1435 Windows Firewall	Log successful connections (Public Profile)	Passed	1	1	Passed	Low
1500 Advanced Audit Policy 0	Credential Validation	Low	No Auditing	Success and Failure	Failed	Low
1501 Advanced Audit Policy 0	Security Group Management	Passed	Success and Failure	Success	Passed	Low
1502 Advanced Audit Policy 0	User Account Management	Passed	Success and Failure	Success and Failure	Passed	Low
1503 Advanced Audit Policy 0	DPAPI Activity	Low	No Auditing	Success and Failure	Failed	Low
1504 Advanced Audit Policy 0	Plug and Play Events	Low	No Auditing	Success	Failed	Low
1505 Advanced Audit Policy C	Process Creation	Low	No Auditing	Success	Failed	Low
1506 Advanced Audit Policy 0	Account Lockout	Passed	Success and Failure	Failure	Passed	Low
1507 Advanced Audit Policy C	Group Membership	Passed	Success and Failure	Success	Passed	Low
1508 Advanced Audit Policy (Logon	Passed	Success and Failure	Success and Failure	Passed	Low
1509 Advanced Audit Policy C	Other Logon/Logoff Events	Passed	Success and Failure	Success and Failure	Passed	Low
1510 Advanced Audit Policy 0	Special Logon	Passed	Success and Failure	Success	Passed	Low
1511 Advanced Audit Policy (Detailed File Share	Low	No Auditing	Failure	Failed	Low
1512 Advanced Audit Policy 0	File Share	Low	No Auditing	Success and Failure	Failed	Low
1513 Advanced Audit Policy 0	Kernel Object	Low	No Auditing	Success and Failure	Failed	Low
		-			-	

1514 A	1.	N. A. 191	0 15 "		1.
1514 Advanced Audit Policy C Other Object Access Events	Low	No Auditing	Success and Failure	Failed	Low
1515 Advanced Audit Policy C Removable Storage	Low	No Auditing	Success and Failure	Failed	Low
1516 Advanced Audit Policy C SAM	Low	No Auditing	Success and Failure	Failed	Low
1517 Advanced Audit Policy C Audit Policy Change	Passed	Success and Failure	Success	Passed	Low
1518 Advanced Audit Policy C Authentication Policy Change	Passed	Success and Failure	Success	Passed	Low
1519 Advanced Audit Policy C MPSSVC Rule-Level Policy Change	Passed	Success and Failure	Success and Failure	Passed	Low
1520 Advanced Audit Policy C Other Policy Change Events	Passed	Success and Failure	Failure	Passed	Low
1521 Advanced Audit Policy C Sensitive Privilege Use	Passed	Success and Failure	Success and Failure	Passed	Low
1522 Advanced Audit Policy C Other System Events	Passed	Success and Failure	Success and Failure	Passed	Low
1523 Advanced Audit Policy C Security State Change	Passed	Success and Failure	Success	Passed	Low
1524 Advanced Audit Policy C Security System Extension	Passed	Success and Failure	Success	Passed	Low
1525 Advanced Audit Policy C System Integrity	Passed	Success and Failure	Success and Failure	Passed	Low
1600 Administrative Templates Personalization: Prevent enabling lock screen camera	Low	0	1	Failed	Low
1601 Administrative Templates DNS Client: Turn off multicast name resolution (LLMNR)	Medium	1	0	Failed	Medium
1602 Administrative Templates Lanman Workstation: Enable insecure guest logons	Medium	1	0	Failed	Medium
1603 Administrative Templates Turn off Microsoft Peer-to-Peer Networking Services	Medium	0	1	Failed	Medium
1604 Administrative Templates WLAN Settings: Allow Windows to automatically connect to suggested open hotspots, to networks	Medium	1	0	Failed	Medium
2108 Administrative Templates Turn on PowerShell Module Logging	Low	0	1	Failed	Low
2109 Administrative Templates Turn on PowerShell Module Logging (PowerShell Policy)	Low	0	1	Failed	Low
2110 Administrative Templates Turn on PowerShell Module Logging - Module Names	Low		*	Failed	Low
2111 Administrative Templates Turn on PowerShell Script Block Logging	Medium	0	1	Failed	Medium
2112 Administrative Templates Turn on PowerShell Script Block Logging (Invocation)	Low	0	1	Failed	Low
2113 Administrative Templates Turn on PowerShell Script Block Logging (PowerShell Policy)	Low	0	1	Failed	Low
2116 Administrative Templates Turn on PowerShell Transcription	Low	0	1	Failed	Low
2114 Administrative Templates Turn on PowerShell Transcription (Invocation)	Low	0	1	Failed	Low
2115 Administrative Templates Turn on PowerShell Transcription (PowerShell Policy)	Medium	0	1	Failed	Medium
1772 Administrative Templates Configure Redirection Guard	Medium		1	Failed	Medium
1768 Administrative Templates Only use Package Point and Print (CVE-2021-36958)	Medium		1	Failed	Medium
1769 Administrative Templates Package Point and Print - Approved servers (CVE-2021-36958)	Medium		1	Failed	Medium
1764 Administrative Templates Point and Print Restrictions: When installing drivers for a new connection (CVE-2021-34527)	Passed	0	0	Passed	High
1765 Administrative Templates Point and Print Restrictions: When updating drivers for an existing connection (CVE-2021-34527)	Passed	0	0	Passed	High
1771 Administrative Templates Notifications: Turn off notifications network usage	Medium	0	1	Failed	Medium
1605 Administrative Templates Credentials Delegation: Allow delegation default credentials	Medium	1	0	Failed	Medium
1606 Administrative Templates Credentials Delegation: Encryption Oracle Remediation	Passed	0	0	Passed	Medium
1699 Administrative Templates Credentials Delegation: Remote host allows delegation of non-exportable credentials	Medium	0	1	Failed	Medium
1607 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices that match an ID	Medium	0	1	Failed	Medium
1608 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices that match an ID	Medium	0	1	Failed	Medium
1609 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices that match ID PC	-	0	PCI\CC 0C0010	Failed	Medium
1610 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices that match ID PC	_		PCI\CC 0C0A	Failed	Medium
1611 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices using drivers that	_	0	-	Failed	Medium
1612 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices using drivers that		0		Failed	Medium
1613 Administrative Templates Device Installation: Device Installation Restrictions: Prevent installation of devices using drivers that		n	d48179be-ec20-11d1-b6b8-00c04fa372a7	Failed	Medium
1614 Administrative Templates Device Guard: Virtualization Based Security Status	Medium	Not available		Failed	Medium
1615 Administrative Templates Device Guard: Available Security Properties: Secure Boot	Passed	2		Passed	Medium
1616 Administrative Templates Device Guard: Available Security Properties: DMA protection	Medium	Not available	_	Failed	Medium
1617 Administrative Templates Device Guard: Available Security Properties. DNA protection	_	Not available Not available		Failed	Medium
7. Aminimodativo Tompiatos povios adard. Occumy ou viosa Confliguied. Ciedential adard	IVICUIUIII	TOTA GRANADIO	'	. ancu	cuium

1619 Administrative Templates Device Guard: Security Services Running: Credential Guard	Medium Not available	1	Failed	Medium
1618 Administrative Templates Device Guard: Security Services Configured: HVCI	Medium Not available		Failed	Medium
1620 Administrative Templates Device Guard: Security Services Running: HVCl	Medium Not available		Failed	Medium
1623 Administrative Templates Device Guard: Require UEFI Memory Attributes Table (Policy)	Medium		Failed	Medium
1621 Administrative Templates Device Guard: Secure Launch Configuration (Policy)	Medium 0		Failed	Medium
1622 Administrative Templates Device Guard: Windows Defender Application Control deployed (Policy)	Medium 0		Failed	Medium
1630 Administrative Templates Early Launch Antimalware: Boot-Start Driver Initialization Policy	Medium 0		Failed	Medium
1631 Administrative Templates Group Policy: Process even if the Group Policy objects have not changed	Low 1		Failed	Low
1632 Administrative Templates Group Policy: Do not apply during periodic background processing	Passed 0		Passed	Low
1640 Administrative Templates Internet Communication Management: Internet Communication settings: Turn off the Windows Mes	1		Failed	Medium
1641 Administrative Templates Internet Communication Management: Internet Communication settings: Turn off downloading of pr		_	Failed	Medium
1642 Administrative Templates Internet Communication Management: Internet Communication settings: Turn off Windows Error Re			Failed	Medium
			Failed	Medium
1644 Administrative Templates Internet Communication Management: Internet Communication settings: Turn off Internet download			Failed	Medium
1645 Administrative Templates Internet Communication Management: Internet Communication settings: Turn off Windows Custome		-	Failed	Medium
1650 Administrative Templates Kernel DMA Protection: Enumeration policy for external devices incompatible with Kernel DMA Prot			Failed	Medium
1660 Administrative Templates Logon: Turn on convenience PIN sign-in	Medium 1		Failed	Medium
Administrative Templates Logon: Turn off app notifications on the lock screen	Medium 0		Failed	Medium
1662 Administrative Templates Logon: Do not display network selection UI	Medium 0		Failed	Medium
1670 Administrative Templates Mitigation Options: Untrusted Font Blocking	Medium 0	100000000000		Medium
1680 Administrative Templates OS Policies: Allow Clipboard synchronization across devices	Medium 1		Failed	Medium
1685 Administrative Templates Sleep Settings: Require a password when a computer wakes (plugged in)	Medium 0		Failed	Medium
1686 Administrative Templates Sleep Settings: Require a password when a computer wakes (on battery)	Medium 0		Failed	Medium
1687 Administrative Templates Sleep Settings: Allow standby states (S1-S3) when sleeping (plugged in)	Medium 1	0	Failed	Medium
1688 Administrative Templates Sleep Settings: Allow standby states (S1-S3) when sleeping (on battery)	Medium 1		Failed	Medium
1690 Administrative Templates Remote Assistance: Configure Offer Remote Assistance	Medium 1	0	Failed	Medium
1691 Administrative Templates Remote Assistance: Configure Solicited Remote Assistance	Medium 1	0	Failed	Medium
1692 Administrative Templates Remote Procedure Call: Enable RPC Endpoint Mapper Client Authentication	Medium 0	1	Failed	Medium
1693 Administrative Templates Remote Procedure Call: Restrict Unauthenticated RPC clients	Medium 0	2	Failed	Medium
1694 Administrative Templates Security Settings: Enable svchost.exe mitigation options	Medium 0	1	Failed	Medium
1695 Administrative Templates Windows Performance PerfTrack: Enable/Disable PerfTrack	Medium 1	0	Failed	Medium
1696 Administrative Templates User Profiles: Turn off the advertising ID	Medium 0	1	Failed	Medium
1697 Administrative Templates Time Providers: Enable Windows NTP Client	Medium 0	1	Failed	Medium
1698 Administrative Templates Time Providers: Enable Windows NTP Server	Passed 0	0	Passed	Medium
1700 Administrative Templates App Package Deployment: Allow a Windows app to share application data between users	Medium 1	0	Failed	Medium
1701 Administrative Templates App Privacy: Let Windows apps activate with voice while the system is locked	Medium 0	2	Failed	Medium
1702 Administrative Templates App runtime: Block launching Universal Windows apps with Windows Runtime API access from hos	Medium 0	1	Failed	Medium
1703 Administrative Templates Application Compatibility: Turn off Application Telemetry	Medium 1	0	Failed	Medium
1704 Administrative Templates AutoPlay Policies: Turn off Autoplay	Passed 255	255	Passed	Medium
1705 Administrative Templates AutoPlay Policies: Disallow Autoplay for non-volume devices	Medium 0	1	Failed	Medium
1706 Administrative Templates AutoPlay Policies: Set the default behavior for AutoRun	Medium 0	1	Failed	Medium
1707 Administrative Templates Biometrics: Allow the use of biometrics	Medium 1	0	Failed	Medium
1773 Administrative Templates Biometrics: Facial Features: Configure enhanced anti-spoofing	Medium	1	Failed	Medium
1708 Administrative Templates BitLocker Drive Encryption: Volume status	Passed FullyEncrypted	FullyEncrypted	Passed	High
1761 Administrative Templates BitLocker Drive Encryption: Choose drive encryption method and cipher strength (for operating syst	Passed 6	6	Passed	Medium
1762 Administrative Templates BitLocker Drive Encryption: Drive encryption method (for operating system drives)	Passed XtsAes128	XtsAes128	Passed	Medium
	· · · · · · · · · · · · · · · · · · ·	!		+

1709 Administrative Templates BitLocker Drive Encryption: Disable new DMA devices when this computer is locked	Medium C		Failed	Medium
1710 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Allow Secure Boot for integrity validation	Medium	·	Failed	Medium
1711 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup	Medium		Failed	Medium
1715 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup:		9	Failed	Medium
1716 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup:	Passed C	0	Passed	Medium
1717 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup:	Medium (1	Failed	Medium
1718 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup:	Passed C	0	Passed	Medium
1719 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Require additional authentication at startup:	Passed	0	Passed	Medium
1712 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Allow enhanced PINs for startup	Medium C	1	Failed	Medium
1713 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Configure use of hardware-based encryption	f Passed C	0	Passed	Medium
1763 Administrative Templates BitLocker Drive Encryption: Operating System Drives: Configure minimum PIN length for startup	Medium	8	Failed	Medium
1720 Administrative Templates Cloud Content: Do not show Windows tips	Medium C	1	Failed	Medium
1721 Administrative Templates Cloud Content: Turn off Microsoft consumer experiences	Medium C	1	Failed	Medium
1722 Administrative Templates Credential User Interface: Do not display the password reveal button	Medium C	1	Failed	Medium
1724 Administrative Templates Credential User Interface: Enumerate administrator accounts on elevation	Medium 1	0	Failed	Medium
1725 Administrative Templates Data Collection and Preview Builds: Allow Diagnostic Data	Passed 0	1	Passed	Medium
1726 Administrative Templates Data Collection and Preview Builds: Allow device name to be sent in Windows diagnostic data	Medium 1	0	Failed	Medium
1727 Administrative Templates Delivery Optimization: Download Mode	Medium 1	99	Failed	Medium
1728 Administrative Templates Event Log Service: Application: Specify the maximum log file size (KB)	Medium 4096	32768	Failed	Medium
1729 Administrative Templates Event Log Service: Security: Specify the maximum log file size (KB)	Medium 4096	196608	Failed	Medium
1730 Administrative Templates Event Log Service: System: Specify the maximum log file size (KB)	Medium 4096	32768	Failed	Medium
1774 Administrative Templates Event Log Service: Microsoft-Windows-PowerShell/Operational: Specify the maximum log file size	Medium 15728640	268435456	Failed	Medium
1775 Administrative Templates Event Log Service: PowerShellCore/Operational: Specify the maximum log file size (KB)	Medium 15728640	268435456	Failed	Medium
1731 Administrative Templates File Explorer: Allow the use of remote paths in file shortcut icons	Passed	0	Passed	Medium
1732 Administrative Templates HomeGroup: Prevent the computer from joining a homegroup	Medium C	1	Failed	Medium
1800 Microsoft Defender Antivi Turn off Microsoft Defender Antivirus	Passed	0	Passed	Medium
1826 Microsoft Defender Antivi Enable Tamper Protection (Status)	Passed True	True	Passed	Medium
1801 Microsoft Defender Antivi Configure detection for potentially unwanted applications	Medium C	1	Failed	Medium
1806 Microsoft Defender Antiv Exclusions: Extension Exclusions (Policy)	Passed		Passed	Medium
1813 Microsoft Defender Antivi Exclusions: Extension Exclusions (Intune)	Passed		Passed	Medium
1807 Microsoft Defender Antivi Exclusions: Extension Exclusions	Passed		Passed	Medium
1808 Microsoft Defender Antivi Exclusions: Path Exclusions (Policy)	Passed		Passed	Medium
1814 Microsoft Defender Antivi Exclusions: Path Exclusions (Intune)	Passed		Passed	Medium
1809 Microsoft Defender Antivi Exclusions: Path Exclusions	Passed		Passed	Medium
1810 Microsoft Defender Antivi Exclusions: Process Exclusions (Policy)	Passed		Passed	Medium
1815 Microsoft Defender Antivi Exclusions: Process Exclusions (Intune)	Passed		Passed	Medium
1811 Microsoft Defender Antivi Exclusions: Process Exclusions	Passed		Passed	Medium
1816 Microsoft Defender Antivi MAPS: Join Microsoft MAPS	Medium C	2	Failed	Medium
1817 Microsoft Defender Antivi MAPS: Configure the 'Block at First Sight' feature	Medium	0	Failed	Medium
1818 Microsoft Defender Antivi MAPS: Send file samples when further analysis is required	Medium	0	Failed	Medium
1819 Microsoft Defender Antivi MpEngine: Enable file hash computation feature	Medium	1	Failed	Medium
1820 Microsoft Defender Antivi MpEngine: Select cloud protection level	Medium C	2	Failed	Medium
1821 Microsoft Defender Antivi Real-time Protection: Scan all downloaded files and attachments	Passed		Passed	Medium
1822 Microsoft Defender Antivi Real-time Protection: Turn off real-time protection	Passed		Passed	Medium
1823 Microsoft Defender Antivi Real-time Protection: Turn on behavior monitoring (Policy)	Passed	-	Passed	Medium
1824 Microsoft Defender Antivi Real-time Protection: Turn on script scanning	Passed	-	Passed	Medium
The same of the sa			. 40004	

1825 Microsoft Defender Antivi Scan: Scan removable drives	Medium	1	Failed	Medium
			Failed	Medium
3		-	Failed	Medium
1900 Microsoft Defender Explic Attack Surface Reduction rules 1901 Microsoft Defender Explic ASR: Block executable content from email client and webmail (Policy)			Failed	Medium
				Medium
1916 Microsoft Defender Explo ASR: Block executable content from email client and webmail		-	Failed	
1933 Microsoft Defender Expld ASR: Block executable content from email client and webmail (Intune)			Failed	Medium
1902 Microsoft Defender Expld ASR: Block all Office applications from creating child processes (Policy)			Failed	Medium
1917 Microsoft Defender Expld ASR: Block all Office applications from creating child processes			Failed	Medium
1934 Microsoft Defender Explc ASR: Block all Office applications from creating child processes (Intune)	······································		Failed	Medium
1903 Microsoft Defender Explo ASR: Block Office applications from creating executable content (Policy)	- The state of the		Failed	Medium
1918 Microsoft Defender Expld ASR: Block Office applications from creating executable content			Failed	Medium
1935 Microsoft Defender Expld ASR: Block Office applications from creating executable content (Intune)			Failed	Medium
1904 Microsoft Defender Expld ASR: Block Office applications from injecting code into other processes (Policy)			Failed	Medium
1919 Microsoft Defender Explc ASR: Block Office applications from injecting code into other processes			Failed	Medium
1936 Microsoft Defender Explc ASR: Block Office applications from injecting code into other processes (Intune)		-	Failed	Medium
1905 Microsoft Defender Explo ASR: Block JavaScript or VBScript from launching downloaded executable content (Policy)			Failed	Medium
1920 Microsoft Defender Expld ASR: Block JavaScript or VBScript from launching downloaded executable content			Failed	Medium
1937 Microsoft Defender Expld ASR: Block JavaScript or VBScript from launching downloaded executable content (Intune)	Medium	0 1	Failed	Medium
1906 Microsoft Defender Explc ASR: Block execution of potentially obfuscated scripts (Policy)	Medium	0 1	Failed	Medium
1921 Microsoft Defender Explo ASR: Block execution of potentially obfuscated scripts	Medium	0 1	Failed	Medium
1938 Microsoft Defender Explc ASR: Block execution of potentially obfuscated scripts (Intune)	Medium	0 1	Failed	Medium
1907 Microsoft Defender Explc ASR: Block Win32 API calls from Office macros (Policy)	Medium	0 1	Failed	Medium
1922 Microsoft Defender Explc ASR: Block Win32 API calls from Office macros	Medium	0 1	Failed	Medium
1939 Microsoft Defender Explo ASR: Block Win32 API calls from Office macros (Intune)	Medium	0 1	Failed	Medium
1908 Microsoft Defender Explo ASR: Block executable files from running unless they meet a prevalence, age, or trusted list criterion	Medium	0 1	Failed	Medium
1923 Microsoft Defender Explo ASR: Block executable files from running unless they meet a prevalence, age, or trusted list criterion	Medium	0 1	Failed	Medium
1940 Microsoft Defender Explo ASR: Block executable files from running unless they meet a prevalence, age, or trusted list criterion	Medium	0 1	Failed	Medium
1909 Microsoft Defender Explo ASR: Use advanced protection against ransomware (Policy)	Medium	0 1	Failed	Medium
1924 Microsoft Defender Explo ASR: Use advanced protection against ransomware	Medium	0 1	Failed	Medium
1941 Microsoft Defender Explo ASR: Use advanced protection against ransomware (Intune)	Medium	0 1	Failed	Medium
1910 Microsoft Defender Explo ASR: Block credential stealing from the Windows local security authority subsystem (Isass.exe) (Poli	Medium	0 1	Failed	Medium
1925 Microsoft Defender Explc ASR: Block credential stealing from the Windows local security authority subsystem (Isass.exe)	Medium	0 1	Failed	Medium
1942 Microsoft Defender Explo ASR: Block credential stealing from the Windows local security authority subsystem (Isass.exe) (Intu	Medium	0 1	Failed	Medium
1911 Microsoft Defender Explo ASR: Block process creations originating from PSExec and WMI commands (Policy)	Medium	0 1	Failed	Medium
1926 Microsoft Defender Explc ASR: Block process creations originating from PSExec and WMI commands	Medium	0 1	Failed	Medium
1943 Microsoft Defender Explc ASR: Block process creations originating from PSExec and WMI commands (Intune)	Medium	0 1	Failed	Medium
1912 Microsoft Defender Explc ASR: Block untrusted and unsigned processes that run from USB (Policy)	Medium	0 1	Failed	Medium
1927 Microsoft Defender Explc ASR: Block untrusted and unsigned processes that run from USB	Medium	0 1	Failed	Medium
1944 Microsoft Defender Explc ASR: Block untrusted and unsigned processes that run from USB (Intune)	Medium	0 1	Failed	Medium
1913 Microsoft Defender Explc ASR: Block Office communication application from creating child processes (Policy)	Medium	0 1	Failed	Medium
1928 Microsoft Defender Explc ASR: Block Office communication application from creating child processes	Medium	0 1	Failed	Medium
1945 Microsoft Defender Explc ASR: Block Office communication application from creating child processes (Intune)	Medium	0 1	Failed	Medium
1914 Microsoft Defender Explc ASR: Block Adobe Reader from creating child processes (Policy)	Medium	0 1	Failed	Medium
1929 Microsoft Defender Explc ASR: Block Adobe Reader from creating child processes	Medium	0 1	Failed	Medium
1946 Microsoft Defender Expld ASR: Block Adobe Reader from creating child processes (Intune)	Medium	0 1	Failed	Medium
1915 Microsoft Defender Explc ASR: Block persistence through WMI event subscription (Policy)			Failed	Medium
		_	-	

	I		I	1
1930 Microsoft Defender Explo ASR: Block persistence through WMI event subscription	Medium		Failed	Medium
1947 Microsoft Defender Expld ASR: Block persistence through WMI event subscription (Intune)	Medium		Failed	Medium
1931 Microsoft Defender Explo ASR: Block abuse of exploited vulnerable signed drivers (Policy)	Medium		Failed	Medium
1932 Microsoft Defender Expld ASR: Block abuse of exploited vulnerable signed drivers	Medium		Failed	Medium
1948 Microsoft Defender Expld ASR: Block abuse of exploited vulnerable signed drivers (Intune)	Medium	1	Failed	Medium
1966 Microsoft Defender Expld ASR: Exclude files and paths from Attack Surface Reduction Rules (Policy)	Passed		Passed	Medium
1967 Microsoft Defender Expld ASR: Exclude files and paths from Attack Surface Reduction Rules	Passed		Passed	Medium
1968 Microsoft Defender Explo ASR: Exclude files and paths from Attack Surface Reduction Rules (Intune)	Passed		Passed	Medium
1965 Microsoft Defender Expld Network Protection: Prevent users and apps from accessing dangerous websites	Medium		Failed	Medium
1767 Administrative Templates News and interests: Enable news and interests on the taskbar	Medium	-	Failed	Medium
1733 Administrative Templates OneDrive: Prevent the usage of OneDrive for file storage	Medium		Failed	Medium
1734 Administrative Templates Remote Desktop Connection Client: Do not allow passwords to be saved	Medium		Failed	Medium
Administrative Templates Remote Desktop Session Host: Allow users to connect remotely by using Remote Desktop Service	Medium	1	Failed	Medium
1736 Administrative Templates Remote Desktop Session Host: Device and Resource Redirection: Do not allow drive redirection	Medium	1	Failed	Medium
1737 Administrative Templates Remote Desktop Session Host: Security: Always prompt for password upon connection	Medium	1	Failed	Medium
1738 Administrative Templates Remote Desktop Session Host: Security: Require secure RPC communication	Medium	1	Failed	Medium
1739 Administrative Templates Remote Desktop Session Host: Security: Set client connection encryption level	Medium	3	Failed	Medium
1740 Administrative Templates Search: Allow Cloud Search	Medium	0	Failed	Medium
1741 Administrative Templates Search: Allow Cortana	Passed	0	Passed	Medium
1742 Administrative Templates Search: Allow Cortana above lock screen	Medium	1 0	Failed	Medium
1743 Administrative Templates Search: Allow indexing of encrypted files	Medium	0	Failed	Medium
1744 Administrative Templates Search: Allow search and Cortana to use location	Medium	0	Failed	Medium
1745 Administrative Templates Search: Set what information is shared in Search	Medium	3	Failed	Medium
1746 Administrative Templates Windows Error Reporting: Disable Windows Error Reporting	Medium	1	Failed	Medium
1747 Administrative Templates Windows Game Recording and Broadcasting: Enables or disables Windows Game Recording and Broadcasting:	Low	0	Failed	Low
1748 Administrative Templates Windows Ink Workspace: Allow Windows Ink Workspace	Medium	0	Failed	Medium
1749 Administrative Templates Windows Installer: Always install with elevated privileges	Passed	0	Passed	Medium
1750 Administrative Templates Windows Installer: Allow user control over installs	Medium	0	Failed	Medium
1751 Administrative Templates Windows Installer: Prevent Internet Explorer security prompt for Windows Installer scripts	Medium	0	Failed	Medium
1752 Administrative Templates Windows Logon Options: Sign-in and lock last interactive user automatically after a restart	Medium	1	Failed	Medium
1770 Administrative Templates Windows Installer: Disable Co-Installer (USB AutoInstall)	Medium	1	Failed	Medium
1753 Administrative Templates WinRM Client: Allow Basic authentication	Medium	0	Failed	Medium
1754 Administrative Templates WinRM Client: Allow unencrypted traffic	Medium	0	Failed	Medium
1755 Administrative Templates WinRM Client: Disallow Digest authentication	Medium	0	Failed	Medium
1756 Administrative Templates WinRM Service: Allow remote server management through WinRM	Medium	0	Failed	Medium
1757 Administrative Templates WinRM Service: Allow Basic authentication	Medium	0	Failed	Medium
1758 Administrative Templates WinRM Service: Allow unencrypted traffic	Medium	0	Failed	Medium
1759 Administrative Templates WinRM Service: Disallow WinRM from storing RunAs credentials	Medium	1	Failed	Medium
1760 Administrative Templates Windows Remote Shell: Allow Remote Shell Access	Medium	0	Failed	Medium
2000 Administrative Templates File Explorer: Configure Windows Defender SmartScreen	Passed	1 1	Passed	Medium
2001 Administrative Templates File Explorer: Configure Windows Defender SmartScreen to warn and prevent bypass	Medium Warn	Block	Failed	Medium
2105 PowerShell Turn on PowerShell Module Logging	Low	1	Failed	Low
2106 PowerShell Turn on PowerShell Module Logging - Module Names	Low	*	Failed	Low
2100 PowerShell Turn on PowerShell Script Block Logging	Medium	1	Failed	Medium
2101 PowerShell Turn on PowerShell Script Block Logging (Invocation)	Low	1	Failed	Low
2102 PowerShell Turn on PowerShell Transcription	Low		Failed	Low
The state of the s	· · · · · · · · · · · · · · · · · · ·			

2107	PowerShell	Turn on PowerShell Transcription (Invocation)	Low		1	Failed	Low
2103	PowerShell	Disable PowerShell version 2	Medium	Enabled	Disabled	Failed	Medium
2104	PowerShell	Disable PowerShell version 2 (root)	Medium	Enabled	Disabled	Failed	Medium
2200		LSA Protection	Medium	2		Failed	Medium
2201	MS Security Guide	Lsass.exe audit mode	Passed	8	·	Passed	Low
2202	· ·	NetBT NodeType configuration	Medium		-	Failed	Medium
2203	· · · · · · · · · · · · · · · · · · ·	WDigest Authentication	Passed			Passed	High
2209	,	Enable Structured Exception Handling Overwrite Protection (SEHOP)	Passed		-	Passed	Medium
	MS Security Guide	Limits print driver installation to Administrators	Medium		-	Failed	Medium
	MS Security Guide	Configure RPC packet level privacy setting for incoming connections	Medium			Failed	Medium
2212	· · · · · · · · · · · · · · · · · · ·	Manage processing of Queue-specific files	Medium		1	Failed	Medium
2204	MSS (Legacy)	MSS: (SafeDIISearchMode) Enable Safe DLL search mode (recommended)	Medium	0		Failed	Medium
2205		MSS: (DisablelPSourceRouting IPv6) IP source routing protection level (protects against packet spor		0		Failed	Medium
2206	MSS (Legacy)	MSS: (DisablelPSourceRouting) IP source routing protection level (protects against packet spoofing)		1		Failed	Medium
2207	MSS (Legacy)	MSS: (EnableICMPRedirect) Allow ICMP redirects to override OSPF generated routes	Medium	1	_	Failed	Medium
2208		MSS: (NoNameReleaseOnDemand) Allow the computer to ignore NetBIOS name release requests ex				Failed	Medium
2400	Scheduled Task	XblGameSave Standby Task	Medium	Ready	Disabled	Failed	Medium
2411	System Services	Disable mDNS in Dnscache service	Medium	······		Failed	Medium
2401	System Services	Print Spooler (Spooler)	Medium	3		Failed	Medium
2402		Print Spooler (Spooler) (Service Startup type)	Medium		Disabled	Failed	Medium
	System Services	WebClient (WebClient)	Medium	3		Failed	Medium
2413	-	WebClient (WebClient) (Service Startup type)	Medium	Manual	Disabled	Failed	Medium
2403		Xbox Accessory Management Service (XboxGipSvc)	Medium	a s		Failed	Medium
2404	System Services	Xbox Accessory Management Service (XboxGipSvc) (Service Startup type)	Medium	Manual	Disabled	Failed	Medium
2404		Xbox Live Auth Manager (XblAuthManager)	Medium	ivianuai 3		Failed	Medium
2405	.,	Xbox Live Auth Manager (XblAuthManager) (Service Startup type)	Medium		Disabled 4	Failed	Medium
2407	System Services	Xbox Live Addit Mahager (Xbi/Additival lager) (Service Startup type)	Medium	3		Failed	Medium
2407		Xbox Live Game Save (XblGameSave) (Service Startup type)	Medium	Manual	Disabled 4	Failed	Medium
				wanuai 3		Failed	Medium
2409	System Services System Services	Xbox Live Networking Service (XboxNetApiSvc) Xbox Live Networking Service (XboxNetApiSvc) (Service Startup type)	Medium Medium		Disabled 4	Failed	Medium
1950	.,	Exploit protection: Control flow guard (CFG)	Medium		ON	Failed	Medium
1951 1952		Exploit protection: Data Execution Prevention (DEP) Exploit protection: Override Data Execution Prevention (DEP)	Medium Passed	NOTSET False	ON False	Failed Passed	Medium Medium
	· '			NOTSET	ON	Failed	Medium
1954		Exploit protection: Force randomization for images (Mandatory ASLR)	Medium	NOISEI False		Passed	Medium
1955 1956		Exploit protection: Override force randomization for images (Mandatory ASLR) Exploit protection: Randomize memory allocations (Bottom-up ASLR)	Passed Medium		False ON	Passed Failed	Medium
	· '				-		
1957	· ·	Exploit protection: Override randomize memory allocations (Bottom-up ASLR)	Passed	False	False	Passed	Medium
1958	· ·	Exploit protection: High-entropy ASLR	Medium	NOTSET	ON	Failed	Medium
1959		Exploit protection: Override high-entropy ASLR	Passed	False NOTSET	False	Passed	Medium
1960	· '	Exploit protection: Validate exception chains (SEHOP)	Medium		ON OFF	Failed	Medium
1961	· ·	Exploit protection: Validate exception chains (SEHOP (Telemetry only)	Medium			Failed	Medium
1962	·	Exploit protection: Override validate exception chains (SEHOP)	Passed	False	False	Passed	Medium
1963	· ·	Exploit protection: Validate heap integrity	Medium	NOTSET	ON	Failed	Medium
1964	· ·	Exploit protection: Override validate heap integrity	Passed	False	False	Passed	Medium
1953		Force use of Data Execution Prevention (DEP)	Medium	Optin	AlwaysOn	Failed	Medium
2300	Windows Firewall	HardeningKitty-Block-TCP-NetBIOS	Low		True	Failed	Low

2301	Windows Firewall	HardeningKitty-Block-TCP-RDP	Low	True	Failed	Low
2302	Windows Firewall	HardeningKitty-Block-TCP-RPC	Low	True	Failed	Low
2303	Windows Firewall	HardeningKitty-Block-TCP-SMB	Low	True	Failed	Low
2304	Windows Firewall	HardeningKitty-Block-TCP-WinRM	Low	True	Failed	Low
2305	Windows Firewall	HardeningKitty-Block-UDP-NetBIOS	Low	True	Failed	Low
2306	Windows Firewall	HardeningKitty-Block-UDP-RPC	Low	True	Failed	Low
2307	Windows Firewall	HardeningKitty-Block-calc-x64	Low	True	Failed	Low
2308	Windows Firewall	HardeningKitty-Block-calc-x86	Low	True	Failed	Low
2309	Windows Firewall	HardeningKitty-Block-certutil-x64	Low	True	Failed	Low
2310	Windows Firewall	HardeningKitty-Block-certutil-x86	Low	True	Failed	Low
2311	Windows Firewall	HardeningKitty-Block-conhost-x64	Low	True	Failed	Low
2312	Windows Firewall	HardeningKitty-Block-conhost-x86	Low	True	Failed	Low
2313	Windows Firewall	HardeningKitty-Block-cscript-x64	Low	True	Failed	Low
2314	Windows Firewall	HardeningKitty-Block-cscript-x86	Low	True	Failed	Low
2315	Windows Firewall	HardeningKitty-Block-mshta-x64	Low	True	Failed	Low
2316	Windows Firewall	HardeningKitty-Block-mshta-x86	Low	True	Failed	Low
2317	Windows Firewall	HardeningKitty-Block-notepad-x64	Low	True	Failed	Low
2318	Windows Firewall	HardeningKitty-Block-notepad-x86	Low	True	Failed	Low
2319	Windows Firewall	HardeningKitty-Block-RunScriptHelper-x64	Low	True	Failed	Low
2320	Windows Firewall	HardeningKitty-Block-RunScriptHelper-x86	Low	True	Failed	Low
2321	Windows Firewall	HardeningKitty-Block-wscript-x64	Low	True	Failed	Low
2322	Windows Firewall	HardeningKitty-Block-wscript-x86	Low	True	Failed	Low