



Patient Report

Specimen ID: 169-165-3772-0
Control ID: MCM04562100

Acct #: 04562100

Phone: (909) 391-3423

Rte: 00

ZAPATA, CARLOS

3303 S ARCHIBALD APT 369
ONTARIO CA 91761
(909) 708-5576

Clinica Las Palmas
527 N Palm Ave Ste 106
ONTARIO CA 91762



Patient Details

DOB: 01/11/1967
Age(y/m/d): 053/05/06
Gender: M
Patient ID:

Specimen Details

Date collected: 06/17/2020 1716 Local
Date received: 06/18/2020
Date entered: 06/18/2020
Date reported: 06/19/2020 2135 ET

Physician Details

Ordering: I LOPEZ
Referring:
ID:
NPI: 1538240908

General Comments & Additional Information

Total Volume: Not Provided

Fasting: No

Ordered Items

SARS-CoV-2, NAA

TESTS	RESULT	FLAG	UNITS	REFERENCE INTERVAL	LAB
SARS-CoV-2, NAA	Not Detected			Not Detected	01

Testing was performed using the Aptima SARS-CoV-2 assay. This test was developed and its performance characteristics determined by LabCorp Laboratories. This test has not been FDA cleared or approved. This test has been authorized by FDA under an Emergency Use Authorization (EUA). This test is only authorized for the duration of time the declaration that circumstances exist justifying the authorization of the emergency use of in vitro diagnostic tests for detection of SARS-CoV-2 virus and/or diagnosis of COVID-19 infection under section 564(b)(1) of the Act, 21 U.S.C. 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner. When diagnostic testing is negative, the possibility of a false negative result should be considered in the context of a patient's recent exposures and the presence of clinical signs and symptoms consistent with COVID-19. An individual without symptoms of COVID-19 and who is not shedding SARS-CoV-2 virus would expect to have a negative (not detected) result in this assay.

01 CETWE LabCorp Phoenix

5005 S 40th St, Phoenix, AZ 85040-2969

Dir: Earle Collum, MD

For inquiries, the physician may contact Branch: 800-859-6046 Lab: 800-788-9743