Pantheon Report

Generated at 2025-04-17 20:04:56 (UTC).

Tested in mahimahi: mm-delay 10 mm-link 60mbps.trace 60mbps.trace
Repeated the test of 3 congestion control schemes once.

Each test lasted for 60 seconds running 1 flow.


System info:

Linux 5.4.0-84-generic
net.core.default_qdisc = fq_codel
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 131072 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304


Git summary:

branch: master @ 4e6415131ffacaf767f97b62ef4e39a0e4532e16
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4
third_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851

local test in mahimahi, 1 run of 60s each per scheme (mean of all runs by scheme)



local test in mahimahi, 1 run of 60s each per scheme



ļ		mean avg tput (Mbit/s)	mean 95th-%ile delay (ms)	mean loss rate (%)
$_{\text{scheme}}$	# runs	flow 1	flow 1	flow 1
TCP BBR	1	11.41	155.09	0.18
TCP Cubic	1	11.92	1684.24	2.07
TCP Vegas	1	11.91	435.77	0.49

Run 1: Statistics of TCP BBR

Start at: 2025-04-17 20:02:13 End at: 2025-04-17 20:03:13

Below is generated by plot.py at 2025-04-17 20:04:54

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.01 Mbit/s

Average throughput: 11.41 Mbit/s (95.0% utilization) 95th percentile per-packet one-way delay: 155.088 ms

Loss rate: 0.18%


-- Flow 1:


Average throughput: 11.41 Mbit/s

95th percentile per-packet one-way delay: 155.088 ms

Loss rate: 0.18%

Run 1: Report of TCP BBR — Data Link





Run 1: Statistics of TCP Cubic

Start at: 2025-04-17 20:01:09 End at: 2025-04-17 20:02:09

Below is generated by plot.py at 2025-04-17 20:04:55

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.01 Mbit/s

Average throughput: 11.92 Mbit/s (99.2% utilization) 95th percentile per-packet one-way delay: 1684.238 ms

Loss rate: 2.07%


-- Flow 1:


Average throughput: 11.92 Mbit/s

95th percentile per-packet one-way delay: 1684.238 ms

Loss rate: 2.07%

Run 1: Report of TCP Cubic — Data Link





Run 1: Statistics of TCP Vegas

Start at: 2025-04-17 20:03:17 End at: 2025-04-17 20:04:17

Below is generated by plot.py at 2025-04-17 20:04:56

Datalink statistics
-- Total of 1 flow:

Average capacity: 12.01 Mbit/s

Average throughput: 11.91 Mbit/s (99.2% utilization) 95th percentile per-packet one-way delay: 435.769 ms

Loss rate: 0.49%

-- Flow 1:

Average throughput: 11.91 Mbit/s

95th percentile per-packet one-way delay: 435.769 ms

Loss rate: 0.49%

Run 1: Report of TCP Vegas — Data Link

