Pantheon Report

Generated at 2025-04-17 20:53:59 (UTC).
Tested in mahimahi: `mm-delay 200 mm-link 2mbps.trace 2mbps.trace`
Repeated the test of 3 congestion control schemes once.
Each test lasted for 60 seconds running 1 flow.

```
System info:
Linux 5.4.0-84-generic
net.core.default_qdisc = fq_codel
net.core.rmem_default = 212992
net.core.rmem_max = 212992
net.core.wmem_default = 212992
net.core.wmem_max = 212992
net.ipv4.tcp_rmem = 4096 131072 6291456
net.ipv4.tcp_wmem = 4096 16384 4194304

Git summary:
branch: master @ aae128af963e00ebb1850b47a629a494921d988a
third_party/fillp @ d6da1459332fcee56963885d7eba17e6a32d4519
third_party/fillp-sheep @ 0e5bb722943babcd2b090d2c64fcd45e12e923f9
third_party/genericCC @ d0153f8e594aa89e93b032143cedbdfe58e562f4
third_party/indigo @ 463d89b09699a57bfdfbae351646df6a60040b90
third_party/libutp @ b3465b942e2826f2b179eaab4a906ce6bb7cf3cf
third_party/pantheon-tunnel @ f866d3f58d27afd942717625ee3a354cc2e802bd
third_party/pcc @ 1afc958fa0d66d18b623c091a55fec872b4981e1
third_party/pcc-experimental @ cd43e34e3f5f5613e8acd08fab92c4eb24f974ab
third_party/proto-quic @ 77961f1a82733a86b42f1bc8143ebc978f3cff42
third_party/scream-reproduce @ f099118d1421aa3131bf11ff1964974e1da3bdb2
third_party/sprout @ 366e35c6178b01e31d4a46ad18c74f9415f19a26
third_party/verus @ d4b447ea74c6c60a261149af2629562939f9a494
third_party/vivace @ 2baf86211435ae071a32f96b7d8c504587f5d7f4
third_party/webrtc @ 3f0cc2a9061a41b6f9dde4735770d143a1fa2851
```

local test in mahimahi, 1 run of 60s each per scheme
(mean of all runs by scheme)

local test in mahimahi, 1 run of 60s each per scheme

scheme	# runs	mean avg tput (Mbit/s) flow 1	mean 95th-%ile delay (ms) flow 1	mean loss rate (%) flow 1
TCP BBR	1	44.26	205.03	0.40
TCP Cubic	1	9.46	209.52	0.65
TCP Vegas	1	4.95	207.35	1.20

```
Run 1: Statistics of TCP BBR

Start at: 2025-04-17 20:49:56
End at: 2025-04-17 20:50:57

# Below is generated by plot.py at 2025-04-17 20:53:59
# Datalink statistics
-- Total of 1 flow:
Average capacity: 360.01 Mbit/s
Average throughput: 44.26 Mbit/s (12.3% utilization)
95th percentile per-packet one-way delay: 205.033 ms
Loss rate: 0.40%
-- Flow 1:
Average throughput: 44.26 Mbit/s
95th percentile per-packet one-way delay: 205.033 ms
Loss rate: 0.40%
```

Run 1: Report of TCP BBR — Data Link

Average capacity 360.01 Mbit/s (shaded region)

```
Run 1: Statistics of TCP Cubic

Start at: 2025-04-17 20:48:48
End at: 2025-04-17 20:49:48

# Below is generated by plot.py at 2025-04-17 20:53:59
# Datalink statistics
-- Total of 1 flow:
Average capacity: 360.01 Mbit/s
Average throughput: 9.46 Mbit/s (2.6% utilization)
95th percentile per-packet one-way delay: 209.519 ms
Loss rate: 0.65%
-- Flow 1:
Average throughput: 9.46 Mbit/s
95th percentile per-packet one-way delay: 209.519 ms
Loss rate: 0.65%
```

Run 1: Report of TCP Cubic — Data Link

```
Run 1: Statistics of TCP Vegas

Start at: 2025-04-17 20:51:07
End at: 2025-04-17 20:52:07

# Below is generated by plot.py at 2025-04-17 20:53:59
# Datalink statistics
-- Total of 1 flow:
Average capacity: 360.01 Mbit/s
Average throughput: 4.95 Mbit/s (1.4% utilization)
95th percentile per-packet one-way delay: 207.353 ms
Loss rate: 1.20%
-- Flow 1:
Average throughput: 4.95 Mbit/s
95th percentile per-packet one-way delay: 207.353 ms
Loss rate: 1.20%
```

Run 1: Report of TCP Vegas — Data Link

Average capacity 360.01 Mbit/s (shaded region)

--- Flow 1 ingress (mean 4.99 Mbit/s) —— Flow 1 egress (mean 4.95 Mbit/s)

• Flow 1 (95th percentile 207.35 ms)

9