

API Specification / Contract

CleanTrack — REST API & WebSocket Events

Versi 2.0 — mencakup endpoint verifikasi foto, verifikasi berat, dan live tracking kurir.

1. Konvensi Umum

- Base URL: `https://api.cleantrack.id/v1`
- Autentikasi: header `Authorization: Bearer <access_token>` (JWT).
- Semua request/response body menggunakan JSON, timestamp format ISO 8601.
- Semua endpoint yang mengubah data tenant wajib menyertakan konteks `tenant_id` dari JWT, bukan dari body request.

2. Format Error Standar

```
{
  "success": false,
  "error": {
    "code": "PHOTO_REQUIRED",
    "message": "Foto bukti wajib diunggah untuk perubahan status ini",
    "details": { "field": "photo_url" }
  }
}
```

HTTP Status	Kapan Digunakan
400	Body request tidak valid / gagal validasi schema.
401	Token tidak ada atau tidak valid.
403	Akses ditolak (IDOR/lintas tenant, atau role tidak berwenang).
404	Resource tidak ditemukan.
422	Aturan bisnis dilanggar, mis. foto wajib belum diunggah, berat belum diisi.
429	Rate limit terlampaui.

3. Auth

POST /auth/login

Login employee atau customer, mengembalikan access & refresh token.

Request body:

```
{ "email": "kasir@cabang1.com", "password": "*****" }
```

Response 200/201:

```
{ "success": true, "data": { "access_token": "...", "refresh_token": "...", "role": "kasir" } }
```

POST /auth/refresh

Memperbarui access token menggunakan refresh token.

Request body:

```
{ "refresh_token": "..." }
```

Response 200/201:

```
{ "success": true, "data": { "access_token": "..." } }
```

4. Order

POST /orders

Membuat order baru (walk-in atau pickup dari rumah).

Request body:

```
{
  "branch_id": 1,
  "customer_id": 45,
  "pickup_address_id": 12,
  "estimated_weight": 5.5,
  "items": [{ "service_id": 3, "quantity": 1 }]
}
```

Response 200/201:

```
{
  "success": true,
  "data": {
    "id": 1029, "status": "pending", "weight_status": "pending",
    "estimated_weight": 5.5, "total_amount": 45000
  }
}
```

GET /orders/{id}

Mengambil detail order termasuk item, status log, dan pembayaran.

Response 200/201:

```
{ "success": true, "data": { "id": 1029, "status": "received", "weight_status":
"mismatched", ... } }
```

PATCH /orders/{id}/status

Mengubah status order. Untuk status 'pickup', 'received', dan 'delivery' (final), field *photo_url* wajib.

Request body:

```
{
  "status": "pickup",
  "photo_url": "https://cdn.cleantrack.id/proof/pickup_1029.jpg",
  "note": "Diambil di depan rumah pelanggan"
}
```

Response 200/201:

```
{ "success": true, "data": { "id": 1029, "status": "pickup" } }
```

Response 422 jika foto wajib tidak disertakan:

```
{
  "success": false,
  "error": { "code": "PHOTO_REQUIRED", "message": "Foto bukti wajib diunggah untuk
status pickup" }
}
```

5. Verifikasi Berat

PATCH /orders/{id}/weight

Kasir menginput berat aktual saat order berstatus 'received'. Sistem otomatis membandingkan dengan estimasi dan memperbarui weight_status.

Request body:

```
{
  "actual_weight": 6.8,
  "photo_url": "https://cdn.cleantrack.id/proof/weight_1029.jpg"
}
```

Response 200/201:

```
{
  "success": true,
  "data": {
    "id": 1029, "actual_weight": 6.8, "estimated_weight": 5.5,
    "weight_status": "mismatched",
    "total_amount": 54000,
    "notification_sent": true
  }
}
```

POST /orders/{id}/weight/confirm

Konfirmasi pelanggan atas selisih berat (dipicu dari tombol WhatsApp interaktif atau in-app).

Request body:

```
{ "confirmed": true }
```

Response 200/201:

```
{ "success": true, "data": { "id": 1029, "weight_status": "confirmed",
"weight_confirmed_at": "2026-08-29T10:15:00Z" } }
```

6. Kurir & Tracking Lokasi

PATCH /orders/{id}/assign-courier

Operator menugaskan kurir ke sebuah order.

Request body:

```
{ "courier_id": 8 }
```

Response 200/201:

```
{ "success": true, "data": { "id": 1029, "courier_id": 8 } }
```

POST /couriers/{id}/location

Kurir mengirim update lokasi terkini (dipanggil berkala oleh aplikasi kurir).

Request body:

```
{ "order_id": 1029, "long": 106.827153, "lat": -6.175392 }
```

Response 200/201:

```
{ "success": true }
```

GET /orders/{id}/courier-location

Mengambil lokasi terakhir kurir untuk order tertentu (fallback jika WebSocket tidak tersedia).

Response 200/201:

```
{ "success": true, "data": { "long": 106.827153, "lat": -6.175392, "updated_at": "2026-08-29T10:20:00Z" } }
```

7. Pembayaran

POST /orders/{id}/payments

Membuat charge pembayaran digital (Midtrans/Xendit) untuk order.

Request body:

```
{ "method": "qris" }
```

Response 200/201:

```
{ "success": true, "data": { "reference_no": "INV-2026-1029", "payment_url": "https://checkout.xendit.co/..." } }
```

POST /webhooks/payment

Endpoint penerima webhook dari payment gateway (Midtrans/Xendit) untuk memperbarui status pembayaran.

Request body:

```
{ "reference_no": "INV-2026-1029", "status": "success", "paid_at": "2026-08-29T10:30:00Z" }
```

Response 200/201:

```
{ "success": true }
```

8. WebSocket Events

Event	Payload	Deskripsi
courier.location.updated	{ order_id, courier_id, long, lat }	Dikirim ke room order tertentu saat kurir mengirim ping lokasi baru.
order.status.changed	{ order_id, status, changed_by }	Dikirim ke customer & operator saat status order berubah.
order.weight.mismatch	{ order_id, estimated_weight, actual_weight, total_amount }	Dikirim saat weight_status berubah menjadi 'mismatched', memicu UI konfirmasi di app customer.