EgoHand Twin


Factory POV video holds useful hand motion. Teams need trustworthy cues to find usable seconds.

WEARER LEFT

WEARER RIGHT

DRAFT FOR TEAM REVIEW

Processing path



Predicted tracks are 2D only.

Wearer left **Wearer right**

Live demo cue

REVIEW

Synchronized video, landmarks, 3D, timeline and events

ANALYSIS

Signals and exports

DIAGNOSTICS

Pipeline detail

CAMERA SIDE TOP

Follow hand

Accuracy

Preset	Accuracy	Recall	Precision	F1	Wrong-side
Baseline	N/M	N/M	N/M	N/M	N/M
Recall	N/M	N/M	N/M	N/M	N/M
Accurate	N/M	N/M	N/M	N/M	N/M
Hybrid	N/M	N/M	N/M	N/M	N/M

N/M = awaits human labels.

Historical hybrid: experiment record.

Laptop and pilot evidence

LAPTOP SPEED

NOT MEASURED

REVIEW-TIME BENEFIT

NOT MEASURED

Limits and next checks

ASSUMPTIONS

Camera depth assumes an uncalibrated lens.

Head motion is not compensated.

Generated hand surfaces are visualizations.

NEXT CHECKS

Human review of common-clip labels.

Measure the review-time pilot.