# MOTIONIQ


Factory POV video holds useful hand motion. Teams need trustworthy cues to find usable seconds.

WEARER LEFT

WEARER RIGHT

DRAFT FOR TEAM REVIEW

# Processing path




Predicted tracks are 2D only.

**Wearer left** **Wearer right**

# Live demo cue

REVIEW

Synchronized video, landmarks, 3D, timeline and events

ANALYSIS

Signals and exports

DIAGNOSTICS

Pipeline detail

CAMERA SIDE TOP

Follow hand

# Accuracy

| Preset | Accuracy | Recall | Precision | F1 | Wrong-side |
|---|---|---|---|---|---|
| **Baseline** | N/M | N/M | N/M | N/M | N/M |
| **Recall** | N/M | N/M | N/M | N/M | N/M |
| **Accurate** | N/M | N/M | N/M | N/M | N/M |
| **Hybrid** | N/M | N/M | N/M | N/M | N/M |

N/M = awaits human labels.

Historical hybrid: experiment record.

# Laptop and pilot evidence

LAPTOP SPEED

NOT MEASURED

REVIEW-TIME BENEFIT

NOT MEASURED

# Limits and next checks

## ASSUMPTIONS

Camera depth assumes an uncalibrated lens.

Head motion is not compensated.

Generated hand surfaces are visualizations.

## NEXT CHECKS

Human review of common-clip labels.

Measure the review-time pilot.