GDG ON CAMPUS UOBD × COMPUTING CLUB

EVENT 002



OPERATOR'S MANUAL

TUE 27 OCT — **16:00–18:00**

FOR WHOEVER RUNS THE LAPTOP ON THE DAY

ROOM 0411

YOU'RE RUNNING THE LAPTOP

This manual is for the person at the laptop. You don't need to know anything about the app: every step is here, with what to press, what to say to the room, and what everyone will see. Read it once before the day, then keep it open next to you.

RULES.EXE — 5 THINGS

1. **Nothing happens by itself.** The app never moves on to the next part. You press a button each time.
2. **You can't break it by stopping it.** Everything is saved the moment it happens. If it crashes, it restarts by itself within 2 seconds; if you stop it, run the start command again and it carries on.
3. **The host panel never goes on the projector.** It shows team codes, the judges' PIN and the results before they're revealed.
4. **Never run the `--fresh` command once the event has started.** It files the event away and starts an empty one.
5. **When unsure, wait.** Nothing is on a timer you can miss. Read the page, then press.

#	PART	WHEN
01	**THE EVENT** · what's happening, minute by minute, who does what	Read before
02	**HOW THE APP WORKS** · the three screens, the modes (tunnel, LAN, local…), words you'll see	Read before
03	**THE HOST PANEL** · a guided tour	Read before
04	**YOUR LAPTOP** · set it up, Mac basics, a full practice run	Read before
05	**SET UP THE ROOM** · start the app, checklist	15:15
06	**JOIN** · teams form	16:00
07	**THE DEAL** · one feature per team	16:10
08	**THE BUILD** · 55 minutes	16:15
09	**LINKS** · teams send their sites	~17:00
10	**PRESENTING** · demos, judges, stickers	17:10
11	**RESULTS** · the reveal	17:50
12	**AFTER** · certificates	18:00
13	**IF SOMETHING GOES WRONG** · running late, every button explained	Any time
14	**CHEAT SHEET** · the whole event on one page	Keep open

CONTACTS.EXE — FILL IN BEFORE THE DAY

Uday (built the app)
PHONE _____

Rayyan (event lead)
PHONE _____

MC / speaker
NAME _____

THE EVENT IN ONE PAGE

GOOD UI. BAD UX.

2 HOURS · ROOM 0411

Teams build a website that looks great and is deliberately horrible to use. Each team gets a "feature" to ruin (a login, a cookie banner, a volume slider…). At the end every team shows its site, club members judge it, and the room hands out stickers. Certificates for the winners, no prizes.

AGENDA.EXE — 5 PARTS · 2 HOURS

☐	**16:00**	**JOIN** Everyone scans a QR, teams form on phones.	10 MIN
☐	**16:10**	**THE DEAL** Each team gets 1 feature to ruin. One swap allowed.	5 MIN
■	**16:15**	**BUILD IT PRETTY. MAKE IT PAINFUL.** Own laptops, own AI tools. Teams send their link near the end.	55 MIN
☐	**17:10**	**PRESENT. THE ROOM VOTES.** About 2 minutes per team. Judges rate, everyone stickers.	40 MIN
☐	**17:50**	**RESULTS** Four side quests, then the main award.	10 MIN

MAIN_AWARD.EXE — JUDGES

USER UNFRIENDLIEST

Decided by the **judges**: about 30 club members who rate every team on their phones, on six levels from *Super poop* to *Legendary*. The judges' link and PIN are private (organisers' WhatsApp only).

SIDE_QUESTS.EXE — STICKERS

BEST UI · FUNNIEST BAD UX · MOST CREATIVE UX · BEST WORST FEATURE

Decided by **stickers**: anyone in the room scans the sticker QR and sticks stickers on teams' sites, on their phone. Stickers never appear on the projector. Each team wins at most one title.

MINUTE BY MINUTE, AND WHO DOES WHAT

ROLE	THEIR JOB
LAPTOP OPERATOR YOU	Runs the host panel, the big screen and Terminal. Presses every button in this manual. Stays at the laptop from 15:15 to 18:10, except during the build.
MC	Talks to the room. Reads the SAY_THIS boxes (or their own version), keeps demos to time, builds up each award before you reveal it.
DOOR HELPERS (2)	Help people scan the QR, type their name, make or join a team. Know the answers in the THEYLL_ASK boxes for join.
JUDGES' COORDINATOR	Gets the ~30 judges signed in before 17:10 (link + PIN in the organisers' group), checks the Judges count in the host panel with you, chases anyone stuck.
TECH HELPER	During the build, walks round helping teams get a public link that works on another phone. At 17:00 chases teams without a link.

TIME	WHAT HAPPENS	LAPTOP DOES
15:00	Arrive. Tables, power strips, projector on.	Charger in, projector extended
15:15	App started for the real event.	`--fresh`, screens up
15:30	Judges' link and PIN go to the organisers' group. One test scan.	Read link + hold PIN
15:45	Checklist done. Helpers briefed.	Nothing
16:00	Doors. MC: join script. Phones join.	Set number of teams
16:08	Join closes. People on their own get placed.	Put them in teams → Do it
16:10	MC: deal script. Cards flip.	Deal the cards
16:15	Swaps end. MC: build script.	Start the build (55)
16:15–16:55	Building. Helpers roam. Operator may stop the app and leave.	Optional: control+C
16:55	MC: "Five minutes until we collect links."	Restart the app if stopped
17:00	MC: links script. One person per team sends a link.	Open links
17:05	MC: "Five minutes left!" Chase missing links.	Set link / Own laptop
17:10	Pencils down. Chairs to the centre. MC: presenting script.	Start presenting (40)
17:00+	Late arrivals (e.g. after a test) get added as a team and build during the demos.	Add a team
17:12–17:48	Demos, about 2 min each plus changeover. Late teams last.	Site on big screen → Start demo → Next
17:50	MC: results script. Five reveals.	Results → Reveal next × 5
18:00	Photos. Thank-yous. End screen up.	Download certificates (zip)
18:10	Pack up.	Shutdown checklist (Part 12)

HOW THE APP WORKS

ONE LAPTOP · TWO SCREENS · EVERYONE'S PHONE

SCREEN	WHAT IT IS	WHERE
HOST PANEL	Your control panel. Every button that runs the event. Shows team codes, links, the judges' PIN and the results early, so **only you** see it.	Laptop's own screen `localhost:3301/host`
BIG SCREEN	What the room sees: the join QR, the countdown, the team on stage, the winners. It changes by itself when you press buttons.	Projector, full screen `localhost:3301`
PHONES	Participants (teams, features, links), sticker fans and judges. They follow the event by themselves too.	The QR on the big screen

HOW PHONES REACH THE LAPTOP

The app starts in **LAN mode**: phones on the same Wi-Fi as the laptop open its address directly (like `http://10.33.192.114:3300`), shown on the big screen as a QR code. Because that address normally stays the same, **phones reconnect by themselves after a restart**. If the Wi-Fi blocks phones from reaching the laptop, switch to the Cloudflare **tunnel** (a temporary public link that changes on every start). See the modes on the next page.

WORDS YOU'LL SEE

WORD	MEANING
PHASE	Which part of the event it is: JOIN, DEAL, BUILD, PRESENT, RESULTS. Shown top left of the host panel.
TEAM CODE	Four letters (e.g. `PJFR`) that a team's members use to join it or get back in. Private to the team.
WAITING	People who tapped FIND ME A TEAM. You place them with one button.
THE DEAL / SWAP	Each team's feature to ruin. A team may swap it for another, once, in the 5 minutes after the deal. Only one member, picked at random, holds the swap, so the team has to agree first.
PENCILS DOWN	The end of the build. The big screen says so; nothing else happens until you press a button.
LINKS	The web address of each team's site, sent from a phone so you can open it for their demo.
DEMO	One team's turn on stage, with a countdown.
ONLINE ● / OFFLINE ○	Whether that person's phone is connected right now. Offline is normal (locked phone); nothing is lost.

TUNNEL, LAN, LOCAL, AND THE REST

The app can start in different ways, chosen by what you type after `npm run unfriendly --`. A plain start reuses the way this event was last started (LAN or tunnel), and the very first start is LAN. So once it works, just run `npm run unfriendly` (or double-click Start USER UNFRIENDLY) every time.

MODE	START IT WITH	HOW PHONES REACH THE LAPTOP	USE IT WHEN
LAN DEFAULT	`npm run unfriendly` or `-- --lan`	Directly to the laptop's own address on the Wi-Fi, like `http://10.33.192.114:3300`. No internet needed, and the link stays the same after a restart.	**The real event**, when phones and laptop are on the same Wi-Fi and it lets them reach each other (it usually does).
TUNNEL	`npm run unfriendly -- --tunnel`	Through a free Cloudflare tunnel: a public **https** link like `https://words.trycloudflare.com`. Phones can be on any Wi-Fi or mobile data. The link changes on every start.	When phones can't load the LAN link (the Wi-Fi keeps devices apart). Needs internet on the laptop and `cloudflared`.
LOCAL	`npm run unfriendly -- --local`	They don't: nothing leaves the laptop. Open `localhost:3300/?p=1`, `?p=2` … in Chrome windows as pretend phones.	Practice and checking the screens. Real phones can't join.
OFFLINE	`npm run unfriendly -- --offline`	No phones at all. Only the host panel and big screen.	Nudging the build clock while the app is meant to be off (starts in 2 s).
PREVIEW	add `--preview` to any of the above	A completely separate practice event with its own data. Big screen and host panel at `localhost:3311` instead of 3301.	Practising, even on the day, without touching the real event.

EXTRAS.EXE — ADD TO ANY MODE

`--fresh` files away the current event and starts an empty one (asks you to type FRESH). **Only at 15:15, never during the event.**

`--clock` also opens the offline build clock.

`--scale 0.1` makes every duration a tenth: a 55-minute build takes 5½. For practice only.

COMBINE.EXE — EXAMPLES

Flags can be combined, in any order:

```
npm run unfriendly -- --lan --clock
npm run unfriendly -- --preview --local
--fresh
```

The two dashes after `npm run unfriendly` are needed: they pass the flags on to the app.


SWITCH.EXE — MID-EVENT, NOTHING LOST

You can change mode at any time. Stop the app (control+C) and start it with the other mode. Every mode uses the same saved event, so teams, cards, links and ratings carry on. The phones' link changes when you switch: the big screen shows the new QR, and people get back in with their team code (Part 13). Send the judges the new link. The next plain start remembers the new mode.

If phones can't load the LAN link: check they're on the same Wi-Fi as the laptop; if they are and it still fails, the Wi-Fi keeps devices apart. Stop the app and start it with `npm run unfriendly -- --tunnel` (needs internet on the laptop; a phone hotspot works). If macOS asks whether "node" may accept incoming connections, click **Allow**, or LAN can't work.

THE HOST PANEL: A TOUR

The panel always has the same shape. **The left column is what to do now**: its first box changes with each phase and holds the next button to press. **The right side is the teams**, one card each.



01	Phase	02	Phones' link
03	What to do now	04	Deal the cards
05	Teams: number and size	06	Put waiting people in teams
07	A team's card	08	Team code
09	Move a person	10	Remove the team

TOP_BAR.EXE — ALWAYS THERE

The black bar at the top shows the **phase**, the time, **SERVER RUNNING** (or **SERVER STOPPED** if the app isn't running: then nothing you press works until it's started again) and the phones' link. Every button that can't be undone asks "are you sure?" first.

SET UP THE LAPTOP

Do this once, on the laptop that will run the event, any day before the 27th. About 15 minutes. The app lives on GitHub: `github.com/UdayAhuja19/user-unfriendly`.

SETUP.EXE — 8 STEPS, IN TERMINAL

1 CHECK NODE

Type `node --version`. You need **v22.13 or higher** (v24 is fine). Missing or older: go to `nodejs.org`, download the **LTS** installer for macOS, run it, then quit and reopen Terminal.

2 CHECK HOMEBREW

Type `brew --version`. Missing: go to `brew.sh`, copy the one command on the page into Terminal, press Return and type the Mac's password when asked (nothing shows while you type). At the end it prints two "Next steps" commands: run them too.

3 INSTALL CLOUDFLARED

(the tunnel)

```
brew install cloudflared
```

Check with `cloudflared --version`.

4 CHECK GIT

Type `git --version`. If macOS offers to install "command line developer tools", click **Install** and wait.

5 GET THE APP

```
cd ~/Desktop
git clone https://github.com/UdayAhuja19/user-unfriendly.git
cd user-unfriendly
```

A folder called `user-unfriendly` appears on the Desktop.

6 INSTALL ITS PARTS

`npm install`. Takes a minute; ends with "added … packages". Warnings are fine.

7 TEST IT

`npm test`. Ends with `ℹ pass 22` and `ℹ fail 0`. Any fail: call Uday.

8 TRY IT

`npm run unfriendly -- --local`, open `localhost:3301` in Chrome: the join screen appears. Press control+C to stop. (A line ".env not found" is normal.)

SETUP: THE PIN, UPDATES, SETTINGS

PIN.EXE — 6767

The judges' PIN is **6767** unless you choose another when creating the event:

```
UU_JUDGE_PIN=482193 npm run unfriendly -
- --fresh
```

You can always read it in the host panel by holding **HOLD TO SHOW THE PIN**.

UPDATE.EXE — IF UDAY CHANGES SOMETHING

In Terminal, in the app's folder:

```
cd ~/Desktop/user-unfriendly
git pull
npm install
```

Never during the event.

ALSO.EXE — SETTINGS FOR THE DAY

- **Google Chrome** installed (the big screen and host panel are made for it).
- System Settings → Lock Screen: "Turn display off when inactive" → **Never** (for the day). The app keeps the screen awake during the build, but not before or after.
- Do Not Disturb on, so notifications don't pop up on the projector.
- The event's files live in `user-unfriendly/data/unfriendly/` : the saved event, `backups/` , `archive/` (old events) and `clock/` .

MAC BASICS

You only need four things on the laptop: Terminal (starts and stops the app), two Chrome windows (host panel and big screen), and the projector.

TERMINAL.EXE — STARTS AND STOPS THE APP

1 OPEN TERMINAL

Press `⌘` `Space`, type `Terminal`, press `Return`.

2 GO TO THE PROJECT

Type (or paste with `⌘` `V`) this and press `Return`:

```
cd ~/Desktop/user-unfriendly
```

3 START THE APP

`npm run unfriendly` then `Return`. It's running while the window shows "Phones on this Wi-Fi join at…" and you **can't** type a new command. Or skip Terminal: double-click **Start USER UNFRIENDLY** in the app's folder.

4 STOP THE APP

Click the Terminal window, press `control` + `C` (the **control** key, not command). It says "Stopped. Everything is saved".

5 RUN THE LAST COMMAND AGAIN

Press `↑` then `Return`. Handy after a stop.

SCREENS.EXE — LAPTOP + PROJECTOR

1 EXTENDED DISPLAY

Plug in the projector. System Settings → Displays → pick the projector → *Use as: Extended display*. (Mirrored would show your host panel to the room.)

2 MOVE A WINDOW TO THE PROJECTOR

Drag it by its top edge off the side of the laptop screen, onto the projector.

3 FULL SCREEN

Click the window, press `control` `⌘` `F`. Same keys again to leave full screen.

4 RELOAD A PAGE

`⌘` `R`. Safe on the big screen and the host panel at any time.

5 POP-UPS

The first time you press **open it in a tab instead**, Chrome may block it: click the small blocked-window icon at the right of the address bar → *Always allow*.

POWER.EXE — IMPORTANT

! Keep the **charger plugged in** and the **lid open** the whole time. Closing the lid puts the laptop to sleep and phones lose the event until it wakes (nothing is lost, but the room waits).

A FULL PRACTICE RUN, ALONE

Before the day, run a whole pretend event in about 20 minutes: pretend teams, judges and sticker fans (bots) play along while you press every button. It uses the separate practice copy (`--preview`), so the real event is never touched. Every duration is a tenth, so the build is 5½ minutes.

PRACTICE.EXE — TWO TERMINAL TABS

1 START A PRACTICE EVENT

In Terminal:

```
cd ~/Desktop/user-unfriendly
npm run unfriendly -- --preview --local --fresh --scale 0.1
```

Type `FRESH` if it asks.

2 OPEN THE SCREENS

Chrome: `localhost:3311` (the practice big screen) and `localhost:3311/host` (the practice host panel). Note: **3311**, not 3301.

3 ADD THE PRETEND PEOPLE

New Terminal tab (⌘ T), then:

```
cd ~/Desktop/user-unfriendly
npm run bots -- 10 ws://127.0.0.1:3310/ws --judges 5 --fans 10 --pin 6767
```

It prints "about 30 participants in 10 teams". Teams appear on the big screen and in the host panel.

4 BE A PHONE YOURSELF

Open `localhost:3310/?p=1` in a narrow window: that's a participant phone. `localhost:3310/judge?p=j` with PIN 6767 is a judge phone. Each `?p=` number is a different pretend phone.

THEN.EXE — PRESS EVERYTHING, IN ORDER

1 JOIN

Play with Number of teams. Join from your pretend phone with FIND ME A TEAM, then PUT THEM IN TEAMS.

2 DEAL

DEAL THE CARDS. Swap a card from your phone.

3 BUILD

START THE BUILD. Try +1 MIN and −1 MIN. Try stopping and restarting the app (next page).

4 LINKS

OPEN LINKS. The bots don't send links: use SET LINK (any https address) and OWN LAPTOP.

5 PRESENT

START PRESENTING, then for each team SITE ON BIG SCREEN → START DEMO → NEXT TEAM. The bot judges rate and the bot fans stick stickers by themselves; watch the counts in the panel.

6 RESULTS

RESULTS, REVEAL NEXT × 5, SHOW THE END SCREEN, try BACK, download the four files.

PRACTISE THE THINGS THAT GO WRONG

BREAK_IT.EXE — SAFE: IT'S THE PRACTICE COPY

1 STOP AND RESTART MID-BUILD

In the first Terminal tab press control+C. The practice big screen **keeps counting**. Start it again by typing (not ↑, which would repeat `--fresh`):

```
npm run unfriendly -- --preview --local --scale 0.1
```

Everything is as it was. (The bots stop after a restart: that's the bots, not the app.)

2 GET BACK IN ON A PHONE

Open a new pretend phone (`localhost:3310/?p=9`), tap **I was already in** (with links open it says **Get back into my team instead**), type a team code from the host panel, tap a name.

3 THE OFFLINE CLOCK

With the app stopped during the build, run `npm run unfriendly -- --preview --clock --offline`: the clock page opens. Press F.

4 NUDGE WHILE OFFLINE

In that offline host panel press +1 min, then control+C. The clock page catches up within 5 seconds.

5 CLEAN UP

control+C in both tabs. Nothing from practice reaches the real event. Next practice, start again with `--fresh`.

DIFFERENCES.EXE — PRACTICE VS THE DAY

	PRACTICE	THE DAY
Start	`… --preview --local --fresh --scale 0.1`	`npm run unfriendly -- --fresh`
Screens	`localhost:3311`, `/host`	`localhost:3301`, `/host`
Phones	`localhost:3310/?p=1` windows	Real phones, by the QR
Times	A tenth (build 5½ min)	Real (build 55 min)
PIN	6767	6767

SET UP THE ROOM

45 MINUTES BEFORE DOORS **15:15 → 16:00**

DO_THIS.EXE 6 STEPS

1 POWER AND PROJECTOR

Charger in. Projector plugged in and set to extended (Part 04).

2 START A CLEAN EVENT

In Terminal (Part 04, steps 1–2), then type `FRESH` when it asks. This files away any test data and starts the real event. **Only now, never again.**

```
npm run unfriendly -- --fresh
```

3 WAIT FOR THE PHONES' LINK

A few seconds. You'll see:

```
Phase: JOIN  ·  0 of 15 teams (up to 4 each)  ·  0 people
Big screen:  http://localhost:3301
Host panel:  http://localhost:3301/host
Phones: same Wi-Fi (LAN). To change: npm run unfriendly -- --tunnel  (or --lan)
Phones on this Wi-Fi join at: http://10.33.192.114:3300
```

Leave Terminal open all event. Don't type in it. If macOS asks whether "node" may accept incoming connections, click **Allow**.

4 BIG SCREEN

New Chrome window → `localhost:3301` → drag to the projector → full screen.

5 HOST PANEL

Another Chrome window on the laptop → `localhost:3301/host`.

6 SEND THE JUDGES' MESSAGE

in the organisers' WhatsApp. The judges' link is in the host panel's **Judges** box; the PIN appears while you hold **HOLD TO SHOW THE PIN**:

"Judges: open [link] on your phone, enter PIN [PIN], tap your name or add it. Keep it open during presenting."

CHECK BEFORE DOORS OPEN

CHECK.EXE — BEFORE DOORS OPEN

- [ ] Scan the QR on the projector with your own phone: the start page opens. (Then close it; don't join.)
- [ ] The host panel's top bar says **JOIN** and **SERVER RUNNING**.
- [ ] The projector shows the join screen, not the host panel.

PHONES_CANT_JOIN.EXE — IF THE TEST SCAN FAILS

Your phone on the same Wi-Fi can't open the link: press control+C and run `npm run unfriendly -- --tunnel` (no `--fresh` this time). It uses a Cloudflare link instead and is remembered for later starts. Still stuck: call Uday.

BIG SCREEN · PROJECTOR — WHAT YOU SHOULD SEE



THE BIG SCREEN BEFORE ANYONE JOINS: THE QR AND ZERO COUNTS.


JOIN

TEAMS FORM ON PHONES

16:00 → 16:10


SAY_THIS.EXE — MC · AT 16:00

“Welcome to User Unfriendly! Scan the QR on the screen and type your name exactly as you want it on your certificate. Registered as a team? One of you taps MAKE A TEAM, the others tap JOIN A TEAM and type the code from their phone. On your own? Tap FIND ME A TEAM and we'll put you in one.”




THE QR, LIVE COUNTS, AND A WALL OF TEAMS. TEAM CODES ARE NEVER SHOWN HERE.


WHAT PEOPLE DO ON THEIR PHONES



THE START PAGE



MAKE A TEAM



IN A TEAM: THE CODE TEAMMATES TYPE



WAITING TO BE PLACED

THEYLL_ASK.EXE — JOIN

"I SPELLED MY NAME WRONG."

Note the correct spelling. It's fixed in the certificate file afterwards (Part 12). Don't remove them.

"I MADE A TEAM BY MISTAKE / JOINED THE WRONG ONE."

Their phone has **Leave team** (during join only). Or use **Move to…** on their card.

"IT SAYS THE TEAM IS FULL."

Teams are 4 at most. They join another team or tap FIND ME A TEAM.

"WHERE'S OUR CODE?"

On every member's phone, in the YOUR_TEAM.EXE box. You can also read it on their card in the host panel (top right, four letters). Tell them; never show the panel.

"THE PAGE WON'T LOAD."

Try mobile data instead of eduroam, or rescan. If nobody can load it, see Part 13.

WHAT YOU DO

DO_THIS.EXE — 4 STEPS

1 SET THE NUMBER OF TEAMS

In the **Teams** box, – and + next to *Number of teams*. Roughly people ÷ 4: **40 people → 10 teams, 60 → 15**. *Up to, per team* stays at 4. Phones can't make more teams than this, so set it early.

2 WATCH IT FILL

Team cards appear on the right as people join. The **waiting** count is people who asked to be placed.

3 PLACE THE WAITING PEOPLE

When the waiting count stops growing (around 16:08): **PUT THEM IN TEAMS**. It shows exactly who goes where first; press **DO IT**. It fills gaps in existing teams and makes new ones.


4 FIX ANYTHING ODD

On a team card: **Move to…** moves a person to another team, **REMOVE** takes a person out, **REMOVE TEAM** sends its people back to waiting. All ask first.

BEFORE_YOU_MOVE_ON.EXE — ALL TRUE?

- [ ] Waiting is **0** (shown in the Teams box).
- [ ] No team of 1 unless that's on purpose. Use **MOVE TO…** to merge small teams.
- [ ] Latecomers can still join until you deal; after that they ask an organiser (see below).

HOST PANEL — PUT THEM IN TEAMS



IT SHOWS THE PLAN FIRST. NOTHING CHANGES UNTIL "DO IT".

THE DEAL

ONE FEATURE PER TEAM · ONE SWAP **16:10 → 16:15**

SAY_THIS.EXE — MC · BEFORE THE DEAL

"Every team is about to get a feature to ruin. Your job: a website that looks beautiful, where that feature is as painful as possible to use. Don't like it? You can swap it, once, in the next five minutes, but you keep whatever you get. One person in each team holds the swap: their phone says so. Talk it over with your team before they press it."

DO_THIS.EXE — 3 STEPS

1 DEAL

DEAL THE CARDS → confirm. Cards flip onto the big screen and every member's phone.

2 SWAPS HAPPEN ON PHONES


Each team gets 5 minutes and one swap, held by one member picked at random (their name is on the team card: *Swap held by …*). Team cards show *Swap open · 4:26*, then *Swapped*.

3 A TEAM MISSED ITS SWAP?

REOPEN SWAP · 2 MIN on its card. **The holder isn't here?** PASS IT ON gives the swap to the next member.

UNDO.EXE — ONLY IF NEEDED

! UNDO THE DEAL takes every card back, but only in the **first 2 minutes** and before **any** team has swapped. Use it only if you dealt too early (people still joining).



THE SWAP HOLDER'S PHONE: THE FEATURE AND SWAP IT, WITH THE 5-MINUTE COUNTDOWN. TEAMMATES SEE WHO HOLDS IT, AND NO BUTTON.

WHAT EVERYONE SEES

BIG SCREEN · PROJECTOR — THE DEAL

GDG ON CAMPUS UOBD × COMPUTING CLUB

EVENT 002 · ROOM 0411

THE DEAL

Every team has one feature to ruin. One swap each, in the next five minutes.

DARK PATTERNS CANCEL OR UNSUBSCRIBE	**404 CLUB** SUPPORT CHAT (Swapped)	**CAPTCHA KINGS** DATE OF BIRTH	**POP-UP PARTY** DARK MODE SWITCH	**INFINITE SCROLL** SIGN-UP
ACCEPT ALL LOGIN	**TEAM 404** PHONE NUMBER			

EVERY TEAM'S FEATURE. A RED "SWAPPED" TAG MARKS TEAMS THAT SWAPPED.

HOST PANEL · LAPTOP SCREEN — AFTER THE DEAL

DEAL 11:25:22 SERVER RUNNING — LOCAL ONLY LOCALHOST:3370

2 · THE DEAL

Dealt at 11:24. 7 teams can still swap.

UNDO THE DEAL

BUILD MINUTES 55

START THE BUILD

PHONES JOIN HERE

For anyone joining late, after the big screen's QR is gone. Turn the laptop round, or:

SHOW BIG

localhost:3370

TEAMS

NUMBER OF TEAMS − 8 +

UP TO, PER TEAM − 4 +

23 people, 7 teams made, 0 waiting. 23 ÷ 8 teams ≈ 2.9 each.

About 40 people: 10 teams. About 60: 15. Phones can make new teams until this number is reached.

DARK PATTERNS FJEA

- Aisha Rahman — Move to… — Remove
- Omar Haddad — Move to… — Remove
- Zoë Fernandes — Move to… — Remove

SIGN-UP

SWAP OPEN · 4:37

SWAP HELD BY AISHA RAHMAN

PASS IT ON

Remove team

404 CLUB UXPW

- Ronak Mehta — Move to… — Remove
- Sara Al-Hashimi — Move to… — Remove
- Dev Nair — Move to… — Remove

QR CODE

SWAP OPEN · 4:37

SWAP HELD BY SARA AL-HASHIMI

PASS IT ON

Remove team

CAPTCHA KINGS RVNH

- Mariam Khan — Move to… — Remove
- Arjun Patel — Move to… — Remove
- Layla Aziz — Move to… — Remove
- Noah Thomas — Move to… — Remove

BOOKING A TIME

SWAP OPEN · 4:37

SWAP HELD BY ARJUN PATEL

PASS IT ON

Remove team

POP-UP PARTY HKAE

- Fatima Sheikh — Move to… — Remove
- Kabir Sharma — Move to… — Remove
- Leah George — Move to… — Remove

STAR RATING

SWAP OPEN · 4:37

SWAP HELD BY LEAH GEORGE

PASS IT ON

Remove team

INFINITE SCROLL HYYP

- Hamza Yusuf — Move to… — Remove
- Priya Iyer — Move to… — Remove
- Noor Saleh — Move to… — Remove

PHONE NUMBER

SWAP OPEN · 4:37

SWAP HELD BY NOOR SALEH

PASS IT ON

Remove team

ACCEPT ALL VDRW

- Yusuf Ali — Move to… — Remove
- Ritu Menon — Move to… — Remove
- Aaron D'Souza — Move to… — Remove

DELETE ACCOUNT

SWAP OPEN · 4:37

SWAP HELD BY AARON D'SOUZA

PASS IT ON

Remove team

TEAM 404 WJHM

- Abhi Kumar — Move to… — Remove
- Tara Joseph — Move to… — Remove
- Ibrahim Malik — Move to… — Remove
- Samir Qureshi — Move to… — Remove

EACH TEAM CARD SHOWS ITS FEATURE AND ITS SWAP COUNTDOWN. THE FIRST BOX NOW HOLDS START THE BUILD.

THE BUILD

55 MINUTES · THE CLOCK NEVER STOPS **16:15 → 17:10**

SAY_THIS.EXE — MC · START OF BUILD

> **"You have 55 minutes. Any tools you like, AI included. The clock is on the screen. Around five o'clock we'll ask one person per team to send us your site's link, so make sure it opens on someone else's phone."**

DO_THIS.EXE — 3 STEPS

1 START THE CLOCK

Check *Build minutes* says 55 (type another number if you're running late) → START THE BUILD → confirm.


2 ADJUST IF NEEDED

−5 MIN | −1 MIN | +1 MIN | +5 MIN move the end time. The big screen follows at once.

3 THAT'S IT UNTIL ~17:00


Walk around, help teams. The app can even be stopped (next page).

BIG SCREEN · PROJECTOR — BUILD



THE COUNTDOWN AND THE REAL END TIME, WITH EVERY TEAM'S FEATURES TO REMIND THEM.

THE HOST PANEL DURING THE BUILD



01 Move pencils down

02 Offline clock file

03 Links +5 min

04 Presenting minutes

05 Start presenting

06 Judges: link and PIN

07 A team's link

08 Set a link by hand

09 No link yet


STOPPING, THE OFFLINE CLOCK, QUESTIONS

STOP_IT.EXE — OPTIONAL

You may stop the app during the build (control+C). The big screen **keeps counting** on its own, and the laptop's display is kept awake until 15 minutes after pencils down.

If the big screen tab is ever closed while the app is stopped, open the **offline clock**: run `npm run unfriendly -- --clock`, or open the file whose path the build box shows. Press F for full screen.

OFFLINE CLOCK · NO APP NEEDED



SAME COUNTDOWN AND FEATURES, STRAIGHT FROM A FILE.

NUDGE_OFFLINE.EXE — CLOCK WRONG, APP OFF

`npm run unfriendly -- --offline` starts only the host panel (no phones) in two seconds. Press –/+ min, then control+C. The big screen and the clock file pick up the change.

THEYLL_ASK.EXE — BUILD

"CAN WE USE AI / TEMPLATES?"

Yes, anything. The site just has to look great and be painful to use.

"WHAT COUNTS AS A LINK?"

Any public web address: Vercel, Netlify, GitHub Pages, Replit, Lovable, Bolt or v0 share links. Not `localhost`: if it only runs on their laptop, they'll plug the laptop in instead.

"CAN WE GET MORE TIME?"

+1 / +5 min, for everyone. Every minute comes out of presenting.

LINKS

EACH TEAM SENDS ITS SITE

~17:00 → 17:10

SAY_THIS.EXE — MC · AROUND 17:00

“Time to send your links. One person per team: scan the QR on the screen, type your team code, paste your link. Open it on a friend's phone first to check it works. If your site only runs on your laptop, tell us and you'll plug in.”

DO_THIS.EXE — 4 STEPS

1 APP STOPPED EARLIER?

Start it: `npm run unfriendly` (never `--fresh`). A new QR appears on the big screen by itself. Send the **new judges' link** to the organisers' group.

2 OPEN LINKS

OPEN LINKS (QR ON THE BIG SCREEN). A SEND YOUR LINK card appears with a counter (6/7 in).


3 CHASE MISSING TEAMS

Cards show the link, **OWN LAPTOP** or **NO LINK**. For a team without one: SET LINK (paste it in) or OWN LAPTOP.


4 LINKS CLOSE AT PENCILS DOWN

LINKS +5 MIN gives stragglers more time.


WHAT EVERYONE SEES




THE COUNTDOWN CONTINUES; THE LINK QR SITS BOTTOM RIGHT. LINKS THEMSELVES ARE NEVER SHOWN.



A TEAM MEMBER: JUST PASTE




ANY OTHER PHONE: CODE + LINK



PRESENTING

EVERY TEAM ON STAGE · JUDGES · STICKERS **17:10 → 17:50**



WHEN THE CLOCK HITS 0 THE BIG SCREEN SAYS PENCILS DOWN, AND WAITS FOR YOU.

SAY_THIS.EXE — MC · PENCILS DOWN

"Pencils down! Hands off keyboards, bring your chairs to the centre. Each team gets about two minutes to show off its site. Judges, rate on your phones. Everyone else: scan the sticker QR and stick stickers on the sites you love or hate. Your stickers decide four awards."

DO_THIS.EXE — 2 STEPS

1 START PRESENTING

Check *Presenting minutes* (40, or less if late) → START PRESENTING → confirm. The order is shuffled. **Demo length is yours to choose:** type it in *Minutes per demo* (e.g. 3, or 2.5), anything from 20 s to 10 min. Blank (*Auto*) shares the presenting minutes out, 45 s to 2 min each. While presenting, − 30 S / + 30 S change it from the next demo.

2 JUDGES READY?

The **Judges** box counts how many are online. Rating only opens when you start each demo.

NO_UNDO.EXE — READ FIRST

! Start presenting can't be undone. You can press it before pencils down (it warns you), which ends the build early for everyone.

THE DEMO LOOP

REPEAT.EXE — FOR EVERY TEAM

1 — THEIR SITE ON THE BIG SCREEN


SITE ON BIG SCREEN fills the projector with it (name and countdown on top); move the mouse onto the projector to click around. Gone at Next team. Error or blank? Press **open it in a tab instead** and drag the tab across. Own laptop: plug it in.

2 — START THE DEMO

START DEMO starts their countdown and opens judging. Wrong start? RESTART DEMO. Not ready? **Move to the end** or SKIP.

3 — NEXT TEAM

When they finish (or at TIME'S UP), press NEXT TEAM. Judges get 15 s more for that team.



09

01 Demo length ±30 s
02 Team on stage
03 Site on big screen
04 Start / restart demo
05 Next team
06 Fallback: open in a tab
07 Ratings, stickers
08 Running order
09 Judges online

A TEAM TURNS UP LATE

Some people arrive late (after a 16:30–17:00 test, say). Add them as a team at any point before the results, even while others are presenting. They get a code and a feature, build while the demos run, and present last. Judging works as normal.

LATE_TEAM.EXE — ANY TIME BEFORE RESULTS

1 ADD THE TEAM

In the host panel's **Add a team** box (left column, at the bottom): type a team name and, if you know them, the members' names, one per line. Press ADD TEAM, then ADD TEAM again to confirm.

2 GIVE THEM THE CODE

A window shows the new **team code**. Tell the team quietly (never on the projector). It's also on their team card, top right.

3 THEY GET IN ON THEIR PHONES

Scan the QR on the big screen, or the one in the host panel's **Phones join here** box (press SHOW BIG and turn the laptop round) → **I'm in a team** (or **I was already in**) → type the code → tap their name. Not on the list? **I'm not on the list: join this team** and type their name. This team takes new members until the results, even though other teams are locked.

4 THEY BUILD


Their feature is dealt at once and shows on their phones, with "You present in N teams. Keep building."

5 THEIR LINK

Nothing to post. Either they plug their laptop into the projector when called (OWN LAPTOP on their card), or they send you a link and you paste it with SET LINK.

6 THEY PRESENT LAST

Added during presenting: the last slot. Added before (in the build): still placed after every other team when you press Start presenting. Then the demo loop as usual; judges rate them like everyone else.




01 The Add a team box

02 Team name


03 Members, one per line

04 Add team


WHAT YOU AND THEY SEE




THE NEW TEAM'S CODE. TELL THE TEAM, NOT THE ROOM.



AFTER THE CODE: TAP YOUR NAME, OR "I'M NOT ON THE LIST"



NOT ON THE LIST: TYPE YOUR NAME AND JOIN




WHILE OTHERS PRESENT: THE FEATURE STAYS UP

IF.EXE — LATE TEAMS


They're not ready when called (they're last): wait for them, or let them show what they have. Only press **RESULTS** once they've presented.

Only one or two late people? You can also put them into an existing team instead: **Move to...** works on anyone, at any time.

ON THE PROJECTOR



THE TEAM, ITS MEMBERS AND ITS FEATURE, WHO'S UP NEXT, AND THE STICKER QR. SHOWN BEFORE YOU PRESS START DEMO.



THEIR SITE FILLS THE PROJECTOR; THEIR NAME AND COUNTDOWN STAY IN THE BAR ON TOP. AT 0 IT SAYS TIME'S UP; NOTHING ENDS UNTIL YOU PRESS NEXT TEAM. WITH THE SITE HIDDEN, THE BIG SCREEN SHOWS THE COUNTDOWN FULL SIZE INSTEAD.

JUDGES AND STICKERS


JUDGES.EXE — CLUB MEMBERS

Judges open the judges' link once and keep it open: their phone **follows each team by itself**. They enter the PIN, tap their name (or add it), and rate each demo on six levels. They can change a rating until you press Next team.

After a restart on LAN the link stays the same and their phones reconnect by themselves. If the link changes (tunnel, or a switch of mode), send the new one; they enter the same PIN, tap their name, and their ratings are all still there.



1 · PIN



2 · WHO ARE YOU?




3 · RATE

STICKERS.EXE — ANYONE

Anyone scans the sticker QR on the big screen, types a name and picks their team (so they can't sticker it). They pick a sticker from the tray at the bottom and tap a team's "site". The team on stage opens by itself.

Each person has **one of each side-quest sticker** (the red ones), so nobody can stack a title; they can peel it off and move it. Joke stickers (Send help, Why, Rage click…) are just for fun and don't count. Participants get the same on their own phone.



SCAN THE STICKER QR



STICK ON A TEAM




A PARTICIPANT'S PHONE

RESULTS

FOUR SIDE QUESTS, THEN THE BIG ONE **17:50 → 18:00**

BIG SCREEN — AFTER THE LAST TEAM



THAT'S EVERYONE: STICKERS ARE STILL OPEN.

SAY_THIS.EXE — MC · BEFORE RESULTS

> **"Last chance for stickers! … Stickers are closed. Four side quests first, decided by your stickers. Then the big one, decided by our judges: User Unfriendliest."**

DO_THIS.EXE — 2 STEPS

1 WORK OUT THE WINNERS

RESULTS → confirm. Stickers close; the winners are calculated and locked in. The big screen shows just the user unfriendly logo. **The host panel now lists every winner**: keep the laptop screen away from the room.

2 REVEAL ONE AT A TIME

REVEAL NEXT once per award, after the MC builds it up: Best UI, Funniest bad UX, Most creative UX, Best worst feature, then **User unfriendliest**. Pressed too soon? BACK. After the last award, SHOW THE END SCREEN puts up the logo, a thank-you and every winner; leave it up as long as you like.

INTRO, AWARDS, THE END

BIG SCREEN — 1 · AFTER RESULTS




JUST THE LOGO, WHILE THE MC BUILDS UP THE FIRST AWARD.

BIG SCREEN — 2 · A SIDE QUEST




THE CERTIFICATE WINDOW: TEAM, MEMBERS, THE FEATURE THEY RUINED, ITS STICKERS. IF NO TEAM GOT THAT STICKER, IT SAYS NOBODY.

BIG SCREEN — 3 · THE MAIN AWARD, LAST



THE WHOLE SCREEN GOES RED FOR USER UNFRIENDLIEST.


BIG SCREEN — 4 · THE END SCREEN



ONE MORE PRESS AFTER THE LAST AWARD. STAYS UP UNTIL YOU CLOSE IT.

A very long team name shrinks to fit; nothing is ever cut off. On the end screen, **BACK** in the host panel brings the last award back if someone missed it.

THE PANEL, AND HOW WINNERS ARE PICKED



01 How many revealed, what's next

02 Back

03 Reveal next

04 All the winners (private)

05 Download certificates (zip)

MAIN_AWARD.EXE — IF ASKED

Each judge's ratings are compared with that judge's own average, so a harsh judge and a generous judge count the same. For each team the highest and lowest 10% of ratings are dropped and the rest averaged. A team needs at least 5 ratings (fewer if there are fewer judges).

SIDE_QUESTS.EXE — IF ASKED

Each side quest goes to the team with the biggest share of that sticker. The main award is decided first, and each team wins at most one title, so titles spread out. Ties go to the team the judges rated higher.

AFTER

CERTIFICATES AND CLOSING 18:00

SHUTDOWN.EXE	5 STEPS
1	**DOWNLOAD THE CERTIFICATES** In the host panel's Results box press **DOWNLOAD CERTIFICATES (ZIP)**: one file in your Downloads folder with all four files inside. It only works on the laptop.
2	**GIVE THEM TO UDAY AND RAYYAN** Put them in the club drive. Add any name corrections you noted during join.
3	**STOP THE APP** control+C in Terminal. Everything stays saved; `npm run unfriendly` reopens the finished event if needed.
4	**BACK UP THE WHOLE EVENT** In Terminal: `open data/unfriendly`. A Finder window opens: copy the whole `unfriendly` folder to the club drive or a USB stick. It's every detail of the event.
5	**PACK DOWN** Projector back to the room's settings (unplug), screen lock back on, Do Not Disturb off.

FILE	WHAT'S IN IT
`winners.csv`	One row per person on a winning team: award, team, name on certificate. **For the award certificates.**
`participants.csv`	Everyone who took part: name on certificate, team, its feature, whether they presented. **For participation certificates.**
`judges.csv`	Every rating from every judge, for checking if anyone asks.
`everything.json`	A complete backup of the event (without the judges' PIN). Keep it.

The CSV files open in Excel or Google Sheets with accents intact (Zoë stays Zoë):

```
Award,Team,Name on certificate
Best UI,Captcha Kings,Mariam Khan
Best UI,Captcha Kings,Arjun Patel
Funniest bad UX,Team 404,Abhi Kumar
…
```


IF SOMETHING GOES WRONG

NOTHING HERE LOSES DATA


WHAT HAPPENS	WHAT TO DO
A TEAM ARRIVES LATE	Host panel → **Add a team** (Part 10, "A team turns up late"). They get a code and a feature and present last.
TERMINAL SHOWS "!! THE APP STOPPED UNEXPECTEDLY"	**Do nothing.** It restarts by itself in 2 seconds and carries on exactly where it was; nothing is lost. On LAN phones reconnect by themselves; on the tunnel the link changes, so send the judges the new one.
"CRASHED 6 TIMES IN A MINUTE"	It stopped trying. Everything is still saved. Run `npm run unfriendly` again (never `--fresh`) and call Uday.
THE APP STOPPED flat battery, Terminal closed, control+C	Terminal → `cd ~/Desktop/user-unfriendly` → `npm run unfriendly`. It carries on exactly where it was. Reload the big screen and host panel (⌘ R). Or double-click **Start USER UNFRIENDLY**. On LAN the link is the same and phones reconnect; on the tunnel the big screen shows the new QR, so send the judges the new link.
"THE LINK STOPPED WORKING"	On LAN: the laptop changed Wi-Fi or address; the big screen shows the new QR. On the tunnel: it dropped and restarted with a new link. Either way people rescan and get back in (next page); judges use the new link, same PIN.
NOBODY'S PHONE CAN LOAD THE PAGE	Check phones are on the laptop's Wi-Fi. Still failing: the Wi-Fi keeps devices apart, so stop the app and start it with `npm run unfriendly -- --tunnel`. If that fails too: a phone hotspot for the laptop.
"OPEN ON ANOTHER PHONE"	That person opened it twice. They tap **Use this phone** on the one they keep.
"USER UNFRIENDLY IS ALREADY RUNNING"	An old Terminal window still runs it. Find it (⌘ Tab), press control+C there, then start again.
A SITE SHOWS AN ERROR ON THE BIG SCREEN	It won't open inside another page: **open it in a tab instead**, drag the tab to the projector. Nothing opens? Chrome blocked the tab: blocked-window icon in the address bar → Always allow. Or copy the link from the team's card.
A TEAM'S SITE WON'T LOAD ON STAGE	Have them plug their laptop in, or **Move to the end** (before Start demo) and try again later.
THE BIG SCREEN SHOWS THE WRONG THING	Click it and press ⌘ R. It always redraws the current state.
THE BUILD CLOCK IS WRONG	−/+ min in the host panel. App off: `npm run unfriendly -- --offline`, nudge, control+C.
THE LAPTOP WENT TO SLEEP	Open the lid / press a key. Phones reconnect by themselves within seconds.
YOU PRESSED SOMETHING BY MISTAKE	Deal: Undo the deal (first 2 min, before swaps). Demo: Restart demo. Reveal: Back. Removed someone: they rejoin as new from their phone. Started presenting: can't undo, nothing is lost.

AFTER A RESTART


After a restart, participants scan the new QR and tap I'm in a team (or I was already in), type their team code, and tap their own name. They're back in their team with everything as it was. No code? *Find me by name*.



1 · THE NEW QR'S START PAGE



2 · TYPE THE TEAM CODE



3 · TAP YOUR NAME

WHERE TO WIN TIME BACK

LATE BY	DO THIS
5 MIN AT THE DEAL	Type 50 in *Build minutes* before Start the build. Everything after stays on time.
DURING THE BUILD	**−5 MIN** as early as possible, and say so out loud.
BEFORE PRESENTING	Lower *Presenting minutes* (e.g. 30), or type a shorter *Minutes per demo*, before Start presenting. Already presenting: **− 30 S** beside *Each demo*.
DURING PRESENTING	Press Next team on time, even mid-sentence. The countdown turning black is your cue.

EVERY BUTTON (1/2): JOIN TO BUILD

Buttons only appear when they can be used: if you can't find one, it isn't its time yet. Everything that can't be undone asks "are you sure?" first.

BUTTON	WHEN	WHAT IT DOES	UNDO?
NUMBER OF TEAMS – / +	Join, deal	The most teams there can be. Phones can't make more than this, and Put them in teams fills up to it.	Change it back
UP TO, PER TEAM – / +	Join, deal	Biggest team allowed (4).	Change it back
PUT THEM IN TEAMS	Join	Shows a plan for everyone waiting (fill gaps first, then new teams), then **Do it** carries it out.	Move people one by one
MOVE TO…	Any	Moves one person to another team (or back to waiting).	Move them back
REMOVE	Any	Takes a person out of the event. Their phone is told; they can join again as someone new.	They rejoin
REMOVE TEAM	Join, deal	Deletes a team; its people go back to waiting.	They join or get grouped again
DEAL THE CARDS	Join	Every team gets 1 feature. Moves to the DEAL phase.	Undo the deal
UNDO THE DEAL	First 2 min of deal	Takes every card back, back to JOIN.	Only before any swap
– 30 S / + 30 S	Present	Shortens or lengthens every demo from the next Start demo (20 s to 10 min).	Press the other one
REOPEN SWAP · 2 MIN	Deal, build	Gives one team 2 more minutes to use its swap.	Let it run out
PASS IT ON	Deal, build	Gives the team's swap to the next member (the holder is away).	Press again
START THE BUILD	Deal	Starts the countdown for *Build minutes*. Moves to BUILD.	No (adjust with –/+)
–5 –1 +1 +5 MIN	Build	Moves pencils down. Big screen, phones and the offline clock follow.	Press the opposite

EVERY BUTTON (2/2): LINKS TO RESULTS

BUTTON	WHEN	WHAT IT DOES	UNDO?
OPEN LINKS	Build	Shows the SEND YOUR LINK card and QR on the big screen. Links stay open until pencils down.	No need
LINKS +5 MIN	Build	Keeps links open 5 more minutes.	No need
SET LINK	Build, present	Type or paste a team's link yourself.	Set it again
OWN LAPTOP	Build, present	Marks a team as presenting from its own laptop (HDMI).	Set link instead
START PRESENTING	Build	Shuffles the order; demo length is *Minutes per demo*, or worked out from *Presenting minutes* if blank. Moves to PRESENT. Ends the build if pencils down hasn't come.	**No**
SITE ON BIG SCREEN	Present	Shows the team on stage's site full screen on the projector, with their name and countdown on top. Gone at Next team.	Hide site
OPEN IT IN A TAB INSTEAD	Present	For a site that won't show on the big screen: opens it in a new tab (cut off from the app) to drag to the projector.	Close the tab
START DEMO	Present	Starts the team's countdown and opens judging for them.	Restart demo
RESTART DEMO	During a demo	Starts that team's countdown again from full.	No need
NEXT TEAM	During/after a demo	Ends this demo, moves on. Judges get 15 s more for it.	**No**
SKIP	Before Start demo	The Next button before a demo starts: the team is skipped (no demo, no ratings).	**No** (use Move to the end)
NOT READY? MOVE TO THE END	Before Start demo	Sends the current team to the end of the running order.	Move others too
RESULTS	After the last team	Closes stickers, works out and locks every winner. Moves to RESULTS.	**No**
REVEAL NEXT	Results	Shows the next award on the big screen and phones.	Back
BACK	Results	Hides the last award again.	Reveal next
SHOW BIG	Any time	Fills the laptop screen with the join QR, for latecomers. Click or Esc to close.	Click it
ADD TEAM	Any time before results	Adds a late team with a code and its feature; during presenting it takes the last slot. Members join by code.	Remove team (join, deal only)
HOLD TO SHOW THE PIN	Any	Shows the judges' PIN only while held.	Let go

CHEAT SHEET

THE WHOLE EVENT, ONE PAGE **ROOM 0411**

WHEN	PRESS / DO	THE ROOM SEES
15:15	Charger, projector extended. `npm run unfriendly -- --fresh` → FRESH. Big screen `localhost:3301` on the projector, full screen. Host panel `localhost:3301/host`. Judges' link + PIN to organisers.	Join QR
16:00	Set *Number of teams*. Say the join script.	Teams appearing
16:08	**PUT THEM IN TEAMS** → **DO IT**. Waiting = 0.	
16:10	**DEAL THE CARDS**. 5-minute swaps.	Every team's features
16:15	**START THE BUILD** (55).	Countdown
~17:00	(App stopped? `npm run unfriendly`, new judges' link.) **OPEN LINKS**. Set link / Own laptop for missing teams.	Countdown + link QR
17:10	Chairs to the centre. **START PRESENTING** (40).	Pencils down → team 1
Each	**SITE ON BIG SCREEN** → **START DEMO** → **NEXT TEAM**	Team, timer, sticker QR
Late?	**ADD A TEAM** → tell them the code. They present last.	
17:50	**RESULTS** → **REVEAL NEXT** × 5 → **SHOW THE END SCREEN**. Laptop screen away from the room.	4 side quests → User unfriendliest
18:00	**DOWNLOAD CERTIFICATES (ZIP)**. control+C.	

REMEMBER.EXE **3 THINGS**

Nothing moves on by itself. Stopping never loses anything: run `npm run unfriendly` again. **The host panel never goes on the projector.**