

Creating the workspace:



Term	Meaning
Database	Container for schemas
Schema	Container for tables, stages, views, etc.
Table	Stores structured records
Virtual Warehouse	Computing resources used to execute queries
Stage	Location where files are stored before loading
File Format	Defines how Snowflake reads CSV, JSON, Parquet, etc.
COPY INTO	Loads staged data into a table

Check the current Snowflake session



Creating the database

```
5       CURRENT_DATABASE(),
6       CURRENT_SCHEMA();
7
8
9     CREATE DATABASE UDAY_RETAILS_DB;
```

Results (just now)

Table | Chart | Pivot

	status
1	Database UDAY_RETAILS_DB successfully created.

Checking :

```
10
11    SHOW DATABASES;
```

Results (just now)

Table | Chart | Pivot

	_on	name	is_default	is_currer
1	-02 01:31:27.651 -0800	SNOWFLAKE	N	N
2	-02 01:31:31.922 -0800	SNOWFLAKE_LEARN	N	N
3	-02 01:31:31.474 -0800	SNOWFLAKE_SAMP	N	N
4	-02 02:01:36.009 -0800	UDAY_RETAILS_DB	N	Y
5	-02 01:33:11.526 -0800	USER$UDAYKIRAN1	N	N

Using The Like

```
13    SHOW DATABASES LIKE 'UDAY%';
```

Results (just now)

Table | Chart | Pivot

	created_	name	is_default	is_current	origin	owner
1	2026-11-02 02:01:36	UDAY_RETAILS_DB	N	Y		SYSADMI

Creating the Schema :

```
16    CREATE SCHEMA IF NOT EXISTS UDAY_RETAILS_DB.UDAY_RAW;
```

Results (just now)

Table | Chart | Pivot — 1 row — 52ms

	status
1	Schema UDAY_RAW successfully created.

Checking :

```
18
19    SHOW SCHEMAS IN DATABASE UDAY_RETAILS_DB;
20
```

Results (just now)

Table | Chart | Pivot — 3 rows — 39ms

	created_on	name	is_default	is_current	database_name	owner	comment
1	2026-11-02 02:06:31.134 -0800	INFORMATION_SCHEMA	N	N	UDAY_RETAILS_DB		Views describing the contents of schema
2	2026-11-02 02:01:36.023 -0800	PUBLIC	N	N	UDAY_RETAILS_DB	SYSADMIN	
3	2026-11-02 02:04:36.517 -0800	UDAY_RAW	N	Y	UDAY_RETAILS_DB	SYSADMIN	

Creating the Virtual Warehouse :

```
22    CREATE WAREHOUSE IF NOT EXISTS UDAY_RETAILS_WH
23    WITH
24        WAREHOUSE_SIZE = 'XSMALL'
25        AUTO_SUSPEND = 60
26        AUTO_RESUME = TRUE
27        INITIALLY_SUSPENDED = TRUE;
28
```

Results (just now)

Table | Chart | Pivot — 1 row — 72ms

	status
1	Warehouse UDAY_RETAILS_WH successfully created.


```
22    CREATE WAREHOUSE IF NOT EXISTS UDAY_RETAILS_WH
23    WITH
24        WAREHOUSE_SIZE = 'XSMALL'
25        AUTO_SUSPEND = 60
26        AUTO_RESUME = TRUE
27        INITIALLY_SUSPENDED = TRUE;
28
```

Results (just now)

Table | Chart | Pivot — 1 row — 72ms

	status
1	Warehouse UDAY_RETAILS_WH successfully created.

Checking :

```
30  SHOW WAREHOUSES;
```

Results (1 minute ago)

Table | Chart | Pivot — 4 rows — 166ms

	name	state	type	size	running	queued	is...	is_current	auto_suspend	auto_resume	availa
1	COMPUTE_WH	SUSPENDED	STANDARD	X-Small	0	0	Y	N	600	true	
2	SNOWFLAKE_LEARNI	SUSPENDED	STANDARD	X-Small	0	0	N	N	300	true	
3	SYSTEM$STREAMLIT	SUSPENDED	STANDARD	X-Small	0	0	N	N	60	true	
4	UDAY_RETAILS_WH	SUSPENDED	STANDARD	X-Small	0	0	N	Y	60	true	

Using The Like

```
30  SHOW WAREHOUSES LIKE 'UDAY_RETAILS_WH';
```

Results (just now)

Table | Chart | Pivot — 1 row — 65ms

	name	state	type	size	running	queued	is_default	is_current	aut
1	UDAY_RETAILS_WH	SUSPENDED	STANDARD	X-Small	0	0	N	Y	

Select our database, schema, and warehouse:

```
32  USE DATABASE UDAY_RETAILS_DB;
33
34  USE SCHEMA UDAY_RAW;
35
36  USE WAREHOUSE UDAY_RETAILS_WH;
```

Results (just now)

Table | Chart | Pivot — 1 row — 29ms

	status
1	Statement executed successfully.

Checking all the Db, Schema and Warehouse :

```
38  SELECT
39      CURRENT_USER(),
40      CURRENT_ROLE(),
41      CURRENT_WAREHOUSE(),
42      CURRENT_DATABASE(),
43      CURRENT_SCHEMA();
```

Results (just now)

Table | Chart | Pivot — 1 row — 24ms

	CURRENT_USER()	CURRENT_ROLE()	CURRENT_WAREHOUSE()	CURRENT_DATABASE()	CURRENT_SCHEMA()
1	UDAYKIRAN110405	SYSADMIN	UDAY_RETAILS_WH	UDAY_RETAILS_DB	UDAY_RAW

Create the table

```
CREATE TABLE UDAY_SALES (
    ORDERID NUMBER,
    PRODNAME VARCHAR(100),
    QUANTITY NUMBER,
    UNITPRICE NUMBER(10,2),
    CITY VARCHAR(100)
);
```

Results (just now)

Table | Chart | Pivot — 1 row — 142ms

	status
1	Table UDAY_SALES successfully created.

Checking :

```
SHOW TABLES;
```

Results (just now)

Table | Chart | Pivot — 1 row — 71ms

	created_on	name	database_name	schema_name	kind	comment	cluster_by	rows	by
1	2026-11-02 02:16:34	UDAY_SALES	UDAY_RETAILS_DB	UDAY_RAW	TABLE			0	

```
SHOW TABLES LIKE 'UDAY_SALES';
```

Results (just now)

Table | Chart | Pivot — 1 row — 51ms

	created_on	name	database_name	schema_name	kind	comment	cluster_by	ro
1	2026-11-02 02:16:34	UDAY_SALES	UDAY_RETAILS_DB	UDAY_RAW	TABLE			

Check the table Structure

```
DESCRIBE TABLE UDAY_RETAILS_DB.UDAY_RAW.UDAY_SALES;
```

Results (just now)

Table | Chart | Pivot — 5 rows — 37ms

	name	type	kind	null?	default	primary key	unique key	check	expression	comment
1	ORDERID	NUMBER(38,0)	COLUMN	Y	null	N	N	null	null	null
2	PRODNAME	VARCHAR(100)	COLUMN	Y	null	N	N	null	null	null
3	QUANTITY	NUMBER(38,0)	COLUMN	Y	null	N	N	null	null	null
4	UNITPRICE	NUMBER(10,2)	COLUMN	Y	null	N	N	null	null	null
5	CITY	VARCHAR(100)	COLUMN	Y	null	N	N	null	null	null

Create the CSV file format

```
60  CREATE FILE FORMAT IF NOT EXISTS UDAY_CSV_FORMAT
61  TYPE = CSV
62  FIELD_DELIMITER = ','
63  SKIP_HEADER = 1
64  FIELD_OPTIONALLY_ENCLOSED_BY = '"'
65  EMPTY_FIELD_AS_NULL = TRUE;
66
67  Ctrl+I to generate
68
69
```

Results (just now)

Table | Chart | Pivot — 1 row — 52ms

	status
1	File format UDAY_CSV_FORMAT successfully created.

Checking :

```
67  SHOW FILE FORMATS IN UDAY_RETAILS_DB.UDAY_RAW;
68
69
```

Results (just now)

Table | Chart | Pivot — 1 row — 35ms

	created_on	name	database_name	schema_name	type	owner	comment	format_options	ow
1	2026-11-02 02:22:12	UDAY_CSV_FORMAT	UDAY_RETAILS_DB	UDAY_RAW	CSV	SYSADMIN		{"TYPE":"CSV","RECOR	ROLE

```
70  DESCRIBE FILE FORMAT UDAY_CSV_FORMAT;
71
72
73
```

Results (just now)

Table | Chart | Pivot — 24 rows — 37ms

	property	property_type	property_value	property_default
	BINARY_FORMAT 4.2% COMPRESSION 4.2% +22 more	String 54.2% Boolean 37.5% +2 more	true 20.8% AUTO 16.7% +12 more	true 20.8% AUTO 16.7% +11 more
3	FIELD_DELIMITER	String	,	,
4	FILE_EXTENSION	String		
5	SKIP_HEADER	Integer	1	0
6	PARSE_HEADER	Boolean	false	false

Creating the Stage:


```
73  CREATE STAGE IF NOT EXISTS UDAY_SALES_STAGE
74  FILE_FORMAT = UDAY_CSV_FORMAT;
75
```

Results (just now)

Table | Chart | Pivot — 1 row — 85ms

	status
1	Stage area UDAY_SALES_STAGE successfully created.

Create some Sample CSV:



Check the Stage :


```
78  SHOW STAGES;
```


Results (just now)

Table | Chart | Pivot — 1 row — 44ms

	created_on	name	database_name	schema_name	url	has_credentials	has_encryption_key	owner	A
1	2026-11-02 02:24:38	UDAY_SALES_STAGE	UDAY_RETAILS_DB	UDAY_RAW		N	N	SYSADMIN	

Uploading the csv File :





List the uploaded files

```
LIST @UDAY_SALES_STAGE;
```

	name	size	md5	last_modified
1	uday_sales_stage/sales.csv	208	635ba7dc87e09712ee43ce3d05f7e240	Mon, 2 Nov 2026 10:27:55 GMT

Copying the data from stage to the Table :

```
COPY INTO UDAY_SALES
FROM @UDAY_SALES_STAGE
FILE_FORMAT = (FORMAT_NAME = UDAY_CSV_FORMAT)
ON_ERROR = 'ABORT_STATEMENT';
```

	file	status	rows_parsed	rows_loaded	error_limit	errors_seen	first_error	first_error_line	first_error_character	first_
1	uday_sales_stage/sales	LOADED	5	5	1	0	null	null	null	null

Checking :

```
SELECT * FROM UDAY_SALES;
```

	ORDERID	PRODNAME	QUANTITY	UNITPRICE	CITY
1	1001	Laptop	2	55000.00	Hyderabad
2	1002	Mouse	5	500.00	Chennai
3	1003	Keyboard	3	1200.00	Bangalore
4	1004	Monitor	2	12000.00	Hyderabad
5	1005	Headphones	4	2500.00	Khammam

Counting the Records :

```
SELECT COUNT(*) AS TOTAL_RECORDS
FROM UDAY_SALES;
```

	TOTAL_RECORDS
1	5

Calculating the total Revenue :

```
SELECT
    SUM(QUANTITY * UNITPRICE) AS TOTAL_REVENUE
FROM UDAY_SALES;
```

	TOTAL_REVENUE
1	150100.00