1.pidstat – Monitor Individual Process Usage

```
vanam@Uday:~$ pidstat 2 5
Linux 6.6.87.2-microsoft-standard-WSL2 (Uday)   11/07/26        _x86_64_        (12 CPU)

09:33:50      UID       PID    %usr %system  %guest   %wait    %CPU   CPU  Command
09:33:52      105       183    0.50    0.50    0.00    0.00    1.00     7  java

09:33:52      UID       PID    %usr %system  %guest   %wait    %CPU   CPU  Command
09:33:54      105       183    0.50    0.00    0.00    0.00    0.50     7  java

09:33:54      UID       PID    %usr %system  %guest   %wait    %CPU   CPU  Command
09:33:56      105       183    0.50    0.00    0.00    0.00    0.50     7  java
09:33:56     1000       971    0.00    0.50    0.00    0.00    0.50    11  pidstat
```

2. pstree – Display Processes in Tree Format


```
vanam@Uday:~$ pstree -p
systemd(1)─┬─agetty(228)
           ├─agetty(261)
           ├─atd(212)
           ├─containerd(248)─┬─{containerd}(273)
           │                 ├─{containerd}(274)
           │                 ├─{containerd}(275)
           │                 ├─{containerd}(276)
           │                 ├─{containerd}(277)
           │                 ├─{containerd}(302)
           │                 ├─{containerd}(303)
           │                 ├─{containerd}(325)
           │                 ├─{containerd}(326)
           │                 ├─{containerd}(359)
           │                 ├─{containerd}(360)
           │                 └─{containerd}(361)
           ├─cron(178)
           ├─dbus-daemon(179)
           ├─dockerd(362)─┬─{dockerd}(363)
           │              ├─{dockerd}(364)
           │              ├─{dockerd}(366)
           │              ├─{dockerd}(367)
           │              ├─{dockerd}(368)
           │              ├─{dockerd}(372)
           │              ├─{dockerd}(373)
           │              ├─{dockerd}(374)
           │              ├─{dockerd}(375)
```

Useful for understanding which process started anot

kiran

3. mtr – Continuous Network Diagnostics

```
Processing triggers for libc-bin (2.39-0ubu
vanam@Uday:~$ mtr google.com
```



Hostname	Loss	Snt	Last	Avg	Best	Worst	StDev
Uday.mshome.net	0.0%	6	0	0	0	0	0.11
reliance.reliance	0.0%	6	3	3	2	4	0.91
10.48.160.1	0.0%	6	5	4	3	5	0.46
172.31.0.209	0.0%	6	6	8	6	10	1.98
192.168.68.146	0.0%	6	5	6	5	10	2.00
172.26.77.164	0.0%	6	5	7	5	15	4.11
172.26.77.131	0.0%	6	7	8	6	12	2.53
192.168.68.130	0.0%	6	6	8	6	13	2.87
???	100.0%	6	0	0	0	0	0.00
???	100.0%	6	0	0	0	0	0.00
???	100.0%	5	0	0	0	0	0.00
49.44.18.38	20.0%	5	31	30	30	31	0.71
???	100.0%	5	0	0	0	0	0.00

4.dig – DNS Lookup

```
vanam@Uday:~$ dig google.com

; <<>> DiG 9.18.39-0ubuntu0.24.04.8-Ubuntu <<>> google.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 18580
;; flags: qr rd ra ad; QUERY: 1, ANSWER: 6, AUTHORITY: 0, ADDITIONAL: 0

;; QUESTION SECTION:
;google.com.                    IN      A

;; ANSWER SECTION:
google.com.             141     IN      A       192.178.158.138
google.com.             141     IN      A       192.178.158.139
google.com.             141     IN      A       192.178.158.102
google.com.             141     IN      A       192.178.158.113
google.com.             141     IN      A       192.178.158.100
google.com.             141     IN      A       192.178.158.101

;; Query time: 8 msec
;; SERVER: 10.255.255.254#53(10.255.255.254) (UDP)
;; WHEN: Sat Nov 07 09:37:55 UTC 2026
;; MSG SIZE  rcvd: 124
```

5. host – Simple DNS Lookup

```
vanam@Uday:~$ host google.com
google.com has address 192.178.158.101
google.com has address 192.178.158.138
google.com has address 192.178.158.139
google.com has address 192.178.158.102
google.com has address 192.178.158.113
google.com has address 192.178.158.100
google.com has IPv6 address 2404:6800:4013:804::71
google.com has IPv6 address 2404:6800:4013:804::8b
google.com has IPv6 address 2404:6800:4013:804::64
google.com has IPv6 address 2404:6800:4013:804::8a
google.com mail is handled by 10 smtp.google.com.
vanam@Uday:~$
```

6. ethtool – Network Interface Information

```
vanam@Uday:~$ sudo ethtool eth0
Settings for eth0:
        Supported ports: [  ]
        Supported link modes:   Not reported
        Supported pause frame use: No
        Supports auto-negotiation: No
        Supported FEC modes: Not reported
        Advertised link modes:  Not reported
        Advertised pause frame use: No
        Advertised auto-negotiation: No
        Advertised FEC modes: Not reported
        Speed: 10000Mb/s
        Duplex: Full
        Auto-negotiation: off
        Port: Other
        PHYAD: 0
        Transceiver: internal
        Current message level: 0x000000f7 (247)
                               drv probe link ifdown ifup rx_err tx_err
        Link detected: yes
```

7. namei – Inspect Directory Permissions

```
vanam@Uday:~$ namei -l /var/www/html/index.html
f: /var/www/html/index.html
drwxr-xr-x root root /
drwxr-xr-x root root var
drwxr-xr-x root root www
                     html - No such file or directory
vanam@Uday:~$
```

8. strings – Extract Readable Text from Binary Files

```
vanam@Uday:~$ strings /bin/ls
/lib64/ld-linux-x86-64.so.2
xaWr
__libc_start_main
__cxa_finalize
__cxa_atexit
strcmp
obstack_alloc_failed_handler
stdout
__overflow
fwrite_unlocked
fputs_unlocked
__printf_chk
__mempcpy_chk
nl_langinfo
strchr
__ctype_b_loc
strlen
__ctype_get_mb_cur_max
mbstowcs
malloc
__mbstowcs_chk
iswprint
wcswidth
wcwidth
wcstombs
__snprintf_chk
snprintf
```

9. lsattr – View File Attributes

```
vanam@Uday:~$ lsattr /etc/hosts
----------e------- /etc/hosts
vanam@Uday:~$ sudo chattr +i important.conf
```

10 iplink- Displays network interface details such as:

- Link status
- Speed
- Duplex mode
- Auto-negotiation

Find your interface name using ip link

```
vanam@Uday:~$ ip link
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN mode DEFAULT group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP mode DEFAULT group default qlen 1000
    link/ether 00:15:5d:0d:b3:8a brd ff:ff:ff:ff:ff:ff
3: docker0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc noqueue state DOWN mode DEFAULT group default
    link/ether 62:26:4b:59:0f:08 brd ff:ff:ff:ff:ff:ff
vanam@Uday:~$
```