```
vanam@Uday:~$ pwd
/home/vanam
vanam@Uday:~$ ls
FeedbackApp  devops  jenkins-python
vanam@Uday:~$ ls -l
total 12
drwxr-xr-x 6 vanam vanam  4096 Nov  7  2025 FeedbackApp
drwxr-xr-x 2 vanam vanam  4096 Oct  9 07:28 devops
drwxr-xr-x 2 vanam docker 4096 Nov  7  2025 jenkins-python
vanam@Uday:~$ ls -a
.   .bash_history  .bashrc  .local       .profile                  FeedbackApp  jenkins-python
..  .bash_logout   .cache   .motd_shown  .sudo_as_admin_successful  devops
vanam@Uday:~$ mkdir week0
vanam@Uday:~$ ls
FeedbackApp  devops  jenkins-python  week0
vanam@Uday:~$ cd week0
vanam@Uday:~/week0$ ls
vanam@Uday:~/week0$ ls-l
ls-l: command not found
vanam@Uday:~/week0$ ls -l
total 0
vanam@Uday:~/week0$ touch file1
```

Creating Files


```
vanam@Uday:~/week0$ ls
file1
vanam@Uday:~/week0$ cat > file2
This is the file 2 Created by the cat command
This is the second Line
vanam@Uday:~/week0$ nano file2
```

Nano Editor:



VI Editor:

```
vanam@Uday:~/week0$ vi file2
```




```
vanam@Uday:~/week0$ cat file2
This is the file 2 Created by the cat command
This is the second Line
OPened in nano Editor
Now opened in the vi Editor
```

```
vanam@Uday:~/week0$ nano file2
```



Viewing the Content:

```
vanam@Uday:~/week0$ cat file2
This is the file 2 Created by the cat command
This is the second Line
OPened in nano Editor
Now opened in the vi Editor
line 4
adf
adf
ereq
adf
adf
ereqadf
adf
ereqadf
adf
ereqadf
adf
ereqadf
adf
ereqadf
adf
```

```
vanam@Uday:~/week0$ head file2
This is the file 2 Created by the cat command
This is the second Line
OPened in nano Editor
Now opened in the vi Editor
line 4
adf
adf
ereq
adf
adf
vanam@Uday:~/week0$ tail file2
adf
ereqadf
adf
ereqadf
adf
ereqadf
adf
ereqadf
adf
ereq
```

```
vanam@Uday:~/week0$ head -2 file2
This is the file 2 Created by the cat command
This is the second Line
vanam@Uday:~/week0$ tail -2 file2
adf
ereq
```

Copying File Contents :

```
vanam@Uday:~/week0$ cp file2 file1
vanam@Uday:~/week0$ head file1
This is the file 2 Created by the cat command
This is the second Line
OPened in nano Editor
Now opened in the vi Editor
line 4
adf
adf
ereq
adf
adf
```

Renaming The File:

```
vanam@Uday:~/week0$ ls
file1  file2
vanam@Uday:~/week0$ mv file1 renamed
vanam@Uday:~/week0$ ls
file2  renamed
vanam@Uday:~/week0$ cp renamed file3
vanam@Uday:~/week0$ ls
file2  file3  renamed
vanam@Uday:~/week0$ head renamed
This is the file 2 Created by the cat command
This is the second Line
OPened in nano Editor
Now opened in the vi Editor
line 4
adf
adf
ereq
adf
adf
vanam@Uday:~/week0$ rm file3
vanam@Uday:~/week0$ ls
file2  renamed
```

Removing the Folder :

```
vanam@Uday:~/week0$ mkdir subfolder
vanam@Uday:~/week0$ ls
file2  renamed  subfolder
vanam@Uday:~/week0$ cd subfolder
vanam@Uday:~/week0/subfolder$ nano onefile
vanam@Uday:~/week0/subfolder$ cd ..
vanam@Uday:~/week0$ rmdir subfolder
rmdir: failed to remove 'subfolder': Directory not empty
vanam@Uday:~/week0$ rm subfolder
rm: cannot remove 'subfolder': Is a directory
vanam@Uday:~/week0$ rm -r subfolder
vanam@Uday:~/week0$ ls
file2  renamed
vanam@Uday:~/week0$ mkdir subfolder2
vanam@Uday:~/week0$ ls
file2  renamed  subfolder2
vanam@Uday:~/week0$ cd subfolder2
vanam@Uday:~/week0/subfolder2$ nano one
vanam@Uday:~/week0/subfolder2$ nano two
vanam@Uday:~/week0/subfolder2$ ls
one  two
vanam@Uday:~/week0/subfolder2$ cd ..
vanam@Uday:~/week0$ rm -rf subfolder2
```

```
vanam@Uday:~/week0$ ls
file2  renamed
vanam@Uday:~/week0$ history
    1  docker ps
    2  docker build -t feedback-app .
    3  docker run -d -p 5000:5000 feedback-app
    4  docker ps
    5  docker stop c9deeee635f5
    6  ls
    7  nano app.py
    8  docker build -t feedback-app .
    9  docker run -d -p 5000:5000 feedback-app
   10  docker build -t feedback-app .
   11  docker run -d -p 5000:5000 feedback-app
   12  docker ps
   13  docker run -d -p 5000:5000 feedback-app
   14  docker ps
   15  docker run  -p 5000:5000 feedback-app
   16  docker run -p 5000:5000 feedback-app
   17  nano app.py
   18  docker build -t feedback-app .
   19  docker run -p 5000:5000 feedback-app
   20  nano app.py
```

```
vanam@Uday:~/week0$ man ls
```

```
LS(1)                                User Commands                                LS(1)

NAME
       ls - list directory contents

SYNOPSIS
       ls [OPTION]... [FILE]...

DESCRIPTION
       List  information  about the FILEs (the current directory by default).  Sort entries alphabetically if none of
       -cftuvSUX nor --sort is specified.

       Mandatory arguments to long options are mandatory for short options too.

       -a, --all
              do not ignore entries starting with .

       -A, --almost-all
              do not list implied . and ..

       --author
              with -l, print the author of each file

       -b, --escape
              print C-style escapes for nongraphic characters

       --block-size=SIZE
              with -l, scale sizes by SIZE when printing them; e.g., '--block-size=M'; see SIZE format below
```

```
vanam@Uday:~/week0$ grep open file2
Now opened in the vi Editor
vanam@Uday:~/week0$ ps -ef
UID          PID    PPID  C STIME TTY          TIME CMD
root           1       0  0 10:56 ?        00:00:02 /sbin/init
root           2       1  0 10:56 ?        00:00:00 /init
root           6       2  0 10:56 ?        00:00:00 plan9 --control-socket 7 --log-lev
-pipe-fd 10 --
root          48       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-journald
root         101       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-udevd
systemd+     157       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-resolved
systemd+     160       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-timesyncd
root         183       1  0 10:56 ?        00:00:00 /usr/sbin/cron -f -P
message+     184       1  0 10:56 ?        00:00:00 @dbus-daemon --system --address=sy
pidfile --syst
root         197       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-logind
root         230       1  0 10:56 hvc0     00:00:00 /sbin/agetty -o -p -- \u --noclear
0,38400,9600 v
syslog       238       1  0 10:56 ?        00:00:00 /usr/sbin/rsyslogd -n -iNONE
root         245       1  0 10:56 ?        00:00:02 /usr/bin/containerd
```

```
vanam@Uday:~/week0$ ps -ef | grep root
root           1       0  0 10:56 ?        00:00:02 /sbin/init
root           2       1  0 10:56 ?        00:00:00 /init
root           6       2  0 10:56 ?        00:00:00 plan9 --control-socket 7 --log-level 4 --serv
-pipe-fd 10 --log-truncate
root          48       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-journald
root         101       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-udevd
root         183       1  0 10:56 ?        00:00:00 /usr/sbin/cron -f -P
root         197       1  0 10:56 ?        00:00:00 /usr/lib/systemd/systemd-logind
root         230       1  0 10:56 hvc0     00:00:00 /sbin/agetty -o -p -- \u --noclear --keep-bau
0,38400,9600 vt220
root         245       1  0 10:56 ?        00:00:02 /usr/bin/containerd
root         250       1  0 10:56 tty1     00:00:00 /sbin/agetty -o -p -- \u --noclear - linux
root         279       1  0 10:56 ?        00:00:00 /usr/bin/python3 /usr/share/unattended-upgrad
nded-upgrade-shutdown --wait-for-signal
root         396       1  0 10:56 ?        00:00:02 /usr/bin/dockerd -H fd:// --containerd=/run/c
/containerd.sock
root         694       2  0 10:57 pts/1    00:00:00 /bin/login -f
root         897       2  0 10:57 ?        00:00:00 /init
root         898     897  0 10:57 ?        00:00:00 /init
root        1627       1  0 11:07 ?        00:00:00 /usr/libexec/wsl-pro-service
```

```
vanam@Uday:~/week0$ whoami
vanam
vanam@Uday:~/week0$ id
uid=1000(vanam) gid=1000(vanam) groups=1000(vanam),4(adm),24(cdrom),27(sudo),30(dip),46(plugdev),100(us
),108(docker)
vanam@Uday:~/week0$ groups
vanam adm cdrom sudo dip plugdev users docker
vanam@Uday:~/week0$ cat /etc/passwd
root:x:0:0:root:/root:/bin/bash
daemon:x:1:1:daemon:/usr/sbin:/usr/sbin/nologin
bin:x:2:2:bin:/bin:/usr/sbin/nologin
sys:x:3:3:sys:/dev:/usr/sbin/nologin
sync:x:4:65534:sync:/bin:/bin/sync
games:x:5:60:games:/usr/games:/usr/sbin/nologin
man:x:6:12:man:/var/cache/man:/usr/sbin/nologin
lp:x:7:7:lp:/var/spool/lpd:/usr/sbin/nologin
mail:x:8:8:mail:/var/mail:/usr/sbin/nologin
news:x:9:9:news:/var/spool/news:/usr/sbin/nologin
uucp:x:10:10:uucp:/var/spool/uucp:/usr/sbin/nologin
proxy:x:13:13:proxy:/bin:/usr/sbin/nologin
www-data:x:33:33:www-data:/var/www:/usr/sbin/nologin
backup:x:34:34:backup:/var/backups:/usr/sbin/nologin
```