


Creating The Linux EC2 Instance :







Create key pair

Key pair name

Key pairs allow you to connect to your instance securely.

linux-lab-key

The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type


- (•) RSA
  RSA encrypted private and public key pair
- ( ) ED25519
  ED25519 encrypted private and public key pair

Private key file format

- ( ) .pem
  For use with OpenSSH
- (•) .ppk
  For use with PuTTY

⚠ When prompted, store the private key in a secure and accessible location on your computer. **You will need it later to connect to your instance.** Learn more

Cancel | Create key pair



Network settings Info

Edit

Network | Info

vpc-07cfbf37dae9a4d74

Subnet | Info

No preference (Default subnet in any availability zone)

Auto-assign public IP | Info

Enable

Firewall (security groups) | Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

- (•) Create security group
- ( ) Select existing security group

We'll create a new security group called '**launch-wizard-1**' with the following rules:

- [x] Allow SSH traffic from
  Helps you connect to your instance
  Anywhere 0.0.0.0/0
- [x] Allow HTTPS traffic from the internet
  To set up an endpoint, for example when creating a web server
- [ ] Allow HTTP traffic from the internet
  To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. ✕

Configure storage Info

Advanced

1x 30 GiB gp3 Root volume, 3000 IOPS, Not encrypted

Add new volume


The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance


Click refresh to view backup information


The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.


File systems


- ( ) S3 Files - new
- ( ) EFS
- ( ) FSx
- (•) None



Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > Launch an instance
Launching instance
Creating security groups
27%
Details
Please wait while we launch your instance.
Do not close your browser while this is loading.
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



https://118879306997-q6qagwsy.eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:
Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instances (1) Info
Last updated less than a minute ago
Connect
Instance state
Actions
Launch instances
Saved filter sets
Choose filter set
Filter Instance by attribute or tag (case-sensitive)
Name
Instance ID
Instance state
Instance type
Status check
Availability Zone
Public IPv4 DNS
MyLinuxServer
i-0aa83740bda7b34dd
Running
t3.small
Initializing
eu-north-1c
ec2-13-50-243-196.eu-...
All instances
Instance alarm states
In alarm
None
Show instances in alarm
View in CloudWatch
Service health
EC2 service status
Operating normally
View Service Health Dashboard
Health events affecting EC2 instances
Open events
None
Show instances
Upcoming events
None
Show instances
View AWS Health Dashboard
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


PuTTY Configuration
Category:
Session
Logging
Terminal
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Serial
Telnet
Rlogin
SUPDUP
Basic options for your PuTTY session
Specify the destination you want to connect to
Host Name (or IP address)
Port
13.50.243.196
22
Connection type:
SSH
Serial
Other:
Telnet
Load, save or delete a stored session
Saved Sessions
Default Settings
Load
Save
Delete
Close window on exit:
Always
Never
Only on clean exit
About
Help
Open
Cancel



PuTTY Configuration
Category:
Logging
Terminal
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Kex
Host keys
Cipher
Auth
Credentials
GSSAPI
TTY
X11
Tunnels
Credentials to authenticate with
Public-key authentication
Private key file for authentication:
Browse...
Certificate to use with the private key (optional):
Browse...
Plugin to provide authentication responses
Plugin command to run
About
Help
Open
Cancel



PuTTY Configuration
Category:
Logging
Terminal
Keyboard
Bell
Features
Window
Appearance
Behaviour
Translation
Selection
Colours
Connection
Data
Proxy
SSH
Kex
Host keys
Cipher
Auth
Credentials
GSSAPI
TTY
X11
Tunnels
Credentials to authenticate with
Public-key authentication
Private key file for authentication:
C:\Users\vanam\Downloads\linux-lab-key.p
Browse...
Certificate to use with the private key (optional):
Browse...
Plugin to provide authentication responses
Plugin command to run
About
Help
Open
Cancel


13.50.243.196 - PuTTY
login as: ubuntu


ubuntu@ip-172-31-7-184: ~
xpanded Security Maintenance for Applications is not enabled.
updates can be applied immediately.
nable ESM Apps to receive additional future security updates.
ee https://ubuntu.com/esm or run: sudo pro status
he list of available updates is more than a week old.
o check for new updates run: sudo apt update
he programs included with the Ubuntu system are free software;
he exact distribution terms for each program are described in the
ndividual files in /usr/share/doc/*/copyright.
buntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
pplicable law.
o run a command as administrator (user "root"), use "sudo <command>".
ee "man sudo_root" for details.
buntu@ip-172-31-7-184:~$

WINDOWS CREATION





Network | Info

vpc-07cfbf37dae9a4d74

Subnet | Info

No preference (Default subnet in any availability zone)

Auto-assign public IP | Info

Enable

Firewall (security groups) | Info

A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.

(•) Create security group ( ) Select existing security group

We'll create a new security group called '**launch-wizard-2**' with the following rules:

[x] Allow RDP traffic from
Helps you connect to your instance
Anywhere 0.0.0.0/0

[ ] Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server

[ ] Allow HTTP traffic from the internet
To set up an endpoint, for example when creating a web server

⚠ Rules with source of 0.0.0.0/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. ✕

▼ Configure storage Info

Advanced

1x 30 GiB gp2 Root volume, Not encrypted

Add new volume

The selected AMI contains instance store volumes, however the instance does not allow any instance store volumes. None of the instance store volumes from the AMI will be accessible from the instance

Click refresh to view backup information
The tags that you assign determine whether the instance will be backed up by any Data Lifecycle Manager policies.

File systems


( ) S3 Files - new
S3 Files is not supported on Windows instances.


( ) EFS
EFS is not supported on Windows instances.


( ) FSx


(•) None


▶ Advanced details Info



Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > i-0cdfef0cb2033b69c
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instance summary for i-0cdfef0cb2033b69c (MyWindowsServer) Info
Updated – ago
Connect
Instance state
Actions
Instance ID
i-0cdfef0cb2033b69c
Public IPv4 address
16.16.203.12 | open address
Private IPv4 addresses
172.31.2.37
IPv6 address
–
Instance state
Running
Public DNS
ec2-16-16-203-12.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-2-37.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-2-37.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.small
Elastic IP addresses
Auto-assigned IP address
VPC ID
vpc-07cfbf37dae9a4d74
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
| Learn more
IAM role
–
Subnet ID
subnet-073eee0d98e06ffc0
Auto Scaling Group name
–


Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > i-0cdfef0cb2033b69c > Connect to instance
Latest error messages
2026/10/12 10:59:08Z: SSM Agent unable to acquire credentials: <error>no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 118879306997
Session duration preferences
Manage preferences in Systems Manager
How to connect
1. Navigate to the Fleet Manager Remote Desktop page
2. Enter the right username. This is based on the language of the operating system (OS) contained in the AMI
3. Enter password
4. Connect
Username
Administrator
Copy
Password
Get Windows password
If you've joined your instance to a directory, you can use your directory credentials to connect to your instance.
Cancel
Connect with Fleet Manager Remote Desktop
https://118879306997-q6qaqwsy.eu-north-1.console.aws.amazon.com/ec2/home?region=eu...
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


EC2 > Instances > i-0cdfef0cb2033b69c
Get Windows password Info
Use your private key to retrieve and decrypt the
Instance ID
i-0cdfef0cb2033b69c (MyWindowsServer)
Key pair associated with this instance
linux-lab-key
Private key
Upload private key file
Private key contents
Private key contents
Downloads
Search Downloads
Organize
New folder
Documents
Pictures
Downloads
Videos
22071A66C8
LegalAI
mongosh
MajorPro
LegalMind
Devops Work
Udemy
Screenshots
Documents
Name
Date modified
Type
Size
Today
linux-lab-key.pem
12-10-2026 16:13
PEM File
2 KB
Last week
certificate-lab
06-10-2026 17:03
File folder
Earlier this month
lab
01-10-2026 11:32
File folder
demo (1)
01-10-2026 10:58
File folder
src-20260930T100319Z-1-001
01-10-2026 10:56
File folder
Last month
AttendenceService
29-09-2026 17:56
File folder
attendance-frontend
28-09-2026 16:14
File folder
LMSProject
28-09-2026 12:10
File folder
Earlier this year
Firstapp
21-06-2026 00:00
File folder
AkashDegreeDairies
12-05-2026 01:01
File folder
UploadMajor
02-05-2026 10:08
File folder
No preview av
File name: linux-lab-key.pem
PEM File (*.pem)
Open
CloudShell
Agent Toolkit for AWS
Feedback


Instance ID
i-0cdfef0cb2033b69c (MyWindowsServer)
Key pair associated with this instance
linux-lab-key
Private key
Either upload your private key file or copy and paste its contents into the field below.
Upload private key file
linux-lab-key.pem
1.83 KB
Private key contents
-----BEGIN OPENSSH PRIVATE KEY-----
b3BlbnNzaC1rZXktdjEAAAAABG5vbmUAAAAEbm9uZQAAAAAAAAABAAABFwAAAAdz
c2gtcnNhAAAAAwEAAQAAAQEAwkAWqmuubpMzKpnVqccAvOncWUV4rUCumqgDhdrp
eQhq/xEqOUw0FBTndkw+nd6vv2POniY5+vykpjQea0DobqmotKiZMmDHFgCTTU5
Vicdj9r1daZVXxU/PLgIEKm5rv5hjZ+ejUyxrkUdrESnRiGJk9OBJp7YFObETODQ
RJ4Ritujv8pA9jHyfAtnS80EXHOtV19gTUQ8rRU6wNhXH6BEoEdfVwdZL8bGnoBb
+5CZtb8Dx/ceWW8Vl3COIX1rPWsUnEHA1/jmb0fF9ZoDRbtNGc9z52qY/OVyU3nF
QZGfmCOvPy5BEM11Z0JtBifPqLgpUIAWdJtrKT0XnuIAJQAAA9Dr29Cv69vQrwAA
Cancel
Decrypt password


aws
Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > i-08e7d5c6789f141a7 > Get Windows password
Use your private key to retrieve and decrypt the initial Windows administrator password for this instance.
Instance ID
i-08e7d5c6789f141a7 (MyWindowsServer)
Key pair associated with this instance
windows-lab-key
Private key
Upload private key file
Private key contents
Private key contents
Get Windows password
Connect to your Windows instance using Remote Desktop with this information.
Instance ID
i-08e7d5c6789f141a7 (MyWindowsServer)
Private IP address
172.31.15.153
Username
Password copied
EtVN6Vu;oI6UiiGIdjdGTv*M@dwHvCdh
Password change recommended
We recommend that you change your default password. Note: If a default password is changed, it cannot be retrieved using this tool. It is important that you change your password to one that you will remember.
Cancel
OK
Cancel
Decrypt password
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


13.53.159.6 - Remote Desktop Connection
Recycle Bin
EC2 Feedback
EC2 Microso...
Connect to instance
ome?region=eu-north-1#InstanceDeta
Ultimate DSA Cheat...
mazon Q
Instance auto-recovery
Default
AMI Launch index
0
Credit specification
unlimited
Usage operation
RunInstances:0002
Enclaves Support
Disabled
Spot Requests
Savings Plans
Owner
118879306997
Current instance boot mode