



Creating the SNS Service












Create the Subscription:

1.Creating the Email Subscription :







Confirming Subscription








Creating the IAM Role (Sns Role) for the SQS





Search [Alt+S]
Global
Vanama Uday Kiran (118879306997)
root
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Select trusted entity Info
Trusted entity type
AWS service
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
AWS account
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
Web identity
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
SNS
Choose a use case for the specified service.
Use case



Search [Alt+S]
Global
Vanama Uday Kiran (118879306997)
root
IAM > Roles > Create role
Name, review, and create
Allow AWS services like EC2, Lambda, or others to perform actions in this account.
Allow entities in other AWS accounts belonging to you or a 3rd party to perform actions in this account.
Allows users federated by the specified external web identity provider to assume this role to perform actions in this account.
SAML 2.0 federation
Allow users federated with SAML 2.0 from a corporate directory to perform actions in this account.
Custom trust policy
Create a custom trust policy to enable others to perform actions in this account.
Use case
Allow an AWS service like EC2, Lambda, or others to perform actions in this account.
Service or use case
SNS
Choose a use case for the specified service.
Use case
SNS
Allows SNS to call CloudWatch Logs on your behalf.
Cancel
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Add permissions Info
Permissions policies (1) Info
The type of role that you selected requires the following policy.
Policy name
Type
AmazonSNSRole
AWS managed
Set permissions boundary - optional
Cancel
Previous
Next
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Global
Vanama Uday Kiran (118879306997)
root
IAM > Roles > Create role
Step 1
Select trusted entity
Step 2
Add permissions
Step 3
Name, review, and create
Name, review, and create
Role details
Role name
Enter a meaningful name to identify this role.
mySnsRole
Maximum 64 characters. Use alphanumeric and '+=,.@-_' characters.
Description
Add a short explanation for this role.
Allows SNS to call CloudWatch Logs on your behalf.
Maximum 1000 characters. Use letters (A-Z and a-z), numbers (0-9), tabs, new lines, or any of the following characters: _+=,. @-/\[{}]!#$%^*();"'`
Step 1: Select trusted entities
Edit
Trust policy
{
"Version": "2012-10-17",



Search [Alt+S]
Global
Vanama Uday Kiran (118879306997)
root
IAM > Roles
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Role mySnsRole created.
View role
Roles (4) Info
An IAM role is an identity you can create that has specific permissions with credentials that are valid for short durations. Roles can be assumed by entities that you trust.
Delete
Create role
Search
Role name
Trusted entities
Last activity
AWSServiceRoleForResourceExplorer
AWS Service: resource-explorer-2 (Service-Linked Role)
10 minutes ago
AWSServiceRoleForSupport
AWS Service: support (Service-Linked Role)
AWSServiceRoleForTrustedAdvisor
AWS Service: trustedadvisor (Service-Linked Role)
mySnsRole
AWS Service: sns
Roles Anywhere Info
Manage
Authenticate your non AWS workloads and securely provide access to AWS services.
Access AWS from your non AWS workloads
X.509 Standard
Temporary credentials
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Copy the Arn


Search [Alt+S]
Global
Vanama Uday Kiran (118879306997)
root
IAM > Roles > mySnsRole
Identity and Access Management (IAM)
Search IAM
Dashboard
Access Management
Roles
Policies
IAM users
IAM user groups
Identity providers
Account settings
Root access management
Temporary delegation requests
Access reports
Access Analyzer
Resource analysis
Unused access
Analyzer settings
Role mySnsRole created.
View role
mySnsRole Info
Delete
Allows SNS to call CloudWatch Logs on your behalf.
Summary
Edit
ARN copied
Creation date
October 15, 2026, 12:37 (UTC+05:30)
arn:aws:iam::118879306997:role/mySnsRole
Last activity
-
Maximum session duration
1 hour
Permissions
Trust relationships
Tags
Last Accessed
Revoke sessions
Permissions policies (1) Info
Simulate
Remove
Add permissions
You can attach up to 20 managed policies.
Filter by Type
Search
All types
Policy name
Type
Attached entities


Creating the SQS Queue:










Adding the SQS as the subscriber:








Testing the SNS And SQS



Search [Alt+S]
Europe (Stockholm)
Amazon SNS > Topics > My-EC2-Topic > Publish message
Publish message to topic
Message details
Topic ARN
arn:aws:sns:eu-north-1:118879306997:My-EC2-Topic
Subject - optional
Test Message
Maximum 100 printable ASCII characters
Message group ID - optional
An optional token for SQS fair queue usage. Propagated only to standard SQS queue subscriptions.
Enter message group ID
Maximum 128 characters. Can include alphanumeric characters and punctuation.
Time to Live (TTL) - optional Info
This setting applies only to mobile application endpoints. The number of seconds that the push notification service has to deliver the message to the endpoint.
Message body
Message structure


Amazon SNS > Topics > My-EC2-Topic > Publish message
Time to Live (TTL) - optional Info
This setting applies only to mobile application endpoints. The number of seconds that the push notification service has to deliver the message to the endpoint.
Message body
Message structure
Identical payload for all delivery protocols.
The same payload is sent to endpoints subscribed to the topic, regardless of their delivery protocol.
Custom payload for each delivery protocol.
Different payloads are sent to endpoints subscribed to the topic, based on their delivery protocol.
Message body to send to the endpoint
1 This is the
2 test message from
3 SNS



Search [Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
Amazon SNS > Topics > My-EC2-Topic
Amazon SNS
Dashboard
Topics
Subscriptions
Mobile
Push notifications
Text messaging (SMS)
Message published to topic My-EC2-Topic successfully.
Message "ID": 4549c2db-2f66-5a2f-9369-a191ae258242
Request "ID": 51235251-1505-587e-84ec-311b94468013
Publish another message
My-EC2-Topic
Edit
Delete
Publish message
Details
Name
My-EC2-Topic
ARN
arn:aws:sns:eu-north-1:118879306997:My-EC2-Topic
Display name
This is the sample topic for the EC2 Instance
Maximum message size
256 KiB
Type
Standard
Topic owner
118879306997
Subscriptions
Access policy
Delivery policy (HTTP/S)
Delivery status logging
Encryption
Tags
Integrations
Subscriptions (2)
Edit
Delete
Request confirmation
Confirm subscription
Create subscription
Search
ID
Endpoint
Status
Protocol
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



mail.google.com/mail/u/0/#inbox/FMfcgzQhWxQlGHsXcmVNFhrBBDwztGCL
Gmail
Search mail
Upgrade
Compose
Inbox 1,207
Starred
Snoozed
Sent
Purchases 11
More
Labels
1 of 1,456
Test Message
Inbox ×
This is the sample topic for the EC2 Instance <no-reply@sns.amazonaws.com>
to me
12:51 (0 minutes ago)
This is the
test message from
SNS
--
If you wish to stop receiving notifications from this topic, please click or visit the link below to unsubscribe:
https://sns.eu-north-1.amazonaws.com/unsubscribe-v2.html?SubscriptionArn=arn:aws:sns:eu-north-1:118879306997:My-EC2-Topic:dbeec1a5-27a2-4e65-99ba-499cf8be8852&Endpoint=uday7981911@gmail.com
Please do not reply directly to this email. If you have any questions or comments regarding this email, please contact us at https://aws.amazon.com/support
Reply
Forward



Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
Amazon SQS > Queues > MySQSQueue > Send and receive messages
The duration (in seconds) that SQS will postpone the initial delivery of the message. During this delay period, the message is not visible to consumers, allowing you to create a wait time before the message becomes available for processing.
0
Seconds
Should be between 0 seconds and 15 minutes.
Message attributes - optional Info
Clear content
Send message
Receive messages Info
Edit poll settings
Stop polling
Poll for messages
Messages available
1
Polling duration
30
Maximum message count
10
Polling progress
37%
0 receives/second
Messages (1)
View details
Delete
Search messages
ID
Sent
Size
Receive count
d8949c21-8b5b-4e0e-9a59-229a9d853861
2026-10-15T12:51+05:30
980 bytes
1
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences




Create A EC2 Instance :





Search [Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > Launch an instance
Launch an instance Info
Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.
Name and tags Info
Name
MyLinuxServer
Add additional tags
Application and OS Images (Amazon Machine Image) Info
An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose Browse more AMIs.
Search our full catalog including 1000s of application and OS images
Recents
Quick Start
Amazon Linux
macOS
Ubuntu
Windows
Red Hat
SUSE Linux
Debian
Browse more AMIs
Including AMIs from AWS, Marketplace and the Community
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0493a9ae0eaf18f4c
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search [Alt+S]
Europe (Stockholm)
root
EC2 > Instances > Launch an instance
Key pair name - required
windows-lab-key
Create new key pair
Network settings Info
Edit
Network Info
vpc-07cfbf37dae9a4d74
Subnet Info
No preference (Default subnet in any availability zone)
Auto-assign public IP Info
Enable
Firewall (security groups) Info
A security group is a set of firewall rules that control the traffic for your instance. Add rules to allow specific traffic to reach your instance.
Create security group
Select existing security group
We'll create a new security group called 'launch-wizard-6' with the following rules:
Allow SSH traffic from
Helps you connect to your instance
Anywhere
0.0.0.0/0
Allow HTTPS traffic from the internet
To set up an endpoint, for example when creating a web server
Summary
Number of instances Info
1
Software Image (AMI)
Amazon Linux 2023 AMI 2023.12....read more
ami-0493a9ae0eaf18f4c
Virtual server type (instance type)
t3.micro
Firewall (security group)
New security group
Storage (volumes)
1 volume(s) - 8 GiB
Cancel
Launch instance
Preview code
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
EC2 > Instances > i-02dc8307885fcc1ca
EC2
Dashboard
AWS Global View
Events
Instances
Instances
Instance Types
Launch Templates
Spot Requests
Savings Plans
Reserved Instances
Dedicated Hosts
Capacity Reservations
UltraServers New
Capacity Manager New
Images
AMIs
AMI Catalog
Instance summary for i-02dc8307885fcc1ca (MyLinuxServer) Info
Updated less than a minute ago
Connect
Instance state
Actions
Instance ID
i-02dc8307885fcc1ca
Public IPv4 address
13.51.177.46 | open address
Private IPv4 addresses
172.31.47.179
IPv6 address
–
Instance state
Running
Public DNS
ec2-13-51-177-46.eu-north-1.compute.amazonaws.com | open address
Hostname type
IP name: ip-172-31-47-179.eu-north-1.compute.internal
Private IP DNS name (IPv4 only)
ip-172-31-47-179.eu-north-1.compute.internal
Answer private resource DNS name
IPv4 (A)
Instance type
t3.micro
Elastic IP addresses
–
Auto-assigned IP address
13.51.177.46 [Public IP]
VPC ID
vpc-07cfbf37dae9a4d74
AWS Compute Optimizer finding
Opt-in to AWS Compute Optimizer for recommendations.
Learn more
IAM role
–
Subnet ID
subnet-07ad5aa237de5fede
Auto Scaling group name
–
IMDSv2
Required


Enabling the Detailed Monitoring :



Enable for every minute:




Configuring the CloudWatch :




Select EC2-PerInstance metric


Enable the CPU Utilization:




Move to graphed Metrics :





Click on the Alarm :





Selecting the Alarm for Greater than equal to -0:


Search [Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
CloudWatch > Alarms > Create alarm
i-02dc8307885fcc1ca
MyLinuxServer
Statistic
Average
Period
5 minutes
Preview
1h 3h 12h 1d 3d 1w Custom
UTC timezone
Graph
This alarm will trigger when the blue line goes above the red line for 1 datapoints within 5 minutes.
Percent
0.19%
0.1%
0%
05:00 05:30 06:00 06:30 07:00 07:30
CPUUtilization
Anomaly detection
Use a band as a threshold
Whenever CPUUtilization is...
Define the alarm condition.
Greater
> threshold
Greater/Equal
>= threshold
Lower/Equal
<= threshold
Lower
< threshold
than...
Define the threshold value.
0
Must be a number.
Additional configuration



CloudWatch > Alarms > Create alarm
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Notification
Alarm state trigger
Define the alarm state that will trigger this action.
Remove
In alarm
The metric or expression is outside of the defined threshold.
OK
The metric or expression is within the defined threshold.
Insufficient data
The alarm has just started or not enough data is available.
Send a notification to the following SNS topic
Define the SNS (Simple Notification Service) topic that will receive the notification.
Select an existing SNS topic
Create new topic
Use topic ARN to notify other accounts
Send a notification to...
My-EC2-Topic
Only topics belonging to this account are listed here. All persons and applications subscribed to the selected topic will receive notifications.
Email (endpoints)
arn:aws:sqs:eu-north-1:118879306997:MySQSQueue and 1 more - View in SNS Console
Add notification
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences


Search [Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
CloudWatch > Alarms > Create alarm
Step 1
Specify metric and conditions
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Add alarm details
Name and description
Alarm name
Critical Alarm Alert
Alarm description - optional
View formatting guidelines
Edit
Preview
The CPU Utilization Alert
Up to 1024 characters (26/1024).
Markdown formatting is only applied when viewing your alarm in the console. The description will remain in plain text in the alarm notifications.
Tags - optional
Info
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences



Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
CloudWatch > Alarms > Create alarm
Step 2
Configure actions
Step 3
Add alarm details
Step 4
Preview and create
Step 1: Specify metric and conditions
Edit
Metric
Namespace
AWS/EC2
Metric name
CPUUtilization
InstanceId
i-02dc8307885fcc1ca
Instance name
MyLinuxServer
Statistic
Average
Period
5 minutes
Preview
Graph


Search
[Alt+S]
Europe (Stockholm)
Vanama Uday Kiran (118879306997)
root
CloudWatch > Alarms
CloudWatch
Favorites and recents
GenAI Observability
Application Signals (APM)
Infrastructure Monitoring
Logs
Log Management New
Log Analytics New
Log Anomalies
Metrics
Query Studio
Classic metrics
Explorer
Streams
Successfully created alarm Critical Alarm Alert.
View alarm
Alarms
Mute rules
Alarms (1)
Clear selection
Create composite alarm
Actions
Create alarm
Filter alarms
Quick filters
1
Name
State
Actions
Actions muted
Last state update (UTC)
Critical Alarm Alert
Insufficient data
Actions enabled
-
2026-10-15 07:39:03
CloudShell
Agent Toolkit for AWS
Feedback
Console Mobile App
© 2026, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

Check For Inalarm Status :



Confirming the messages :



Checking in SNS:

