

1.dmesg -T

Checks kernel messages, hardware errors, and driver issues with readable timestamps.




2.journalctl -u sshd

Views logs for a specific service, such as SSH.



3.systemctl --failed

Lists services that have failed to start or run properly.



4.lsof -i :8080

Finds processes using port 8080.



5.ss -s

Displays a summary of network socket statistics.

```
vanam@Uday:~$ ss -s
Total: 201
TCP:   5 (estab 0, closed 0, orphaned 0, timewait 0)

Transport Total     IP        IPv6
RAW       0         0         0
UDP       5         4         1
TCP       5         4         1
INET      10        8         2
FRAG      0         0         0
```

6. vmstat 1 5

Monitors CPU, memory, processes, and I/O activity every second for five samples.

```
vanam@Uday:~$ vmstat
procs -----------memory---------- ---swap-- -----io---- -system-- -------cpu-------
 r  b   swpd   free   buff  cache   si   so    bi    bo   in   cs us sy id wa st gu
 1  0      0 6490260   1128 275144    0    0   980  1138  453    0  0  0 99  0  0  0
vanam@Uday:~$ vmstat -u
```

7. iostat -xz

Checks disk I/O performance and device utilization. Requires the sysstat package.

```
vanam@Uday:~$ iostat -xz
Linux 6.6.87.2-microsoft-standard-WSL2 (Uday)   10/21/26        _x86_64_        (12 CPU)

avg-cpu:  %user   %nice %system %iowait  %steal   %idle
          0.33    0.00    0.23    0.08    0.00   99.36

Device            r/s     rkB/s   rrqm/s  %rrqm r_await rareq-sz     w/s     wkB/s   wrqm/s  %wrqm w_await wareq-sz     d/s     dkB/s   drqm/s
%drqm d_await dareq-sz     f/s f_await  aqu-sz  %util
sda              1.14     74.84     0.43  27.45    0.41    65.49    0.00      0.00     0.00   0.00    0.00     0.00    0.00      0.00     0.00
 0.00    0.00     0.00    0.00    0.00    0.00   0.04
sdb              0.16      8.36     0.07  30.30    0.57    51.51    0.00      0.00     0.00   0.00    0.00     0.00    0.00      0.00     0.00
 0.00    0.00     0.00    0.00    0.00    0.00   0.01
sdc              0.10      2.25     0.00   0.00    0.15    22.73    0.00      0.00     0.00   0.00    2.50     2.00    0.00      0.00     0.00
 0.00    0.00     0.00    0.00    3.00    0.00   0.00
sdd             18.27    815.15     4.51  19.79    0.37    44.61    8.37    833.25    15.41  64.79    9.07    99.52    0.52    944.21     0.04
 7.51    0.25  1812.41     3.00    0.68    0.08   1.05
```

8. findmnt

Shows mounted filesystems and their mount hierarchy.

```
vanam@Uday:~$ findmnt
TARGET                   SOURCE           FSTYPE      OPTIONS
/                        /dev/sdd         ext4        rw,relatime,discard,errors=remount-ro,data=ordered
├─/usr/lib/modules/6.6.87.2-microsoft-standard-WSL2
│                        none             overlay     rw,nosuid,nodev,noatime,lowerdir=/modules,upperdir=/lib/modules/6.6.87.2-microsof
├─/mnt/wsl               none             tmpfs       rw,relatime
├─/usr/lib/wsl/drivers   drivers          9p          ro,nosuid,nodev,noatime,aname=drivers;fmask=222;dmask=222,cache=5,access=client,m
├─/mnt/wslg              none             tmpfs       rw,relatime
│ ├─/mnt/wslg/distro     /dev/sdd         ext4        ro,relatime,discard,errors=remount-ro,data=ordered
│ ├─/mnt/wslg/versions.txt
│ │                      none[/etc/versions.txt]
│ │                                       overlay     rw,relatime,lowerdir=/systemvhd,upperdir=/system/rw/upper,workdir=/system/rw/work
│ ├─/mnt/wslg/doc        none[/usr/share/doc]
│ │                                       overlay     rw,relatime,lowerdir=/systemvhd,upperdir=/system/rw/upper,workdir=/system/rw/work
│ └─/mnt/wslg/run/user/1000
│                        tmpfs            tmpfs       rw,nosuid,nodev,relatime,size=797204k,nr_inodes=199301,mode=700,uid=1000,gid=1000
├─/usr/lib/wsl/lib       none             overlay     rw,nosuid,nodev,noatime,lowerdir=/gpu_lib_packaged:/gpu_lib_inbox,upperdir=/gpu_l
├─/init                  rootfs[/init]    rootfs      ro,size=3981012k,nr_inodes=995253
├─/dev                   none             devtmpfs    rw,nosuid,relatime,size=3981012k,nr_inodes=995253,mode=755
│ ├─/dev/pts             devpts           devpts      rw,nosuid,noexec,noatime,gid=5,mode=620,ptmxmode=000
│ ├─/dev/shm             none             tmpfs       rw,nosuid,nodev,noatime
│ ├─/dev/hugepages       hugetlbfs        hugetlbfs   rw,nosuid,nodev,relatime,pagesize=2M
│ └─/dev/mqueue          mqueue           mqueue      rw,nosuid,nodev,noexec,relatime
├─/sys                   sysfs            sysfs       rw,nosuid,nodev,noexec,noatime
│ ├─/sys/fs/cgroup       cgroup2          cgroup2     rw,nosuid,nodev,noexec,relatime,nsdelegate
│ ├─/sys/kernel/tracing  tracefs          tracefs     rw,nosuid,nodev,noexec,relatime
```


9. ulimit -a

Displays the current shell's resource limits.

```
vanam@Uday:~$ ulimit -a
real-time non-blocking time  (microseconds, -R) unlimited
core file size              (blocks, -c) 0
data seg size               (kbytes, -d) unlimited
scheduling priority                 (-e) 0
file size                   (blocks, -f) unlimited
pending signals                     (-i) 31101
max locked memory           (kbytes, -l) 65536
max memory size             (kbytes, -m) unlimited
open files                          (-n) 10240
pipe size                (512 bytes, -p) 8
POSIX message queues         (bytes, -q) 819200
real-time priority                  (-r) 0
stack size                  (kbytes, -s) 8192
cpu time                   (seconds, -t) unlimited
max user processes                  (-u) 31101
virtual memory              (kbytes, -v) unlimited
file locks                          (-x) unlimited
```

10. systemctl list-dependencies jenkins

Shows the dependencies of the SSH service.


vanam@Uday:~$ systemctl list-dependencies jenkins
jenkins.service
● ├─system.slice
● ├─network.target
● └─sysinit.target
○   ├─apparmor.service
●   ├─dev-hugepages.mount
●   ├─dev-mqueue.mount
●   ├─keyboard-setup.service
●   ├─kmod-static-nodes.service
○   ├─ldconfig.service
○   ├─proc-sys-fs-binfmt_misc.automount
●   ├─setvtrgb.service
●   ├─sys-fs-fuse-connections.mount
●   ├─sys-kernel-config.mount
●   ├─sys-kernel-debug.mount
●   ├─sys-kernel-tracing.mount
●   ├─systemd-ask-password-console.path
●   ├─systemd-binfmt.service
○   ├─systemd-firstboot.service
○   ├─systemd-hwdb-update.service
○   ├─systemd-journal-catalog-update.service
●   ├─systemd-journal-flush.service
●   ├─systemd-journald.service
○   ├─systemd-machine-id-commit.service