```
ip-172-31-13-82:~ # sudo zypper install -y apache2
Refreshing service 'SUSE_Linux_Enterprise_Server_x86_64'.
Loading repository data...
Reading installed packages...
Resolving package dependencies...

The following 2 recommended packages were automatically selected:
  apache2-utils w3m

The following 10 NEW packages are going to be installed:
  apache2 apache2-prefork apache2-utils libapr1-0 libapr-util1-0 libbrotl
  libgc1 system-user-wwwrun w3m which

10 new packages to install.

Package download size:     5.0 MiB

Package install size change:
              |      10.0 MiB  required by packages that will be installe
```

```
ip-172-31-13-82:~ # sudo systemctl status apache2
● apache2.service - The Apache Webserver
     Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: >
     Active: active (running) since Sat 2026-10-17 09:34:34 UTC; 13s ago
 Invocation: a7cd1871eab0401086ef8c47ccebb951
   Main PID: 10495 (httpd-prefork)
     Status: "Total requests: 0; Idle/Busy workers 100/0;Requests/sec: 0; Bytes>
      Tasks: 6
        CPU: 133ms
     CGroup: /system.slice/apache2.service
             ├─10495 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>
             ├─10508 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>
             ├─10509 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>
             ├─10510 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>
             ├─10511 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>
             └─10512 /usr/sbin/httpd-prefork -DSYSCONFIG -C "PidFile /run/httpd>

Oct 17 09:34:34 ip-172-31-13-82 systemd[1]: Starting The Apache Webserver...
Oct 17 09:34:34 ip-172-31-13-82 systemd[1]: Started The Apache Webserver.
```

Creating the volume :

```
ip-172-31-13-82:~ # mkdir docker-volume-lab
ip-172-31-13-82:~ # ls
.bash_history  .cache             .gnupg  ssh-docker-lab
bin            docker-volume-lab  .ssh    .viminfo
ip-172-31-13-82:~ # cd docker-volume-lab/
ip-172-31-13-82:~/docker-volume-lab #
```

```
ip-172-31-13-82:~ # cd docker-volume-lab/
ip-172-31-13-82:~/docker-volume-lab # docker volume create my-vol
my-vol
ip-172-31-13-82:~/docker-volume-lab # docker volume ls
DRIVER    VOLUME NAME
local     my-vol
ip-172-31-13-82:~/docker-volume-lab #
```

```
ip-172-31-13-82:~/docker-volume-lab # docker inspect my-vol
[
    {
        "CreatedAt": "2026-10-17T09:40:59Z",
        "Driver": "local",
        "Labels": null,
        "Mountpoint": "/var/lib/docker/volumes/my-vol/_data",
        "Name": "my-vol",
        "Options": null,
        "Scope": "local"
    }
]
```

```
ip-172-31-13-82:~ # docker pull httpd:2.4
2.4: Pulling from library/httpd
d19953f56d19: Pulling fs layer
0bdb50ccb97e: Pulling fs layer
Digest: sha256:c842ac797bd1fe8b3cd26d002ac9d948aa2814097544600600b35aef42e6785a
Status: Downloaded newer image for httpd:2.4
docker.io/library/httpd:2.4
```

Connecting the Local Volume with the Local Folder

```
ip-172-31-13-82:/var/lib/docker/volumes/my-vol/_data # docker run -itd --name=uday --mount source
=my-vol,destination=/usr/local/apache2/htdocs httpd:2.4
2e1983104b40090c71b87afaa4ce1e56ab24927c7e8cef29478bcd6ce9705f4f
```

Checking the index.html In Volume :

```
ip-172-31-13-82:/ # cd /var/lib/docker/volumes/my-vol/_data
ip-172-31-13-82:/var/lib/docker/volumes/my-vol/_data # ls
index.html
ip-172-31-13-82:/var/lib/docker/volumes/my-vol/_data # vi index.html
```

```
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
<html>
<head>
<title>It works! Apache httpd</title>
</head>
<body>
<p>It works!</p>
</body>
</html>
~
~
~
~
~
~
```

```
ip-172-31-13-82:~/docker-volume-lab # docker exec -it uday bash
root@2e1983104b40:/usr/local/apache2# cd /usr/local/apache2/htdocs
root@2e1983104b40:/usr/local/apache2/htdocs# pwd
/usr/local/apache2/htdocs
root@2e1983104b40:/usr/local/apache2/htdocs# ls -la
total 8
drwxr-xr-x. 1 root     root      20 Oct 17 09:57 .
drwxr-xr-x. 1 www-data www-data   8 Oct  6 01:18 ..
-rw-r--r--. 1      501 staff    191 Oct 17 09:57 index.html
```

Adding the sample file here :

```
root@2e1983104b40:/usr/local/apache2/htdocs# touch samplefile
root@2e1983104b40:/usr/local/apache2/htdocs# ls -l
total 4
-rw-r--r--. 1  501 staff 191 Oct 17 09:57 index.html
-rw-r--r--. 1 root root    0 Oct 17 10:05 samplefile
root@2e1983104b40:/usr/local/apache2/htdocs#
```

Checking the Host directory now for the sync:

```
root@2e1983104b40:/usr/local/apache2/htdocs# cd /var/lib/docker/volumes/my-vol/_data
bash: cd: /var/lib/docker/volumes/my-vol/_data: No such file or directory
root@2e1983104b40:/usr/local/apache2/htdocs# ls
index.html  samplefile
```

So the Volumes in the container and The local folder is synced ….