

Creating the Jobs In the Jenkins :





Unmount the extra space in the temp folder of Jenkins:

```
ip-172-31-1-74:~ # sudo mount -o remount,size=2G /tmp
ip-172-31-1-74:~ # df -h /tmp
Filesystem      Size  Used Avail Use% Mounted on
tmpfs           2.0G  4.8M  2.0G   1% /tmp
ip-172-31-1-74:~ # sudo systemctl stop jenkins
ip-172-31-1-74:~ # sudo systemctl start jenkins
ip-172-31-1-74:~ # sudo systemctl status jenkins
```


Rebuild the Job :





Creating the test Job



Creating the deploy job





Repeatedly running the wrong commands :





Jobs Ordering :


## Connecting the Build job and Test Job




## Connecting the test and Deploy Job :



Checking :




Scheduling the Trigger For Every Minute :

B. Poll SCM

Periodic checking

Jenkins checks the configured source-control repository for changes according to your schedule. It builds when it detects relevant changes.

Example schedule:

H/5 * * * *

This checks approximately every five minutes, with a hash-based minute offset.

Use it when: webhooks aren't available and you still want builds triggered by repository changes.

Important: Both triggers generally require source-control configuration. Your current screenshot does not show a configured Git repository, so these triggers won't provide useful Git-based automation until you configure one.

**Jenkins cron syntax**

The five fields are:

MINUTE HOUR DAY-OF-MONTH MONTH DAY-OF-WEEK

| Schedule | Meaning |
|---|---|
| H/5 * * * * | Approximately every 5 minutes |
| H/15 * * * * | Approximately every 15 minutes |
| H 9 * * 1-5 | Once per weekday hour around 9 AM, at a hash-selected minute |
| 30 10 * * * | Every day at 10:30 AM |
| H H * * * | Once daily at a hash-selected time |


Your Jenkins controller currently uses UTC, according to the information you pasted. For Indian Standard Time, add this as the first line of the schedule:

TZ=Asia/Kolkata

30 10 * * *

This schedules the job daily at 10:30 AM IST, subject to Jenkins' timezone support and scheduler behavior.

For learning, leave both trigger options unchecked initially and use Build Now. Add automation after your job runs successfully.



Checking Again :

