1.yes — Generate repeated text

Attribute	Meaning
yes "text"	Repeatedly print the specified text
yes	Repeatedly print y
Ctrl + C	Stop continuous output

```
vanam@Uday:~$ yes "Uday"
```

```
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
Uday
```

```
vanam@Uday:~$ yes "Linux Practice" | head -n 5
Linux Practice
Linux Practice
Linux Practice
Linux Practice
Linux Practice
```

2. tty — Identify your current terminal

Attribute	Meaning
tty	Display the current terminal device
tty -s	Check whether standard input is a terminal without printing the device name

```
vanam@Uday:~$ tty
/dev/pts/0
```

Usually, 0 means standard input is a terminal, while a nonzero value means it is not.

3. zdump — Inspect timezone information

Purpose: Display timezone information for a specified timezone.

```
vanam@Uday:~$ zdump Asia/Kolkata
Asia/Kolkata  Thu Oct 15 13:31:16 2026 IST
```

```
vanam@Uday:~$ zdump UTC
UTC  Thu Oct 15 08:01:36 2026 UTC
```

```
vanam@Uday:~$ zdump -v Asia/Kolkata | head -n 10
Asia/Kolkata  -9223372036854775808 = NULL
Asia/Kolkata  -9223372036854689408 = NULL
Asia/Kolkata  Tue Jun 27 18:06:31 1854 UT = Tue Jun 27 23:59:59 1854 LMT isdst=0 gmtoff=21208
Asia/Kolkata  Tue Jun 27 18:06:32 1854 UT = Tue Jun 27 23:59:52 1854 HMT isdst=0 gmtoff=21200
Asia/Kolkata  Fri Dec 31 18:06:39 1869 UT = Fri Dec 31 23:59:59 1869 HMT isdst=0 gmtoff=21200
Asia/Kolkata  Fri Dec 31 18:06:40 1869 UT = Fri Dec 31 23:27:50 1869 MMT isdst=0 gmtoff=19270
Asia/Kolkata  Sun Dec 31 18:38:49 1905 UT = Sun Dec 31 23:59:59 1905 MMT isdst=0 gmtoff=19270
Asia/Kolkata  Sun Dec 31 18:38:50 1905 UT = Mon Jan  1 00:08:50 1906 IST isdst=0 gmtoff=19800
Asia/Kolkata  Tue Sep 30 18:29:59 1941 UT = Tue Sep 30 23:59:59 1941 IST isdst=0 gmtoff=19800
Asia/Kolkata  Tue Sep 30 18:30:00 1941 UT = Wed Oct  1 01:00:00 1941 +0630 isdst=1 gmtoff=23400
vanam@Uday:~$
```

4.hwclock — Inspect the hardware clock

Display or manage the system's hardware real-time clock, where accessible.

Attribute	Meaning
--show	Display the hardware clock
--utc	Interpret the hardware clock as UTC
--systohc	Write system time to the hardware clock

```
vanam@Uday:~$ sudo hwclock --show
2026-10-15 08:03:32.983298+00:00
```

5. **sleep — Pause execution**

Make a command or script wait for a specified duration.

Syntax	Meaning
sleep 5	Wait five seconds
sleep 2m	Wait two minutes
sleep 1h	Wait one hour
sleep 0.5	Wait half a second

```
vanam@Uday:~$ echo "Starting"
sleep 3
echo "Completed"


sleep 1m
Starting
Completed
```


6. **timedatectl — Inspect time settings**

Purpose: View the system timezone, clock configuration, and time synchronization status.

Attributes and subcommands

Attribute	Meaning
status	Show time configuration
list-timezones	List available timezone names
show	Display properties in machine-readable form
set-timezone	Change the system timezone





7. printenv — Display environment variables

Purpose: View environment variables that influence how programs and scripts run.

Attributes

Attribute	**Meaning**
printenv	Display all exported environment variables
printenv HOME	Display your home directory

printenv PATH Display executable search paths

printenv SHELL Display the configured shell variable, if set

```
vanam@Uday:~$ printenv
SHELL=/bin/bash
WSL2_GUI_APPS_ENABLED=1
WSL_DISTRO_NAME=Ubuntu
NAME=Uday
PWD=/home/vanam
LOGNAME=vanam
HOME=/home/vanam
LANG=C.UTF-8
WSL_INTEROP=/run/WSL/628_interop
LS_COLORS=rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:mi=00:su=37;41:sg=30;43:ca=00
:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.arc=01;31:*.arj=01;31:*.taz=01;31:*.lha=01;31:*.lz4=01;31:*.lzh=01;3
1:*.lzma=01;31:*.tlz=01;31:*.txz=01;31:*.tzo=01;31:*.t7z=01;31:*.zip=01;31:*.z=01;31:*.dz=01;31:*.gz=01;31:*.lrz=01;31:*.lz=01;31:*
.lzo=01;31:*.xz=01;31:*.zst=01;31:*.tzst=01;31:*.bz2=01;31:*.bz=01;31:*.tbz=01;31:*.tbz2=01;31:*.tz=01;31:*.deb=01;31:*.rpm=01;31:*
.jar=01;31:*.war=01;31:*.ear=01;31:*.sar=01;31:*.rar=01;31:*.alz=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*
.cab=01;31:*.wim=01;31:*.swm=01;31:*.dwm=01;31:*.esd=01;31:*.avif=01;35:*.jpg=01;35:*.jpeg=01;35:*.mjpg=01;35:*.mjpeg=01;35:*.gif=0
1;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;35:*.png=01;35:*.svg
=01;35:*.svgz=01;35:*.mng=01;35:*.pcx=01;35:*.mov=01;35:*.mpg=01;35:*.mpeg=01;35:*.m2v=01;35:*.mkv=01;35:*.webm=01;35:*.webp=01;35:
*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wmv=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=01;35
:*.flc=01;35:*.avi=01;35:*.fli=01;35:*.flv=01;35:*.gl=01;35:*.dl=01;35:*.xcf=01;35:*.xwd=01;35:*.yuv=01;35:*.cgm=01;35:*.emf=01;35:
*.ogv=01;35:*.ogx=01;35:*.aac=00;36:*.au=00;36:*.flac=00;36:*.m4a=00;36:*.mid=00;36:*.midi=00;36:*.mka=00;36:*.mp3=00;36:*.mpc=00;3
6:*.ogg=00;36:*.ra=00;36:*.wav=00;36:*.oga=00;36:*.opus=00;36:*.spx=00;36:*.xspf=00;36:*~=00;90:*#=00;90:*.bak=00;90:*.crdownload=0
0;90:*.dpkg-dist=00;90:*.dpkg-new=00;90:*.dpkg-old=00;90:*.dpkg-tmp=00;90:*.old=00;90:*.orig=00;90:*.part=00;90:*.rej=00;90:*.rpmne
```

```
vanam@Uday:~$ printenv HOME
/home/vanam
vanam@Uday:~$ printenv USER
vanam
vanam@Uday:~$ printenv PATH
/usr/local/sbin:/usr/local/bin:/usr/sbin:/usr/bin:/sbin:/bin:/usr/games:/usr/local/games:/usr/lib/wsl/lib:/mnt/c/Program Files/Wind
owsApps/MicrosoftCorporationII.WindowsSubsystemForLinux_2.6.1.0_x64__8wekyb3d8bbwe:/mnt/c/Program Files/Java/jdk-21.0.10/bin:/mnt/c
/oraclexe/app/oracle/product/10.2.0/server/bin:/mnt/c/WINDOWS/system32:/mnt/c/WINDOWS:/mnt/c/WINDOWS/System32/Wbem:/mnt/c/WINDOWS/S
ystem32/WindowsPowerShell/v1.0/:/mnt/c/WINDOWS/System32/OpenSSH/:/mnt/c/Program Files/dotnet/:/mnt/c/Program Files/Git/cmd:/mnt/c/P
rogram Files/Git LFS:/mnt/c/Android/cmdline-tools/latest/bin:/mnt/c/Android/platform-tools:/mnt/c/Users/vanam/AppData/Roaming/npm:/
mnt/c/Program Files/Java/jdk-21.0.10/bin:/mnt/c/Users/vanam/Downloads/gradle-7.6.5-bin/gradle-7.6.5/bin:/mnt/c/Users/vanam/AppData/
Local/nvm:/mnt/c/nvm4w/nodejs:/mnt/c/Program Files/Common Files/Oracle/Java/javapath:/mnt/c/Program Files/Docker/Docker/resources/b
in:/mnt/c/Program Files/PuTTY/:/mnt/c/Program Files/MySQL/MySQL Shell 8.0/bin/:/mnt/c/oraclexe/app/oracle/product/10.2.0/server/bin
:/mnt/c/Program Files/Common Files/Oracle/Java/javapath:/mnt/c/WINDOWS/system32:/mnt/c/WINDOWS:/mnt/c/WINDOWS/System32/Wbem:/mnt/c/
WINDOWS/System32/WindowsPowerShell/v1.0/:/mnt/c/WINDOWS/System32/OpenSSH/:/mnt/c/Program Files/dotnet/:/mnt/c/Program Files/Git/cmd
:/mnt/c/Program Files/Git LFS:/mnt/c/Users/vanam/AppData/Local/Programs/Python/Python312/Scripts/:/mnt/c/Users/vanam/AppData/Local/
Programs/Python/Python312/:/mnt/c/oraclexe/app/oracle/product/10.2.0/server/bin:/mnt/c/Program Files/Common Files/Oracle/Java/javap
ath:/mnt/c/Windows/system32:/mnt/c/Windows:/mnt/c/Windows/System32/Wbem:/mnt/c/Windows/System32/WindowsPowerShell/v1.0/:/mnt/c/Wind
ows/System32/OpenSSH/:/mnt/c/Program Files/dotnet/:/mnt/c/Users/vanam/AppData/Local/Microsoft/WindowsApps:/mnt/c/Users/vanam/AppDat
a/Local/Programs/Microsoft VS Code/bin:/mnt/c/Program Files/JetBrains/PyCharm Community Edition 2023.2.1/bin:/mnt/c/Users/vanam/App
Data/Local/Programs/Python/Python311:/mnt/c/Users/vanam/AppData/Local/Programs/Python/Python311/Scripts:/mnt/c/Users/vanam/AppData/
Local/nvm:/mnt/c/nvm4w/nodejs:/mnt/c/Users/vanam/AppData/Local/nvm:/mnt/c/Users/vanam/AppData/Roaming/nvm/v16.20.2:/mnt/c/Program F
iles/MySQL/MySQL Server 8.0/bin:/mnt/c/Users/vanam/AppData/Local/Programs/Ollama:/mnt/c/Users/vanam/.fly/bin:/mnt/c/Program Files/J
etBrains/IntelliJ IDEA 2026.1.3/bin:/mnt/c/Users/vanam/AppData/Local/Programs/Kiro/bin:/snap/bin
vanam@Uday:~$ printenv SHELL
/bin/bash
vanam@Uday:~$
```

8. uptime — Check system running time

See how long the system has been running and inspect its load averages.

Attribute Meaning

-p Show uptime in a readable format


-s Show the system's start time

```
vanam@Uday:~$ uptime
 08:10:48 up 17 min,  1 user,  load average: 0.00, 0.00, 0.00
vanam@Uday:~$ uptime -p
up 17 minutes
vanam@Uday:~$ uptime -s
2026-10-15 07:53:27
```

9. **hostname — Identify the machine**

Display the machine's hostname and, with options, inspect its network identity.

Attribute	Meaning
-I	Display available IP addresses
-i	Resolve the hostname to an IP address, where configured
-f	Display the fully qualified domain name, if configured



10. **ping — Test network connectivity**

Send network echo requests to check whether a destination responds.

Attribute	Meaning
-c 4	Send four packets
-i 2	Wait two seconds between packets
-W 2	Wait up to two seconds for a response to each packet, where supported

