

EXPERIMENT-1

Develop static pages (using HTML and CSS) of an online book store. The pages should resemble: www.flipkart.com The website should consist the following pages.

- a) Home page**
 - b) Registration and user Login**
 - c) User Profile Page**
 - d) Books catalog**
 - e) Shopping Cart**
 - f) Payment by credit card**
 - g) Order Conformations**

a) Home Page:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>My Website</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      margin: 0;
      padding: 0;
      background-color: #f4f4f4;
      background-image: url(bgg.jpeg);
    }

    header {
      background-image: url(bgg.jpeg);
      background-color: white;
      color: #fff;
      padding: 10px 0;
      text-align: center;
    }
```

```
nav {  
    background-color: #444;  
    text-align:left;  
}
```

```
nav a {  
    text-decoration: none;  
    color: #fff;  
    margin: 10px;  
    padding: 10px 20px;  
    display: inline-block;  
    transition: background-color 0.3s ease;  
}
```

```
nav a:hover {  
    background-color:darkorange;  
}
```

```
.container {  
    height: auto;  
    max-width: 800px;  
    margin: 2px auto;  
    padding: 20px;  
    color: #f4f4f4;  
    border-radius: 5px;  
}
```

```
h1 {  
text-align: center;  
color:sandybrown;  
background-color: black;  
max-width: 25%;  
  
}
```

```
p {  
    text-align: center;
```

```
        color:#fff;
        background-color:darkblue;
    }

    footer {
        background-color: #333;
        color: white;
        text-align: center;
        padding: 1em;
    }
    h2 {
        background-color: black;
        max-width: 40%;
        color: red;
        font-family:'Times New Roman', Times, serif;
    }
```

```
</style>
</head>
<body>
    <header>
        <CENTER> <h1>ONLINE BOOK STORE</h1></CENTER>
    </header>

    <nav>
        <a href="index.html">Home</a>
        <a href="bookscatalog.html">Books catalog</a>
        <a href="bookstore.html">Book Store</a>
        <a href="detailsform.html"> Registration Form</a>
        <a href="signuporlogin.html">Sign Up/Login</a>
        <a href="contactus.html">Contact Us</a>
    </nav>

    <div class="container">
        <center><h2>Welcome to Book Haven</h2></center>
        <p>Your Source for Great Reads</p>
```

```


<center><h2>About Us</h2></center>
<p>Welcome to Book Haven, your one-stop destination for
discovering and exploring the world of literature. We are passionate
about books and are dedicated to bringing you the best literary
experiences.</p>

</div>

<footer>
<div>*****|NAME : P.Y.N.D.V.KISHORE |&nbsp; &nbsp; &nbsp;|
REGD NO: 22A21F00A4|*****</div>
</footer>
</body>
</html>

```

Output:



b)User Login Form

```

<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">

```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
<meta name="viewport" content="width=device-width, initial-
scale=1.0">
<title> meta.codes - Animated Login and Registration Form
</title>
<style>
body {
  display: flex;
  justify-content: center;
  align-items: center;
  min-height: 100vh;
  background: linear-gradient(#2196f3, #e91e63);
  overflow: hidden;
}

h2 {
  font-size: 30px;
  color: #555;
  text-align: center;
}

.input-group {
  position: relative;
  width: 320px;
  margin: 30px 0;
}

.input-group label {
  position: absolute;
  top: 50%;
  left: 5px;
  transform: translateY(-50%);
  font-size: 16px;
  color: #333;
  padding: 0 5px;
  pointer-events: none;
  transition: .5s;
```

```
}
```

```
.input-group input {  
    width: 100%;  
    height: 40px;  
    font-size: 16px;  
    color: #333;  
    padding: 0 10px;  
    background: transparent;  
    border: 1px solid #333;  
    outline: none;  
    border-radius: 5px;  
}
```

```
.input-group input:focus~label,  
.input-group input:valid~label {  
    top: 0;  
    font-size: 12px;  
    background: #fff;  
}
```

```
.forgot-pass {  
    margin: -15px 0 15px;  
}
```

```
.forgot-pass a {  
    color: #333;  
    font-size: 14px;  
    text-decoration: none;  
}
```

```
.forgot-pass a:hover {  
    text-decoration: underline;  
}
```

```
.btn {  
    position: relative;
```

```

top: 0;
left: 0;
width: 100%;
height: 40px;
background: linear-gradient(to right, #2196f3, #e91e63);
box-shadow: 0 2px 10px rgba(0, 0, 0, .4);
font-size: 16px;
color: #fff;
font-weight: 500;
cursor: pointer;
border-radius: 5px;
border: none;
outline: none;
}
</style>
</head>
<body>
  <div class="form-wrapper sign-in">
    <form action="">
      <h2>Login</h2>
      <div class="input-group">
        <input type="text" required>
        <label for="">Username</label>
      </div>
      <div class="input-group">
        <input type="password" required>
        <label for="">Password</label>
      </div>
      <div class="forgot-pass">
        <a href="#">Forgot Password?</a>
      </div>
      <button type="submit" class="btn">Login</button>
      <div class="sign-link">
        <p>Don't have an account? <a href="#" class="signUp-link">Sign Up</a></p>
      </div>
    </form>
  </div>


```

```

    </div>
  </div>
</body>
</html>

```

Output:



Registration Form

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-
scale=1.0">
  <title>Registration Form</title>
  <style>
    body {
      font-family: Arial, sans-serif;
      background-color: #f2f2f2;
      background-image: url(bgg.jpeg);
      margin: 0;
      padding: 0;
    }

```



```
header {
    background-color:white;
    background-image: url(bgg.jpeg);
    color: #fff;
    padding: 10px 0;
    text-align: center;
}

nav {
    background-color: #444;
    text-align:left;
}

nav a {
    text-decoration: none;
    color: #fff;
    margin: 10px;
    padding: 10px 20px;
    display: inline-block;
    transition: background-color 0.3s ease;
}

nav a:hover {
    background-color:darkorange;
}

.container {
    max-width: 700px;
    margin: 0 auto;
    background-color: #ffffff;
    padding: 20px;
    border-radius: 5px;
}

h1 {
    text-align: center;
    color:sandybrown;
```

```
background-color: black;
max-width: 25%;
}
```

```
.styled-form {
  margin-top: 20px;
}
```

```
.form-group {
  margin-bottom: 20px;
}
```

```
label {
  display: block;
  font-weight: bold;
  margin-bottom: 5px;
}
```

```
.checkbox-group {
  margin-top: 5px;
  margin-bottom: 10px;
}
```

```
.checkbox-group label {
  display: inline-block;
  margin-right: 10px;
}
```

```
input[type="radio"],
input[type="checkbox"] {
  margin-right: 5px;
}
```

```
input[type="Register"] {
  background-color: #333;
}
```

```

    color: #fff;
    padding: 10px 5px;
    border: none;
    border-radius: 5px;
    font-size: 18px;
    cursor: pointer;
}

input[type="Register"]:hover {
    background-color: #555;
}

footer {
    background-color: #333;
    color: white;
    text-align: center;
    padding: 1em;
}

h2 {
    background-color: black;
    color: white;
    max-width: 35%;
}
</style>
</head>
<body>
    <header>
        <CENTER> <h1>ONLINE BOOK STORE</h1></CENTER>
    </header>

    <nav>

        <a href="index.html">Home</a>
        <a href="bookscatalog.html">Books catalog</a>
        <a href="bookstore.html">Book Store</a>
        <a href="detailsform.html"> Registration Form</a>

```

```

    <a href="signuporlogin.html">Sign Up/Login</a>
    <a href="contactus.html">Contact Us</a>

</nav>
<div class="container">
    <center><h2>Registration Form</h2></center>
    <form action="Register" method="post" class="styled-form">
        <div class="form-group">
            <label for="name">Name:</label>
            <input type="text" id="name" name="name" required>
        </div>

        <div class="form-group">
            <label for="email">Email:</label>
            <input type="email" id="email" name="email" required>
        </div>

        <div class="form-group">
            <label for="password">Password:</label>
            <input type="password" id="password" name="password"
required>
        </div>

        <div class="form-group">
            <label for="confirm password">Confirm Password:</label>
            <input type="confirm password" id="confirm password"
name="confirm password" required>
        </div>

        <div class="form-group">
            <label for="message">Message:</label>
            <textarea id="message" name="message" rows="4"
cols="50" required></textarea>
        </div>

        <div class="form-group">
            <label>Gender:</label>

```

```
    <label for="male">Male</label>
    <input type="radio" id="male" name="gender"
value="male">
```

```
    <label for="female">Female</label>
    <input type="radio" id="female" name="gender"
value="female">
```

```
    <label for="other">Other</label>
    <input type="radio" id="other" name="gender"
value="other">
```

```
</div>
```

```
<div>-----
-----</div>
```

```
<div class="form-group">
    <label>User Type :</label>
    <label for="Student">Student</label> <input type="radio"
id="regular" name="type" value="student">
```

```
    <label for="Random People">Random People</label>
<input type="radio" id="irregular" name="type" value="random
people">
<div>-----
```

```
-----</div>
```

```
<div class="form-group">
    <label>Books You Want :</label>
    <div class="checkbox-group">
        <input type="checkbox" id="sem 1" name="Books You
Want" value="sem 1">
        <label for="coding">sem 1</label>
    </div>
    <div class="checkbox-group">
        <input type="checkbox" id="sem 2" name="Books You
Want" value="sem 2">
        <label for="coding">sem 2</label>
```

```

    </div>
    <div class="checkbox-group">
        <input type="checkbox" id="sem 3" name="Books You
Want" value="sem 3">
        <label for="coding">sem 3</label>
    </div>
    <div class="checkbox-group">
        <input type="checkbox" id="sem 4" name="Books You
Want" value="sem 4">
        <label for="coding">sem 4</label>
    </div>
</div>
<div class="form-group">
    <label for="college">College :</label>
    <select id="college" name="college">
        <option value="select">---select---</option>
        <option value="scet">SCET</option>
        <option value="siet">SIET</option>
        <option value="srkr">SRKR</option>
        <option value="bvrice">BVRICE</option>
    </select>
</div>

<div class="form-group">
    <label for="file">Upload a File:</label>
    <input type="file" id="file" name="file">
</div>
<div class="form-group">
    <label for="birthdate">Birthdate:</label>
    <input type="date" id="birthdate" name="birthdate">
</div>
<div class="form-group">
    <center> <input type="submit" value="Register"></center>
</div>
</form>
</div>
<footer>

```

```

<div>*****|NAME : P.Y.N.D.V.KISHORE |&nbsp; &nbsp;|
REGD NO: 22A21F00A4|*****</div>
</footer>
<script>
function validateForm() {
    var name = document.getElementById('name').value;
    var email = document.getElementById('email').value;
    var password = document.getElementById('password').value;
    var confirmPassword =
document.getElementById('confirmPassword').value;
    var message = document.getElementById('message').value;
    var gender =
document.querySelector('input[name="gender"]:checked');
    var userType =
document.querySelector('input[name="type"]:checked');
    var booksYouWant =
document.querySelectorAll('input[name="Books You
Want"]:checked');
    var college = document.getElementById('college').value;
    var file = document.getElementById('file').value;
    var birthdate = document.getElementById('birthdate').value;

    // Perform individual field validations here

    if (name === "" || email === "" || password === "" ||
confirmPassword === "" || message === "" || !gender || !userType ||
booksYouWant.length === 0 || college === 'select' || file === "" ||
birthdate === "") {
        alert('Please fill in all fields');
        return false;
    }

    if (password !== confirmPassword) {
        alert('Passwords do not match');
        return false;
    }
}

```

```
// Add more validations as needed
```

```
return true;
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

Output:

The screenshot shows a web browser window with multiple tabs. The active tab is titled 'Registration Form' and displays a registration page. The page has a light green background. At the top center, there is a 'REGISTER NOW' button with a purple and orange gradient. Below this, the text 'REGISTRATION PAGE' is displayed in purple. The main content area is titled 'Enter the Details' and contains a form with the following fields: First Name, Middle Name, Last Name, Password, Gender (with radio buttons for Male and Female), E-Mail, Date of Birth (with a calendar icon), Mobile Number (with a dropdown for country code), and Address (with sub-fields for Door-number, Street-name, City, and Pincode). A red 'Register' button is located at the bottom right of the form. The browser's address bar shows the file path 'C:/Users/jaddu/OneDrive/Desktop/jhansi1/Registration.html'. The Windows taskbar at the bottom shows the date and time as 10:37 on 21-11-2023.

c)User Profile Page

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
  <meta name="viewport" content="width=device-width, initial-  
scale=1.0">
```

```
  <title>Contact Us</title>
```

```
  <style>
```

```
    body {
```

```
      font-family: Arial, sans-serif;
```

```
      margin: 0;
```

```
      padding: 0;
```



```
background-color: #f4f4f4;
background-image: url(bgg.jpeg);
}
```

```
header {
background-color:white;
background-image: url(bgg.jpeg);
color: #fff;
padding: 10px 0;
text-align: center;
}
```

```
nav {
background-color: #444;
text-align:left;
}
```

```
nav a {
text-decoration: none;
color: #fff;
margin: 10px;
padding: 10px 20px;
display: inline-block;
transition: background-color 0.3s ease;
}
```

```
nav a:hover {
background-color:darkorange;
}
```

```
.container {
height: auto;
max-width: 800px;
margin: 2px auto;
padding: 20px;
color: #f4f4f4;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.2);
}
```

```

        border-radius: 5px;
    }

    h1 {
text-align: center;
color:sandybrown;
background-color: black;
max-width: 25%;
}

    h2 {
        background-color: black;
        color: red;
    }

    p {
        text-align: center;
        color: #777;
        font-family: system-ui, -apple-system, BlinkMacSystemFont,
'Segoe UI', Roboto, Oxygen, Ubuntu, Cantarell, 'Open Sans',
'Helvetica Neue', sans-serif;
    }
    footer {
background-color: #333;
color: white;
text-align: center;
padding: 1em;
}
    p {
        color: seashell;
    }

</style>
</head>
<body>
    <header>
        <CENTER> <h1>ONLINE BOOK STORE</h1></CENTER>

```

</header>

<nav>

[Home](index.html)

[Books catalog](bookscatalog.html)

[Book Store](bookstore.html)

[Registration Form](detailsform.html)

[Sign Up/Login](signuporlogin.html)

[Contact Us](contactus.html)

</nav>

<div class="container">

<h2>Contact Us</h2></center>

<p>Customer Support</p>

<p>Email: bookstoreonline@gmail.com

Phone:6303585210

</p>

<p>

Mailing Address :

ONLINE BOOK STORE

[BANGLORE,KARNATAKA,560001]

[INDIA]

</p>

<div>.</div>

<div>.</div>

<center><h2> Social Media</h2></center>

<p>Facebook: @bookstoreonline

Twitter: @bookstoreonline9

Instagram:online_book_stores
</p>

<div>.</div>

<div>.</div>

<center><h2>Feedback and Inquiries :</h2> </center>

<p> Have any questions, feedback, or inquiries? Fill out the form below, and we'll get back to you as soon as possible.

```


</p> </div>

<div>.</div>

<footer>
    <div>*****|NAME : P.Y.N.D.V.KISHORE |&nbsp; &nbsp;|
REGD NO: 22A21F00A4|*****</div>
</footer>
</body>
</html>

```

Output:



d) Books CatLog

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1.0">

```

```
<title>Faculty Details Form</title>
<style>
  body {
font-family: Arial, sans-serif;
background-color: #f2f2f2;
background-image: url(bgg.jpeg);
margin: 0;
padding: 0;
}
header {
  background-color:white;
  background-image: url(bgg.jpeg);
  color: #fff;
  padding: 10px 0;
  text-align: center;
}

  nav {
    background-color: #444;
    text-align:left;
  }

  nav a {
    text-decoration: none;
    color: #fff;
    margin: 10px;
    padding: 10px 20px;
    display: inline-block;
    transition: background-color 0.3s ease;
  }

  nav a:hover {
    background-color:darkorange;
  }

.container {
  max-width: 600px;
```

```

margin: 0 auto;
background-color: #ffffff;
padding: 20px;
box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
border-radius: 5px;
}

h1 {
text-align: center;
color: sandybrown;
background-color: black;
max-width: 25%;
}
h2 {
background-color: black;
color: red;
max-width: 27%;
}

h3 {
background-color: black;
color: white;
max-width: 20%;
}
footer {
background-color: #333;
color: white;
text-align: center;
padding: 1em;
}

</style>
</head>
<body>
<header>
<CENTER> <h1>ONLINE BOOK STORE</h1></CENTER>
</header>

```

<nav>

Home

Books catalog

Book Store

 Registration Form

Sign Up/Login

Contact Us

</nav>

<div class="container">

<h2>Book Catalog</h2>

<h3>MCA BOOKS</h3>

<table border="1px">

<tr>

<th>Title</th>

<th>Author</th>

<th>Description</th>

<th>Price</th>

<th>Rating</th>

</tr>

<tr>

<td><center> Advanced Python programming</center></td>

<td>[Author Name]</td>

<td>the book which will provide the complete info about the
python programming</td>

<td>399/-</td>

<td>★★★★☆</td>

</tr>

<tr></tr>

<tr></tr>

```

<tr>
  <th>Title</th>
  <th>Author</th>
  <th>Description</th>
  <th>Price</th>
  <th>Rating</th>

</tr>
<tr>
  <td><center>Java</center></td>
  <td>[Author Name]</td>
  <td>the book which will provide the complete info about the
java programming</td>
  <td>300/-</td>
  <td>★★★★☆</td>

</tr>
<tr></tr>
<tr></tr>
<tr>
  <th>Title</th>
  <th>Author</th>
  <th>Description</th>
  <th>Price</th>
  <th>Rating</th>

</tr>
<tr>
  <td><center>DBMS</center></td>
  <td>[Author Name]</td>
  <td>the book which will provide the complete info about the
databases</td>
  <td>299/-</td>
  <td>★★★★☆</td>

</tr>
<tr></tr>

```



```

<tr></tr>
<tr>
  <th>Title</th>
  <th>Author</th>
  <th>Description</th>
  <th>Price</th>
  <th>Rating</th>

</tr>
<tr>
  <td><center>probability and statistics</center></td>
  <td>[Author Name]</td>
  <td>the book which will provide the complete info about the
statistics</td>
  <td>349/-</td>
  <td>★★★★☆</td>

</tr>
<tr></tr>
<tr></tr>

<tr>
  <th>Title</th>
  <th>Author</th>
  <th>Description</th>
  <th>Price</th>
  <th>Rating</th>

</tr>
<tr>
  <td><center>Cryptography and Network
securities</center></td>
  <td>[Author Name]</td>
  <td>the book which will provide the complete info about the
CNS</td>
  <td>399/-</td>
  <td>★★★★☆</td>

```

```

</tr>
<tr></tr>
<tr></tr>

<tr>
  <th>Title</th>
  <th>Author</th>
  <th>Description</th>
  <th>Price</th>
  <th>Rating</th>

</tr>
<tr>
  <td><center>machine learning with python</center></td>
  <td>[Author Name]</td>
  <td>the book which will provide the complete info about the
machine learning</td>
  <td>399/-</td>
  <td>★★★★☆</td>

</tr>
<tr></tr>
<tr></tr>


</table>

<footer>
  <div>*****|NAME : P.Y.N.D.V.KISHORE |&nbsp; &nbsp;|
REGD NO: 22A21F00A4|*****</div>
</footer>

</body>
</html>

```

Output:



e) Shopping Cart

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Book Store</title>
```

```
<style>
```

```
body {  
    font-family: Arial, sans-serif;  
    background-image: url(bgg.jpeg);  
    margin: 0;  
    padding: 0;  
}
```

```
header {
```

```
background-color: #333;  
color:white;  
font-size: large;  
font-family: 'Times New Roman', Times, serif;  
text-align: center;  
padding: 1em;  
max-width: 65%;  
}
```

```
.container {  
  max-width: 1000px;  
  margin: 0 auto;  
  padding: 1em;  
  display: flex;  
  flex-wrap: wrap;  
  justify-content: space-around;  
}
```

```
.book {  
  border: 1px solid #ddd;  
  padding: 1em;  
  margin: 1em;  
  display: inline-block;  
  border-radius: 15px;  
  width: calc(25% - 2em);  
  text-align: center;  
}
```

```
.book img {  
  max-width: 100%;  
}
```

```
.book h2 {  
  margin: 0;  
}
```

```
.book p {
```

```
margin: 0;
}
```

```
.book button {
margin-top: 1em;
background-color: #333;
color: white;
border: none;
padding: 0.5em 1em;
cursor: pointer;
}
```

```
.book input[type="button"] {
background-color: #333;
color: white;
border: none;
padding: 0.5em 1em;
cursor: pointer;
}
```

```
footer {
background-color: #333;
color: white;
text-align: center;
padding: 1em;
}
```

```
.ecommerce-logos {
display: flex;
justify-content: center;
align-items: center;
margin-top: 1em;
}
```

```
.ecommerce-logo {
margin: 0 10px;
width: 60px;
```

```
}
```

```
@media (max-width: 700px) {  
  .container {  
    flex-direction: column;  
    align-items: center;  
  }  
}
```

```
.book {  
  width: 100%;  
  margin: 0;  
}  
}
```

```
header :hover {  
  color: crimson;  
  font-family: 'Times New Roman', Times, serif;  
}
```

```
h2{  
  background-color: #ddd;  
}  
p{  
  background-color: #ddd;  
  max-width: 100%;  
}  
h1 {  
  color: tan;  
}
```

```
</style>
```

```
</head>
```

```
<body> <center><header>
```

```
  <marquee behavior="flex-direction" direction="flex-  
direction"><h1>Welcome to our Book Store | Welcome to our  
Book Store | Welcome to our Book Store</h1></marquee>  
</header></center>
```

```
<div class="container">
  <div class="book">
    
    <h2>Web Technologies</h2>
    <p>Author: Author Name</p>
    <p>Price: 399/-</p>
    <center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
    <center><input type="button" value="ADD TO
CART"></center>
```

```
    <script>
      function redirectToAnotherPage() {
        window.location.href="creditcard.html";
      }
    </script>
  </div>
  <div class="book">
    
    <h2>Java</h2>
    <p>Author: Author Name</p>
    <p>Price: 300/-</p>
    <center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
    <center><input type="button" value="ADD TO
CART"></center>
```

```
    <script>
      function redirectToAnotherPage() {
        window.location.href="creditcard.html";
      }
    </script>
  </div>
```

```
<div class="book">
  
  <h2>DBMS</h2>
  <p>Author: Author Name</p>
  <p>Price: $299/-</p>
  <center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
  <center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
  function redirectToAnotherPage() {
    window.location.href="creditcard.html";
  }
</script>
</div>
```

```
<div class="book">
  
  <h2>statistics</h2>
  <p>Author: Author Name</p>
  <p>Price: 349/-</p>
  <center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
  <center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
  function redirectToAnotherPage() {
    window.location.href="creditcard.html";
  }
</script>
</div>
```

```
<div class="book">
```



```

```

```
<h2>Cryptography</h2>
```

```
<p>Author: Author Name</p>
```

```
<p>Price: 399/-</p>
```

```
<center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
```

```
<center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
```

```
function redirectToAnotherPage() {
    window.location.href="creditcard.html";
}
```

```
</script>
```

```
</div>
```

```
<div class="book">
```

```

```

```
<h2>M L P</h2>
```

```
<p>Author: Author Name</p>
```

```
<p>Price: 399/-</p>
```

```
<center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
```

```
<center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
```

```
function redirectToAnotherPage() {
    window.location.href="creditcard.html";
}
```

```
</script>
```

```
</div>
```

```
<div class="book">
```

```

<h2>statistics</h2>
<p>Author: Author Name</p>
<p>Price: 349/-</p>
<center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
<center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
function redirectToAnotherPage() {
    window.location.href="creditcard.html";
}
</script>
</div>
```

```
<div class="book">

<h2>Cryptography</h2>
<p>Author: Author Name</p>
<p>Price: 399/-</p>
<center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
<center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
function redirectToAnotherPage() {
    window.location.href="creditcard.html";
}
</script>
</div>
```

```
<div class="book">
```

```

```

```
<h2>M L P</h2>
```

```
<p>Author: Author Name</p>
```

```
<p>Price: 399/-</p>
```

```
<center><button onclick="redirectToAnotherPage()">BUY
NOW</button></center>
```

```
<center><input type="button" value="ADD TO
CART"></center>
```

```
<script>
```

```
function redirectToAnotherPage() {
    window.location.href="creditcard.html";
}
```

```
</script>
```

```
</div>
```

```
</div>
```

```
<footer>
```

```
<div>contact us through</div>
```

```
<div class="ecommerce-logos">
```

```

```

```

```

```
</div>
```


```
<div>NAME : P.Y.N.D.V.KISHORE <br> REGD NO:
22A21F00A4</div>
```

```
</footer>
```

```
</body>
```

```
</html>
```

Output:



f) Payment by Credit Card

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Credit Card Payment</title>
```

```
<style>
```

```
h1 {
```

```
background-color: #007bff;
```

```
}
```

```
body {
```

```
font-family: Arial, sans-serif;
```

```
margin: 0;
```

```
padding: 0;
```

```
background-color: #f0f0f;
```

```
}
```

```
.payment-container {  
max-width: 400px;
```

```
margin: 100px auto;
padding: 20px;
background-color: #fff;
box-shadow: 0 0 5px rgba(0, 0, 0, 0.2);
}
```

```
.payment-form label {
display: block;
margin-bottom: 5px;
}
```

```
.payment-form input {
width: 100%;
padding: 10px;
margin-bottom: 15px;
border: 1px solid #ccc;
border-radius: 8px;
}
```

```
.payment-form button {
background-color: #007bff;
color: white;
border: none;
padding: 10px 20px;
border-radius: 5px;
cursor: pointer;
}
```

```
.payment-form button:hover {
background-color: #0056b3;
}
```

```
footer {
text-align: center;
font-size: medium;
background-color: oldlace;
color: black;
}
```

```

    font-style: oblique;
}
</style>
</head>
<body>
    <div class="payment-container">
        <h1>Enter Credit Card Information</h1>
        <form class="payment-form" action="process_payment.php"
method="post">
            <label for="card-number">Card Number:</label>
            <input type="text" id="card-number" name="card-number"
required>

            <label for="expiry">Expiration Date:</label>
            <input type="text" id="expiry" name="expiry"
placeholder="MM/YY" required>

            <label for="cvv">CVV:</label>
            <input type="text" id="cvv" name="cvv" required>

            <center><button
onclick="redirectToAnotherPage()">submit</button></center>
            <script>
                function redirectToAnotherPage() {
                    window.location.href="orderconfirm.html";
                }
            </script>
        </form>
    </div>
</body>
<footer>
    .....thank you for shopping with us..... <br> NAME :
P.Y.N.D.V.KISHORE <br> REGD NO: 22A21F00A4
</footer>
</html>

```

Output:

PAYMENT FORM

Enter Card Details

!!Please Ensure that your Card is enabled for online transactions!!

E-mail:

Card Number

Expiry Date

Choose Date

Choose Date

g) Order Confirmation

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Order Confirmation</title>
```

```
<style>
```

```
body {
```

```
    font-family: Arial, sans-serif;
```

```
    text-align: center;
```

```
}
```

```
.confirmation-container {
```

```
    max-width: 500px;
```

```
    margin: 100px auto;
```

```
    padding: 20px;
```

```
    border: 1px solid #ccc;
```

```
    border-radius: 5px;
```

```
    background-color: #f9f9f9;
```


```
}
```

```
h1 {
```

```
    color: #007bff;
```

```
}
p {
  margin: 10px 0;
}
.btn-home {
  background-color: #007bff;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
  cursor: pointer;
}
button {
  background-color: #007bff;
}
</style>
</head>
<body>
  <div class="confirmation-container">
    <h1>Order Confirmation</h1>
    <p>Thank you for your order!</p>
    <p>Your order has been successfully placed and will be processed
shortly.</p>
    <p>Order Number: <strong>#12345</strong></p>
    <p>Total Amount: <strong>***</strong></p>
    <center><button onclick="redirectToAnotherPage()">back to
home</button></center>
    <script>
      function redirectToAnotherPage() {
        window.location.href="index.html";
      }
    </script>
  </div>
</body>
</html>
```


Output:



Order Confirmation

Thank you for your order!

Your order has been successfully placed and will be processed shortly.

Order Number: **#12345**

Total Amount: *****/-**

[back to home](#)