	Role	API	end-point	method	Request	Response *quiz:[Query Parameters
	Student	GetQuiz	/api/getquiz	GET	GET https://locathosts. 5980/ani/Johnsut "Content-Type: application/json"	"question id" 1. "question "Aurober of primitive data types in Java are?", "question" "Number of primitive data types in Java are?", "option!" 7. "option!" 7. "option!" 7. "option!" 7. "option!" 8. "dhoice" null, "quizid" 1011, "links" 1. "href": "http://localhost.8080/api/getquiz" }, "result" 1. "result" 1. "question id" 2. "category" "Java", "option!" 8. "option!" 8. "option!" 8. "option!" 9. "option!" 9. "href": "http://localhost.8080/api/getquiz" }, "result" 1. "href": "http://localhost.8080/api/getquiz" }, "aurobion!" 1011, "links" 1. "href": "http://localhost.8080/api/getquiz" }, "question id" 3. "category" "Java", "question id" 3. "category" "Java", "question!" 8. "option!" 1. "http://localhost.8080/api/getquiz" }, "meati": "http://localhost.8080/api/getquiz"], "seati": "http://localhost.8080/api/getquiz"], "category" "Java", "question!" Number of primitive data types in Java are?", "option!" 6. "http://localhost.8080/api/getquiz"], "seati": "http://localhost.8080/api/getquiz"], "seati": "http://localhost.8080/api/getquiz"], "seati": "http://localhost.8080/api/getquiz"], "http://loca	
	Student	SubmitQuiz	/api/submit	POST	POST https://localhost: 8080/api/submit "Content-Type: application/json" { "choice": [2,3,1,2]	F	
	when student open gradebook	GelResullOfAllQuizzesGrad	d/api/getresultgradebook	GET	GET https://localhost. 8888/ani/setresultorade 1000/C **Content-Type: application/son**	result {	
	Student	GetResultCategory	/api/getresultcategory	GET	GET https://localhost. 8080/api/getresultrateg gry "Content-Type: application/json"	result {	/api/getresultcategory?category= [categoryname]

Student	GetOverallResult	/api/getresultoverall	GET	GET https://localhost: 8080/api/getresultoveral "Content-Type: application/json"	Tresult : Tutto_rinoatinoa.cosoratopiquetessinetali	
Student	GetInstantResult	/api/getresultbyquizid	GET	GET https://localhost: 8080/api/getresultbyqui zid 'Content-Type: application/json'	resuft: "userid: 123, "quzid:: 1011, "conectaresver": 4, "self::("her": "http://locathost.8080/api/getresuftbyquizid/1011" }"resuft::("her": "http://locathost.8080/api/getresuftbyquizid/1011" } }	/api/getresultbyquizid?quizid= [quizid]
Admin	GetAllStudentswithGrade	/api/alistudentsresult	GET	GET https://localhost. 8080/api/cetallstudentre sult "Content-Type: application/json"	result ["userid: 123, "quazid: 1011, "totalmank: 8, "est in the state of the	

Admin GelAllQuizzes	/api/getquiz	GET https://localised.com/ GET SSSS.and.getrouz/ Content-Type: application/port	"question x" 1, "category " 1 avs "question x" 1, "category " 1 avs "question x" 1, "q