

Instances | EC2 | eu-north-1

eu-north-1.console.aws.amazon.com/ec2/home?region=eu-north-1#Instances:instanceState=running;v=3;\$case=true%5Cclient:false;\$regex=tags:false%5Cclient:false

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

Dashboard EC2 Global View Events Instances Instances Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations Images AMIs AMI Catalog Elastic Block Store Volumes Snapshots

Instances (3) Info Last updated less than a minute ago Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive) All states

Instance state = running Clear filters

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
<input type="checkbox"/>	build	i-0b66067d76b782259	Running ⓘ ⓘ	t3.micro	Initializing ⓘ	View alarms +	eu-north-1b	ec2-13-6
<input type="checkbox"/>	test	i-007dfb7b9da372cc7	Running ⓘ ⓘ	t3.micro	Initializing ⓘ	View alarms +	eu-north-1b	ec2-13-6
<input type="checkbox"/>	prod	i-01d30dae2c9c6357c	Running ⓘ ⓘ	t3.micro	Initializing ⓘ	View alarms +	eu-north-1b	ec2-13-6


Select an instance

CloudShell Feedback

Type here to search

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

27°C Haze ENG 06:03 PM 28-01-2025



i-0b66067d76b782259 (build)

Public IPs: 13.60.194.145 Private IPs: 172.31.35.164

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates. [Privacy](#) [Terms](#) [Cookie preferences](#)



Type here to search



06:08 PM
28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north A Installing Ansible on specific op

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=eu-north-1

Gmail YouTube Maps Console Home | eu-north NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
Get:30 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages [13.4 kB]
Get:31 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe Translation-en [11.4 kB]
Get:32 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [17.6 kB]
Get:33 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata [1104 B]
Get:34 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216 B]
Get:35 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata [116 B]
Get:36 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:37 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Get:38 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [116 kB]
Get:39 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [7236 B]
Get:40 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [802 kB]
Get:41 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [171 kB]
Get:42 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.0 kB]
Get:43 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [13.5 kB]
Get:44 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [608 kB]
Get:45 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [117 kB]
Get:46 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:47 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [12.4 kB]
Get:48 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [2940 B]
Get:49 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:50 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [356 B]
Fetched 32.0 MB in 6s (5608 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
49 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-35-164:~$ sudo apt install software-properties-common
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:09 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north A Installing Ansible on specific op

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=eu-north-1

Gmail YouTube Maps Console Home | eu-north NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
Get:37 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Get:38 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [116 kB]
Get:39 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [7236 B]
Get:40 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [802 kB]
Get:41 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [171 kB]
Get:42 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.0 kB]
Get:43 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [13.5 kB]
Get:44 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [608 kB]
Get:45 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [117 kB]
Get:46 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:47 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [12.4 kB]
Get:48 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [2940 B]
Get:49 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:50 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [356 B]
Fetched 32.0 MB in 6s (5608 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
49 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-35-164:~$ sudo apt install software-properties-common
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
software-properties-common is already the newest version (0.99.49.1).
software-properties-common set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 49 not upgraded.
ubuntu@ip-172-31-35-164:~$ sudo add-apt-repository --yes --update ppa:ansible/ansible
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



06:09 PM
28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north A Installing Ansible on specific op

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=eu-north-1

Gmail YouTube Maps Console Home | eu-north NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
0 upgraded, 0 newly installed, 0 to remove and 49 not upgraded.  
ubuntu@ip-172-31-35-164:~$ sudo add-apt-repository --yes --update ppa:ansible/ansible  
Repository: 'Types: deb  
URIs: https://ppa.launchpadcontent.net/ansible/ansible/ubuntu/  
Suites: noble  
Components: main  
'  
Description:  
Ansible is a radically simple IT automation platform that makes your applications and systems easier to deploy. Avoid writing scripts or custom code to deploy and update your applications— automate in a language that approaches plain English, using SSH, with no agents to install on remote systems.  
http://ansible.com/  
If you face any issues while installing Ansible PPA, file an issue here:  
https://github.com/ansible-community/ppa/issues  
More info: https://launchpad.net/~ansible/+archive/ubuntu/ansible  
Adding repository.  
Hit:1 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble InRelease  
Hit:2 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease  
Hit:3 http://eu-north-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease  
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease  
Get:5 https://ppa.launchpadcontent.net/ansible/ansible/ubuntu noble InRelease [17.8 kB]  
Get:6 https://ppa.launchpadcontent.net/ansible/ansible/ubuntu/noble/main amd64 Packages [772 B]  
Get:7 https://ppa.launchpadcontent.net/ansible/ansible/ubuntu/noble/main Translation-en [472 B]  
Fetched 19.0 kB in 1s (31.0 kB/s)  
Reading package lists... Done  
ubuntu@ip-172-31-35-164:~$ sudo apt install ansible
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:09 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north A Installing Ansible on specific op

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=eu-north-1

Gmail YouTube Maps Console Home | eu-north NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
Preparing to unpack .../10-sshpss_1.09-1_amd64.deb ...
Unpacking sshpass (1.09-1) ...
Setting up python3-ntlm-auth (1.5.0-1) ...
Setting up python3-resolvelib (1.0.1-1) ...
Setting up python3-kerberos (1.1.14-3.1build9) ...
Setting up ansible-core (2.17.7-1ppa~noble) ...
Setting up sshpass (1.09-1) ...
Setting up python3-xmldict (0.13.0-1) ...
Setting up ansible (10.7.0-1ppa~noble) ...
Setting up python3-nacl (1.5.0-4build1) ...
Setting up python3-requests-ntlm (1.1.0-3) ...
Setting up python3-winrm (0.4.3-2) ...
Setting up python3-paramiko (2.12.0-2ubuntu4.1) ...
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-35-164:~$ ssh-keygen
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:11 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x A Installing Ansible on specific op x +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=eu-north-1

Gmail YouTube Maps Console Home | eu-north NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

```
ubuntu@ip-172-31-35-164:~$ ssh-keygen
Generating public/private ed25519 key pair.
Enter file in which to save the key (/home/ubuntu/.ssh/id_ed25519):
Enter passphrase (empty for no passphrase):
Enter same passphrase again:
Your identification has been saved in /home/ubuntu/.ssh/id_ed25519
Your public key has been saved in /home/ubuntu/.ssh/id_ed25519.pub
The key fingerprint is:
SHA256:KP+MRwAQsz0R2Txj14QNx8o3uEH3zHUKWpHNbVOVJPs ubuntu@ip-172-31-35-164
The key's randomart image is:
+--[ED25519 256]--+
| .++oBo . = . oooo |
| ..*o=.= + + = o. |
| ...* = * o + o |
| o = =.+ . . |
| o .+oS E |
| . .o . |
| .. |
| +. |
| ..o |
+---[SHA256]---+
ubuntu@ip-172-31-35-164:~$
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:11 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x A Installing Ansible on specific op x +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu®ion=

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

The key fingerprint is:
SHA256:KP+MRwAQsz0R2Txj14QNx8o3uEH3zHUKWpHNbVOVJPs ubuntu@ip-172-31-35-164
The key's randomart image is:
+--[ED25519 256]--+
.++o.Bo = . oooo|
|..*o=.= + + = o. |
|...* = * o + o |
| o = .+ . . |
|o .+.oS E |
| . .o . |
| .. |
| +. |
| ... |
+---[SHA256]---+
ubuntu@ip-172-31-35-164:~\$ ls -la
total 28
drwxr-x--- 4 ubuntu ubuntu 4096 Jan 28 12:37 .
drwxr-xr-x 3 root root 4096 Jan 28 12:32 ..
-rw-r--r-- 1 ubuntu ubuntu 220 Mar 31 2024 .bash_logout
-rw-r--r-- 1 ubuntu ubuntu 3771 Mar 31 2024 .bashrc
drwx----- 2 ubuntu ubuntu 4096 Jan 28 12:34 .cache
-rw-r--r-- 1 ubuntu ubuntu 807 Mar 31 2024 .profile
drwx----- 2 ubuntu ubuntu 4096 Jan 28 12:41 .ssh
-rw-r--r-- 1 ubuntu ubuntu 0 Jan 28 12:37 .sudo_as_admin_successful
ubuntu@ip-172-31-35-164:~\$ cat .ssh/id_ed25519.pub
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIEPYzkX9Zp8dMqYrSi9p8mTVoAOH750gszM5p+0/IOWD ubuntu@ip-172-31-35-164
ubuntu@ip-172-31-35-164:~\$

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:14 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | A Installing Ansible on specific op

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-007dfb7b9da372cc7&osUser=ubuntu&sshPort...

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

Usage of /: 24.9% of 6.71GB Processes: 111
Memory usage: 24% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.35.0

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-35-0:~\$

i-007dfb7b9da372cc7 (test)

PublicIPs: 13.60.46.91 PrivateIPs: 172.31.35.0

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze 06:14 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-007dfb7b9da372cc7&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

System information as of Tue Jan 28 12:45:53 UTC 2025

```
System load: 0.0 Temperature: -273.1 C
Usage of /: 25.2% of 6.71GB Processes: 109
Memory usage: 22% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.35.0
```

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

```
Last login: Tue Jan 28 12:34:11 2025 from 13.48.4.203
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-35-0:~$ cd .ssh
ubuntu@ip-172-31-35-0:~/ssh$ ls
authorized_keys
ubuntu@ip-172-31-35-0:~/ssh$
```

i-007dfb7b9da372cc7 (test)

PublicIPs: 13.60.46.91 PrivateIPs: 172.31.35.0

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences



Type here to search



27°C Haze

06:16 PM
28-01-2025



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-007dfb7b9da372cc7&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

System information as of Tue Jan 28 12:45:53 UTC 2025

```
System load: 0.0 Temperature: -273.1 C
Usage of /: 25.2% of 6.71GB Processes: 109
Memory usage: 22% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.35.0
```

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

```
Last login: Tue Jan 28 12:34:11 2025 from 13.48.4.203
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-35-0:~$ cd .ssh
ubuntu@ip-172-31-35-0:~/ssh$ ls
authorized_keys
ubuntu@ip-172-31-35-0:~/ssh$ sudo nano authorized_keys
```

i-007dfb7b9da372cc7 (test)

PublicIPs: 13.60.46.91 PrivateIPs: 172.31.35.0

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

06:16 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-007dfb7b9da372cc7&osUser=ubuntu&sshPort... ☆ 🌐 📁 🔍 📉 🌐

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2 authorized_keys *

```
ssh-rsa AAAAB3NzaC1yc2EAAAQABAAQC6NSD3R4F0GpePXPoTiqqEa3ybsgKUgmChw0TaIr1erUq80coToggkvaexqQCOKM06MwIX5lPRG6/kfC+1DH2cAV/Cw9ERbRB1+ljySMYsdN+YzRQxeIjrN6e59NvfAs>
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIEPYzkX9zp8dMqYrSi9p8mTVoAOH750gszM5p+0/IOWD ubuntu@ip-172-31-35-164
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location ^-U Undo M-A Set Mark M-J To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^-/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next

i-007dfb7b9da372cc7 (test)

Public IPs: 13.60.46.91 Private IPs: 172.31.35.0

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

27°C Haze 06:17 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-01d30dae2c9c6357c&osUser=ubuntu&sshPort... ☆ ⚡ 🌐 📁 🔍 📉 🌐

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

* Management: <https://landscape.canonical.com>
* Support: <https://ubuntu.com/pro>

System information as of Tue Jan 28 12:45:50 UTC 2025

System load: 0.0	Temperature: -273.1 C
Usage of /: 25.1% of 6.71GB	Processes: 107
Memory usage: 22%	Users logged in: 0
Swap usage: 0%	IPv4 address for ens5: 172.31.44.129

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

Last login: Tue Jan 28 12:34:14 2025 from 13.48.4.203
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-44-129:~\$

i-01d30dae2c9c6357c (prod)

PublicIPs: 13.60.179.78 PrivateIPs: 172.31.44.129

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:17 PM 28-01-2025

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-01d30dae2c9c6357c&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

System information as of Tue Jan 28 12:45:50 UTC 2025

```
System load: 0.0 Temperature: -273.1 C
Usage of /: 25.1% of 6.71GB Processes: 107
Memory usage: 22% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.44.129
```

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

The list of available updates is more than a week old.
To check for new updates run: sudo apt update

```
Last login: Tue Jan 28 12:34:14 2025 from 13.48.4.203
To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

ubuntu@ip-172-31-44-129:~$ cd .ssh
ubuntu@ip-172-31-44-129:~/ssh$ ls
authorized_keys
ubuntu@ip-172-31-44-129:~/ssh$ sudo nano authorized_keys
```

i-01d30dae2c9c6357c (prod)

PublicIPs: 13.60.179.78 PrivateIPs: 172.31.44.129

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:17 PM 28-01-2025

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-01d30dae2c9c6357c&osUser=ubuntu&sshPort... ☆ ⚡ 🌐 📁 🔍 📲 🗃

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2 authorized_keys *

```
ssh-rsa AAAAB3NzaC1yc2EAAAQABAAQC6NSD3R4F0GpePXPoTiqqEa3ybsgKUgmChw0TaIr1erUq80coToggkvaexqQCOKM06MwIX5lPRG6/kfC+1DH2cAV/Cw9ERbRB1+ljySMYsdN+YzRQxeIjrN6e59NvfAs>
ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIEPYzkX9zp8dMqYrSi9p8mTVoAOH750gszM5p+0/IOWD ubuntu@ip-172-31-35-164
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location ^-U Undo M-A Set Mark M-J To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next

i-01d30dae2c9c6357c (prod)

PublicIPs: 13.60.179.78 PrivateIPs: 172.31.44.129

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

06:18 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
ubuntu@ip-172-31-35-164:~$ cd /etc/ansible
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:19 PM 28-01-2025



Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
ubuntu@ip-172-31-35-164:~$ cd /etc/ansible
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible$ 
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:19 PM 28-01-2025



Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
ubuntu@ip-172-31-35-164:~$ cd /etc/ansible
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano hosts
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:19 PM 28-01-2025



Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... *

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2

```
hosts *
```

172.31.35.0
172.31.44.129

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location ^-U Undo M-A Set Mark M-J To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

06:22 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
ubuntu@ip-172-31-35-164:~$ cd /etc/ansible
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano hosts
ubuntu@ip-172-31-35-164:/etc/ansible$ ansible -m ping all
The authenticity of host '172.31.35.0 (172.31.35.0)' can't be established.
ED25519 key fingerprint is SHA256:vxDL6iFIjEQ0ER6Wk42/iCAkYl9JEV0aV6tKA4jf668.
This key is not known by any other names.
The authenticity of host '172.31.44.129 (172.31.44.129)' can't be established.
ED25519 key fingerprint is SHA256:uqQYbqJ5un6GMQIlmYqX9uiWA6Cockd54RbwDohEIwQ.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
[WARNING]: Platform linux on host 172.31.35.0 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.35.0 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": false,
    "ping": "pong"
}
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:24 PM 28-01-2025

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

The authenticity of host '172.31.44.129 (172.31.44.129)' can't be established.
ED25519 key fingerprint is SHA256:uqQYbqJ5un6GMQIImYqX9uiWA6Cockd54RbwDohEIWQ.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? [WARNING]: Platform linux on host 172.31.35.0 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.35.0 | SUCCESS => {
 "ansible_facts": {
 "discovered_interpreter_python": "/usr/bin/python3.12"
 },
 "changed": false,
 "ping": "pong"
}
yes
[WARNING]: Platform linux on host 172.31.44.129 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.44.129 | SUCCESS => {
 "ansible_facts": {
 "discovered_interpreter_python": "/usr/bin/python3.12"
 },
 "changed": false,
 "ping": "pong"
}
ubuntu@ip-172-31-35-164:/etc/ansible\$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible\$ sudo nano master.sh

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback



Type here to search



© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

27°C Haze

06:26 PM
28-01-2025



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | Linux

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... *

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2

```
master.sh *
sudo apt update
sudo apt install openjdk-11-jdk -y
sudo wget -O /usr/share/keyrings/jenkins-keyring.asc \
  https://pkg.jenkins.io/debian/jenkins.io-2023.key
echo "deb [signed-by=/usr/share/keyrings/jenkins-keyring.asc] \
  https://pkg.jenkins.io/debian binary/" \
  /etc/apt/sources.list.d/jenkins.list > /dev/null
sudo apt-get update
sudo apt-get install jenkins -y
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location ^M-U Undo M-A Set Mark M-J To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

27°C Haze ENG 06:30 PM 28-01-2025

Instances | EC2 | eu-north-1 x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... ☆

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

ED25519 key fingerprint is SHA256:uqQYbqJ5un6GMOIImYqX9uiWA6Cockd54RbwDohEIWQ.
This key is not known by any other names.
Are you sure you want to continue connecting (yes/no/[fingerprint])? [WARNING]: Platform linux on host 172.31.35.0 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.35.0 | SUCCESS => {
 "ansible_facts": {
 "discovered_interpreter_python": "/usr/bin/python3.12"
 },
 "changed": false,
 "ping": "pong"
}
yes
[WARNING]: Platform linux on host 172.31.44.129 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.44.129 | SUCCESS => {
 "ansible_facts": {
 "discovered_interpreter_python": "/usr/bin/python3.12"
 },
 "changed": false,
 "ping": "pong"
}
ubuntu@ip-172-31-35-164:/etc/ansible\$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible\$ sudo nano master.sh
ubuntu@ip-172-31-35-164:/etc/ansible\$ sudo nano slave.sh

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:30 PM 28-01-2025

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... Star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2

```
slave.sh *
sudo apt update
sudo apt install openjdk-11-jdk -y
sudo apt install docker.io -y
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location M-U Undo M-A Set Mark M-J To Bracket M-Q Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line M-E Redo M-6 Copy ^Q Where Was M-W Next

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

27°C Haze ENG 06:32 PM 28-01-2025

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort... [Alt+S]

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
in/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.35.0 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": false,
    "ping": "pong"
}
yes
[WARNING]: Platform linux on host 172.31.44.129 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.44.129 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": false,
    "ping": "pong"
}
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano master.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano slave.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts master.sh roles slave.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano play.yaml
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback



Type here to search



© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

27°C Haze

06:34 PM
28-01-2025



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort=22&... ☆

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

GNU nano 7.2 play.yaml *

```
---
- name: installing java and jenkins on master
  become: true
  hosts: localhost
  tasks:
    - name: executing master.sh
      script: master.sh
- name: installing java and docker on slaves
  become: true
  hosts: all
  tasks:
    - name: executing slave.sh
      script: slave.sh
```

^G Help ^O Write Out ^W Where Is ^K Cut ^T Execute ^C Location ^M-U Undo ^M-A Set Mark ^M-J To Bracket ^M-Q Where Was ^M-W Previous
^X Exit ^R Read File ^\ Replace ^U Paste ^J Justify ^/ Go To Line ^M-E Redo ^M-6 Copy ^M-W Next

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Type here to search

06:42 PM 28-01-2025 ENG 1

Instances | EC2 | eu-north-1 EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north EC2 Instance Connect | eu-north

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort=22&... [Star]    

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
"ansible_facts": {
    "discovered_interpreter_python": "/usr/bin/python3.12"
},
"changed": false,
"ping": "pong"
}
yes
[WARNING]: Platform linux on host 172.31.44.129 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.
172.31.44.129 | SUCCESS => {
    "ansible_facts": {
        "discovered_interpreter_python": "/usr/bin/python3.12"
    },
    "changed": false,
    "ping": "pong"
}
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts roles
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano master.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano slave.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts master.sh roles slave.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo nano play.yaml
ubuntu@ip-172-31-35-164:/etc/ansible$ ls
ansible.cfg hosts master.sh play.yaml roles slave.sh
ubuntu@ip-172-31-35-164:/etc/ansible$ ansible-playbook play.yaml
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:43 PM 28-01-2025

```
Instances | EC2 | eu-north-1 x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x EC2 Instance Connect | eu-north x +  
eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort=22&...       
 Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks  
aws Search [Alt+S]  
EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch   
TASK [Gathering Facts] ****  
ok: [localhost]  
  
TASK [executing master.sh] ****  
changed: [localhost]  
  
PLAY [installing java and docker on slaves] ****  
  
TASK [Gathering Facts] ****  
[WARNING]: Platform linux on host 172.31.44.129 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.  
ok: [172.31.44.129]  
[WARNING]: Platform linux on host 172.31.35.0 is using the discovered Python interpreter at /usr/bin/python3.12, but future installation of another Python interpreter could change the meaning of that path. See https://docs.ansible.com/ansible-core/2.17/reference_appendices/interpreter_discovery.html for more information.  
ok: [172.31.35.0]  
  
TASK [executing slave.sh] ****  
changed: [172.31.44.129]  
changed: [172.31.35.0]  
  
PLAY RECAP ****  
172.31.35.0 : ok=2    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0  
172.31.44.129 : ok=2    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0  
localhost      : ok=2    changed=1    unreachable=0    failed=0    skipped=0    rescued=0    ignored=0  
ubuntu@ip-172-31-35-164:/etc/ansible$
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 06:52 PM 28-01-2025

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

`/var/lib/jenkins/secrets/initialAdminPassword`

Please copy the password from either location and paste it below.

Administrator password

Continue



Type here to search



27°C Haze

07:08 PM
28-01-2025



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | Sign in [Jenkins]

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-0b66067d76b782259&osUser=ubuntu&sshPort=22&... star

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

```
ubuntu@ip-172-31-35-164:/etc/ansible$ jenkins --version
2.494
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo systemctl start jenkins
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo lsof -i -P -n | grep LISTEN
systemd      1          root    105u   IPv6      5463      0t0  TCP *:22 (LISTEN)
systemd-r   338  systemd-resolve    15u   IPv4      3652      0t0  TCP 127.0.0.53:53 (LISTEN)
systemd-r   338  systemd-resolve    17u   IPv4      3654      0t0  TCP 127.0.0.54:53 (LISTEN)
sshd       1070          root     3u   IPv6      5463      0t0  TCP *:22 (LISTEN)
java       7089      jenkins     8u   IPv6     31376      0t0  TCP *:8080 (LISTEN)
ubuntu@ip-172-31-35-164:/etc/ansible$ cat /var/lib/jenkins/secrets/initialAdminPassword
cat: /var/lib/jenkins/secrets/initialAdminPassword: Permission denied
ubuntu@ip-172-31-35-164:/etc/ansible$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
b1df329cd5304a469a9056834a3d53fa
ubuntu@ip-172-31-35-164:/etc/ansible$
```

i-0b66067d76b782259 (build)

PublicIPs: 13.60.194.145 PrivateIPs: 172.31.35.164

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Type here to search



27°C Haze ENG 07:11 PM 28-01-2025



Getting Started

Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

Install suggested plugins

Install plugins the Jenkins community finds most useful.

Select plugins to install

Select and install plugins most suitable for your needs.

Jenkins 2.494



Getting Started

Create First Admin User

Username

Password

Confirm password

Full name

Jenkins 2.494

Skip and continue as admin

Save and Continue



Type here to search



27°C Haze 07:15 PM 28-01-2025 ENG



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | Setup Wizard [Jenkins]

Not secure 13.60.194.145:8080

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Getting Started

Instance Configuration

Jenkins URL:

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the BUILD_URL environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.494

Not now Save and Finish

Type here to search

27°C Haze 07:15 PM 28-01-2025 ENG

Getting Started

Jenkins is ready!

Your Jenkins setup is complete.

[Start using Jenkins](#)

Jenkins 2.494

Not secure 13.60.194.145:8080

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

 Jenkins

admin 1 log out

Dashboard >

+ New Item

Add description

Build History

Manage Jenkins

My Views

Build Queue

No builds in the queue.

Build Executor Status

0/2

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job



Set up a distributed build

Set up an agent



Configure a cloud



Learn more about distributed builds



REST API

Jenkins 2.494

Not secure 13.60.194.145:8080/manage/

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

admin log out

Dashboard > Manage Jenkins

+ New Item

Manage Jenkins

Search settings /

Building on the built-in node can be a security issue. You should set up distributed builds. See [the documentation](#).

[Set up agent](#) [Set up cloud](#) [Dismiss](#)

System Configuration

Build Queue
No builds in the queue.

Build Executor Status 0/2

Nodes
Add, remove, control and monitor the various nodes that Jenkins runs jobs on.

System
Configure global settings and paths.

Tools
Configure tools, their locations and automatic installers.

Clouds
Add, remove, and configure cloud instances to provision agents on-demand.

Plugins
Add, remove, disable or enable plugins that can extend the functionality of Jenkins.

Appearance
Configure the look and feel of Jenkins

Security

Credentials
Configure credentials

Credential Providers
Configure the credential providers and types

13.60.194.145:8080/manage/computer

Type here to search

27°C Haze 07:16 PM 28-01-2025 ENG



Dashboard > Manage Jenkins > Nodes >



1



admin log out

Nodes

Clouds

Build Queue

No builds in the queue.

Build Executor Status

0/2

Nodes

+ New Node

Configure Monitors



S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Linux (amd64)	In sync	3.23 GiB	0 B	3.23 GiB	0ms

Icon: S M L

Legend



Type here to search



27°C Haze

07:16 PM
28-01-2025



REST API

Jenkins 2.494

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | New node [Jenkins]

Not secure 13.60.194.145:8080/manage/computer/new

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

Dashboard > Manage Jenkins > Nodes > New node

New node

Node name

Type

Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

Create

Not secure 13.60.194.145:8080/manage/computer/createlnem

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

admin 1 admin log out

Dashboard > Manage Jenkins > Nodes >

Name ?
test

Description ?

Plain text Preview

Number of executors ?
1

Remote root directory ?
/home/ubuntu/jenkins

Save

Type here to search

26°C Haze 07:21 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | Jenkins

Not secure 13.60.194.145:8080/manage/computer/createlitem

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Manage Jenkins > Nodes >

Jenkins Credentials Provider: Jenkins

Add Credentials

Domain: Global credentials (unrestricted)

Kind: SSH Username with private key

Scope: Global (Jenkins, nodes, items, all child items, etc)

ID: (empty)

Description: (empty)

Save

Type here to search

26°C Haze 07:23 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | Jenkins

Not secure 13.60.194.145:8080/manage/computer/createlnem

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Manage Jenkins > Nodes >

Jenkins Credentials Provider: Jenkins

ubuntu

Treat username as secret ?

Private Key

Enter directly

Key

VWA9vQKBgCUNavxsjPPCC7shRshbYn/jYRdvK1KOyP0/n3Zac56gJK2rEPzbGGEW
I+6LgnrcBZngAldLikEKW1qc5I4q21/02QiXG8VX+Gjh6fgzu2FaXcZZEV8r5R8i
BA9Tv3608X80AS1Xu4y8VvRIIXh5o2QonQKw9CRIyKbfVlxulf0c
-----END RSA PRIVATE KEY-----

Enter New Secret Below

Passphrase

Cancel Add

Save

Type here to search

26°C Haze 07:24 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | Jenkins

Not secure 13.60.194.145:8080/manage/computer/createlnem

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Manage Jenkins > Nodes >

Launch method ?

Launch agents via SSH

Host ?
172.31.35.0

Credentials ?
ubuntu

+ Add

Host Key Verification Strategy ?
Non verifying Verification Strategy

Advanced ▾

Availability ?
Keep this agent online as much as possible

Save

Type here to search

26°C Haze 07:26 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | Nodes [Jenkins]

Not secure 13.60.194.145:8080/manage/computer/

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

Dashboard > Manage Jenkins > Nodes >

Nodes

+ New Node Configure Monitors

Clouds

Build Queue
No builds in the queue.

Build Executor Status
Built-In Node 0/2
test 0/1

Nodes

S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Linux (amd64)	In sync	3.03 GiB	0 B	3.03 GiB	0ms
	test	Linux (amd64)	In sync	3.66 GiB	0 B	3.66 GiB	138ms

Data obtained 0.23 sec 0.23 sec 0.23 sec 0.22 sec 0.22 sec 0.22 sec

Icon: S M L Legend



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | EC2 Instance Connect | eu-north | New node [Jenkins]

Not secure 13.60.194.145:8080/manage/computer/new

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

admin log out

Dashboard > Manage Jenkins > Nodes > New node

New node

Node name

prod

Type

Permanent Agent

Adds a plain, permanent agent to Jenkins. This is called "permanent" because Jenkins doesn't provide higher level of integration with these agents, such as dynamic provisioning. Select this type if no other agent types apply — for example such as when you are adding a physical computer, virtual machines managed outside Jenkins, etc.

Copy Existing Node

test

Create

REST API

Jenkins 2.494

Type here to search



26°C Haze 07:27 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | prod Configuration [Jenkins] +

Not secure 13.60.194.145:8080/manage/computer/prod/configure

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Manage Jenkins > Nodes > prod > Configure

Usage : Use this node as much as possible

Launch method ? Launch agents via SSH

Host ? 172.31.44.129

Credentials ? ubuntu

+ Add

Host Key Verification Strategy ? Non verifying Verification Strategy

Advanced ▾ Edited

Availability ?

Save Apply

Type here to search

26°C Haze 07:28 PM 28-01-2025 ENG

Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | Nodes [Jenkins]

Not secure 13.60.194.145:8080/manage/computer/

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

Dashboard > Manage Jenkins > Nodes >

Nodes

+ New Node Configure Monitors

Clouds

Build Queue
No builds in the queue.

Build Executor Status
Built-In Node 0/2
prod 0/1
test 0/1

Nodes

S	Name ↓	Architecture	Clock Difference	Free Disk Space	Free Swap Space	Free Temp Space	Response Time
	Built-In Node	Linux (amd64)	In sync	3.03 GiB	! 0 B	3.03 GiB	0ms
	prod	Linux (amd64)	In sync	3.67 GiB	! 0 B	3.67 GiB	58ms
	test	Linux (amd64)	In sync	3.66 GiB	! 0 B	3.66 GiB	69ms
Data obtained		8.7 sec	8.7 sec	8.7 sec	8.7 sec	8.7 sec	8.7 sec

Icon: S M L

Legend

github.com/hshar/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

hshar / website Type to search

Code Issues Pull requests 90 Actions Projects Security Insights

website Public Watch 4 Fork 2.9k Star 27

master 1 Branch 0 Tags Go to file Add file Code

Ubuntu modified 883b439 · 6 years ago 2 Commits

images final 6 years ago

index.html modified 6 years ago

About No description, website, or topics provided.

Activity 27 stars 4 watching 2.9k forks

Report repository

Releases No releases published

Packages No packages published

Deployments 1

github-pages 2 years ago

Type here to search

github.com/hshar/website/fork

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

hshar / website Type to search


Code Issues Pull requests 90 Actions Projects Security Insights

Create a new fork

A *fork* is a copy of a repository. Forking a repository allows you to freely experiment with changes without affecting the original project. [View existing forks.](#)

Required fields are marked with an asterisk (*).

Owner *



Repository name *

A text input field with the word "website" typed into it. A green checkmark icon is positioned to the left of the input field.

website is available.

By default, forks are named the same as their upstream repository. You can customize the name to distinguish it further.

Description (optional)

Copy the master branch only

Contribute back to hshar/website by adding your own branch. [Learn more.](#)

ⓘ You are creating a fork in your personal account.

Create fork



Instances | EC2 | eu-north | EC2 Instance Connect | eu... | EC2 Instance Connect | eu... | EC2 Instance Connect | eu... | Nodes [Jenkins] | Udaykiran1998nov/website

github.com/Udaykiran1998nov/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

website Public

forked from [hshar/website](#)

master 1 Branch 0 Tags

This branch is up to date with [hshar/website:master](#).

Ubuntu modified 883b439 · 6 years ago 2 Commits

images final 6 years ago

index.html modified 6 years ago

README

Add a README

Help people interested in this repository understand your project by adding a README.

Pin Watch 0 Fork 0 Star 0

About

No description, website, or topics provided.

Activity 0 stars 0 watching 0 forks

Contribute Sync fork

Releases

No releases published [Create a new release](#)

Packages

No packages published [Publish your first package](#)

Languages

26°C Haze ENG 07:34 PM 28-01-2025

Type here to search

github.com/Udaykiran1998nov/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

website Public forked from [hshar/website](#)

master 1 Branch 0 Tags Go to file Add file Code + Create new file Contrib Upload files

This branch is up to date with [hshar/website:master](#).

Ubuntu modified 883b439 · 6 years ago 2 Commits

images final 6 years ago

index.html modified 6 years ago

README

Add a README

Help people interested in this repository understand your project by adding a README.

No description, website, or topics provided.

Activity 0 stars 0 watching 0 forks

About

Releases

Packages

Languages

https://github.com/Udaykiran1998nov/website/new/master

Type here to search

26°C Haze 07:34 PM 28-01-2025 ENG

```
1 FROM ubuntu
2 RUN apt update
3 RUN apt install apache2 -y
4 ENTRYPOINT apachectl -D FOREGROUND
5 ADD . /var/www/html/
```



Use + + to toggle the key moving focus. Alternatively, use then to move to the next interactive element on the page.

← → ⌂ github.com/Udaykiran1998nov/website/tree/master

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List zm Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

master website / Go to file Add file ...

Udaykiran1998nov Create Dockerfile 06716a3 · now History

This branch is 1 commit ahead of hshar/website:master .

Contribute Sync fork

Name	Last commit message	Last commit date
images	final	6 years ago
Dockerfile	Create Dockerfile	now
index.html	modified	6 years ago

Type here to search

26°C Haze 07:39 PM 28-01-2025 ENG

⚠ Not secure 13.60.194.145:8080

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - rauhan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Jenkins

Dashboard >

+ New Item Add description

Build History

Project Relationship

Check File Fingerprint

Manage Jenkins

My Views

Welcome to Jenkins!

This page is where your Jenkins jobs will be displayed. To get started, you can set up distributed builds or start building a software project.

Start building your software project

Create a job +

Build Queue ▾
No builds in the queue.

Build Executor Status ▾

Node	Status
Built-In Node	0/2
prod	0/1
test	0/1

13.60.194.145:8080/newJob REST API Jenkins 2.494

New Item

Enter an item name

Job1

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter.

OK



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Description

Plain text [Preview](#)

Discard old builds ?

GitHub project

This project is parameterized ?

Throttle builds ?

Execute concurrent builds if necessary ?

Restrict where this project can be run ?

Label Expression ?

test

Label test matches 1 node. Permissions or other restrictions provided by plugins may further reduce that list.

Save

Apply



github.com/Udaykiran1998nov/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

website Public forked from [hshar/website](#)

master 1 Branch 0 Tags

This branch is 1 commit ahead of [hshar/website:master](#).

Udaykiran1998nov Create Dockerfile

- images final
- Dockerfile Create Dockerfile
- index.html modified

README

Add a README

Help people interested in this repository understand your project by adding a README.

Pin Watch 0 Fork 0 Star 0

Local Codespaces

Clone [Copied!](https://github.com/Udaykiran1998nov/website.git)

HTTPS SSH GitHub CLI

Clone using the web URL.

Open with GitHub Desktop

Download ZIP

About

No description, website, or topics provided.

Activity 0 stars 0 watching 0 forks

Releases No releases published [Create a new release](#)

Packages No packages published [Publish your first package](#)

Languages

26°C Haze ENG 07:42 PM 28-01-2025

Instances | EC2 | eu-north x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | Job1 Config [Jenkins] x | Udaykiran1998nov/websi x +

Not secure 13.60.194.145:8080/job/Job1/configure

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Job1 > Configuration

Configure

Source Code Management

Connect and manage your code repository to automatically pull the latest code for your builds.

None

Git ?

Repositories ?

Repository URL ?

Credentials ?

+ Add

Advanced ▾

Add Repository

Save Apply

Type here to search

26°C Haze ENG 07:43 PM 28-01-2025

github.com/Udaykiran1998nov/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

website Public

forked from [hshar/website](#)

master 1 Branch 0 Tags

This branch is 1 commit ahead of [hshar/website:master](#).

Go to file Add file Code

Contribute Sync fork

Udaykiran1998nov Create Dockerfile 06716a3 · 3 minutes ago 3 Commits

images final 6 years ago

Dockerfile Create Dockerfile 3 minutes ago

index.html modified 6 years ago

README

Add a README

Help people interested in this repository understand your project by adding a README.

About

No description, website, or topics provided.

Activity 0 stars 0 watching 0 forks

Releases

No releases published [Create a new release](#)

Packages

No packages published [Publish your first package](#)

Languages

07:43 PM 28-01-2025 ENG

Type here to search

Windows Taskbar Icons

github.com/Udaykiran1998nov/website/branches

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - rauhan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Branches

New branch

Overview Yours Active Stale All

Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
master	4 minutes ago	Default			

Type here to search

26°C Haze 07:43 PM 28-01-2025 ENG

github.com/Udaykiran1998nov/website/branches

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type / to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Branches

New branch

Overview Yours Active Stale All

Search branches...

Default

Branch

master

Create a branch

New branch name: develop

Source: Udaykiran1998n... master

Cancel Create new branch

Behind Ahead Pull request Default

Type here to search

26°C Haze 07:43 PM 28-01-2025 ENG

[Overview](#) [Yours](#) [Active](#) [Stale](#) [All](#) Search branches...

Default

Branch	Updated	Check status	Behind	Ahead	Pull request
master	4 minutes ago	Default			Delete ...

Your branches

Branch	Updated	Check status	Behind	Ahead	Pull request
develop	now		0	0	Delete ...

Active branches

Branch	Updated	Check status	Behind	Ahead	Pull request
develop	now		0	0	Delete ...



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Add repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/develop



Add Branch

Repository browser ?

(Auto)



Additional Behaviours

Add ▾

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

Save

Apply




Add ▾

Configure



Source Code Management



Environment

Build Steps

Post-build Actions

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- Trigger builds remotely (e.g., from scripts) ?
- Build after other projects are built ?
- Build periodically ?
- GitHub hook trigger for GITScm polling ?
- Poll SCM ?

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- Delete workspace before build starts
- Use secret text(s) or file(s) ?
- Add timestamps to the Console Output
- Inspect build log for published build scans

SaveApply

Type here to search



26°C Haze

07:44 PM
28-01-2025

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Configure



General




Source Code Management



Triggers



Environment



Build Steps



Post-build Actions

Execute shell ?

Command

See the [list of available environment variables](#)

```
sudo docker build /home/ubuntu/jenkins/workspace/Job1/ -t imgone
sudo docker run -itd -p 81:80 --name=c1 imgone|
```

Advanced ▾

Add build step ▾

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action ▾

Save

Apply



Type here to search



26°C Haze

07:49 PM
28-01-2025

ENG



Jenkins



1



admin

log out

Dashboard > Job1 >



Status

Job1

Add description




</> Changes



Workspace



Build Now



Configure



Delete Project



GitHub Hook Log



Rename

Permalinks

Builds

...



Today



#1 2:20 PM



REST API

Jenkins 2.494




Type here to search



26°C Haze



07:51 PM
28-01-2025



Hello world!



GitHub

Instances | EC2 | eu- | EC2 Instance Conn... | EC2 Instance Conn... | EC2 Instance Conn... | Job1 Config [Jenkin... | Branches · Udaykira... | Intellipaat | +

Not secure 13.60.194.145:8080/job/Job1/configure

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Job1 > Configuration

Configure

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

Execute shell

Command

See the [list of available environment variables](#)

```
sudo docker rm -f c1
sudo docker build /home/ubuntu/jenkins/workspace/Job1/ -t imgone
sudo docker run -itd -p 81:80 --name=c1 imgone
```

Advanced ▾

Add build step ▾

Post-build Actions

Save Apply

Type here to search

26°C Haze 07:54 PM 28-01-2025 ENG

New Item

Enter an item name

Job2

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a

OK



Configure

General

Source Code Management

Plain text [Preview](#)

Discard old builds [?](#)

GitHub project

This project is parameterized [?](#)

Throttle builds [?](#)

Execute concurrent builds if necessary [?](#)

Restrict where this project can be run [?](#)

Label Expression [?](#)

test

[Label test](#) matches 1 node. Permissions or other restrictions provided by plugins may further reduce that list.

Advanced ▾

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

None

Git ?

Repositories ?

Repository URL ?

https://github.com/Udaykiran1998nov/website.git

Credentials ?

- none -

+ Add

Advanced ▾

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Branches to build ?

Branch Specifier (blank for 'any') ?

*/master



Add Branch

Repository browser ?

(Auto)



Additional Behaviours

Add ▾

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

Trigger builds remotely (e.g., from scripts) ?

Build after other projects are built ?

Save

Apply



Instances | EC2 | eu-north x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | Job2 Config [Jenkins] x | Udaykiran1998nov/websi x +

Not secure 13.60.194.145:8080/job/Job2/configure

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Dashboard > Job2 > Configuration

Configure

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- Trigger builds remotely (e.g., from scripts) ?
- Build after other projects are built ?
- Build periodically ?
- GitHub hook trigger for GITScm polling ?
- Poll SCM ?

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- Delete workspace before build starts
- Use secret text(s) or file(s) ?
- Add timestamps to the Console Output
- Inspect build log for published build scans
- Terminate a build if it's stuck
- With Ant ?

Save Apply


Type here to search

26°C Haze 07:59 PM 28-01-2025 ENG

Configure

Build Steps

Automate your build process with ordered tasks like code compilation, testing, and deployment.

[General](#)[Source Code Management](#)[Triggers](#)[Environment](#)[Build Steps](#)[Post-build Actions](#)

Execute shell ?

Command

See the [list of available environment variables](#)

```
#sudo docker rm -f c2
sudo docker build /home/ubuntu/jenkins/workspace/Job2/ -t imgtwo
sudo docker run -itd -p 82:80 --name=c2 imgtwo
```

[Advanced](#) ▾[Add build step](#) ▾

Post-build Actions

[Save](#)[Apply](#)

Instances | EC2 | eu-north x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | EC2 Instance Connect | eu... x | Job2 [Jenkins] x | Udaykiran1998nov/websi x +

Not secure 13.60.194.145:8080/job/Job2/

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - rauhan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

admin log out



Jenkins



admin

log out

Dashboard > Job2 >

Status

Job2

Add description

</> Changes

Workspace

▷ Build Now

⚙ Configure

trash Delete Project

GitHub Hook Log

✍ Rename

Permalinks

Builds

...

Today

✓ #1 2:33 PM

REST API

Jenkins 2.494




Type here to search



26°C Haze



08:03 PM
28-01-2025



Instances | EC2 | eu-north-1 | EC2 Instance Connect | eu-north-1 | EC2 Instance Connect | eu-north-1 | Job2 [Jenkins] | Udaykiran1998nov/webs... | +

eu-north-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=eu-north-1&connType=standard&instanceId=i-007dfb7b9da372cc7&osUser=ubuntu&sshPort=22&a...

Gmail YouTube Maps Console Home | eu-north-1 NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

aws Search [Alt+S]

EC2 IAM S3 VPC Billing and Cost Management EFS Amazon Simple Email Service Lambda CloudFormation Amazon Q Developer (Including Amazon CodeWhisperer) CloudFront CloudWatch

```
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstat to provide /usr/bin/jstat (jstat) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jstated to provide /usr/bin/jstated (jstated) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/serialver to provide /usr/bin/serialver (serialver) in auto mode
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jhsdb to provide /usr/bin/jhsdb (jhsdb) in auto mode
Setting up openjdk-17-jre:amd64 (17.0.13+11-2ubuntu1~24.04) ...
Setting up openjdk-17-jdk:amd64 (17.0.13+11-2ubuntu1~24.04) ...
update-alternatives: using /usr/lib/jvm/java-17-openjdk-amd64/bin/jconsole to provide /usr/bin/jconsole (jconsole) in auto mode
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
```

CONTAINER ID	IMAGE	COMMAND	CREATED	STATUS	PORTS	NAMES
628cc758215e	imgtwo	"/bin/sh -c 'apachec..."	28 seconds ago	Up 27 seconds	0.0.0.0:82->80/tcp, :::82->80/tcp	c2
29a477882348	imgone	"/bin/sh -c 'apachec..."	9 minutes ago	Up 9 minutes	0.0.0.0:81->80/tcp, :::81->80/tcp	c1

```
ubuntu@ip-172-31-35-0:~/ssh$
```

i-007dfb7b9da372cc7 (test)

PublicIPs: 13.60.46.91 PrivateIPs: 172.31.35.0



Type here to search



26°C Haze

08:04 PM
28-01-2025

Hello world!



GitHub





Jenkins



Dashboard > Job2 >

Status

Job2

Add description

</> Changes

Workspace

▷ Build Now

⚙ Configure

Delete Project

GitHub Hook Log

Rename

Permalinks

Builds

...

Today

✓ #1 2:33 PM

REST API

Jenkins 2.494



Type here to search



Automate your build process with ordered tasks like code compilation, testing, and deployment.

Configure



General



Source Code Management



Triggers



Environment



Build Steps



Execute shell

Command

See the [list of available environment variables](#)

```
sudo docker rm -f c2
sudo docker build /home/ubuntu/jenkins/workspace/Job2/ -t imgtwo
sudo docker run -itd -p 82:80 --name=c2 imgtwo
```

Advanced ▾

Add build step ▾

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action ▾

Save

Apply



Jenkins

Dashboard >

+ New Item Add description

All +

S	W	Name ↓	Last Success	Last Failure	Last Duration
✓	☀️	Job1	10 min #2	N/A	1.5 sec
✓	☀️	Job2	1 min 50 sec #1	N/A	1.3 sec

Build Queue ▾
No builds in the queue.

Icon: S M L

Build Executor Status ▾

Built-In Node	0/2
prod	0/1
test	0/1

13.60.194.145:8080/view/all/newJob REST API Jenkins 2.494

Type here to search

26°C Haze 08:05 PM 28-01-2025 ENG

New Item

Enter an item name

Job3

Select an item type



Freestyle project

Classic, general-purpose job type that checks out from up to one SCM, executes build steps serially, followed by post-build steps like archiving artifacts and sending email notifications.



Pipeline

Orchestrates long-running activities that can span multiple build agents. Suitable for building pipelines (formerly known as workflows) and/or organizing complex activities that do not easily fit in free-style job type.



Multi-configuration project

Suitable for projects that need a large number of different configurations, such as testing on multiple environments, platform-specific builds, etc.



Folder

Creates a container that stores nested items in it. Useful for grouping things together. Unlike view, which is just a filter, a

OK

Task View



Description

Configure



Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Plain text [Preview](#)

Discard old builds ?

GitHub project

This project is parameterized ?

Throttle builds ?

Execute concurrent builds if necessary ?

Restrict where this project can be run ?

Label Expression ?

prod |

Label prod matches 1 node. Permissions or other restrictions provided by plugins may further reduce that list.

Advanced ▾

Save

Apply




CONNECT AND MANAGE YOUR CODE REPOSITORY TO AUTOMATICALLY PULL THE LATEST CODE FOR YOUR BUILD.

Configure



Source Code Management



None

Git ?

Repositories ?

Repository URL ?

https://github.com/Udaykiran1998nov/website.git

Credentials ?

- none -

+ Add

Advanced ▾

Add Repository

Branches to build ?

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

+ Add

Advanced ▾

Add Repository

Branches to build ?

Branch Specifier (blank for 'any') ?

*/master



Add Branch

Repository browser ?

(Auto)



Additional Behaviours

Add ▾

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Additional Behaviours

Add ▾

Triggers

Set up automated actions that start your build based on specific events, like code changes or scheduled times.

- Trigger builds remotely (e.g., from scripts) ?
- Build after other projects are built ?
- Build periodically ?
- GitHub hook trigger for GITScm polling ?
- Poll SCM ?

Environment

Configure settings and variables that define the context in which your build runs, like credentials, paths, and global parameters.

- Delete workspace before build starts
- Use secret text(s) or file(s) ?

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute shell ?

Command

See [the list of available environment variables](#)

```
#sudo docker rm -f c3
sudo docker build /home/ubuntu/jenkins/workspace/job3/ -t imgthree
sudo docker run -itd -p 80:80 --name=c3 imgthree
```

Advanced ▾

Add build step ▾

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action ▾

Save

Apply



Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute shell ?

Command

See [the list of available environment variables](#)

```
#sudo docker rm -f c3
sudo docker build /home/ubuntu/jenkins/workspace/job3/ -t imgthree
sudo docker run -itd -p 80:80 --name=c3 imgthree|
```

Advanced ▾

Add build step ▾

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action ▾

Save

Apply



Hello world!



GitHub

Configure

General

Source Code Management

Triggers

Environment

Build Steps

Post-build Actions

Execute shell

Command

See the [list of available environment variables](#)

```
sudo docker rm -f c3
sudo docker build /home/ubuntu/jenkins/workspace/Job3/ -t imgthree
sudo docker run -itd -p 80:80 --name=c3 imgthree
```

Advanced ▾

Add build step ▾

Post-build Actions

Define what happens after a build completes, like sending notifications, archiving artifacts, or triggering other jobs.

Add post-build action ▾

Save

Apply



Not secure 13.60.194.145:8080

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

 Jenkins

admin 1 log out

Dashboard >

+ New Item Add description

All +

S W Name ↓ Last Success Last Failure Last Duration

		Job1	20 min #2	N/A	1.5 sec	
		Job2	11 min #1	N/A	1.3 sec	
		Job3	42 sec #3	4 min 59 sec #1	1.3 sec	

Build Queue

No builds in the queue.

Build Executor Status

Icon:	S	M	L
	Built-In Node	0/2	ooo
	prod	0/1	
	test	0/1	

Icon: S M L

REST API Jenkins 2.494

Instances | EC2 | eu- EC2 Instance Conn EC2 Instance Conn Dashboard [Jenkins] Udaykiran1998nov/ Intellipaat

github.com/Udaykiran1998nov/website

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type / to search

Code Pull requests Actions Projects Wiki Security Insights Settings

website Public

forked from hshar/website

Pin Watch 0 Fork 0 Star 0

master 2 Branches 0 Tags Go to file Add file Code

This branch is 1 commit ahead of hshar/website:master.

Contribute Sync fork

Udaykiran1998nov Create Dockerfile 06716a3 · 36 minutes ago 3 Commits

images final 6 years ago

Dockerfile Create Dockerfile 36 minutes ago

index.html modified 6 years ago

README

About No description, website, or topics provided.

Activity 0 stars 0 watching 0 forks

Releases No releases published Create a new release

Packages No packages published Publish your first package

Type here to search 26°C Haze 08:16 PM 28-01-2025 ENG

Instances | EC2 | eu- EC2 Instance Conn EC2 Instance Conn Dashboard [Jenkins] General Intellipaat

github.com/Udaykiran1998nov/website/settings

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type / to search

Code Pull requests Actions Projects Wiki Security Insights Settings

General

Access Collaborators Moderation options

Code and automation Branches Tags Rules Actions Webhooks Environments Codespaces Pages

Repository name website Rename

Template repository
Template repositories let users generate new repositories with the same directory structure and files. [Learn more about template repositories.](#)

Require contributors to sign off on web-based commits
Enabling this setting will require contributors to sign off on commits made through GitHub's web interface. Signing off is a way for contributors to affirm that their commit complies with the repository's terms, commonly the [Developer Certificate of Origin \(DCO\)](#). [Learn more about signing off on commits.](#)

Default branch

The default branch is considered the "base" branch in your repository, against which all pull requests and code commits are automatically made, unless you specify a different branch.

master

Social preview

Type here to search

26°C Haze 08:16 PM 28-01-2025 ENG

A screenshot of a web browser showing the GitHub 'Webhooks' settings page for a repository named 'Udaykiran1998nov/website'. The browser has multiple tabs open, including Jenkins, Intellipaat, and various EC2 instance connection tabs.

The GitHub page displays the 'Webhooks' section under the 'Settings' tab. On the left sidebar, the 'Webhooks' option is selected, highlighted with a blue bar. The main content area shows the title 'Webhooks' and a brief description explaining what webhooks are and how they work. A button labeled 'Add webhook' is visible in the top right corner of the main content area.

The browser's address bar shows the URL: `github.com/Udaykiran1998nov/website/settings/hooks`. The bottom status bar shows the date and time as 08:16 PM 28-01-2025, along with system icons for battery, signal, and volume.

Instances | EC2 | eu- | EC2 Instance Conn... | EC2 Instance Conn... | EC2 Instance Conn... | Dashboard [Jenkins] | Add webhook | Intellipaat | +

github.com/Udaykiran1998nov/website/settings/hooks/new

Gmail YouTube Maps Console Home | eu-... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Code and automation

- Branches
- Tags
- Rules
- Actions
- Webhooks**
- Environments
- Codespaces
- Pages

SSL verification

By default, we verify SSL certificates when delivering payloads.

Enable SSL verification Disable (not recommended)

Which events would you like to trigger this webhook?

Just the push event.
 Send me everything.
 Let me select individual events.

Active

We will deliver event details when this hook is triggered.

Add webhook

Type here to search

26°C Haze 08:18 PM 28-01-2025 ENG

1

Instances | EC2 | eu- | EC2 Instance Conn | EC2 Instance Conn | EC2 Instance Conn | Dashboard [Jenkins] | Webhooks · Setting | Intellipaat

github.com/Udaykiran1998nov/website/settings/hooks

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - rauhan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type / to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Okay, that hook was successfully created. We sent a ping payload to test it out! Read more about it at <https://docs.github.com/webhooks/#ping-event>.

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our [Webhooks Guide](#).

✓ <http://13.60.194.145:8080/github-w...> (push)

Edit Delete

Last delivery was successful.




Type here to search



26°C Haze

08:18 PM
28-01-2025





Files

master

Go to file

images

Dockerfile

index.html

website / index.html

Ubuntu modified 883b439 · 6 years ago History

Code Blame 8 lines (8 loc) · 193 Bytes Code 55% faster with GitHub Copilot

```
1 <html>
2 <head>
3 <title> Intellipaat </title>
4 </head>
5 <body style = "background-image:url('images/github3.jpg'); background-size: 100%">
6 <h2 ALIGN=CENTER>Hello world!</h2>
7 </body>
8 </html>
```



← → ⌂ github.com/Udaykiran1998nov/website/edit/master/index.html

Gmail YouTube Maps Console Home | eu... NCS | Jobs in Full Ti... GitHub - raushan85... Ports List Placement groups -... HuraWatch | Watch... CIDR to IPv4 Address... All Bookmarks

Udaykiran1998nov / website Type / to search

Code Pull requests Actions Projects Wiki Security Insights Settings

Files master + Go to file

website / index.html in master Cancel changes Commit changes...

Edit Preview Code 55% faster with GitHub Copilot Spaces 2 No wrap

```
1 <html>
2 <head>
3 <title> Intellipaat </title>
4 </head>
5 <body style = "background-image:url('images/github3.jpg'); background-size: 100%">
6 <h2 ALIGN=CENTER>Hello world!!!!!!</h2>
7 </body>
8 </html>
9
```

Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

Type here to search

26°C Haze 08:21 PM 28-01-2025 ENG

Dashboard >

+ New Item

Add description

Build History

All

+

Project Relationship

Check File Fingerprint

Manage Jenkins

My Views

Build Queue

No builds in the queue.

Build Executor Status

Icon: S M L

ooo

Built-In Node

0/2

prod

1/1

Job3 #4

test

1/1

Job2 #2

REST API

Jenkins 2.494



Type here to search



26°C Haze

08:21 PM
28-01-2025



Hello world!!!!!!



GitHub

