

CREW STORE AVAILABLE PULLEYS DETAILS

| S NO | PULLEY SIZE | QTY IN NOS | REMARKS |
|------|--|------------|----------------------------------|
| 1 | Ø1000 x 2200mm x Ø280 (Drive Pulley) | 3 | |
| 2 | Ø800 x 1800mm x Ø200 (Drive SS Pulley) | 2 | |
| 3 | Ø800 x 1800mm x Ø180 | 1 | |
| 4 | Ø800 x 2200mm x Ø180 | 2 | |
| 5 | Ø400 x 2200mm x Ø160 | 1 | |
| 6 | Ø630 x 1800mm x Ø160 | 1 | |
| 7 | Ø800 x 1800mm x Ø160 | 1 | |
| 8 | Ø630 x 2600mm x Ø220 (Drive Pulley) | 1 | |
| 9 | Ø800 x 1800mm x Ø200(Drive Pulley) | 1 | |
| 10 | Ø400 x 2200mm x Ø100 | 1 | |
| 11 | Ø800 x 2200mm x Ø220 | 2 | 1 |
| 12 | Ø630 x 2200mm x Ø100 | 3 | |
| 13 | Ø630 x 2200mm x Ø100(Drive Pulley) | 1 | |
| 14 | Ø630 x 2600mm x Ø160 | 1 | |
| 15 | Ø1000 x 2200mm x Ø260 | 1 | |
| 16 | Ø500 x 2200mm x Ø180 | 1 | |
| 17 | Ø300 x 2000mm x Ø90 | 1 | |
| 18 | Ø630 x 1800mm x Ø180 | 2 | Ø630 x 1800mm x Ø190 REPLACEMENT |
| 19 | Ø800 x 2200mm x Ø240 | 1 | CB-3 SS PULLEY |
| 20 | Ø630 x 2200mm x Ø180 | 1 | CB-3 PULLEY |
| 21 | Ø500 x 2200mm x Ø160 | 2 | CB-3 PULLEY |
| 22 | Ø400 x 2200mm x Ø160 | 1 | Revamping pulley |
| 23 | Ø630 x 2200mm x Ø230 | 1 | under R/C |
| 24 | Ø500 x 1800mm x Ø160 | 1 | Revamping pulley |
| 25 | Ø630 x 1800mm x Ø140 | 1 | RECEIVED FROM VVC |
| 26 | Ø630 x 1800mm x Ø160 | 1 | RECEIVED FROM VVC |
| 27 | Ø630 x 2200mm x Ø115 | 1 | Revamping pulley |
| 28 | Ø800 x 2200mm x Ø240 | 1 | CB-3 SS PULLEY |
| 29 | Ø630 x 2200mm x Ø180 | 1 | CB-3 PULLEY |
| 30 | Ø500 x 2200mm x Ø160 | 2 | CB-3 PULLEY |
| 31 | Ø400 x 2200mm x Ø140 | 1 | Revamping pulley |
| 32 | Ø630 x 2200mm x Ø230 | 1 | under R/C |

CREW STORE AVAILABLE PULLEYS DETAILS

| S NO | PULLEY SIZE | QTY IN NOS | REMARKS |
|------|--|------------|---|
| 33 | Ø800 x 2200mm x Ø250(End Bracket Type) | 1 | REPLACED FOR BCN-53 |
| 34 | Ø630 x 1800mm x Ø170(End Bracket Type) | 1 | PULLEY REPLACED FOR BCN-43B (Tail Pulley) on 21.04.22 |
| 35 | Ø1000 x 2200mm x Ø200 (Drive Pulley) | 1 | TAKEN FOR BCN-54 |
| 20 | Ø630 x 2200mm x Ø120 | 1 | |
| 21 | Ø500 x 2600mm x Ø180 | 1 | |
| 22 | Ø630 x 2000mm x Ø120(Drive pulley) | 2 | |
| 23 | Ø630 x 2000mm x Ø160 | 1 | |
| 24 | Ø800 x 2000mm x Ø160(Drive Pulley) | 1 | |
| 28 | Ø500 x 2200mm x Ø90 | 2 | |
| 29 | Ø500 x 1800mm x Ø80 | 2 | |
| 30 | Ø300 x 2200mm x Ø80 | 2 | |
| 31 | Ø500 x 2600mm x Ø160 | 1 | |
| 32 | Ø200 x 1950mm x Ø80 | 1 | |

DATE :12:08:2022

PULLEY TAKEN FROM TNEB(CB-3) TO ECHS

| S.NO | Description of Pulley | Belt Width | Pulley Size | Qty | Remarks |
|--------------|--------------------------------|------------|---------------|----------|--|
| 1 | Drive Pulley Assembly | 2000 mm | 800X2200X 240 | 2 | |
| 2 | Take up & Tail Pulley Assembly | 2000 mm | 630X2200X 180 | 2(1) | 1 Pulley used for BCN-41B & Got Broken |
| 3 | Discharge Pulley(SS) | 2000 mm | 800X2200X 240 | 1 | |
| 4 | Bend & Snub Pulley | 2000 mm | 500X2200X 160 | 2 | |
| 5 | Deflector Pulley Assembly | 2000 mm | 273X2200X 125 | 1 | |
| TOTAL | | | | 7 | |

DATE : 20.08.2022

| INTERNAL WORK ORDER PULLEY | | | | | |
|----------------------------|-----------------------|------------|--------------|-----|------------|
| S.NO | Description of Pulley | Belt Width | Pulley Size | Qty | Remarks |
| 1 | Pressure Pulley | 1600 mm | 400X1800X140 | 2 | NEW Pulley |

DATE :22.08.2022

PULLEY RECEIVED FROM VVC ON 22.08.2022

| S.NO | Description of Pulley | Belt Width | Pulley Size | Qty | Remarks |
|------|-----------------------|------------|-----------------|-----|----------------------------|
| 1 | Tail & Takeup Pulley | 2000 mm | 800X2200X230 mm | 1 | RC PULLEY END BRACKET TYPE |
| 2 | Bend Pulley | 2000 mm | 630X2200X210 mm | 1 | |

0

PULLEY Sended to VVC ON 06.12.2022

| S.NO | Description of Pulley | Pulley Size | Qty | Remarks |
|------|-----------------------|--------------|-----|---------|
| 1 | | 630X2200X230 | 1 | |
| 2 | | 500X1800X160 | 1 | |
| 3 | Oil Pump -SC-11 | | 1 | |

New Pulley & Bearing , Sleeve Received on 16.12.2022


| S.NO | Description | Pulley Size | Qty | Remarks |
|------|-------------|---------------|-----|---------|
| 1 | Pulley | 630X2200X200 | 1 | |
| 2 | Bearing | 23144 CCK/W33 | 2 | |
| 3 | Sleeve | H3144 | 2 | |

Pulleys Received in Revamping -I

| S.No | Pulley Size | Qty | Received Date |
|------|---|------|----------------------------------|
| 1 | Takeup Tail pulley $\phi 800 \times 2200 \times \phi 220$ | 1 No | Actual Received on 16.12.2022 |
| 2 | Tail pulley $\phi 800 \times 2200 \times \phi 180$ | 1 No | Actual Received on 16.12.2022 |
| 3 | Bend pulley $\phi 630 \times 2200 \times \phi 200$ | 1 No | Actual Received on 16.12.2022 |
| 4 | Pressure Pulley $\phi 630 \times 2000 \times \phi 115$ | 1 No | Actual Received on 16.12.2022 |
| 5 | Bend Pulley $\phi 500 \times 1800 \times \phi 140$ | 1 No | Actual Received on 14.12.2022 |
| 6 | Snub pulley $\phi 500 \times 1800 \times \phi 160$ | 1 No | Actual Received on 16.12.2022 |
| 7 | Pressure pulley $\phi 400 \times 2200 \times \phi 160$ | 1 No | Actual Received on 14.12.2022 |
| 8 | pulley $\phi 400 \times 2200 \times \phi 140$ | 1 No | Actual Received on 14.12.2022 |
| 9 | Pressure pulley $\phi 400 \times 2200 \times \phi 100$ | 1 No | Actual Received on 16.12.2022 |
| 10 | Tail pulley $\phi 500 \times 1800 \times \phi 140$ | 1 No | Actual Received on 14.12.2022 |
| 11 | idler pulley $\phi 320 \times 2200 \times \phi 80$ | 1 No | Actual Received on 16.12.2022 |

| ECHS PULLEY DETAILS (2000MM BELT WIDTH) | | | | 18/10/24 | | |
|---|---|-------------------|-------------------------------|------------------------|------------------|--------------------|
| SL.No. | DESCRIPTION OF ITEM | PULLEY SIZE IN mm | CREW STORE AVAILABILITY (NOS) | CB-3 pulley | REVAMPING PULLEY | REMARKS |
| 1 | BEND PULLEY/TAKEUP PULLEY/TAIL PULLEY/PRESSURE PULLEY | Ø1000X2200XØ260 | 1 | | | 01 pulley VVC |
| 2 | | Ø800X2200XØ250 | 1 | | | end bracket type |
| 3 | | Ø800X2200XØ230 | NIL | 1 240mm sspulley | | |
| 4 | | Ø800X2200XØ220 | 2 | | 1 | |
| 5 | | Ø800X2200XØ180 | 1 | | 1 | |
| 6 | | Ø800X2200XØ160 | NIL | | | |
| 7 | | Ø800X2250XØ140 | 1 | | | |
| 8 | | Ø630X2200XØ230 | NIL | | | |
| 9 | | Ø630X2200XØ200 | 3 | | 1 | |
| 10 | | Ø630X2200XØ190 | 3 | | 1 | End bracket type |
| 11 | | Ø630X2200XØ180 | 1 | 1 | | |
| 12 | | Ø630X2200XØ140 | NIL | | | |
| 13 | | Ø630X2200XØ100 | 4 | | | |
| 14 | | Ø500X2200XØ180 | NIL | | | |
| 15 | | Ø500X2200XØ160 | NIL | 2 | 1 | |
| 16 | | Ø500X2200XØ140 | NIL | | | |
| 17 | | Ø500X2200XØ100 | 1 | | 1 | |
| 18 | | Ø400X2200XØ160 | 1 | | 1 | |
| 19 | | Ø400X2200XØ140 | NIL | | 1 | |
| 20 | | Ø400X2200XØ100 | NIL | | 1 | |
| 21 | | Ø320X2200XØ80 | NIL | | 1 | |
| 22 | | Ø273X2200XØ125 | NIL | 1 | | |
| Drive Pulleys For 2000mm Belt Width 4000TPH Carrying Capacity | | | | | | |
| 23 | BCN-40A/B,BCN-53 | Ø1000X2200XØ280 | 3 | | | |
| 24 | BCN41A/B,45,55,57,52 | Ø1000X2200XØ260 | NIL | | | vvc 01 no |
| 25 | BCN-51 | Ø800X2200XØ140 | 1 | | | SS pulley vvc 01no |
| 26 | BCN-56 | Ø800X2200XØ140 | NIL | | | vvc 01 no |
| 27 | BCN-54 | Ø1000X2200XØ200 | NIL | | | vvc 01 no |
| 28 | STACKER | Ø800X2250XØ160 | 1 | | | vvc 01 no |

| | | | | | | |
|----|-------|----------------|-----|---|--|-----------|
| 29 | IMC3 | Ø630X2200XØ140 | NIL | | | vvc 01 no |
| 30 | IMC 1 | Ø630X2200XØ110 | NIL | | | vvc 01 no |
| 31 | | Ø800X2200XØ240 | | 2 | | |



| SL.No. | DESCRIPTION OF ITEM | | PULLEY SIZE IN mm | CREW STORE AVAILABILITY | CB 3 pulley NOS | REVAMPING PULLEY NOS | REMARKS |
|--------|--|--------------------|-------------------|-------------------------------|--------------------|----------------------------|-------------|
| 1 | BEND PULLEY/TAKEUP PULLEY/TAIL PULLEY/PRESSURE PULLEY | | Ø800X1800XØ180 | 4 | | | |
| 2 | | | Ø800X1800XØ140 | NIL | | | 1 NO VVC |
| 3 | | | Ø630X1800XØ180 | NIL | | | |
| | | | Ø630X1800XØ190 | 1 | | | END BRACKET |
| 4 | | | Ø630X1800XØ160 | 1 | | | |
| 5 | | | Ø630X1800XØ140 | NIL | | | |
| 8 | | | Ø500X1800XØ180 | NIL | | | |
| 9 | | | Ø500X1800XØ160 | NIL | | 1 | |
| | | | Ø500X1800XØ140 | 1 | | | |
| 10 | | | Ø500X1800XØ125 | NIL | | | |
| | | | Ø400X1800XØ140 | 2 | | | |
| 11 | | | Ø315X1800XØ65 | 1 | | | |
| 12 | BCN-42A/B, | SS DRIVE PULLEY | Ø800X1800XØ200 | 1 | | | |
| 13 | BCN-44, | MS DRIVE PULLEY | Ø800X1800XØ200 | 1 | | | 01NO VVC |
| 14 | BCN-59,63 | DRIVE PULLEY | Ø800X1800XØ220 | 1 | | | 01 NO VVC |
| 15 | BCN-60 | DRIVE PULLEY | Ø800X1800XØ160 | 1 | | | |
| 16 | RECLAIMER- | DRIVE PULLEY | Ø800X1800XØ140 | 1 | | | |
| 17 | IMC-2 | DRIVE PULLEY | Ø630X1800XØ150 | 1 | | | |



| | | | |
|--|--|--|--|
| | | | |
| | | | |

| 1800mm & 2400mm Belt Width Pulley | | | | | | | |
|-----------------------------------|---------------------|--------------|-------------------|-------------------------------|-----------------------|----------------------------|--------------------------|
| SL.No. | DESCRIPTION OF ITEM | | PULLEY SIZE IN mm | CREW STORE AVAILABILITY | CB 3 pulley NOS | REVAMPING PULLEY NOS | REMARKS |
| 18 | BFD-1,SFD-1A/1B | DRIVE PULLEY | Ø630X2600XØ220 | 1 | | | |
| 19 | SFD 1A/1B | TAIL PULLEY | Ø630X2600XØ220 | NIL | | | 01 NO VVC |
| 20 | BFD-1 | TAIL PULLEY | Ø630X2600XØ160 | 2 | | | |
| 21 | W/L TRAILER | DRIVE PULLEY | Ø630X2000XØ140 | 1 | | | |
| 22 | W/L FEEDER | DRIVE PULLEY | Ø630X2000XØ125 | 2 | | | |
| 23 | W/LTRAILER | TAIL PULLEY | Ø630X2000XØ125 | 1 | – | | |
| 24 | W/L TRAILER | IDLER PULLEY | Ø219X2000XØ75 | NIL | – | | Ø300X2000XØ90(available) |
| 25 | W/L FEEDER | TAIL PULLEY | Ø630X2000XØ100 | NIL | – | | |
| 26 | | | Ø300X2000XØ90 | 1 | | | |
| 27 | | | Ø630X2000XØ160 | 1 | | | |
| 28 | | DRIVE PULLEY | Ø500X2200XØ90 | 2 | | | |
| 29 | | DRIVE PULLEY | Ø400X2200XØ100 | 1 | | | |
| 30 | | | Ø500X1750XØ75 | 2 | | | |
| 31 | | | Ø630X2000XØ115 | 1 | | 1 | |