

Name : Udhayarajan J
Subject : DBMS
Date : 2025-12-04
Roll No : 2202561
Class : MCA – I
Type : Practical No 2

Q2. Insert following data into the table

Client No	Name	City	Pincode	State	Balance Due
0001	Ivan	Bombay	400054	Maharashtra	15000
0002	Vandana	Madras	780001	Tamilnadu	0
0003	Pramada	Bombay	400057	Maharashtra	5000
0004	Basu	Bombay	400056	Maharashtra	0
0005	Ravi	Delhi	100001	—	2000
0006	Rukmini	Bombay	400050	Maharashtra	0

The screenshot displays the MySQL Workbench interface. The SQL Editor contains the following query:

```
1 INSERT INTO `dbms_practical_61`.`client_master`
2 (
3   `client_no`,
4   `name`,
5   `address1`,
6   `address2`,
7   `city`,
8   `state`,
9   `pincode`,
10  `bal_due`
11 )
12 VALUES
13 (
14   '0001','Ivan','','','Bombay','Maharashtra',400054,15000.00),
15 (
16   '0002','Vandana','','','Madras','Tamilnadu',780001,0.00),
17 (
18   '0003','Pramada','','','Bombay','Maharashtra',400057,5000.00),
19 (
20   '0004','Basu','','','Bombay','Maharashtra',400056,0.00),
21 (
22   '0005','Ravi','','','Delhi','','100001,2000.00),
23 (
24   '0006','Rukmini','','','Bombay','Maharashtra',400050,0.00);
25
26 select * from client_master;
```

The Result Grid at the bottom shows the data being inserted:

client_no	name	address1	address2	city	state	pincode	bal_due
0001	Ivan			Bombay	Maharashtra	400054	15000.00
0002	Vandana			Madras	Tamilnadu	780001	0.00
0003	Pramada			Bombay	Maharashtra	400057	5000.00
0004	Basu			Bombay	Maharashtra	400056	0.00
0005	Ravi			Delhi		100001	2000.00
0006	Rukmini			Bombay	Maharashtra	400050	0.00

Product No	Description	Profit %	Unit Measure	Qty_on_hand	Reorder_lvl	Selling Price	Cost Price
P00001	1.44 floppies	5	piece	100	20	525	500
P03453	Monitors	6	piece	10	3	12000	11200
P06734	Mouse	5	piece	20	5	1050	500
P07865	1.22 floppies	5	piece	100	20	525	500
P07868	Keyboards	2	piece	10	3	3150	3050
P07885	CD Drive	2.5	piece	10	3	5250	5100
P07965	540 HDD	4	piece	10	3	8400	8000
P07975	1.44 Drive	5	piece	10	3	1050	1000
P08865	1.22 Drive	5	piece	2	3	1050	1000

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

dbms_practical_61

Tables

client_master

product_master

Views

Stored Procedures

Functions

Administration Schemas

Information

Table: product_master

Columns:

Product_no varchar(45)

Description varchar(45)

Profit_percent int

Unit_measure varchar(45)

Qty_on_hand int

Reorderlvl int

Sell_price double(10,2)

Cost_price double(10,2)

SQL File 1P1: mca_q2_answer product_master - Table

```

1 INSERT INTO `dbms_practical_61`.`product_master`
2 (
3   "Product_no",
4   "Description",
5   "Profit_percent",
6   "Unit_measure",
7   "Qty_on_hand",
8   "Reorderlvl",
9   "Sell_price",
10  "Cost_price"
11 )
12 VALUES
13 ('P00001','1.44floppies','5','piece',100,20,525.00,500.00),
14 ('P03453','Monitors','6','piece',10,3,12000.00,11200.00),
15 ('P06734','Mouse','5','piece',20,5,1050.00,500.00),
16 ('P07865','1.22Floppies','5','piece',100,20,525.00,500.00),
17 ('P07868','Keyboards','2','piece',10,3,3150.00,3050.00),
18 ('P07885','CD Drive','2.5','piece',10,3,5250.00,5100.00),
19 ('P07965','540 HDD','4','piece',10,3,8400.00,8000.00),
20 ('P07975','1.44 Drive','5','piece',10,3,1050.00,1000.00),
21 ('P08865','1.22 Drive','5','piece',2,3,1050.00,1000.00);
22
23 select * from client_master;

```

Result Grid

Filter Rows

Export: Wrap Cell Contents

client_no	name	address1	address2	city	state	pincode	bal_due
0001	Ivan			Bombay	Maharashtra	400054	15000.00
0002	Vandana			Madras	Tamilnadu	780001	0.00
0003	Pramada			Bombay	Maharashtra	400057	5000.00
0004	Rasu			Bombay	Maharashtra	400056	0.00
0005	Ravi			Delhi		100001	2000.00
0006	Rukmini			Bombay	Maharashtra	400050	0.00

Object Info Session client_master i x Read Only

27°C Sunny

ENG IN

02:12 PM 2025-12-04