



Name : Udhayarajan J
Subject : DBMS
Date : 2025-12-04
Roll No : 2202561
Class : MCA – I
Type : Practical No 4

Q4. Write queries for following


I. Change the selling price of 1.44 floppy drive to Rs.1150.00




ii. Delete the record with client 0001 from the client master table.



iii. Change the city of client_no '0005' to Bombay.



iv. Change the bal_due of client_no 0004, to 1000.



v. Find the products whose selling price is more than 1500 and also find the new selling price as original selling price *15.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' panel with a tree view of databases, including 'dbms_practical_61'. The main editor window contains the following SQL query:

```
1 select
2     Sell_price * 15
3 from
4     product_master
5 where
6     Sell_price > 1500
```

The 'Result Grid' at the bottom shows the results of the query:

Sell_price *
15
180000.00
47250.00
78750.00
126000.00

The 'Object Info' panel on the left shows the structure of the 'product_master' table:

Table: product_master

Columns:

- Product_no: varchar(45)
- Description: varchar(45)
- Proff_percent: int
- Unit_measure: varchar(45)
- Qty_on_hand: int
- Reorderlvl: int
- Sell_price: double(10,2)
- Cost_price: double(10,2)

vi. Find out the clients who stay in a city whose second letter is a.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' panel with a tree view of databases, including 'dbms_practical_61'. The main editor window contains the following SQL query:

```
1 select
2     *
3 from
4     client_master
5 where
6     city like '_a%'
```

The 'Result Grid' at the bottom shows the results of the query:

client_no	name	address1	address2	city	state	pincode	bal_due
0002	Vandana			Madras	Tamilnadu	780001	0.00

The 'Object Info' panel on the left shows the structure of the 'product_master' table (as seen in the previous screenshot).

vii. Find out the name of all clients having 'a' as the second letter in their names.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' panel with a tree view of databases, including 'dbms_practical_61'. The main editor window shows a SQL query:

```
1 select
2 *
3 from
4 client_master
5 where
6 name like 'a%'
```

The 'Result Grid' at the bottom displays the following data:

client_no	name	address1	address2	city	state	pincode	bal_due
0002	Vandana			Madras	Tamilnadu	780001	0.00
0004	Basu			Bombay	Maharashtra	400056	1000.00
0005	Ravi			Bombay		100001	2000.00

The 'Table: product_master' information panel on the left lists the following columns:

- Product_no: varchar(45)
- Description: varchar(45)
- Profit_percent: int
- Unit_measure: varchar(45)
- Qty_on_hand: int
- Reorderlvl: int
- Sell_price: double(10,2)
- Cost_price: double(10,2)

viii. List the products in sorted order of their description.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' panel with a tree view of databases, including 'dbms_practical_61'. The main editor window shows a SQL query:

```
1 select
2 *
3 from
4 product_master
5 order by Description
```

The 'Result Grid' at the bottom displays the following data:

Product_no	Description	Profit_percent	Unit_measure	Qty_on_hand	Reorderlvl	Sell_price	Cost_price
P08865	1.22 Drive	5	piece	2	3	1050.00	1000.00
P07856	1.22floppies	5	piece	100	20	525.00	500.00
P07975	1.44 Drive	5	piece	10	3	1050.00	1000.00
P00001	1.44floppies	5	piece	100	20	1150.00	900.00
P07965	540 HDD	4	piece	10	3	8400.00	8000.00
P07885	CD Drive	3	piece	10	3	5250.00	5100.00
P07868	Keyboards	2	piece	10	3	3150.00	3050.00
P03453	Monitor	6	piece	10	3	12000.00	11200.00
P06734	Mouse	5	piece	20	5	1050.00	900.00

The 'Table: product_master' information panel on the left lists the following columns:

- Product_no: varchar(45)
- Description: varchar(45)
- Profit_percent: int
- Unit_measure: varchar(45)
- Qty_on_hand: int
- Reorderlvl: int
- Sell_price: double(10,2)
- Cost_price: double(10,2)

ix. Count the total number of orders

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'dbms_practical_61' selected. Under 'Tables', 'client_master' and 'product_master' are listed. The 'product_master' table structure is shown in the 'Information' tab, listing columns: Product_no (varchar(45)), Description (varchar(45)), Profit_percent (int), Unit_measure (varchar(45)), Qty_on_hand (int), Reorderlvl (int), Sell_price (double(10,2)), and Cost_price (double(10,2)). The main editor window shows a SQL query:

```
1 select
2 count(*)
3 from
4 client_master;
```

 The 'Result Grid' at the bottom shows a single row with the value '5' under the column 'count(*)'. The status bar at the bottom indicates 'Result 15' and 'Read Only'.

x. Calculate the average price of all the products.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'dbms_practical_61' selected. Under 'Tables', 'client_master' and 'product_master' are listed. The 'product_master' table structure is shown in the 'Information' tab, listing columns: Product_no (varchar(45)), Description (varchar(45)), Profit_percent (int), Unit_measure (varchar(45)), Qty_on_hand (int), Reorderlvl (int), Sell_price (double(10,2)), and Cost_price (double(10,2)). The main editor window shows a SQL query:

```
1 select
2 avg(Sell_price)
3 from
4 product_master;
```

 The 'Result Grid' at the bottom shows a single row with the value '3736.111111' under the column 'avg(Sell_price)'. The status bar at the bottom indicates 'Result 16' and 'Read Only'.

xi. Calculate the minimum price of products.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'dbms_practical_61' selected. The 'product_master' table is highlighted. The main editor shows a SQL query:

```
1 select
2 min(Sell_price)
3 from
4 product_master;
```

 The 'Result Grid' at the bottom shows a single row with the value 525.00 for the 'min(Sell_price)' column. The bottom status bar indicates 'Result 17'.

min(Sell_price)
525.00

xii. Determine the maximum and minimum prices . Rename the title as 'max_price' and min_price respectively.

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'SCHEMAS' tree with 'dbms_practical_61' selected. The 'product_master' table is highlighted. The main editor shows a SQL query:

```
1 select
2 min(Sell_price) as 'min_price',
3 max(Sell_price) as 'max_price'
4 from
5 product_master;
```

 The 'Result Grid' at the bottom shows two columns: 'min_price' with the value 525.00 and 'max_price' with the value 12000.00. The bottom status bar indicates 'Result 18'.

min_price	max_price
525.00	12000.00

xiii. Count the number of products having price greater than or equal to 1500.

The screenshot displays the MySQL Workbench interface. On the left, the 'SCHEMAS' pane shows a tree view of databases, with 'dbms_practical_61' expanded to show tables like 'client_master' and 'product_master'. The 'Information' pane at the bottom left provides details for the 'product_master' table, including its columns and data types.

The central SQL editor contains the following query:

```
1 select
2   count(*)
3 from
4   product_master
5 where
6   Sell_price >= 1500;
```

Below the editor, the 'Result Grid' shows the output of the query:

count(*)
4

The status bar at the bottom indicates the current session is 'Result 19', and the system tray shows the date and time as 02:39 PM on 2025-12-04.