

Admin Login: namespace School_management_system

```
{
    public partial class AdminLogin : Form
    {
        public AdminLogin()
        {
            InitializeComponent();
        }

        private void AdminLogin_Load(object sender, EventArgs e)
        {
        }

        private void btnLogin_Click(object sender, EventArgs e)
        {
            string username = textBox1.Text;
            string password = textBox2.Text;

            if (username == "admin" && password == "admin")
            {
                MessageBox.Show("Login Successful!", "Success",
                MessageBoxButtons.OK, MessageBoxIcon.Information);

                AdminDashboard AdminDashboard = new AdminDashboard();
                AdminDashboard.Show();

            }
            else
            {
                MessageBox.Show("Invalid username or password", "Login Failed",
                MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }

        private void newAdmissionToolStripMenuItem_Click(object sender, EventArgs e)
        {
            New_Admission na = new New_Admission();
            na.Show();
        }

        private void textBox1_TextChanged(object sender, EventArgs e)
        {
        }
    }
}
```

Teacher Login:

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class TeacherLoginForm : Form
    {
        public TeacherLoginForm()
        {
            InitializeComponent();
        }

        private void TeacherLoginForm_Load(object sender, EventArgs e)
        {
        }

        private void btnLogin_Click(object sender, EventArgs e)
        {
            string username = textBox1.Text;
            string password = textBox2.Text;

            if (username == "teacher" && password == "teacher")
            {
                MessageBox.Show("Login Successful!", "Success",
                MessageBoxButtons.OK, MessageBoxIcon.Information);

                TeacherMDIParent TeacherMDIParent = new TeacherMDIParent();
                TeacherMDIParent.Show();
            }
            else
            {
                MessageBox.Show("Invalid username or password", "Login Failed",
                MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }
    }
}
```

Student Login :

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class StudentLoginForm : Form
    {
        public StudentLoginForm()
        {
            InitializeComponent();
        }

        private void btnLogin_Click(object sender, EventArgs e)
        {
            string username = textBox1.Text;
            string password = textBox2.Text;

            if (username == "student" && password == "student")
            {
                MessageBox.Show("Login Successful!", "Success",
                MessageBoxButtons.OK, MessageBoxIcon.Information);
                StudentMDIParent StudentMDIParent = new StudentMDIParent();
                StudentMDIParent.Show();
            }
            else
            {
                MessageBox.Show("Invalid username or password", "Login Failed",
                MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }
    }
}
```

Admin Dashboard :

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class AdminDashboard : Form
    {
        public AdminDashboard()
        {
            InitializeComponent();

            private void newAdmissionToolStripMenuItem_Click(object sender, EventArgs e)
            {
                New_Admission New_Admission = new New_Admission();
                New_Admission.Show();
            }

            private void feesToolStripMenuItem_Click(object sender, EventArgs e)
            {
                Fees fees = new Fees();
                fees.Show();
            }

            private void searchStudentToolStripMenuItem_Click(object sender, EventArgs
e)
            {
                SearchStudent searchStudent = new SearchStudent();
                searchStudent.Show();
            }

            private void viewAdmissionToolStripMenuItem_Click(object sender, EventArgs
e)
            {
                ViewAdmissionA viewAdmissionA = new ViewAdmissionA();
                viewAdmissionA.Show();
            }

            private void aboutUsToolStripMenuItem_Click(object sender, EventArgs e)
            {
                AboutUs aboutUsForm = new AboutUs();
                aboutUsForm.ShowDialog();
            }

            private void addTeachersToolStripMenuItem_Click(object sender, EventArgs e)
            {
                AddTeacher addTeacherForm = new AddTeacher();
            }
        }
    }
}
```

```

        addTeacherForm.ShowDialog();
    }

e)    private void searchTeacherToolStripMenuItem_Click(object sender, EventArgs
    {
        ViewTeacher viewForm = new ViewTeacher();
        viewForm.ShowDialog();
    }

    private void exitToolStripMenuItem_Click(object sender, EventArgs e)
    {
        this.Hide();
        button mainForm = new button();
        mainForm.Show();
    }

    private void AdminDashboard_Load(object sender, EventArgs e)
    {
    }
}

```

New Admission :

```

using System;
using System.Data;
using System.Data.SqlClient;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class New_Admission : Form
    {
        public New_Admission()
        {
            InitializeComponent();
        }

        private void btnSave_Click(object sender, EventArgs e)
        {
            string name = txtFullName.Text;
            string gender = radioButtonMale.Checked ? radioButtonMale.Text :
radioButtonFemale.Text;
            string dob = dateTimePickerDOB.Text;
            string faname = txtFatherName.Text;
            string mname = txtMotherName.Text;
            string email = txtEmail.Text;
            string add = txtAddress.Text;

            if (!Int64.TryParse(txtMobile.Text, out Int64 mobile))
            {
                MessageBox.Show("Invalid mobile number. Please enter numbers only.",
"Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
                return;
            }
        }
    }
}

```

```

        string connectionString = "data source=DESKTOP-
CQN3A53\\SQLEXPRESS;database=college;integrated security=True";

        using (SqlConnection con = new SqlConnection(connectionString))
        {
            try
            {
                con.Open();

                string query = "INSERT INTO NewAdmission(fname, gender, dob,
mobile, mname, faname, email, address) " +
                            "VALUES (@fname, @gender, @dob, @mobile, @mname,
@faname, @email, @address)";

                using (SqlCommand cmd = new SqlCommand(query, con))
                {

                    cmd.Parameters.AddWithValue("@fname", name);
                    cmd.Parameters.AddWithValue("@gender", gender);
                    cmd.Parameters.AddWithValue("@dob", dob);
                    cmd.Parameters.AddWithValue("@mobile", mobile);
                    cmd.Parameters.AddWithValue("@mname", mname);
                    cmd.Parameters.AddWithValue("@faname", faname);
                    cmd.Parameters.AddWithValue("@email", email);
                    cmd.Parameters.AddWithValue("@address", add);

                    cmd.ExecuteNonQuery();

                }

                MessageBox.Show("New admission record saved successfully!",
"Success", MessageBoxButtons.OK, MessageBoxIcon.Information);
            }
            catch (Exception ex)
            {

                MessageBox.Show("Error: " + ex.Message, "Database Error",
MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }

        private void New_Admission_Load(object sender, EventArgs e)
        {

        }
    }
}

```

Fees

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;
using System.Data.SqlClient;

namespace School_management_system
{
    public partial class Fees : Form
    {
        string connectionString = @"Server=DESKTOP-
CQN3A53\SQLEXPRESS;Database=college;Integrated Security=True;";

        public Fees()
        {
            InitializeComponent();
        }

        private void btnSubmit_Click(object sender, EventArgs e)
        {
            if (txtStudentId.Text == "" || txtFullName.Text == "" || txtEmail.Text
            == "" || txtFees.Text == "")
            {
                MessageBox.Show("Please fill in all the fields.");
                return;
            }

            using (SqlConnection conn = new SqlConnection(connectionString))
            {
                string query = "INSERT INTO fees (StudentId, FullName, Email,
                FeeAmount) VALUES (@StudentId, @FullName, @Email, @Fees)";
                SqlCommand cmd = new SqlCommand(query, conn);

                cmd.Parameters.AddWithValue("@StudentId", txtStudentId.Text.Trim());
                cmd.Parameters.AddWithValue("@FullName", txtFullName.Text.Trim());
                cmd.Parameters.AddWithValue("@Email", txtEmail.Text.Trim());
                cmd.Parameters.AddWithValue("@Fees", txtFees.Text.Trim());

                try
                {
                    conn.Open();
                    int rows = cmd.ExecuteNonQuery();

                    if (rows > 0)
                    {

```

```

        MessageBox.Show("Fees submitted successfully!");
        ClearForm();
    }
    else
    {
        MessageBox.Show("Submission failed.");
    }
}
catch (Exception ex)
{
    MessageBox.Show("Error: " + ex.Message);
}
}

private void ClearForm()
{
    txtStudentId.Clear();
    txtFullName.Clear();
    txtEmail.Clear();
    txtFees.Clear();
}

private void txtStudentId_Leave(object sender, EventArgs e)
{
    using (SqlConnection conn = new SqlConnection(connectionString))
    {
        string query = "SELECT FullName, Email FROM admission WHERE
AdmissionId = @StudentId";
        SqlCommand cmd = new SqlCommand(query, conn);
        cmd.Parameters.AddWithValue("@StudentId", txtStudentId.Text.Trim());

        try
        {
            conn.Open();
            SqlDataReader reader = cmd.ExecuteReader();
            if (reader.Read())
            {
                txtFullName.Text = reader["FullName"].ToString();
                txtEmail.Text = reader["Email"].ToString();
            }
            else
            {
                MessageBox.Show("Student ID not found.");
                txtFullName.Clear();
                txtEmail.Clear();
            }
        }
        catch (Exception ex)
        {
            MessageBox.Show("Error: " + ex.Message);
        }
    }
}
}
}
}
}

```


Add Teacher :

```
using System;
using System.Data.SqlClient;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class AddTeacher : Form
    {
        string connectionString = "Server=DESKTOP-
CQN3A53\\SQLEXPRESS;Database=college;Integrated Security=True;";

        public AddTeacher()
        {
            InitializeComponent();
        }

        private void label6_Click(object sender, EventArgs e)
        {
        }

        private void button1_Click(object sender, EventArgs e)
        {
            string fullName = txtFullName.Text.Trim();
            string email = txtEmail.Text.Trim();
            string mobile = txtMobile.Text.Trim();
            string address = txtAddress.Text.Trim();
            string gender = radioMale.Checked ? "Male" : (radioFemale.Checked ?
"Female" : "");
            DateTime dob = datePickerDOB.Value;

            if (string.IsNullOrEmpty(fullName) ||
string.IsNullOrEmpty(email) ||
                string.IsNullOrEmpty(mobile) ||
string.IsNullOrEmpty(address) ||
                string.IsNullOrEmpty(gender))
            {
                MessageBox.Show("Please fill in all fields.");
                return;
            }

            using (SqlConnection conn = new SqlConnection(connectionString))
            {
                string query = "INSERT INTO Teachers (FullName, Email, Gender,
DateOfBirth, MobileNumber, Address) " +
                    "VALUES (@FullName, @Email, @Gender, @DOB, @Mobile,
@Address)";

                using (SqlCommand cmd = new SqlCommand(query, conn))
                {
                    cmd.Parameters.AddWithValue("@FullName", fullName);
                    cmd.Parameters.AddWithValue("@Email", email);
```

```

        cmd.Parameters.AddWithValue("@Gender", gender);
        cmd.Parameters.AddWithValue("@DOB", dob);
        cmd.Parameters.AddWithValue("@Mobile", mobile);
        cmd.Parameters.AddWithValue("@Address", address);

        try
        {
            conn.Open();
            cmd.ExecuteNonQuery();
            MessageBox.Show("Teacher information saved successfully!");
            ClearForm();
        }
        catch (Exception ex)
        {
            MessageBox.Show("Error: " + ex.Message);
        }
    }
}

private void ClearForm()
{
    txtFullName.Clear();
    txtEmail.Clear();
    txtMobile.Clear();
    txtAddress.Clear();
    radioMale.Checked = false;
    radioFemale.Checked = false;
    datePickerDOB.Value = DateTime.Today;
}
}
}

```

Search Student:

```

using System;
using System.Data;
using System.Windows.Forms;
using Microsoft.Data.SqlClient;

namespace School_management_system
{
    public partial class SearchStudent : Form
    {
        public SearchStudent()
        {
            InitializeComponent();

            string connectionString = @"Server=DESKTOP-
CQN3A53\SQLEXPRESS;Database=college;Integrated Security=True;Encrypt=False;";

            private void SearchStudent_Load(object sender, EventArgs e)
            {
            }
        }
    }
}

```

```

private void btnSearch_Click(object sender, EventArgs e)
{
    string studentId = txtStudentID.Text.Trim();

    if (string.IsNullOrEmpty(studentId))
    {
        MessageBox.Show("Please enter a Student ID.");
        return;
    }

    using (SqlConnection conn = new SqlConnection(connectionString))
    {
        try
        {
            conn.Open();

            string query = "SELECT * FROM fees WHERE StudentId = 
@StudentId";

            SqlCommand cmd = new SqlCommand(query, conn);
            cmd.Parameters.AddWithValue("@StudentId", studentId);

            SqlDataAdapter adapter = new SqlDataAdapter(cmd);
            DataTable dt = new DataTable();
            adapter.Fill(dt);

            if (dt.Rows.Count > 0)
            {
                dataGridView1.DataSource = dt;

                dataGridView1.AutoSizeColumnsMode = 
DataGridViewAutoSizeColumnsMode.Fill;
            }
            else
            {
                MessageBox.Show("Student not found.");
                dataGridView1.DataSource = null;
            }
        }
        catch (Exception ex)
        {
            MessageBox.Show("Error: " + ex.Message);
        }
    }
}
}
}
}

```

Teacher Dashboard :

```
using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class TeacherMDIParent : Form
    {
        private int childFormNumber = 0;

        public TeacherMDIParent()
        {
            InitializeComponent();
        }

        private void ShowNewForm(object sender, EventArgs e)
        {
            Form childForm = new Form();
            childForm.MdiParent = this;
            childForm.Text = "Window " + childFormNumber++;
            childForm.Show();
        }

        private void OpenFile(object sender, EventArgs e)
        {
            OpenFileDialog openFileDialog = new OpenFileDialog();
            openFileDialog.InitialDirectory =
Environment.GetFolderPath(Environment.SpecialFolder.Personal);
            openFileDialog.Filter = "Text Files (*.txt)|*.txt|All Files (*.*)|*.*";
            if (openFileDialog.ShowDialog(this) == DialogResult.OK)
            {
                string FileName = openFileDialog.FileName;
            }
        }

        private void SaveAsToolStripMenuItem_Click(object sender, EventArgs e)
        {
            SaveFileDialog saveFileDialog = new SaveFileDialog();
            saveFileDialog.InitialDirectory =
Environment.GetFolderPath(Environment.SpecialFolder.Personal);
            saveFileDialog.Filter = "Text Files (*.txt)|*.txt|All Files (*.*)|*.*";
            if (saveFileDialog.ShowDialog(this) == DialogResult.OK)
            {
                string FileName = saveFileDialog.FileName;
            }
        }

        private void ExitToolsStripMenuItem_Click(object sender, EventArgs e)
        {
        }
    }
}
```

```
        this.Close();  
    }
```

```
private void CutToolStripMenuItem_Click(object sender, EventArgs e)  
{  
}
```

```
private void CopyToolStripMenuItem_Click(object sender, EventArgs e)  
{  
}
```

```
private void PasteToolStripMenuItem_Click(object sender, EventArgs e)  
{  
}
```

```
private void CascadeToolStripMenuItem_Click(object sender, EventArgs e)  
{  
    LayoutMdi(MdiLayout.Cascade);  
}
```

```
private void TileVerticalToolStripMenuItem_Click(object sender, EventArgs e)  
{  
    LayoutMdi(MdiLayout.TileVertical);  
}
```

```
e) private void TileHorizontalToolStripMenuItem_Click(object sender, EventArgs  
    {  
        LayoutMdi(MdiLayout.TileHorizontal);  
    }
```

```
private void ArrangeIconsToolStripMenuItem_Click(object sender, EventArgs e)  
{  
    LayoutMdi(MdiLayout.ArrangeIcons);  
}
```

```
private void CloseAllToolStripMenuItem_Click(object sender, EventArgs e)  
{  
    foreach (Form childForm in MdiChildren)  
    {  
        childForm.Close();  
    }  
}
```

```
e) private void classScheduleToolStripMenuItem_Click(object sender, EventArgs  
    {  
        ClassSchedule classScheduleForm = new ClassSchedule();  
        classScheduleForm.Show();  
    }
```

```
private void attendanceToolStripMenuItem_Click(object sender, EventArgs e)  
{
```

```

    }

    private void newAdmissionToolStripMenuItem_Click(object sender, EventArgs e)
    {
        NewAdmissionT newAdmissionT = new NewAdmissionT();
        newAdmissionT.Show();
    }

    private void advisingToolStripMenuItem_Click(object sender, EventArgs e)
    {
    }

    private void attendanceToolStripMenuItem_Click(object sender, EventArgs e)
    {
        StudentAttendance attendanceForm = new StudentAttendance();
        attendanceForm.Show();
    }

e)    private void viewAttendanceToolStripMenuItem_Click(object sender, EventArgs
    {
        btnViewAttendance viewAttendanceForm = new btnViewAttendance();
        viewAttendanceForm.Show();
    }

e)    private void admittedStudentToolStripMenuItem_Click(object sender, EventArgs
    {
        ViewAdmissionT viewAdmissionTForm = new ViewAdmissionT();
        viewAdmissionTForm.ShowDialog();
    }

    private void registrationToolStripMenuItem_Click(object sender, EventArgs e)
    {
        Registration newRegistration = new Registration();
        newRegistration.Show();
    }

    private void viewRegistrationToolStripMenuItem_Click(object sender,
EventArgs e)
    {
        ViewRegistration viewForm = new ViewRegistration();
        viewForm.Show();
    }

e)    private void studentResultToolStripMenuItem_Click(object sender, EventArgs
    {
        StudentResult studentResultForm = new StudentResult();
        studentResultForm.Show();
    }

    private void examScheduleToolStripMenuItem_Click(object sender, EventArgs e)
    {
        ExamSchedule examSchedule = new ExamSchedule();
        examSchedule.Show();
    }

```

```

        private void TeacherMDIParent_Load(object sender, EventArgs e)
        {

        }
    }
}

```

Class Schedule :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Data.SqlClient;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class ClassSchedule : Form
    {
        public ClassSchedule()
        {
            InitializeComponent();
        }

        private void label6_Click(object sender, EventArgs e)
        {

        }

        private void comboBox2_SelectedIndexChanged(object sender, EventArgs e)
        {

        }

        private void button1_Click(object sender, EventArgs e)
        {

            string subject = cmbSubjects.SelectedItem.ToString();
            string day = cmbDays.SelectedItem.ToString();
            TimeSpan startTime = dtpStartTime.Value.TimeOfDay;
            TimeSpan endTime = dtpEndTime.Value.TimeOfDay;
            string roomNumber = txtRoomNumber.Text;

            using (SqlConnection con = new SqlConnection("data source=DESKTOP-
CQN3A53\\SQLEXPRESS;database=college;integrated security=True"))
            {
                string query = "INSERT INTO ClassSchedule (SubjectName, Day,
StartTime, EndTime, RoomNumber) VALUES (@Subject, @Day, @StartTime, @EndTime,
@RoomNumber)";
                SqlCommand cmd = new SqlCommand(query, con);
                cmd.Parameters.AddWithValue("@Subject", subject);
                cmd.Parameters.AddWithValue("@Day", day);
            }
        }
    }
}

```

```

        cmd.Parameters.AddWithValue("@StartTime", startTime);
        cmd.Parameters.AddWithValue("@EndTime", endTime);
        cmd.Parameters.AddWithValue("@RoomNumber", roomNumber);

        con.Open();

        cmd.ExecuteNonQuery();
        con.Close();

        MessageBox.Show("Class Schedule Saved Successfully!");
    }

}
}
}

```

Exam Schedule :

```

using System;
using System.Data;
using Microsoft.Data.SqlClient;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class ExamSchedule : Form
    {
        public ExamSchedule()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            if (string.IsNullOrEmpty(cmbSubject.Text) ||
                string.IsNullOrEmpty(cmbDay.Text) ||
                string.IsNullOrEmpty(txtRoom.Text))
            {
                MessageBox.Show("Please fill in all fields.");
                return;
            }

            string subject = cmbSubject.Text.Trim();
            string day = cmbDay.Text.Trim();
            string room = txtRoom.Text.Trim();
            DateTime startTime = dtpStartTime.Value;
            DateTime endTime = dtpEndTime.Value;

            string connectionString = @"Server=DESKTOP-
CQN3A53\SQLEXPRESS;Database=college;Integrated Security=True;Encrypt=False;";

            try
            {
                using (SqlConnection con = new SqlConnection(connectionString))
                {
                    string query = ""

```



```

        private readonly string connectionString = "Server=DESKTOP-
CQN3A53\\SQLEXPRESS;Database=college;Integrated Security=True;";

        public Registration()
        {
            InitializeComponent();
        }

        private void Registration_Load(object sender, EventArgs e)
        {
            LoadRegistrationData();
        }

        private void LoadRegistrationData()
        {
            try
            {
                using (SqlConnection conn = new SqlConnection(connectionString))
                {
                    string query = "SELECT Id, FirstName, LastName, StudentId,
RegistrationDate FROM Registration";
                    SqlDataAdapter adapter = new SqlDataAdapter(query, conn);

                    DataTable dataTable = new DataTable();
                    adapter.Fill(dataTable);

                }
            }
            catch (Exception ex)
            {
                MessageBox.Show("Error loading data: " + ex.Message, "Database
Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }

        private void button1_Click(object sender, EventArgs e)
        {
            string firstName = txtFirstName.Text;
            string lastName = txtLastName.Text;
            string studentId = txtStudentId.Text;
            DateTime regDate = dateTimePicker1.Value;

            using (SqlConnection conn = new SqlConnection(connectionString))
            {
                string query = "INSERT INTO Registration (FirstName, LastName,
StudentId, RegistrationDate) VALUES (@FirstName, @LastName, @StudentId, @RegDate)";
                using (SqlCommand cmd = new SqlCommand(query, conn))
                {
                    cmd.Parameters.AddWithValue("@FirstName", firstName);
                    cmd.Parameters.AddWithValue("@LastName", lastName);
                    cmd.Parameters.AddWithValue("@StudentId", studentId);
                    cmd.Parameters.AddWithValue("@RegDate", regDate);
                    try
                    {
                        conn.Open();

```



```

        {
            con.Open();
            string query = "SELECT * FROM NewAdmission";
            SqlDataAdapter da = new SqlDataAdapter(query, con);
            DataTable dt = new DataTable();
            da.Fill(dt);
            dataGridView1.DataSource = dt;
        }
        catch (Exception ex)
        {
            MessageBox.Show("Database error: " + ex.Message, "Error",
                MessageBoxButtons.OK, MessageBoxIcon.Error);
        }
    }
}
}

```

Student Attendance :

```

using System;
using System.Data.SqlClient;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class StudentAttendance : Form
    {
        public StudentAttendance()
        {
            InitializeComponent();
        }

        private void button1_Click(object sender, EventArgs e)
        {
            string studentClass = txtClass.Text;
            string studentID = txtStudentID.Text;
            string day = cmbDay.SelectedItem?.ToString();
            string present = cmbPresent.SelectedItem?.ToString();

            if (string.IsNullOrEmpty(studentClass) ||
                string.IsNullOrEmpty(studentID) ||
                string.IsNullOrEmpty(day) ||
                string.IsNullOrEmpty(present))
            {
                MessageBox.Show("Please fill all the fields!", "Validation Error",
                    MessageBoxButtons.OK, MessageBoxIcon.Warning);
                return;
            }

            string connectionString = "data source=DESKTOP-
CQN3A53\\SQLEXPRESS;database=college;integrated security=True";

            using (SqlConnection con = new SqlConnection(connectionString))

```

```

        {
            try
            {
                con.Open();
                string query = "INSERT INTO StudentAttendance (Class, StudentID,
Day, Present) VALUES (@Class, @StudentID, @Day, @Present)";

                using (SqlCommand cmd = new SqlCommand(query, con))
                {
                    cmd.Parameters.AddWithValue("@Class", studentClass);
                    cmd.Parameters.AddWithValue("@StudentID", studentID);
                    cmd.Parameters.AddWithValue("@Day", day);
                    cmd.Parameters.AddWithValue("@Present", present);

                    int rows = cmd.ExecuteNonQuery();
                    if (rows > 0)
                    {
                        MessageBox.Show("Attendance saved successfully!",
"Success", MessageBoxButtons.OK, MessageBoxIcon.Information);
                    }
                    else
                    {
                        MessageBox.Show("Failed to save attendance!", "Error",
MessageBoxButtons.OK, MessageBoxIcon.Error);
                    }
                }
            }
            catch (Exception ex)
            {
                MessageBox.Show("Database error: " + ex.Message, "Error",
MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }
    }
}

```

Student Dashboard :

```

using System;
using System.Collections.Generic;
using System.ComponentModel;
using System.Data;
using System.Drawing;
using System.Linq;
using System.Text;
using System.Threading.Tasks;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class StudentMDIParent : Form
    {
        private int childFormNumber = 0;
    }
}

```

```

public StudentMDIParent()
{
    InitializeComponent();
}

private void ShowNewForm(object sender, EventArgs e)
{
    Form childForm = new Form();
    childForm.MdiParent = this;
    childForm.Text = "Window " + childFormNumber++;
    childForm.Show();
}

private void OpenFile(object sender, EventArgs e)
{
    OpenFileDialog openFileDialog = new OpenFileDialog();
    openFileDialog.InitialDirectory =
Environment.GetFolderPath(Environment.SpecialFolder.Personal);
    openFileDialog.Filter = "Text Files (*.txt)|*.txt|All Files (*.*)|*.*";
    if (openFileDialog.ShowDialog(this) == DialogResult.OK)
    {
        string FileName = openFileDialog.FileName;
    }
}

private void SaveAsToolStripMenuItem_Click(object sender, EventArgs e)
{
    SaveFileDialog saveFileDialog = new SaveFileDialog();
    saveFileDialog.InitialDirectory =
Environment.GetFolderPath(Environment.SpecialFolder.Personal);
    saveFileDialog.Filter = "Text Files (*.txt)|*.txt|All Files (*.*)|*.*";
    if (saveFileDialog.ShowDialog(this) == DialogResult.OK)
    {
        string FileName = saveFileDialog.FileName;
    }
}

private void ExitToolsStripMenuItem_Click(object sender, EventArgs e)
{
    this.Close();
}

private void CutToolStripMenuItem_Click(object sender, EventArgs e)
{
}

private void CopyToolStripMenuItem_Click(object sender, EventArgs e)
{
}

private void PasteToolStripMenuItem_Click(object sender, EventArgs e)
{
}

private void CascadeToolStripMenuItem_Click(object sender, EventArgs e)
{
}

```

```

        LayoutMdi(MdiLayout.Cascade);
    }

    private void TileVerticalToolStripMenuItem_Click(object sender, EventArgs e)
    {
        LayoutMdi(MdiLayout.TileVertical);
    }

e)    private void TileHorizontalToolStripMenuItem_Click(object sender, EventArgs
    {
        LayoutMdi(MdiLayout.TileHorizontal);
    }

    private void ArrangeIconsToolStripMenuItem_Click(object sender, EventArgs e)
    {
        LayoutMdi(MdiLayout.ArrangeIcons);
    }

    private void CloseAllToolStripMenuItem_Click(object sender, EventArgs e)
    {
        foreach (Form childForm in MdiChildren)
        {
            childForm.Close();
        }
    }

    private void documentToolStripMenuItem_Click(object sender, EventArgs e)
    {
    }

e)    private void classScheduleToolStripMenuItem_Click(object sender, EventArgs
    {

        ViewClassSchedule scheduleForm = new ViewClassSchedule();

        scheduleForm.ShowDialog();

    }

    private void examScheduleToolStripMenuItem_Click(object sender, EventArgs e)
    {
        ViewExamSchedule viewForm = new ViewExamSchedule();
        viewForm.ShowDialog();
    }

    private void resultToolStripMenuItem_Click(object sender, EventArgs e)
    {
        ViewStudentResult resultsForm = new ViewStudentResult();

        resultsForm.Show();
    }

    private void StudentMDIParent_Load(object sender, EventArgs e)

```

```

        {
            }
        }
    }

```

View Result :

```

using System;
using System.Data;
using System.Data.SqlClient;
using System.Windows.Forms;

namespace School_management_system
{
    public partial class ViewStudentResult : Form
    {
        private readonly string connectionString = "Server=DESKTOP-
CQN3A53\\SQLEXPRESS;Database=college;Integrated Security=True;";

        public ViewStudentResult()
        {
            InitializeComponent();
        }

        private void ViewStudentResult_Load(object sender, EventArgs e)
        {
            LoadAllResult();
        }

        private void LoadAllResult()
        {
            try
            {
                using (SqlConnection conn = new SqlConnection(connectionString))
                {
                    string query = @"
                        SELECT sr.ResultId, r.FirstName, r.LastName, sr.StudentId,
                               s.SubjectName AS Subject, sr.Result
                        FROM StudentResults sr
                        LEFT JOIN Registration r ON sr.StudentId = r.StudentId
                        LEFT JOIN Subjects s ON sr.SubjectId = s.SubjectId
                        ORDER BY sr.ResultId DESC";

                    SqlDataAdapter adapter = new SqlDataAdapter(query, conn);
                    DataTable dataTable = new DataTable();
                    adapter.Fill(dataTable);

                    dataGridView1.DataSource = dataTable;
                    FormatDataGridView();
                }
            }
            catch (Exception ex)
            {
                MessageBox.Show("Error loading results: " + ex.Message, "Database
Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
            }
        }
    }
}

```



```

private void FormatDataGridView()
{
    if (dataGridView1.Columns.Count > 0)
    {
        dataGridView1.Columns["ResultId"].Visible = false;

        dataGridView1.Columns["FirstName"].HeaderText = "First Name";
        dataGridView1.Columns["LastName"].HeaderText = "Last Name";
        dataGridView1.Columns["StudentId"].HeaderText = "Student ID";
        dataGridView1.Columns["Subject"].HeaderText = "Subject";
        dataGridView1.Columns["Result"].HeaderText = "Result";

        dataGridView1.AutoResizeColumns();
    }
}

public void SearchStudentResult(string studentId)
{
    try
    {
        using (SqlConnection conn = new SqlConnection(connectionString))
        {
            string query = @"
                SELECT sr.ResultId, r.FirstName, r.LastName, sr.StudentId,
                       s.SubjectName AS Subject, sr.Result
                FROM StudentResults sr
                LEFT JOIN Registration r ON sr.StudentId = r.StudentId
                LEFT JOIN Subjects s ON sr.SubjectId = s.SubjectId
                WHERE sr.StudentId = @StudentId";

            SqlDataAdapter adapter = new SqlDataAdapter(query, conn);
            adapter.SelectCommand.Parameters.AddWithValue("@StudentId",
studentId);

            DataTable dataTable = new DataTable();
            adapter.Fill(dataTable);

            dataGridView1.DataSource = dataTable;
            FormatDataGridView();
        }
    }
    catch (Exception ex)
    {
        MessageBox.Show("Error searching results: " + ex.Message, "Database
Error", MessageBoxButtons.OK, MessageBoxIcon.Error);
    }
}
}

```

View Exam Schedule :

```
using System;
using System.Data;
using System.Windows.Forms;
using Microsoft.Data.SqlClient;

namespace School_management_system
{
    public partial class ViewExamSchedule : Form
    {
        public ViewExamSchedule()
        {
            InitializeComponent();

            private void ViewExamSchedule_Load(object sender, EventArgs e)
            {
                string connectionString = @"Server=DESKTOP-
CQN3A53\SQLEXPRESS;Database=college;Integrated Security=True;Encrypt=False;";
                string query = "SELECT SubjectName, Day, RoomNumber, StartTime as
ExamStartTime, EndTime as ExamEndTime FROM ExamSchedule";

                try
                {
                    using (SqlConnection con = new SqlConnection(connectionString))
                    {
                        SqlDataAdapter adapter = new SqlDataAdapter(query, con);
                        DataTable dt = new DataTable();
                        adapter.Fill(dt);
                        dataGridView1.DataSource = dt;
                    }
                }
                catch (Exception ex)
                {
                    MessageBox.Show("Error loading exam schedule: " + ex.Message);
                }
            }
        }
    }
}
```