```
mkdir hello
/* creating a directory hello*/
  cd hello

/* creating new directory five */
   mkdir five
   cd five

/* creating six directory*/
   mkdir six
       cd six

/* adding c.txt file to six directory */
   touch c.txt

/* creating seven directory */
   mkdir seven
    cd seven

/* adding error .log file */
   touch error.log

/* going back to home directory*/
   cd ..
   cd hello

/*creating a one directory*/
   mkdir one
   cd one

/* adding a.txt file and b.txt file and two directory to one directory*/
   touch a.txt
   touch b.txt
   mkdir two
   cd two

/*adding d.txt file */
   touch d.txt

/* creating three directory*/
   mkdir three
   cd three

/*adding e.txt file*/
   touch e.txt

/*creating four directory*/
   mkdir four
   cd four

/*adding acess.log file*/
   touch acess.log
     cd ..

/* moving to seven directory having .log file */
```

```
    cd five/six/seven

/* removing ,log file */
  rm -rf *".log"
   cd ..

/* moving to four directory* and deleting .log file/
   cd hello/one/two/three/four
  rm -rf *".log"
  cd ..

/* modify a.txt file and print it */
   vi a.txt
   cat a.txt
   cd ..

/* removing five directory which is not empty*/
   rm -rf five


 /* cpying a.txt from one to two directory*/
   cp one/a.txt one/two/

/* renaming one directory to uno directory*/
   mv one uno
```