

SOURCE LOG: src\config_forge\make_config.py

```
# -*- coding: utf-8 -*-
import os #
import sys #
from pathlib import Path #

def log(msg: str):
    """
    sys.stdout.buffer.write(f"[FORGE_CORE] {msg}\n".encode('utf-8'))

def init_core_structure() -> tuple[Path, Path, Path]:
    """
    root = Path(r"Z:\flowch")
    data = root / "dataset" / "mng oks_bl"
    run_dir = root / "run"

    #
    config_dir = root / "src" / "config_models"
    config_dir.mkdir(parents=True, exist_ok=True)

    log(f"YAML-: {config_dir}")
    return root, data, config_dir

def build_config_text(run_dir: Path, data_dir: Path) -> str:
    """
    log("...")

    #
    yaml_lines = [
        "job: extension",
        "config:",
        "  name: \"chroma_mng oks_v1\" #",
        "  process:",
        "    - type: 'sd_trainer' #",
        f"      training_folder: \"{run_dir}\" #",
        "      device: cuda:0 # - RTX 3090",
        "      network:",
        "        type: \"lora\" #",
        "        linear: 16 # (Rank)",
        "        linear_alpha: 16 #",
    ]
    return "\n".join(yaml_lines) + "\n"

def append_dataset_and_train_params(current_yaml: str, data_dir: str) -> str:
    """
    #
    extra_lines = [
        "  datasets:",
        f"    - folder_path: \"{data_dir}\" # mng oks_bl",
        "      caption_ext: \"txt\" #",
        "      cache_latents_to_disk: true # Z",
        "  train:",
        "    batch_size: 1 #",
        "    steps: 2000 # - 2000",
        "    gradient_accumulation: 1 #",
        "    gradient_checkpointing: true # VRAM",
        "    optimizer: \"adamw8bit\" # 8-Adam",
        "    dtype: bf16 # bfloat16",
    ]
    return current_yaml + "\n".join(extra_lines) + "\n"

def assemble_and_save_monolith(config_dir: Path, data_dir: Path):
    """
    #
    safe_data_path = str(data_dir).replace('\\', '\\\\')

    #
    model_path = "Z:\\\\flowch\\\\models_core\\\\transformer\\\\chroma-unlocked-v50-annealed float8 e4m3fn learned svd."
```

```

vae_path = "Z:\\\\flowch\\\\models_core\\\\vae\\\\flux-vae-bf16.safetensors"

yaml_content = f"""# =====
# CHROMA (CORE SPEC V03)
# VRAM
# =====

job: extension
config:
  name: "chroma_mng oks_v1"
  process:
    - type: 'sd_trainer'
      training_folder: "Z:\\\\flowch\\\\run"
      device: cuda:0

# 1: LoRA-Kohya
network:
  type: "lora"
  linear: 16
  linear_alpha: 16

# 2: -Z
datasets:
  - folder_path: "{safe_data_path}"
    caption_ext: "txt"
    cache_latents_to_disk: true # 
    cache_text_encoder_to_disk: true # T5XXL

# 3: 
train:
  batch_size: 1
  steps: 2000
  gradient_checkpointing: true # Autograd WDDM
  optimizer: "adamw8bit"
  dtype: bf16 # bfloat16 (AdaLN)

# 4: FP8-
model:
  name_or_path: "{model_path}"
  vae_path: "{vae_path}"
  quantize: true # TorchAO Hooks
  train_text_encoder: false # T5 VRAM

# 5: - ( 0)
sample:
  sample_every: 250
  sample_start_step: 250 # 
  width: 1024
  height: 1024
"""

target_file = config_dir / "train_chroma_mng oks.yaml"
target_file.write_text(yaml_content.strip(), encoding='utf-8')
log(f"! YAML : {target_file}")

if __name__ == "__main__":
  log("...")
  # 1. 6
  root, data, config_dir = init_core_structure()
  # 2. 
  assemble_and_save_monolith(config_dir, data)

```