

Dual Translate mapping freeze

Progress notes (this pass only)

Working lab notebook, not a paper and not a claim of clinical validity.

11 September 2026 · nested G3–G9 frozen; leftover census; viewer :8263

Lab: staging/cxr-evidence-grounding-lab/ Viewer: <http://127.0.0.1:8263/> Curriculum: <http://127.0.0.1:8264/>

Status of this document. This is the full freeze record for the Dual failure→intervention mapping pass. It is the sibling of `notes/progress-notes.pdf` (M1–Ph14), not a rewrite of that notebook. Companions: `mapping-notes-simple.pdf` (walkthrough), `mapping-code-walkthrough.pdf` (runnable snippets), `CXR-Mapping-Curriculum.pdf` (MAP-00...09). `ground()` was not rewritten. Locator :8260 was not expanded. Rebuild: `./build-mapping-pdfs.sh` from `notes/`.

Contents

1 What we set out to achieve	1
2 Method	1
3 Cells	2
4 Leftover Dual-wrong after G9	2
5 Selection contrast (and walk-back)	2
6 Canonization surfaces	2
7 Claim ceiling	3
8 Artifact index	3

1 What we set out to achieve

Later thesis (not closeable as v1): automatically change and correct every failure mode in a large language model.

This-pass question (design: `docs/TRACKB-FAILURE-INTERVENTION-MAP.md`):

Can recurring Dual-shaped clinical-note failure signatures be mapped to correction methods that repair those failures while preserving unaffected notes, and could that mapping later support intervention selection?

Predicate: `FIRST_LINE_THERAPY_FAILED` on synthetic notes. Neural side fills an extract. Symbolic side: `ground()` then `evaluate_rule()`.

2 Method

- Dual analog extracts, Goal 2 fill ($n = 108$): schema in system, user=evidence. Frozen JSON reused; do not overwrite.

- Interventions are nested extract relabels in `n2s_lab/n2s_phase2_translate.py`. Deeper includes earlier.
- Score with unchanged `ground()` and `evaluate_rule()`.
- Controls: P-neg, P-xspan, P-bind; held-out Dual-wrong scored, not used to invent leftover IDs.
- Encode editor: none. Compute editor: CLOSED. No CAA, no frozen-d α -chase.

3 Cells

Cell	Job	Design bind	$n=108$ miss after
none	Raw Dual-fill	—	30
G3	Gated failure promote	2/7	—
G4	Mixed-span $\rightarrow$ X	2/7	27
G6	Never-quote $\rightarrow$ cues	2/7	19
G7	Restage (hedge / stable-seq)	3/7	12
G8	Same-time mix	3/7	8
G9	Admin-blocked	4/7 repaired; match	7/7 6

P-neg leak 0 after G3. Design P-xspan 10/10 after G6. No new flips on G6–G9 versus the previous cell.

There is no G5 repair cell (Goal 5 was a remaining-miss census).

4 Leftover Dual-wrong after G9

Six notes: T2 (too-early), U2/U6 (may-have), TX_E03 (held-for-progression), BC12_C1, BC14_C1 (heterogeneous). Goal 10: no leftover shape justifies a new Translate cell. `v1_freeze_recommended=true`. Do not write G11. Do not stretch `ground()` to fit naive.

Artifact: `artifacts/n2s-g10-leftover-census.json`.

5 Selection contrast (and walk-back)

Frozen stack, no new repair. Dual-fill $n = 108$:

Arm	Miss
none	30/108
extract-signature selector	6/108
always G9 (apply-all)	6/108
oracle agreement with selector	79.6%

Selector chose G9 on 2/108 (not apply-all in disguise). Nested wrappers mean this is **stack-depth routing**, not independent A vs B vs C vs abstain. `locator_chose_repair_class=false`. Not auto-correct.

Artifact: `artifacts/n2s-v1-selection-contrast.json`.

6 Canonization surfaces

- Viewer :8263 — per-note ladder. Script: `./scripts/run_map_viewer.sh`.
- Curriculum :8264 — MAP-00...09. Script: `./scripts/run_mapping_curriculum.sh`.
- Replay CLI: `curriculum-mapping/snippets/replay_ladder.py`.

7 Claim ceiling

- Mapping: partial yes (Translate nested, measured collateral).
- One-size-fits-all: empirically the wrong default (T1 needs nothing; T2 should not be forced).
- Selection among independent classes: not shown.
- Encode/Compute editors: none in this pass.
- Generic LLM auto-correct: no.

8 Artifact index

Path	Role
docs/TRACKB-FAILURE-INTERVENTION-MAP.md	Design + cell results
artifacts/n2s-g2-analog-fill-extracts.json	Frozen Dual-fill extracts
n2s_lab/ground.py, predicate.py	Unchanged boundary
n2s_lab/n2s_phase2_translate.py	Nested relabels
artifacts/n2s-g3-*.n2s-g9-*	Per-cell panels
artifacts/n2s-g10-leftover-census.json	Why no G11
artifacts/n2s-v1-selection-contrast.json	Mapping vs apply-all
static/map-viewer.html	:8263
curriculum-mapping/	Track UI + modules

Rebuild: `./build-mapping-pdfs.sh` from the `notes/` directory.