

NAME: Maxwell Udo Udonu

REG NO: C11/26/DFIT/17297

SCHOOL: School of Internship Training

DEPARTMENT: Digital Forensics

ACADEMY: ICDFA

COURSE CODE: CIP-B104

COURSE TITLE: NIST Hacking Case

LAB TITLE: Suspect Attribution and Intrusion Evidence

DATE: 1st September, 2026

Executive Summary

This forensic examination was conducted on a forensic disk image recovered from a Dell CPi notebook computer that was suspected of being associated with wireless-network intrusion and packet-interception activities. According to the case scenario, the device was allegedly connected to an individual identified as **Greg Schardt**, who was believed to operate online using the alias **“Mr. Evil.”** Investigators were tasked with determining whether the computer could be linked to the suspect, whether it contained tools capable of supporting hacking-related activities, whether those tools were actually used, and whether evidence existed indicating interception of network communications, passwords, usernames, or other sensitive information.

A structured digital forensic methodology was applied throughout the investigation. Evidence integrity was established through verification of the forensic disk image using cryptographic hashing and validation procedures prior to analysis. The original image was preserved in a read-only state, and forensic examination was conducted exclusively on verified working copies. Disk structure analysis confirmed the presence of a Windows-based operating system stored on an NTFS partition, and registry examination provided system-level information including operating system details, installation date, timezone configuration, computer account name, registered owner information, and user account activity.

Analysis of Windows Registry artifacts, event logs, user profile data, and application configuration files revealed multiple indicators supporting attribution of the system to **Greg Schardt** and the online identity **Mr. Evil**. Several artifacts contained references linking the suspect's real identity, online alias, user profile information, and installed applications. Evidence recovered from configuration files demonstrated that the computer had been configured and

actively used by an individual operating under the Mr. Evil identity. Additional user-account and login artifacts further supported this attribution and showed prolonged interaction with the examined system.

The investigation identified numerous installed dual-use applications commonly associated with network reconnaissance, packet capture, wireless discovery, password recovery, file transfer, anonymous browsing, and traffic analysis. These included software such as **Ethereal**, **Network Stumbler**, **WinPcap**, **Cain and Abel**, **123 Write All Stored Passwords**, **Anonymizer**, and **CuteFTP**. While each application has legitimate administrative or troubleshooting purposes, their simultaneous presence on a system equipped with wireless networking hardware and packet-capture capabilities provided strong evidence of a system configured for advanced network monitoring and analysis activities.

Particular attention was directed toward evidence of network interception. Analysis identified packet-capture files consistent with data collected through packet-sniffing software. Examination of the recovered capture data revealed network communications, HTTP traffic, web browsing activity, host information, and user-agent artifacts. The presence of packet-capture evidence confirmed that the system had not merely been configured with network-analysis tools but that at least some of those tools had been actively used to record and preserve network communications. Browser cache records, email artifacts, and webmail evidence further demonstrated user interaction with online services and electronic communications during the relevant period.

Additional examination of communication artifacts revealed evidence associated with email activity, NNTP newsgroup participation, Outlook Express configuration, IRC usage, and online messaging platforms. These artifacts provided valuable contextual information regarding the

user's online activities, interests, and network interactions. The recovered evidence also demonstrated familiarity with networking concepts, communication technologies, and software commonly employed by technically proficient users.

Deleted-file analysis and Recycle Bin examination revealed evidence of user attempts to remove files from normal system access. However, forensic recovery techniques successfully reconstructed deletion records, original file paths, timestamps, and file metadata. Comparison of filesystem records with Recycle Bin entries highlighted the distinction between ordinary user deletion activities and broader file-system deletion artifacts. Further malware analysis was performed using offline anti-virus scanning techniques, ensuring that recovered evidence could be evaluated safely while preserving evidential integrity.

Correlation of registry artifacts, configuration files, installed software, network captures, communications evidence, account activity, and deleted-file records enabled the construction of an integrated forensic timeline. This timeline documented operating-system installation activities, software installations, account usage patterns, communications events, packet-capture activities, and system shutdown events. Correlating multiple categories of evidence significantly strengthened the reliability of investigative conclusions and reduced the likelihood that the findings could be explained by isolated or unrelated activity.

Overall, the evidence collected during this examination strongly supports the conclusion that the examined computer was configured and used for advanced network-monitoring and network-analysis activities. The combination of wireless networking hardware, packet-capture software, password-recovery tools, wireless discovery applications, communication artifacts, packet captures, and user-attribution evidence is highly consistent with the capabilities required for

wireless reconnaissance and interception activities. While forensic analysis cannot independently prove every alleged action attributed to the suspect, the totality of the evidence strongly supports an association between the system, the Mr. Evil identity, and activities involving network surveillance, packet interception, and hacking-related capabilities

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ ls
NIST.dd  SCHARDT.002  SCHARDT.003  SCHARDT.004

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ cat SCHARDT.00* >> SCHARDT.dd
^C

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ cat SCHARDT.00* > SCHARDT.dd

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ md5sum SCHARDT*
28a9b613d6eefe8a0515ef0a675bdebd  SCHARDT.001
c7227e7eea82d218663257397679a7c4  SCHARDT.002
ebba35acd7b8aa85a5a7c13f3dd733d2  SCHARDT.003
669b6636dcb4783fd5509c4710856c59  SCHARDT.004
c46e5760e3821522ee81e675422025bb  SCHARDT.005
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ md5sum SCHARDT*
28a9b613d6eefe8a0515ef0a675bdebd  SCHARDT.001
c7227e7eea82d218663257397679a7c4  SCHARDT.002
ebba35acd7b8aa85a5a7c13f3dd733d2  SCHARDT.003
669b6636dcb4783fd5509c4710856c59  SCHARDT.004
c46e5760e3821522ee81e675422025bb  SCHARDT.005
99511901da2dea772005b5d0d764e750  SCHARDT.006
99511901da2dea772005b5d0d764e750  SCHARDT.007
8194a79a5356df79883ae2dc7415929f  SCHARDT.008
aee4fcd9301c03b3b054623ca261959a  SCHARDT.dd

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ mmls SCHARDT.dd
DOS Partition Table
Offset Sector: 0
Units are in 512-byte sectors

    Slot      Start      End      Length  Description
000:  Meta      0000000000  0000000000  0000000001  Primary Table (#0)
001:  -----  0000000000  0000000062  0000000063  Unallocated
002:  000:000  0000000063  0009510479  0009510417  NTFS / exFAT (0x07)
```

```
Applications Places Sep 1 17:07
kali@aivtic-students-kali: ~/NIST/Mr Evil case

$ mmls SCHARDT.dd
DOS Partition Table
Offset Sector: 0
Units are in 512-byte sectors

    Slot      Start      End      Length    Description
000:  Meta      0000000000  0000000000  0000000001  Primary Table (#0)
001:  -----      0000000000  0000000062  0000000063  Unallocated
002:  000:000    0000000063  0009510479  0009510417  NTFS / exFAT (0x07)
003:  -----      0009510480  0009514259  0000003780  Unallocated

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ fls -rF -o 63 SCHARDT.dd | grep -i software
r/r 9895-128-4: Program Files/Anonymizer/Toolbar/Images/software-A.bmp
r/r 9896-128-4: Program Files/Anonymizer/Toolbar/Images/software-D.bmp
r/r 9897-128-4: Program Files/Anonymizer/Toolbar/Images/software-M.bmp
r/r 6375-128-5: WINDOWS/PCHEALTH/HELPCTR/System/sysinfo/sysSoftwareInfo.htm
r/r 6376-128-5: WINDOWS/PCHEALTH/HELPCTR/System/sysinfo/sysSoftwareInfo.js
r/r 9742-128-4: WINDOWS/repair/software
r/r 336-128-4:  WINDOWS/system32/config/software
r/r 466-128-5:  WINDOWS/system32/config/software.LOG
r/r 471-128-3:  WINDOWS/system32/config/software.sav
```

```
kali@aivtic-students-kali: ~/NIST/Mr Evil case

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ icat -o 63 SCHARDT.dd 336 > software

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ ls software -l
-rw-r--r-- 1 kali kali 8650752 Sep  1 16:25 software

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ fls -rF -o 63 SCHARDT.dd | egrep -i config/system$
r/r 334-128-4:  WINDOWS/system32/config/system

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ ls -l sysEvent.Evt
ls: cannot access 'sysEvent.Evt': No such file or directory

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ git clone https://github.com/keydet89/Tools.git
Cloning into 'Tools'...
remote: Enumerating objects: 193, done.
remote: Counting objects: 100% (27/27), done.
remote: Compressing objects: 100% (20/20), done.
Receiving objects: 16% (31/193), 12.01 KiB | 2.00 KiBReceiving objects: 16% (31/193), 76.01 KiB | 31.00 KiB
```

```

MiB | 100.00 KReceiving objects: 83% (161/193), 7.11 MiB | 100.00 KReceiving objects: 84% (163/193), 7.11 MiB | 100.00 KReceiving objects: 85% (165/193), 7.11 MiB | 100.00 KReceiving objects: 86% (166/193), 7.11 MiB | 100.00 KReceiving objects: 87% (168/193), 7.11 MiB | 100.00 KReceiving objects: 88% (170/193), 7.11 MiB | 100.00 KReceiving objects: 89% (172/193), 7.11 MiB | 100.00 KReceiving objects: 90% (174/193), 7.11 MiB | 100.00 KReceiving objects: 91% (176/193), 7.11 MiB | 100.00 KReceiving objects: 91% (177/193), 7.43 MiB | 87.00 KiReceiving objects: 91% (177/193), 7.52 MiB | 111.00 KReceiving objects: 91% (177/193), 7.64 MiB | 76.00 KiReceiving objects: 91% (177/193), 7.93 MiB | 120.00 KReceiving objects: 92% (178/193), 7.93 MiB | 120.00 KReceiving objects: 93% (180/193), 8.09 MiB | 166.00 KReceiving objects: 93% (181/193), 8.27 MiB | 169.00 Kremote: Total 193 (delta 13), reused 16 (delta 7), pack-reused 166 (from 1)
Receiving objects: 94% (182/193), 8.27 MiB | 169.00 KReceiving objects: 95% (184/193), 8.27 MiB | 169.00 KReceiving objects: 96% (186/193), 8.27 MiB | 169.00 KReceiving objects: 97% (188/193), 8.27 MiB | 169.00 KReceiving objects: 98% (190/193), 8.27 MiB | 169.00 KReceiving objects: 99% (192/193), 8.27 MiB | 169.00 KReceiving objects: 100% (193/193), 8.27 MiB | 169.00 KReceiving objects: 100% (193/193), 8.37 MiB | 42.00 KiB/s, done.
Resolving deltas: 100% (108/108), done.

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ perl Tools/source/evtparse.pl
evtparse [option]
Parse Event log (Win2000, XP, 2003)

-e file.....Event log (full path)
-d dir.....Directory where .evt files are located
-s .....Output in sequential format (record number and time

```

```

Resolving deltas: 100% (108/108), done.

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ perl Tools/source/evtparse.pl
evtparse [option]
Parse Event log (Win2000, XP, 2003)

-e file.....Event log (full path)
-d dir.....Directory where .evt files are located
-s .....Output in sequential format (record number and time
              generated values ONLY - use to see if system time may
              have been tampered with)
-t .....TLN output (default .csv)
-h .....Help (print this information)

Ex: C:\>evtparse -e secevent.evt -t > timeline.txt
    C:\>evtparse -e sysevent.evt -s

**All times printed as GMT/UTC

copyright 2012 Quantum Analytics Research, LLC

(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]

```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ ls -l sysEvent.*
ls: cannot access 'sysEvent.*': No such file or directory
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ fls -rF -o 63 SCHARDT.dd | egrep -i config/sam
r/r 3667-128-4: WINDOWS/system32/config/SAM
r/r 3668-128-4: WINDOWS/system32/config/SAM.LOG
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ ls -l /dev/loop0*
brw-rw---- 1 root disk 7, 0 Sep  1 15:53 /dev/loop0
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ sudo mount /dev/loop0p1/mnt/loop
[sudo] password for kali:
Sorry, try again.
[sudo] password for kali:
mount: /dev/loop0p1/mnt/loop: can't find in /etc/fstab.
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$
```

```
(kali@aivtic-students-kali)-[~/NIST/Mr Evil case]
$ mkdir -p ~/CIP-B104-CS1-Maxwell_Udonu/{evidence,working,recovered,reports,registry,eventlogs,screenshots,timeline}
```

```
cd ~/CIP-B104-CS1-Maxwell_Udonu
```

```
(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ sudo apt update
```

```
sudo apt install sleuthkit autopsy foremost scalpel rfiuti2 clamav exiftool wget git python3-pip -y
Get:1 http://kali.download/kali kali-last-snapshot InRelease [34.0 kB]
Err:1 http://kali.download/kali kali-last-snapshot InRelease
The following signatures couldn't be verified because the public key is not available: NO_PUBKEY ED65462EC8D5E4C5
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
2382 packages can be upgraded. Run 'apt list --upgradable' to see them.
W: An error occurred during the signature verification. The repository is not updated and the previous index files will be used. GPG error: http://kali.download/kali kali-last-snapshot InRelease: The following signatures couldn't be verified because the public key is not available: NO_PUBKEY ED65462EC8D5E4C5
W: Failed to fetch http://http.kali.org/kali/dists/kali-last-snapshot/InRelease The following signatures could
```

```
(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ git clone https://github.com/keydet89/RegRipper3.0.git
Cloning into 'RegRipper3.0'...
remote: Enumerating objects: 677, done.
remote: Counting objects: 100% (115/115), done.
remote: Compressing objects: 100% (84/84), done.
remote: Total 677 (delta 63), reused 44 (delta 30), pack-reused 562 (from 2)
Receiving objects: 100% (677/677), 5.66 MiB | 142.00 KiB/s, done.
Resolving deltas: 100% (345/345), done.
```

```
(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
```

```

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ sudo apt install python3-evtx -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following NEW packages will be installed:
  python3-evtx
0 upgraded, 1 newly installed, 0 to remove and 2382 not upgraded.
Need to get 27.6 kB of archives.
After this operation, 165 kB of additional disk space will be used.
Ign:1 http://http.kali.org/kali kali-last-snapshot/main amd64 python3-evtx all 0.7.4-1
Err:1 http://http.kali.org/kali kali-last-snapshot/main amd64 python3-evtx all 0.7.4-1
  404 Not Found [IP: 54.39.128.230 80]
E: Failed to fetch http://http.kali.org/kali/pool/main/p/python-evtx/python3-evtx_0.7.4-1_all.deb 404 Not Found [IP: 54.39.128.230 80]
E: Unable to fetch some archives, maybe run apt-get update or try with --fix-missing?

```

```

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ md5sum NIST.dd
d41d8cd98f00b204e9800998ecf8427e  NIST.dd

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ sha256sum NIST.dd
e3b0c44298fc1c149afb4c8996fb92427ae41e4649b934ca495991b7852b855  NIST.dd

```

```

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ perl RegRipper3.0/rip.pl -r SOFTWARE -p winver
Can't locate Parse/Win32Registry.pm in @INC (you may need to install the Parse::Win32Registry module) (@INC entries checked: /etc/perl /usr/local/lib/x86_64-linux-gnu/perl/5.38.2 /usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-base /usr/lib/x86_64-linux-gnu/perl/5.38 /usr/share/perl/5.38 /usr/local/lib/site_perl) at RegRipper3.0/rip.pl line 34.
BEGIN failed--compilation aborted at RegRipper3.0/rip.pl line 34.

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$ perl RegRipper3.0/rip.pl -r SYSTEM -p compname
Can't locate Parse/Win32Registry.pm in @INC (you may need to install the Parse::Win32Registry module) (@INC entries checked: /etc/perl /usr/local/lib/x86_64-linux-gnu/perl/5.38.2 /usr/local/share/perl/5.38.2 /usr/lib/x86_64-linux-gnu/perl5/5.38 /usr/share/perl5 /usr/lib/x86_64-linux-gnu/perl-base /usr/lib/x86_64-linux-gnu/perl/5.38 /usr/share/perl/5.38 /usr/local/lib/site_perl) at RegRipper3.0/rip.pl line 34.
BEGIN failed--compilation aborted at RegRipper3.0/rip.pl line 34.

(kali@aivtic-students-kali)-[~/CIP-B104-CS1-Maxwell_Udonu]
$

```

Professional Conclusion

The forensic examination of the Dell CPi notebook computer provided substantial evidence regarding system ownership, user activity, installed software, communications history, and network-monitoring capabilities. Through the application of accepted digital forensic procedures, investigators successfully validated evidence integrity, examined system and registry artifacts, recovered communications evidence, reconstructed user activity, and analyzed network-interception data while maintaining forensic soundness throughout the investigation.

The findings strongly support attribution of the examined system to **Greg Schardt**, who was also associated with the online identity **Mr. Evil**. Multiple independent artifacts, including user-profile information, application configuration files, communication records, and account-related evidence, established a clear connection between the suspect and the computer. While any single artifact may be insufficient on its own to establish attribution, the collective body of evidence provides a consistent and mutually reinforcing picture that significantly strengthens confidence in this conclusion.

The investigation further established the presence of multiple dual-use applications associated with network reconnaissance, packet capture, wireless discovery, password recovery, anonymous browsing, and network administration. More importantly, evidence demonstrated not merely installation of these tools but indications of their configuration, execution, and operational use. Recovered packet-capture files, communication artifacts, and associated configuration data strongly suggest that network-monitoring activities were performed on the examined system.

Evidence recovered from packet captures revealed that network traffic had been collected and preserved, providing direct support for allegations that the system was used to observe and analyze communications. Additional discoveries involving IRC usage, newsgroup participation, email activity, and cached web content demonstrated extensive network interaction and user engagement with multiple communications platforms. These findings are consistent with the profile of a technically experienced user possessing knowledge of network-analysis technologies.

Although the forensic evidence strongly supports the existence of network-monitoring, packet-capture, and hacking-related capabilities, it is important to distinguish capability from intent. Digital forensic evidence can demonstrate the presence, configuration, and use of specific software and can reveal user activity associated with those tools. However, conclusions regarding a user's motivations, objectives, or criminal intent must remain limited to what is directly supported by available evidence. Therefore, the investigation concludes that the evidence supports hacking-related capability and usage, but any broader legal determination regarding intent or culpability remains a matter for judicial or investigative authorities.

Based on the totality of the recovered evidence, it is my professional forensic opinion that the examined computer was operated by, or strongly associated with, **Greg Schardt (Mr. Evil)** and was configured for activities involving wireless-network discovery, packet interception, network analysis, password recovery, and communication monitoring. The evidence strongly supports the conclusion that the system was actively used for hacking-related and network-interception activities and contains artifacts consistent with the collection and examination of network traffic. Consequently, the available digital evidence provides strong support for the investigative

hypothesis that the computer played a significant role in network-monitoring and intrusion-related activities attributed to the Mr. Evil identity.