

W.D. Practical file

EXPERIMENT 1- MAKING A CV USING HTML AND CSS.

Date:- 10/09/24

Source Code:-

```
<!DOCTYPE html>
<html>
<head>
  <title>Resume</title>
</head>
<body style="font-family: Arial, sans-serif; background-color: #f4f4f4; margin: 0;
padding: 0; display: flex; justify-content: center; align-items: center; height:
100vh;">

  <!-- Main Container with margins on left and right -->
  <div style="background-color: #ffffff; width: 800px; padding: 40px; box-
shadow: 0 0 15px rgba(0,0,0,0.1);">

    <!-- Header with Personal Details and Photo -->
    <div style="display: flex; justify-content: space-between; align-items:
center; border-bottom: 2px solid #333; padding-bottom: 10px;">
      <div style="width: 65%;">
        <h1 style="margin: 0;">Ritika</h1>
        <p style="margin: 5px 0;"><strong>Email:</strong>
ritikaraghav@gmail.com</p>
        <p style="margin: 5px 0;"><strong>Second Email:</strong>
Ritika.raghav@outlook.com</p>
        <p style="margin: 5px 0;"><strong>Phone:</strong> +91-
98XXXXXX19</p>
      </div>
      <div style="width: 30%; text-align: right;">
        
      </div>
    </div>

    <!-- About -->
    <div>
      <section style="margin-top: 20px;">
        <h2 style="margin-bottom: 10px;">About</h2>
```

<p>As a dedicated B.Tech CSE student, I am passionate about exploring the vast world of technology and its applications. My current academic journey has equipped me with a strong foundation in programming, particularly in C and C++.</p>

</section>

</div>

<!-- Skills Section -->

<section style="margin-top: 20px;">

<h2 style="margin-bottom: 10px;">Skills</h2>

<ul style="list-style-type: disc; padding-left: 20px;">

C++

Python

HTML

Data Structures & Algorithms

Competitive Coding

</section>

<!-- Technical Profeciencies -->

<section style="margin-top: 20px;">

<h2 style="margin-bottom: 10px;">Technical Profeciencies</h2>

<dl>

<dt>

Version Control

</dt>

<dd>

Git / GitHub

</dd>

<dt>

Database Management

</dt>

<dd>

MySQL

CSV and text file handling

</dd>

<dt>

Tools and IDEs

</dt>

<dd>

Visual Studio Code

PyCharm

```
        </dd>
    </dl>
</section>

<!-- Education Section -->
<section style="margin-top: 20px;">
    <h2 style="margin-bottom: 10px;">Education</h2>
    <table border="5px">
        <tr>
            <th>Course</th>
            <th>University</th>
            <th>Year of Passing</th>
            <th>Percentage/C.G.P.A</th>
        </tr>
        <tr>
            <td>B.Tech. (C.S.E.)</td>
            <td>Inderprastha Engineering College, Vaishali Ghaziabad</td>
            <td>2027</td>
            <td>8.2</td>
        </tr>
        <tr>
            <td>12th</td>
            <td>Laxmi Public School, Laxmi Nagar</td>
            <td>2023</td>
            <td>91</td>
        </tr>
        <tr>
            <td>10th</td>
            <td>Laxmi Public School, Laxmi Nagar</td>
            <td>2021</td>
            <td>94</td>
        </tr>
    </table>
</section>

<!-- Experience -->
<section style="margin-top: 20px;">
    <h2 style="margin-bottom: 10px;">Experience</h2>
    <dl>
        <dt>
            Google Internship (Junior Data Analyst)
        </dt>
        <dd>
            Nov 20XX - Jan 20XX (3 month)
```

```
        </dd>

        <dt>
            Microsoft Internship (Junior Web Developer)
        </dt>
        <dd>
            April 20XX - Oct 20XX (6 month)
        </dd>
    </dl>
</section>
```

```
<!-- Certifications and Qualifications Section -->
<section style="margin-top: 20px;">
    <h2 style="margin-bottom: 10px;">Certifications and
Qualifications</h2>
    <ul style="list-style-type: disc; padding-left: 20px;">
        <li>NPTEL Certification - Completed</li>
        <li>C++ Certification - Great Learning</li>
    </ul>
</section>

<!-- Awards Section -->
<section style="margin-top: 20px;">
    <h2 style="margin-bottom: 10px;">Awards</h2>
    <ul style="list-style-type: disc; padding-left: 20px;">
        <li>2st position in Code Combat Competition by ACM Student Chapter
Society</li>
        <li>2nd position in Ideathon by Think AI Club</li>
    </ul>
</section>

<!-- Hobbies and Interests Section -->
<section style="margin-top: 20px;">
    <h2 style="margin-bottom: 10px;">Hobbies and Interests</h2>
    <ul style="list-style-type: disc; padding-left: 20px;">
        <li>Exploring AI, Machine Learning, and Full-Stack
Development</li>
        <li>Participating in Competitive Coding Competitions</li>
    </ul>
</section>
```

```
<!-- Personal Details Section -->
<section style="margin-top: 20px;">
  <h2 style="margin-bottom: 10px;">Personal Derails</h2>
  <ul style="list-style-type: disc; padding-left: 20px;">
    <li>
      <p style="margin: 5px 0;"><strong>Address:</strong> Laxmi
Nagar, East Delhi, 110092</p>
    </li>
    <li>
      <p style="margin: 5px 0;"><strong>Git Hub:</strong> <a
href="https://github.com/RitikaRaghav" target="_blank">github.com/RitikaRaghav
</a></p>
    </li>
    <li>
      <p style="margin: 5px 0;"><strong>Linked In:</strong> <a
href="https://www.linkedin.com/in/RitikaRaghav "
target="_blank">linkedin.com/in/RitikaRaghav </a></p>
    </li>
  </ul>
</section>

</div>

</body>
</html>
```

Output:--

Ritika

Email: ritikaraghav@gmail.com
Second Email: Ritika.raghav@outlook.com
Phone: +91-98XXXXXX19



About

As a dedicated B.Tech CSE student, I am passionate about exploring the vast world of technology and its applications. My current academic journey has equipped me with a strong foundation in programming, particularly in C and C++.

Skills

- C++
- Python
- HTML
- Data Structures & Algorithms
- Competitive Coding

Technical Profeciencies

Version Control
Git / GitHub
Database Management
MySQL CSV and text file handling
Tools and IDEs
Visual Studio Code PyCharm

Education

Course	University	Year of Passing	Percentage/C.G.P.A
B.Tech (C.S.E.)	Inderprastha Engineering College, Vaishali Ghaziabad	2027	8.2
12th	Laxmi Public School, Laxmi Nagar	2023	91
10th	Laxmi Public School, Laxmi Nagar	2021	94

Experience

Google Internship (Junior Data Analyst)
Nov 20XX - Jan 20XX (3 month)
Microsoft Internship (Junior Web Developer)
April 20XX - Oct 20XX (6 month)

Certifications and Qualifications

- NPTEL Certification - Completed
- C++ Certification - Great Learning

Awards

- 2st position in Code Combat Competition by ACM Student Chapter Society
- 2nd position in Ideathon by Think AI Club

Hobbies and Interests

- Exploring AI, Machine Learning, and Full-Stack Development
- Participating in Competitive Coding Competitions

Personal Derails

- Address: Laxmi Nagar, East Delhi, 110092
- GitHub: github.com/RitikaRaghav
- LinkedIn: [linkedin.com/in/RitikaRaghav](https://www.linkedin.com/in/RitikaRaghav)

EXPERIMENT 2- TO MAKE A STUDENT REGISTRATION FORM.

Date:- 17/09/24

Source Code:-

Registration Form

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Form</title>
</head>

<body style="background-color: #FFF5E1; font-size: large; display: flex; justify-
content: center; align-items: center; height: 100vh; margin: 0;">
  <div style="background-color: #FFFFFF; padding: 20px; border: 2px solid #333;
border-radius: 8px; width: 50%; box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.1);">
    <h2 style="text-align: center; color: #333;">Registration Form</h2>

    <form action="Submit.html" style="display: flex; flex-direction: column;
gap: 15px;">

      <div style="display: flex; flex-direction: column;">
        <label>First Name</label>
        <input type="text" name="First_Name" required style="width: 100%;
height: 30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
      </div>

      <div style="display: flex; flex-direction: column;">
        <label>Last Name</label>
        <input type="text" name="Last_Name" style="width: 100%; height:
30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
      </div>

      <div style="display: flex; flex-direction: column;">
        <label>Date of Birth</label>
        <input type="date" name="Date_of_Birth" style="width: 100%;
height: 30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
      </div>

      <!-- Gender section -->
    </div>
```

```
<label>Gender</label><br>
<input type="radio" name="Gender" value="Male"> Male
<input type="radio" name="Gender" value="Female"> Female
<input type="radio" name="Gender" value="Other"> Other
</div>

<div style="display: flex; flex-direction: column;">
  <label>E-Mail Id</label>
  <input type="email" name="E-Mail" required style="width: 100%;
height: 30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
</div>

<div style="display: flex; flex-direction: column;">
  <label>Mobile Number</label>
  <input type="number" name="Mobile_Number" required style="width:
100%; height: 30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
</div>

<div style="display: flex; flex-direction: column;">
  <label>Address</label>
  <input type="text" name="Address" style="width: 100%; height:
30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
</div>

<!-- Course dropdown -->
<div style="display: flex; flex-direction: column;">
  <label>Course</label>
  <select name="Course" style="width: 100%; height: 35px; padding:
5px; border: 1px solid #ccc; border-radius: 4px;">
    <option value="B.Tech.">B.Tech.</option>
    <option value="B.B.A">B.B.A</option>
    <option value="B.Sc.">B.Sc.</option>
    <option value="M.C.A">M.C.A</option>
  </select>
</div>

<!-- Board dropdown -->
<div style="display: flex; flex-direction: column;">
  <label>Board</label>
  <select name="Board" style="width: 100%; height: 35px; padding:
5px; border: 1px solid #ccc; border-radius: 4px;">
    <option value="C.B.S.E">C.B.S.E.</option>
    <option value="I.C.S.C.">I.C.S.C.</option>
    <option value="State Board">State Board</option>
```



```

        </select>
    </div>

    <div style="display: flex; flex-direction: column;">
        <label>Marks in Percentage</label>
        <input type="number" name="marks" style="width: 100%; height:
30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
    </div>

    <!-- Category section -->
    <div>
        <label>Category</label><br>
        <input type="radio" name="Category" value="General"> General
        <input type="radio" name="Category" value="S.C."> S.C.
        <input type="radio" name="Category" value="S.T."> S.T.
        <input type="radio" name="Category" value="O.B.C."> O.B.C.
        <input type="radio" name="Category" value="General-EWS"> General-
EWS
    </div>

    <!-- Sports section -->
    <div>
        <label>Sports/Co-Curricular Activities</label><br>
        <input type="checkbox" name="Cricket" value="Cricket"> Cricket
        <input type="checkbox" name="Football" value="Football"> Football
        <input type="checkbox" name="Badminton" value="Badminton">
Badminton
        <input type="checkbox" name="Basketball" value="Basketball">
Basketball
        <input type="checkbox" name="Table Tennis" value="Table Tennis">
Table Tennis
        <input type="checkbox" name="Chess" value="Chess"> Chess
        <input type="checkbox" name="Kho-Kho" value="Kho-Kho"> Kho-Kho
        <input type="checkbox" name="Kabaddi" value="Kabaddi"> Kabaddi
    </div>

    <!-- File and Password -->
    <div style="display: flex; flex-direction: column;">
        <label>12 Mark Sheet</label>
        <input type="file" name="12_Mark_Sheet" style="width: 100%;
padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
    </div>

    <div style="display: flex; flex-direction: column;">

```

```

        <label>Password</label>
        <input type="password" name="Password" style="width: 100%; height:
30px; padding: 5px; border: 1px solid #ccc; border-radius: 4px;">
    </div>

    <!-- Submit and Reset buttons -->
    <div style="display: flex; justify-content: center; gap: 20px;">
        <input type="submit" value="Submit" style="width: 100px; height:
35px; background-color: #4CAF50; color: white; border: none; border-radius: 4px;">
        <input type="reset" value="Reset" style="width: 100px; height:
35px; background-color: #f44336; color: white; border: none; border-radius: 4px;">
    </div>
</form>
</div>
</body>
</html>

```

Submission Page

```

<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Submit</title>
</head>
<body style="background-color: lightgreen; text-align: center; padding: 50px;
font-size: xx-large;">
    <h1>Thank You!</h1>
    <p>Your submission has been received.</p>
    <p>We will get back to you soon.</p>
    <a href="form.html" style="font-size: 20px; color: blue; text-decoration:
none;">Return to Form</a>
</body>
</html>

```

Output:--

Registration Form

First Name

Last Name

Date of Birth

dd - mm - yyyy

Gender

☐ Male ☐ Female ☐ Other

E-Mail Id

Mobile Number

Address

Course

B.Tech.

Board

C.B.S.E.

Marks in Percentage

Category

☐ General ☐ S.C. ☐ S.T. ☐ O.B.C. ☐ General-EWS

Sports/Co-Curricular Activities

☐ Cricket ☐ Football ☐ Badminton ☐ Basketball ☐ Table Tennis ☐ Chess ☐ Kho-Kho ☐ Kabaddi

12 Mark Sheet

Choose File

No file chosen

Password

Submit

Reset

Thank You!

Your submission has been received.

We will get back to you soon.

[Return to Form](#)

EXPERIMENT 3:- MAKE A HOMEPAGE FOR COLLEGE WEBSITE.

Date:- 24/09/24

Source Code:--

Main.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Take 03- Main</title>
</head>
<frameset rows="16%, *">
  <frame name="topleftFrame" src="topframe.html">
  <frameset cols="14%, *">
    <frame name="BottomLeftFrame" src="bottomleft.html">
    <frame name="bottomRightFrame" src="bottomright.html" >
  </frameset>
</frameset>
</html>
```

topframe.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Top 1 Frame</title>
  <link rel="stylesheet" href="topframe.css">
</head>
<body style="background: linear-gradient(to right, #3498db, #2980b9);">
  <header>
  <div>
    <div class="logo-container">
      
      <h1 class="college-name">Inderprastha Engineering College</h1>
    </div>
    <nav>
      <ul>
        <li><a href="home.html" target="bottomRightFrame">Home</a></li>
```

```

        <li><a href="login_page.html"
target="bottomRightFrame">Login</a></li>
        <li><a href="RegistrationForm.html"
target="bottomRightFrame">Registration</a></li>
        <li><a href="catalouge.html"
target="bottomRightFrame">Catalogue</a></li>
    </ul>
</nav>
</div>
</header>
</body>
</html>

```

topframe.css

```

.logo-container {
    display: flex;
    align-items: center;
    gap: 0px;
    padding: 20px; /* Add padding for spacing */
    border-bottom: 2px solid #ccc; /* Add a bottom border */
}

.college-name {
    flex-grow: 1;
    text-align: center;
    font-size: 44px; /* Adjust font size as needed */
    font-weight: bold; /* Add bold font weight */
    color: #fff; /* Set text color to white */
}

nav ul {
    display: flex;
    list-style: none;
    margin: 0;
    padding: 0;
    justify-content: flex-end;
    align-items: center;
}

nav li {
    margin-right: 50px; /* Adjust spacing between links */
}

nav a {

```

```
    color: #fff;
    text-decoration: none;
    font-weight: bold;
}

nav a:hover {
    color: red
}

nav a:active {
    color: greenyellow
}
```

bottomleft.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Bottom Left Frame</title>
    <link rel="stylesheet" href="bottomleft.css">
</head>
<body>
    <div class="main-container">
        <aside class="sidebar">
            <h3>Engineering Subjects</h3>
            <ul>
                <li><a href="#">Computer Science</a></li>
                <li><a href="#">Mechanical Engineering</a></li>
                <li><a href="#">Electrical Engineering</a></li>
                <li><a href="#">Civil Engineering</a></li>
                <li><a href="#">BioTechnical Engineering</a></li>
            </ul>
        </aside>
    </div>
</body>
</html>
```

bottomleft.css

```
body {
    margin: 0;
    font-family: Arial, sans-serif;
    background: #3498db;
```

```
}

.main-container {
  display: flex;
  height: 100vh;
}

.sidebar {
  background-color: #2a8ef9;
  color: white;
  padding: 20px;
  width: 250px;
}

.sidebar h3 {
  margin-bottom: 20px;
}

.sidebar ul {
  list-style-type: none;
  padding: 0;
}

.sidebar li {
  margin-bottom: 15px;
}

.sidebar a {
  color: white;
  text-decoration: none;
  display: block;
  padding: 10px;
  border: none;
  background-color: #1a73d9;
  border-radius: 5px;
  width: 100%;
  text-align: left;
}

.sidebar a:hover {
  background-color: #007bff;
}
```



```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home Page</title>
  <link rel="stylesheet" href="home.css">
</head>
<body>
  <div class="main-container">
    <!-- Welcome Section -->
    <div class="content" align="center">
      <section class="welcome-section">
        <h1>Welcome to <span class="highlight">IPEC Bookstore</span></h1>
        <p>Your one-stop shop for all your academic book needs!</p>
      </section>

      <!-- Search Bar -->
      <section class="search-bar">
        <input type="text" placeholder="Search for books, authors, or
ISBN...">
        <button>Search</button>
      </section>
    </div>

    <!-- Stats Section -->
    <div class="stats">
      <div class="stat">
        <p class="number">20+</p>
        <p>Years of Excellence</p>
      </div>
      <div class="stat">
        <p class="number">15000+</p>
        <p>Alumni</p>
      </div>
      <div class="stat">
        <p class="number">200+</p>
        <p>Recruiters</p>
      </div>
      <div class="stat">
        <p class="number">100+</p>
        <p>Awards Won</p>
      </div>
    </div>
  </div>

```

```

</div>

<!-- About Section -->
<section class="about">
    <p>IPEC is one of the most preferred engineering colleges in Ghaziabad Delhi NCR for aspiring engineers and technologists.</p>
    <p>It was established in the year 2000, by leading academicians and business leaders in North India, under the aegis of Shail Garg Shiksha Sansthan, a non-profit making society. IPEC is the best engineering college in Ghaziabad Delhi NCR with 20+ years of excellence, a rich alumni base of 15000+ students, and best placement with 200+ recruiters.</p>
    <a href="#" class="view-more-btn">View More</a>
</section>

<!-- Accreditations Section -->
<section class="accreditations">
    
    
    
    
</section>
</div>

<!-- Footer -->
<footer>
    <hr>
    <section class="assistance" align="center">
        <h2>Need Assistance?</h2>
        <p>Our team is here to help you find the right books for your courses.</p>
        <button class="contact-btn">Contact Support</button>
    </section>
</footer>
</body>
</html>

```

home.css

```

body {
    font-family: Arial, sans-serif;
    margin: 0;
    padding: 0;
    background: linear-gradient(to bottom, #f7f9fc, #e8eef3);
    color: #333;
}

```

```
header {
  background-color: #2a8ef9;
  color: white;
  padding: 1rem;
  display: flex;
  justify-content: space-between;
  align-items: center;
}

.logo-container {
  background: linear-gradient(to right, #3498db, #2980b9);
  display: flex;
  align-items: center;
}

.logo {
  width: 50px;
  height: 50px;
  margin-right: 1rem;
  text-align: center;
}

.college-name {
  font-size: 1.5rem;
  font-weight: bold;
}

.sidebar {
  width: 250px;
  background-color: #ffffff;
  padding: 2rem 1rem;
  box-shadow: 2px 0 10px rgba(0, 0, 0, 0.1);
}

.stats {
  display: flex;
  justify-content: space-around;
  margin: 20px;
  text-align: center;
}

.stat {
  background: #ecf0f1;
}
```

```
padding: 20px;
border-radius: 10px;
width: 20%;
box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
transition: transform 0.3s;
}

.stat:hover {
  transform: scale(1.05);
}

.number {
  font-size: 2em;
  font-weight: bold;
  color: #e74c3c;
}

.about {
  margin: 30px;
  padding: 20px;
  background: #fff;
  border-radius: 10px;
  box-shadow: 0 4px 6px rgba(0, 0, 0, 0.1);
}

.view-more-btn {
  display: inline-block;
  margin-top: 10px;
  padding: 10px 20px;
  background: #3498db;
  color: #fff;
  text-decoration: none;
  border-radius: 5px;
  transition: background-color 0.3s;
}

.view-more-btn:hover {
  background: #2980b9;
}

.updates {
  display: flex;
  flex-wrap: wrap;
  justify-content: space-between;
```

```
padding: 20px;
}

.update {
background-color: #f0f0f0;
padding: 20px;
margin-bottom: 20px;
}

.accreditations {
text-align: center;
margin: 20px;
}

.accreditations img {
margin: 10px;
transition: transform 0.3s;
}

.accreditations img:hover {
transform: scale(1.1);
}

.highlight {
color: #e74c3c;
}

.welcome-section {
padding: 20px;
background: linear-gradient(to right, #3498db, #2980b9);
color: #fff;
border-radius: 10px;
margin: 20px;
text-align: center;
}

.search-bar {
margin: 20px 0;
}

.search-bar input {
padding: 10px;
width: 50%;
border: 1px solid #ddd;
}
```

```
    border-radius: 5px;
    font-size: 1em;
}

.search-bar button {
    padding: 10px 20px;
    font-size: 1em;
    border: none;
    background-color: #3498db;
    color: white;
    cursor: pointer;
    border-radius: 5px;
    margin-left: 10px;
    transition: background-color 0.3s;
}

.search-bar button:hover {
    background-color: #2980b9;
}


footer {
    background: #34495e;
    color: #ecf0f1;
    padding: 20px 0;
    text-align: center;
}

footer h2 {
    margin-bottom: 10px;
}

.contact-btn {
    padding: 10px 20px;
    background: #e74c3c;
    color: white;
    border: none;
    border-radius: 5px;
    cursor: pointer;
    transition: background-color 0.3s;
}

.contact-btn:hover {
    background: #c0392b; 1
}
```

Output:-



EXPERIMENT 4:- MAKE A LOGIN PAGE FOR COLLEGE WEBSITE.

Date:- 01/10/24

Source Code:--

Login.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login Page</title>
  <link rel="stylesheet" href="login.css">
</head>
<body>
  <div class="login-container">
    <h2>Login</h2>
    <form action="dashboard.html" method="post">
      <label for="student-id">Student ID:</label>
      <input type="text" id="student-id" name="student-id" required>

      <label for="password">Password:</label>
      <input type="password" id="password" name="password" required>

      <button type="submit">Login</button>
      <a href="#">Forgot Password?</a>
    </form>
  </div>
</body>
</html>
```

Login.css

```
body {
  font-family: Arial, sans-serif;
  background-color: #3498db;
  display: flex;
  justify-content: center;
  align-items: center;
  height: 100vh;
  margin: 0;
}

.login-container {
```



```
    background-color: #fff;
    padding: 40px;
    border-radius: 10px;
    box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.2);
    width: 350px;
}

h2 {
    text-align: center;
    margin-bottom: 20px;
    font-size: 24px;
}

form {
    text-align: center;
}


label {
    display: block;
    margin-bottom: 10px;
    font-weight: bold;
}

input {
    width: 100%;
    padding: 10px;
    margin-bottom: 20px;
    border: 1px solid #ccc;
    border-radius: 5px;
}

button {
    background-color: #3498db;
    color: white;
    padding: 10px 20px;
    border: none;
    border-radius: 5px;
    cursor: pointer;
}

a {
    color: #3498db;
    text-decoration: none;
}
```

Output:-



Inderprastha Engineering College

[Home](#)[Login](#)[Registration](#)[Catalogue](#)

Engineering Subjects

- Computer Science
- Mechanical Engineering
- Electrical Engineering
- Civil Engineering
- BioTechnical Engineering

Login

Student ID:

Password:

[Login](#)[Forgot Password?](#)

EXPERIMENT 5:- MAKE A CATALOGUE PAGE FOR COLLEGE WEBSITE.

Date:- 08/10/24

Source Code:--

Catalogue.html

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Catalogue</title>
  <link rel="stylesheet" href="catalogue.css">
</head>

<body>
  <div class="catalogue-container">
    <header class="header">
      <h1>Book Catalogue</h1>
      <p>Explore our collection of academic books!</p>
    </header>
    <div class="book-container">
      <div class="book-item">
        
        <div class="book-details">
          <h3>DS and C++</h3>
          <p><strong>Author:</strong> Yedidyaah Langsam</p>
          <p><strong>Publication:</strong> Wiley</p>
          <p><strong>Price:</strong> Rs. 1099</p>
        </div>
        <button class="add-to-cart">Add to Cart</button>
      </div>

      <div class="book-item">
        
        <div class="book-details">
          <h3>Electrical Engineering</h3>

```

```
        <p><strong>Author:</strong> K.S. Suresh Kumar</p>
        <p><strong>Publication:</strong> Princetonhall</p>
        <p><strong>Price:</strong> Rs. 1899</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>
```

```
<div class="book-item">
    
    <div class="book-details">
        <h3>Fluid Mechanics</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>
```

```
<div class="book-item">

    <div class="book-details">
        <h3>Algorithms</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>
```

```
<div class="book-item">
    
    <div class="book-details">
        <h3>Mechanical Engineering</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>
```

```
<div class="book-item">
    
    <div class="book-details">
        <h3>Mechanics of Materials</h3>
```

```

        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>

<div class="book-item">
    
    <div class="book-details">
        <h3>Structural Analysis</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>

<div class="book-item">
    
    <div class="book-details">
        <h3>System Control</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>

<div class="book-item">
    
    <div class="book-details">
        <h3>Thermodynamics</h3>
        <p><strong>Author:</strong> Yedidyaah Langsam</p>
        <p><strong>Publication:</strong> Wiley</p>
        <p><strong>Price:</strong> Rs. 1099</p>
    </div>
    <button class="add-to-cart">Add to Cart</button>
</div>

</div>
</div>
</body>
</html>

```

```
body {  
  font-family: Arial, sans-serif;  
  margin: 0;  
  padding: 0;  
  background: linear-gradient(to right, #6dd5ed, #2193b0);  
  color: #333;  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
}  
  
.header {  
  text-align: center;  
  margin: 20px 0;  
}  
  
.header h1 {  
  font-size: 2.5rem;  
  color: #fff;  
}  
  
.header p {  
  font-size: 1.2rem;  
  color: #f8f8f8;  
}  
  
.catalogue-container {  
  width: 90%;  
  max-width: 1200px;  
  margin: 0 auto;  
}  
  
.book-container {  
  display: flex;  
  flex-wrap: wrap;  
  justify-content: space-between;  
  gap: 20px;  
}  
  
.book-item {  
  background: #fff;  
  border-radius: 10px;  
  overflow: hidden;
```

```
width: 300px;
box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
transition: transform 0.3s, box-shadow 0.3s;
}

.book-item:hover {
  transform: translateY(-5px);
  box-shadow: 0 6px 12px rgba(0, 0, 0, 0.2);
}

.book-item img {
  width: 100%;
  height: 200px;
  object-fit: cover;
}

.book-details {
  padding: 15px;
  text-align: left;
}


.book-details h3 {
  font-size: 1.5rem;
  color: #333;
}

.book-details p {
  font-size: 1rem;
  margin: 5px 0;
  color: #555;
}

.add-to-cart {
  background: #2193b0;
  color: #fff;
  border: none;
  width: 100%;
  padding: 10px;
  font-size: 1rem;
  cursor: pointer;
  transition: background-color 0.3s;
}

.add-to-cart:hover {
  background: #197b92;
}
```

Output:-



Inderprastha Engineering College


[Home](#)[Login](#)[Registration](#)[Catalogue](#)

Engineering Subjects

- Computer Science
- Mechanical Engineering
- Electrical Engineering
- Civil Engineering
- Biotechnical Engineering

Book Catalogue


Explore our collection of academic books!



DS and C++

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



Electrical Engineering

Author: K.S. Suresh Kumar
Publication: Princetonhall
Price: Rs. 1099


[Add to Cart](#)



Fluid Mechanics

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



Algorithms

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



Mechanical Engineering

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



Mechanics of Materials

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



Structural Analysis

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099


[Add to Cart](#)



System Control

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099

[Add to Cart](#)



Thermodynamics

Author: Yedidyash Langsam
Publication: Wiley
Price: Rs. 1099

[Add to Cart](#)

EXPERIMENT 6:- MAKE A REGISTRATION PAGE FOR COLLEGE WEBSITE.

Date:- 15/10/24

Source Code:--

Registration.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Registration Page</title>
  <style>
    body {
      background-color: #2980b9;
      font-family: Arial, sans-serif;
      font-size: 16px;
      display: flex;
      justify-content: center;
      align-items: center;
      height: 100vh;
      margin: 0;
    }
    .button-container input[type="submit"] {
      background-color: #4CAF50; /* green */
      color: #fff;
    }

    .button-container input[type="reset"] {
      background-color: #f44336; /* red */
      color: #fff;
    }

    .form-container {
      background-color: #5dc0fd;
      padding: 20px;
      border: 2px solid #333;
      border-radius: 8px;
      width: 50%;
      box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    }
  </style>
</head>
<body>
  <div class="form-container">
    <div class="form-group">
      <input type="text" value="Name" />
    </div>
    <div class="form-group">
      <input type="text" value="Email" />
    </div>
    <div class="form-group">
      <input type="password" value="Password" />
    </div>
    <div class="form-group">
      <input type="password" value="Confirm Password" />
    </div>
    <div class="button-container">
      <input type="submit" value="Register" />
      <input type="reset" value="Cancel" />
    </div>
  </div>
</body>
</html>
```

```
h2 {
  text-align: center;
  color: #333;
  margin-bottom: 20px;
}

form {
  display: flex;
  flex-direction: column;
  gap: 15px;
}

label {
  font-weight: bold;
}

input[type="text"],
input[type="email"],
input[type="number"],
input[type="password"],
select,
textarea {
  width: 100%;
  padding: 10px;
  border: 1px solid #2980b9;
  border-radius: 4px;
}

input[type="radio"],
input[type="checkbox"] {
  margin-right: 10px;
}

button {
  background-color: #4CAF50;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 5px;
  cursor: pointer;
}

.button-container {
```

```

        display: flex;
        justify-content: space-between;
    }
</style>
</head>
<body>
    <div class="form-container">
        <h2>Registration Form</h2>
        <form action="#" method="post">
            <div>
                <label for="firstName">First Name:</label>
                <input type="text" id="firstName" name="firstName" required>
            </div>

            <div>
                <label for="lastName">Last Name:</label>
                <input type="text" id="lastName" name="lastName">
            </div>

            <div>
                <label for="dob">Date of Birth:</label>
                <input type="date" id="dob" name="dob">
            </div>

            <div>
                <label for="gender">Gender:</label>
                <input type="radio" id="male" name="gender" value="male"> Male
                <input type="radio" id="female" name="gender" value="female">
Female
                <input type="radio" id="other" name="gender" value="other"> Other
            </div>

            <div>
                <label for="email">Email:</label>
                <input type="email" id="email" name="email" required>
            </div>

            <div>
                <label for="mobile">Mobile Number:</label>
                <input type="tel" id="mobile" name="mobile" required>
            </div>

            <div>
                <label for="address">Address:</label>

```

```
<textarea id="address" name="address"></textarea>
</div>
```

```
<div>
  <label for="course">Course:</label>
  <select id="course" name="course">
    <option value="B.Tech.">B.Tech.</option>
    <option value="B.B.A">B.B.A</option>
    <option value="B.Sc.">B.Sc.</option>
    <option value="M.C.A">M.C.A</option>
  </select>
</div>
```

```
<div>
  <label for="board">Board:</label>
  <select id="board" name="board">
    <option value="C.B.S.E.">C.B.S.E.</option>
    <option value="I.C.S.E.">I.C.S.E.</option>
    <option value="State Board">State Board</option>
  </select>
</div>
```

```
<div>
  <label for="marks">Marks in Percentage:</label>
  <input type="number" id="marks" name="marks">
</div>
```

```
<div>
  <label for="category">Category:</label>
  <input type="radio" id="general" name="category" value="General">
  <input type="radio" id="sc" name="category" value="SC"> SC
  <input type="radio" id="st" name="category" value="ST"> ST
  <input type="radio" id="obc" name="category" value="OBC"> OBC
  <input type="radio" id="general-ews" name="category"
value="General-EWS"> General-EWS
</div>
```

```
<div>
  <label>Sports/Co-Curricular Activities:</label><br>
  <input type="checkbox" name="cricket" value="Cricket"> Cricket
  <input type="checkbox" name="football" value="Football"> Football
  <input type="checkbox" name="badminton" value="Badminton">
```

General

Badminton

```


        <input type="checkbox" name="basketball" value="Basketball">
Basketball
        <input type="checkbox" name="tableTennis" value="Table Tennis">
Table Tennis
        <input type="checkbox" name="chess" value="Chess"> Chess
        <input type="checkbox" name="khoKho" value="Kho-Kho"> Kho-Kho
        <input type="checkbox" name="kabaddi" value="Kabaddi"> Kabaddi
    </div>

    <div>
        <label for="markSheet">12th Mark Sheet:</label>
        <input type="file" id="markSheet" name="markSheet">
    </div>

    <div>
        <label for="password">Password:</label>
        <input type="password" id="password" name="password">
    </div>

    <div class="button-container">
        <input type="submit" value="Submit">
        <input type="reset" value="Reset">
    </div>
</form>
</div>
</body>
</html>
```

Output:-



Inderprastha Engineering College

[Home](#)[Login](#)[Registration](#)[Catalogue](#)

Engineering Subjects

[Computer Science](#)[Mechanical Engineering](#)[Electrical Engineering](#)[Civil Engineering](#)[BioTechnical Engineering](#)

Registration Form

First Name:

Last Name:

Date of Birth: dd-mm-yyyy ☐

Gender: ☐ Male ☐ Female ☐ Other

Email:

Mobile Number:

Address:

Course:

B.Tech.

Board:

C.B.S.E.

Marks in Percentage:

Category: ☐ General ☐ SC ☐ ST ☐ OBC ☐ General-EWS

Sports/Co-Curricular Activities:

☐ Cricket☐ Football☐ Badminton☐ Basketball☐ Table Tennis☐ Chess☐ Kho-Kho☐ Kabaddi

12th Mark Sheet: No file chosen

Password:

EXPERIMENT 7:- USE OF CSS SELECTOR.

Date:- 05/11/24

Source Code:--

Main.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Task 4- Web Page</title>
  <link rel="stylesheet" href="task4.css">
</head>

<body class="Bm">
  <hr color="black" size="3">
  <h1 class="Head" id="idk">
    <a href="task4_home.html">HOME</a> &emsp;&emsp;&emsp;&emsp;&emsp; <a
href="task4_about.html">ABOUT</a> &emsp;&emsp;&emsp;&emsp;&emsp; <a
href="task4_contact.html">CONTACT</a>
  </h1>
  <hr color="black" size="3" id=""idk">

  <p class="A">
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    <br>
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
  </p>
  <p class="B">
    Lorem ipsum dolor sit amet consectetur adipisicing elit.
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    <br>
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
    Lorem ipsum dolor sit amet consectetur, adipisicing elit.
  </p>

</body>
```

</html>

Home.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Home Page</title>
  <link rel="stylesheet" href="task4.css">
</head>
<body class="Bh">
  <h1 class="Head" id="idk">
    HOME
  </h1>
  <hr color="black" size="3" id=""idk">

  <p class="A">
    This is Home Page
  </p>
  <p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Sint sed pariatur
    id quae rem architecto eveniet, obcaecati error veritatis aliquam laudantium,
    cumque eum perferendis aperiam nesciunt tempore sequi unde. Minima.
  </p>
</body>
</html>
```

About.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>About Section</title>
  <link rel="stylesheet" href="task4.css">
</head>
<body class="Ba">

  <h1 class="Head" id="idk">
    ABOUT ME
  </h1>
  <hr color="black" size="3" id=""idk">
```



```
<p class="A">
    This is About Section
</p>

<p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Harum maxime nisi
deserunt repellat nemo quam molestias vero? Similique quo ea eveniet enim, saepe,
architecto minus quaerat sapiente provident aut voluptatem.</p>

</body>
</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Contact</title>
    <link rel="stylesheet" href="task4.css">
</head>

<body class="Bc">

    <h1 class="Head" id="idk">
        CONTACT
    </h1>
    <hr color="black" size="3" id=""idk>

    <p class="A">
        This is my Contact
    </p>
    <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Sint sed pariatur
        id quae rem architecto eveniet, obcaecati error veritatis aliquam laudantium,
        cumque eum perferendis aperiam nesciunt tempore sequi unde. Minima.
    </p>

</body>
</html>
```

```
.A
{
    text-align: center;
    color: red;
    font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida
Sans Unicode', Geneva, Verdana, sans-serif;
}

#idk
{
    text-align: center;
}

.Ba
{
    background-image: url("bg1.jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    font-family: Arial, Helvetica, sans-serif;
}


.Bc
{
    background-image: url("bg2.jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    font-family: 'Trebuchet MS', 'Lucida Sans Unicode', 'Lucida Grande', 'Lucida
Sans', Arial, sans-serif;
}
```

```
.Bh
{
    background-image: url("bg3.jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-serif;
}
```

```
.Bm
{
    background-image: url("bg4.jpg");
    background-repeat: no-repeat;
    background-size: cover;
    background-attachment: fixed;
    font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lucida
Sans Unicode', Geneva, Verdana, sans-serif;
}
```

```
a {
    color:yellow;
}
```

Output:-



ABOUT ME

This is About Section

Lorem ipsum dolor sit amet consectetur adipisicing elit. Harum maxime nisi deserunt repellat nemo quam molestias vero? Similique quo ea eveniet enim, saepe, architecto minus quaerat sapiente provident aut voluptatem.



CONTACT

This is my Contact

Lorem ipsum dolor sit amet consectetur adipisicing elit. Sint sed pariatur in quae rem architecto eveniet, obcaecati error veritatis, aliquam laudantium, cumque eum perferendis aperiam nesciunt tempore sedui unde. Minima.



EXPERIMENT 8:- USE OF BACKGROUND REPEAT PROPERTY.

Date:- 12/11/24

Source Code:--

space.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Lab 5 Task 1</title>
  <style>
    body {
      background-image: url('1.jpg');
      background-repeat: space;
      background-size: contain; /* Adjusts the size of the image */
      background-position: top; /* Aligns the image at the top */
      height: 10vh;
      margin: 0; /* Removes default margin around the body */
    }
    .center-box {
      width: 300px;
      background-color: #f0f0f0;
      border: 1px solid #ccc;
      padding: 20px;
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
  </style>
</head>
<body>
  <div class="center-box">
    <h2>Hello, World!</h2>
    <p>This is a centered box for space.html.</p>
  </div>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Lab 5</title>
  <style>
    body {
      background-image: url('1.jpg');
      background-repeat:no-repeat;
      background-size: contain; /* Adjusts the size of the image */
      background-position: top; /* Aligns the image at the top */
      height: 10vh;
      margin: 0; /* Removes default margin around the body */
    }
    .center-box {
      width: 300px;
      background-color: #f0f0f0;
      border: 1px solid #ccc;
      padding: 20px;
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
  </style>
</head>
<body>
  <div class="center-box">
    <h2>Hello, World!</h2>
    <p>This is a centered box for no_repeat.html.</p>
  </div>
</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Lab 5</title>
  <style>
    body {
      background-image: url('1.jpg');
      background-repeat: repeat-x;
      background-size: contain; /* Adjusts the size of the image */
      background-position: top; /* Aligns the image at the top */
      height: 10vh;
      margin: 0; /* Removes default margin around the body */
    }
    .center-box {
      width: 300px;
      background-color: #f0f0f0;
      border: 1px solid #ccc;
      padding: 20px;
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
  </style>
</head>
<body>
  <div class="center-box">
    <h2>Hello, World!</h2>
    <p>This is a centered box for repeat-x.html.</p>
  </div>

</body>
</html>
```



```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Lab 5</title>
  <style>
    body {
      background-image: url('1.jpg');
      background-repeat: repeat-y;
      background-size: contain; /* Adjusts the size of the image */
      background-position: top; /* Aligns the image at the top */
      height: 10vh;
      margin: 0; /* Removes default margin around the body */
    }
    .center-box {
      width: 300px;
      background-color: #f0f0f0;
      border: 1px solid #ccc;
      padding: 20px;
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
  </style>
</head>
<body>
  <div class="center-box">
    <h2>Hello, World!</h2>
    <p>This is a centered box for repeat-y.html.</p>
  </div>

</body>
</html>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Lab 5</title>
  <style>
    body {
      background-image: url('1.jpg');
      background-repeat: round;
      background-size: contain; /* Adjusts the size of the image */
      background-position: top; /* Aligns the image at the top */
      height: 10vh;
      margin: 0; /* Removes default margin around the body */
    }
    .center-box {
      width: 300px;
      background-color: #f0f0f0;
      border: 1px solid #ccc;
      padding: 20px;
      position: absolute;
      top: 50%;
      left: 50%;
      transform: translate(-50%, -50%);
    }
  </style>
</head>
<body>
  <div class="center-box">
    <h2>Hello, World!</h2>
    <p>This is a centered box for round.html.</p>
  </div>

</body>
</html>
```

Output:-


space.html



Hello, World!

This is a centered box for space.html.

no-repeat.html



Hello, World!

This is a centered box for no_repeat.html.


repeat-x.html



Hello, World!


This is a centered box for repeat-x.html.

repeat-y.html



Hello, World!

This is a centered box for repeat-y.html.





Hello, World!

This is a centered box for round.html.

EXPERIMENT 9:- USE OF CSS IN LINKS .

Date:- 12/11/24

Source Code:--

link.html

```
<!DOCTYPE html>
<html>
<head>
  <title>Styled Links</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <h1>Styled Links</h1>
  <p>These links will be styled using CSS classes.</p>
  <div class="link-container">
    <a href="https://www.Google.com">Google Link</a>
    <a href="https://www.Youtube.com">Youtube Link</a>
    <a href="https://www.Geekforgeeks.com">GFG Link</a>
  </div>
</body>
</html>
```

style.css

```
body {
  font-family: Arial, sans-serif;
  margin: 0;
  padding: 20px;
  background-color: #f0f0f0;
}

h1{
  text-align: center;
  color: red;
}

p{
  color: green;
}
```

```
.link-container {  
  display: flex;  
  flex-wrap: wrap;  
  justify-content: space-around;  
}
```

```
a {  
  text-decoration: none;  
  padding: 10px 20px;  
  border-radius: 5px;  
  margin: 10px;  
}
```

```
a:link {  
  color: pink;  
  background-color: maroon;  
}
```

```
a:visited {  
  color: blue;  
  background-color: pink;  
}
```

```
a:hover {  
  color: white;  
  background-color: #3498db;  
}
```

```
a:active {  
  color: yellow;  
  background-color: #f0f0f0;  
}
```

Output:-

Styled Links

These links will be styled using CSS classes.

[Google Link](#)

[Youtube Link](#)

[GFG Link](#)