

IDB Lab 3

1) SELECT ename,job,deptno FROM emp WHERE job = 'CLERK';

Results	Explain	Describe	Saved SQL	History
ENAME	JOB	DEPTNO		
SMITH	CLERK	20		
ADAMS	CLERK	20		
JAMES	CLERK	30		
MILLER	CLERK	10		

4 rows returned in 0.01 seconds [CSV Export](#)

2) SELECT ename,sal,comm FROM emp WHERE sal <= comm;

Results	Explain	Describe	Saved SQL	History
ENAME	SAL	COMM		
MARTIN	1250	1400		

1 rows returned in 0.00 seconds [CSV Export](#)

3) SELECT ename,sal FROM emp WHERE sal BETWEEN 1000 AND 1500;

Results	Explain	Describe	Saved SQL	History
ENAME	SAL			
WARD	1250			
MARTIN	1250			
TURNER	1500			
ADAMS	1100			
MILLER	1300			

5 rows returned in 0.00 seconds [CSV Export](#)

4) SELECT ename ,sal,mgr FROM emp WHERE mgr IN (7902,7566,7788);

Results	Explain	Describe	Saved SQL	History
ENAME	SAL	MGR		
SMITH	800	7902		
SCOTT	3000	7566		
ADAMS	1100	7788		
FORD	3000	7566		

4 rows returned in 0.00 seconds [CSV Export](#)

5) SELECT ename FROM emp WHERE ename LIKE 'S%';

Results	Explain	Describe	Saved SQL	History
ENAME				
SMITH				
SCOTT				

2 rows returned in 0.00 seconds [CSV Export](#)

6) SELECT ename FROM emp WHERE ename LIKE '_A%';

Results	Explain	Describe	Saved SQL	History
ENAME				
WARD				
MARTIN				
JAMES				

3 rows returned in 0.00 seconds [CSV Export](#)

7) SELECT ename,mgr FROM emp WHERE mgr IS NULL;

Results	Explain	Describe	Saved SQL	History
ENAME	MGR			
KING	-			

1 rows returned in 0.00 seconds [CSV Export](#)

8) SELECT empno,ename,job,sal FROM emp WHERE sal>=1100 AND job = 'CLERK';

Results Explain Describe Saved SQL History

EMPNO	ENAME	JOB	SAL
7876	ADAMS	CLERK	1100
7934	MILLER	CLERK	1300

2 rows returned in 0.00 seconds

CSV Export

9) SELECT empno,ename,job,sal FROM emp WHERE sal>=1100 OR job = 'CLERK';

Results	Explain	Describe	Saved SQL	History
EMPNO	ENAME	JOB	SAL	
7369	SMITH	CLERK	800	
7499	ALLEN	SALESMAN	1600	
7521	WARD	SALESMAN	1250	
7566	JONES	MANAGER	2975	
7654	MARTIN	SALESMAN	1250	
7698	BLAKE	MANAGER	2850	
7782	CLARK	MANAGER	2450	
7788	SCOTT	ANALYST	3000	
7839	KING	PRESIDENT	5000	
7844	TURNER	SALESMAN	1500	
More than 10 rows available. Increase rows selector to view more rows.				
10 rows returned in 0.00 seconds CSV Export				

10) SELECT ename,job FROM emp WHERE job NOT IN ('CLERK','MANAGER','ANALYST');

Results	Explain	Describe	Saved SQL	History
ENAME	JOB			
ALLEN	SALESMAN			
WARD	SALESMAN			
MARTIN	SALESMAN			
KING	PRESIDENT			
TURNER	SALESMAN			
5 rows returned in 0.00 seconds CSV Export				

11) SELECT ename,job,sal FROM emp WHERE (job='SALESMAN' OR job='PRESIDENT') AND sal>1500;

Results	Explain	Describe	Saved SQL	History
ENAME	JOB	SAL		
ALLEN	SALESMAN	1600		
KING	PRESIDENT	5000		
2 rows returned in 0.00 seconds CSV Export				

12) SELECT ename,job,sal FROM emp WHERE job='SALESMAN' OR job='PRESIDENT' AND sal>1500;

ENAME	JOB	SAL
ALLEN	SALESMAN	1600
WARD	SALESMAN	1250
MARTIN	SALESMAN	1250
KING	PRESIDENT	5000
TURNER	SALESMAN	1500

13) SELECT ename,job,deptno,hiredate FROM emp ORDER BY hiredate;

ENAME	JOB	DEPTNO	HIREDATE
SMITH	CLERK	20	17-DEC-80
ALLEN	SALESMAN	30	20-FEB-81
WARD	SALESMAN	30	22-FEB-81
JONES	MANAGER	20	02-APR-81
BLAKE	MANAGER	30	01-MAY-81
CLARK	MANAGER	10	09-JUN-81
TURNER	SALESMAN	30	08-SEP-81
MARTIN	SALESMAN	30	28-SEP-81
KING	PRESIDENT	10	17-NOV-81
JAMES	CLERK	30	03-DEC-81
More than 10 rows available. Increase rows selector to view more rows.			

10 rows returned in 0.00 seconds

[CSV Export](#)

14) SELECT ename,job,deptno,hiredate FROM emp ORDER BY hiredate DESC;

Results Explain Describe Saved SQL History

ENAME	JOB	DEPTNO	HIREDATE
ADAMS	CLERK	20	23-MAY-87
SCOTT	ANALYST	20	19-APR-87
MILLER	CLERK	10	23-JAN-82
FORD	ANALYST	20	03-DEC-81
JAMES	CLERK	30	03-DEC-81
KING	PRESIDENT	10	17-NOV-81
MARTIN	SALESMAN	30	28-SEP-81
TURNER	SALESMAN	30	08-SEP-81
CLARK	MANAGER	10	09-JUN-81
BLAKE	MANAGER	30	01-MAY-81

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.02 seconds

CSV Export

15) SELECT ename,job,sal*12 annsal FROM emp ORDER BY annsal;

Results Explain Describe Saved SQL History

ENAME	JOB	ANNSAL
SMITH	CLERK	9600
JAMES	CLERK	11400
ADAMS	CLERK	13200
WARD	SALESMAN	15000
MARTIN	SALESMAN	15000
MILLER	CLERK	15600
TURNER	SALESMAN	18000
ALLEN	SALESMAN	19200
CLARK	MANAGER	29400
BLAKE	MANAGER	34200
More than 10 rows available. Increase rows selector to view more rows.		

10 rows returned in 0.00 seconds

CSV Export

16) SELECT ename,deptno,sal FROM emp ORDER BY deptno, sal DESC;

Results Explain Describe Saved SQL History

ENAME	DEPTNO	SAL
KING	10	5000
CLARK	10	2450
MILLER	10	1300
SCOTT	20	3000
FORD	20	3000
JONES	20	2975
ADAMS	20	1100
SMITH	20	800
BLAKE	30	2850
ALLEN	30	1600
More than 10 rows available. Increase rows selector to view more rows.		

10 rows returned in 0.00 seconds

CSV Export

17) SELECT empno,ename,deptno FROM emp WHERE
ename='blake';

Results	Explain	Describe	Saved SQL	History
no data found				

18) SELECT empno,ename,deptno FROM emp WHERE
LOWER(ename)='blake';

Results	Explain	Describe	Saved SQL	History
EMPNO	ENAME	DEPTNO		
7698	BLAKE	30		

1 rows returned in 0.00 seconds [CSV Export](#)

19) SELECT ename,CONCAT(ename,job),LENGTH(ename),INS
TR(ename,'A') FROM emp WHERE SUBSTR(job,1,5)='SALES';

ENAME	CONCAT(ENAME,JOB)	LENGTH(ENAME)	INSTR(ENAME,'A')
ALLEN	ALLENSALESMAN	5	1
WARD	WARDSALESMAN	4	2
MARTIN	MARTINSALESMAN	6	2
TURNER	TURNERSALESMAN	6	0

4 rows returned in 0.00 seconds

[CSV Export](#)

20) SELECT
 ROUND(45.923,2),ROUND(45.923,0),ROUND(45.923,-1)
 FROM DUAL;

Results	Explain	Describe	Saved SQL	History
ROUND(45.923,2)	ROUND(45.923,0)	ROUND(45.923,-1)		
45.92	46	50		

1 rows returned in 0.00 seconds

[CSV Export](#)

21) SELECT
 TRUNC(45.923,2),TRUNC(45.923),TRUNC(45.923,-1) FROM
 DUAL;

TRUNC(45.923,2)	TRUNC(45.923)	TRUNC(45.923,-1)
45.92	45	40

1 rows returned in 0.00 seconds

[CSV Export](#)

22) SELECT ename,sal,comm,MOD(sal,comm) FROM emp
 WHERE job = 'SALESMAN';

Results	Explain	Describe	Saved SQL	History
ENAME	SAL	COMM	MOD(SAL,COMM)	
ALLEN	1600	300	100	
WARD	1250	500	250	
MARTIN	1250	1400	1250	
TURNER	1500	0	1500	

4 rows returned in 0.00 seconds

[CSV Export](#)


```
23) SELECT ename,(SYSDATE-hiredate)/7 WEEKS FROM emp
WHERE deptno = 10;
```

Results Explain Describe Saved SQL History

ENAME	WEEKS
CLARK	2192.7718832671957671957671957671957672
KING	2169.7718832671957671957671957671957672
MILLER	2160.20045469576719576719576719576719577

3 rows returned in 0.00 seconds

[CSV Export](#)

```
24) SELECT TO_CHAR (sal, '$99,999') SALARY FROM emp
WHERE ename = 'SCOTT';
```

The screenshot shows a web interface for a SQL query. At the top, there are tabs: 'Results' (selected), 'Explain', 'Describe', 'Saved SQL', and 'History'. Below the tabs, the query 'SELECT * FROM EMP WHERE SALARY < 3000;' is displayed. The results are shown in a table with one row: 'SALARY' with the value '\$3,000'. At the bottom, it says '1 rows returned in 0.02 seconds' and there is a 'CSV Export' link.

SALARY
\$3,000

1 rows returned in 0.02 seconds [CSV Export](#)

```
25) SELECT ename,sal,comm,(sal*12)+NVL(comm,0) FROM emp;
```

Results	Explain	Describe	Saved SQL	History
ENAME	SAL	COMM	(SAL*12)+NVL(COMM,0)	
SMITH	800	-	9600	
ALLEN	1600	300	19500	
WARD	1250	500	15500	
JONES	2975	-	35700	
MARTIN	1250	1400	16400	
BLAKE	2850	-	34200	
CLARK	2450	-	29400	
SCOTT	3000	-	36000	
KING	5000	-	60000	
TURNER	1500	0	18000	
More than 10 rows available. Increase rows selector to view more rows.				
10 rows returned in 0.00 seconds CSV Export				

26) SELECT job,sal,DECODE (job, 'ANALYST',
SAL*1.1,'CLERK',SAL*1.15,'MANAGER',SAL*1.20,SAL)
REVISED_SALARY FROM emp;

Results	Explain	Describe	Saved SQL	History
JOB	SAL	REVISED_SALARY		
CLERK	800	920		
SALESMAN	1600	1600		
SALESMAN	1250	1250		
MANAGER	2975	3570		
SALESMAN	1250	1250		
MANAGER	2850	3420		
MANAGER	2450	2940		
ANALYST	3000	3300		
PRESIDENT	5000	5000		
SALESMAN	1500	1500		
More than 10 rows available. Increase rows selector to view more rows.				
10 rows returned in 0.00 seconds CSV Export				

27) SELECT ename, NVL(TO_CHAR(mgr),'No Manager')
FROM emp WHERE mgr IS NULL;

ENAME	NVL(TO_CHAR(MGR),'NOMANAGER')
KING	No Manager

1 rows returned in 0.00 seconds [CSV Export](#)

28) SELECT AVG(sal),MAX(sal),MIN(sal),SUM(sal) FROM emp WHERE job LIKE 'SALES%';

Results	Explain	Describe	Saved SQL	History
AVG(SAL)	MAX(SAL)	MIN(SAL)	SUM(SAL)	
1400	1600	1250	5600	

1 rows returned in 0.00 seconds [CSV Export](#)

29) SELECT MIN(hiredate),MAX(hiredate) FROM emp;

Results	Explain	Describe	Saved SQL	History
MIN(HIREDATE)	MAX(HIREDATE)			
17-DEC-80	23-MAY-87			

1 rows returned in 0.00 seconds [CSV Export](#)

30) SELECT COUNT(*) FROM emp WHERE deptno=30;

COUNT(*)
6

1 rows returned in 0.02 seconds [CSV Export](#)

31) SELECT COUNT(comm) FROM emp WHERE deptno=30;

COUNT(COMM)
4

1 rows returned in 0.00 seconds [CSV Export](#)

32) SELECT AVG(comm) FROM emp;

Results	Explain	Describe	Saved SQL	History
AVG(COMM)				
550				
1 rows returned in 0.00 seconds CSV Export				

33) SELECT AVG(NVL(comm,0)) FROM emp;

Results	Explain	Describe	Saved SQL	History
AVG(NVL(COMM,0))				
157.142857142857142857142857142857				
1 rows returned in 0.00 seconds CSV Export				

34) SELECT deptno,AVG(sal) FROM emp GROUP BY deptno;

Results Explain Describe Saved SQL History

DEPTNO	AVG(SAL)
30	1566.666666666666666666666666666667
20	2175
10	2916.666666666666666666666666666667

3 rows returned in 0.00 seconds

CSV Export

35) SELECT AVG(sal) FROM emp GROUP BY deptno;

Results	Explain	Describe	Saved SQL	History
AVG(SAL)				
1566.666666666666666666666666666667				
2175				
2916.666666666666666666666666666667				
3 rows returned in 0.00 seconds CSV Export				

36) SELECT deptno,job,sum(sal) FROM emp GROUP BY deptno, job;

Results	Explain	Describe	Saved SQL	History
DEPTNO	JOB	SUM(SAL)		
20	CLERK	1900		
30	SALESMAN	5600		
20	MANAGER	2975		
30	CLERK	950		
10	PRESIDENT	5000		
30	MANAGER	2850		
10	CLERK	1300		
10	MANAGER	2450		
20	ANALYST	6000		

9 rows returned in 0.00 seconds [CSV Export](#)

37) SELECT deptno,max(sal) FROM emp GROUP BY deptno
HAVING max(sal)>2900;

Results	Explain	Describe	Saved SQL	History
DEPTNO	MAX(SAL)			
20	3000			
10	5000			

2 rows returned in 0.00 seconds [CSV Export](#)

38) SELECT job,SUM(sal) PAYROLL FROM emp WHERE job
NOT LIKE 'SALES%' GROUP BY job HAVING SUM(sal)>5000
ORDER BY SUM(sal);

Results	Explain	Describe	Saved SQL	History
JOB	PAYROLL			
ANALYST	6000			
MANAGER	8275			

2 rows returned in 0.00 seconds [CSV Export](#)

39) SELECT max(avg(sal)) FROM emp GROUP BY deptno;

