

BABU BANARASI DAS UNIVERSITY

LUCKNOW

Session : 2026-2027



SCHOOL OF COMPUTER APPLICATIONS

ASSIGNMENT OF

NoSQL and DBaaS 101
(BCADSN23202)

Submitted By:

Ujjval Singh
BCA DS & AI
BCADS27
Roll No. 1250258483

Submitted To:

Mr. Harendra Singh

MONGODB STUDENT DATABASE PROJECT

Complete MongoDB Shell (mongosh) Operations

Database: studentProjectDB | Collection: studentRecords

PROJECT INFORMATION

Database Name: studentProjectDB

Collection Name: studentRecords

Total initial records: 51 (Roll No. 201-251)


Operations covered: Insert One, Insert Many, Update One, Update Many, Delete One, Delete Many, Query Operations and Verification.

1. CREATE / SELECT DATABASE

Question: How do you create or select the database for the MongoDB student project?

```
use studentProjectDB;
```

SCREENSHOT / OUTPUT



```
Welcome  > mongosh: localhost:27017  +
>_MONGOSH
> use("studentProjectDB")
< switched to db studentProjectDB
> use studentProjectDB
< already on db studentProjectDB
studentProjectDB> |
```

2. INSERT ONE

Question: Write a MongoDB command to insert one student record into the studentRecords collection.

```
db.studentRecords.insertOne({
  rollNo: 201,
  name: "Aarav",
  age: 21,
  department: "CSE",
  marks: 86
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.insertOne({
  rollNo: 201,
  name: "Aarav",
  age: 21,
  department: "CSE",
  marks: 86
});
< {
  acknowledged: true,
  insertedId: ObjectId('6ab3f896f1ea30ddc89cca2c')
}
studentProjectDB> |
```

3. INSERT MANY

Question: Write a MongoDB command to insert multiple student records (Roll No. 202–251) into the `studentRecords` collection.

```
db.studentRecords.insertMany([
  { rollNo: 202, name: "Ananya", age: 20, department: "IT", marks: 73 },
  { rollNo: 203, name: "Kabir", age: 22, department: "ECE", marks: 91 },
  { rollNo: 204, name: "Meera", age: 19, department: "ME", marks: 68 },
  { rollNo: 205, name: "Vihaan", age: 21, department: "CSE", marks: 95 },
  { rollNo: 206, name: "Aditi", age: 20, department: "IT", marks: 82 },
  { rollNo: 207, name: "Reyansh", age: 22, department: "ECE", marks: 76 },
  { rollNo: 208, name: "Kritika", age: 19, department: "ME", marks: 89 },
  { rollNo: 209, name: "Dhruv", age: 21, department: "CSE", marks: 71 },
  { rollNo: 210, name: "Ishita", age: 20, department: "IT", marks: 94 },
  { rollNo: 211, name: "Aryan", age: 22, department: "ECE", marks: 64 },
  { rollNo: 212, name: "Navya", age: 19, department: "ME", marks: 79 },
  { rollNo: 213, name: "Raghav", age: 21, department: "CSE", marks: 88 },
  { rollNo: 214, name: "Kiara", age: 20, department: "IT", marks: 67 },
  { rollNo: 215, name: "Yuvraj", age: 22, department: "ECE", marks: 83 },
  { rollNo: 216, name: "Mahi", age: 19, department: "ME", marks: 72 },
  { rollNo: 217, name: "Atharv", age: 21, department: "CSE", marks: 97 },
  { rollNo: 218, name: "Saanvi", age: 20, department: "IT", marks: 81 },
  { rollNo: 219, name: "Dev", age: 22, department: "ECE", marks: 69 },
  { rollNo: 220, name: "Myra", age: 19, department: "ME", marks: 92 },
  { rollNo: 221, name: "Kunal", age: 21, department: "CSE", marks: 75 },
  { rollNo: 222, name: "Tara", age: 20, department: "IT", marks: 87 },
  { rollNo: 223, name: "Laksh", age: 22, department: "ECE", marks: 78 },
```

```
{ rollNo: 224, name: "Avni", age: 19, department: "ME", marks: 93 },  
{ rollNo: 225, name: "Shivam", age: 21, department: "CSE", marks: 84 },  
{ rollNo: 226, name: "Rhea", age: 20, department: "IT", marks: 70 },  
{ rollNo: 227, name: "Manav", age: 22, department: "ECE", marks: 96 },  
{ rollNo: 228, name: "Tanvi", age: 19, department: "ME", marks: 61 },  
{ rollNo: 229, name: "Samar", age: 21, department: "CSE", marks: 90 },  
{ rollNo: 230, name: "Ayesha", age: 20, department: "IT", marks: 77 },  
{ rollNo: 231, name: "Rudra", age: 22, department: "ECE", marks: 85 },  
{ rollNo: 232, name: "Nandini", age: 19, department: "ME", marks: 74 },  
{ rollNo: 233, name: "Arnav", age: 21, department: "CSE", marks: 99 },  
{ rollNo: 234, name: "Palak", age: 20, department: "IT", marks: 66 },  
{ rollNo: 235, name: "Shaurya", age: 22, department: "ECE", marks: 80 },  
{ rollNo: 236, name: "Ira", age: 19, department: "ME", marks: 58 },  
{ rollNo: 237, name: "Veer", age: 21, department: "CSE", marks: 89 },  
{ rollNo: 238, name: "Alisha", age: 20, department: "IT", marks: 92 },  
{ rollNo: 239, name: "Parth", age: 22, department: "ECE", marks: 73 },  
{ rollNo: 240, name: "Aarohi", age: 19, department: "ME", marks: 86 },  
{ rollNo: 241, name: "Rishabh", age: 21, department: "CSE", marks: 78 },  
{ rollNo: 242, name: "Sia", age: 20, department: "IT", marks: 98 },  
{ rollNo: 243, name: "Harshit", age: 22, department: "ECE", marks: 65 },  
{ rollNo: 244, name: "Vanya", age: 19, department: "ME", marks: 81 },  
{ rollNo: 245, name: "Ansh", age: 21, department: "CSE", marks: 93 },  
{ rollNo: 246, name: "Pihu", age: 20, department: "IT", marks: 74 },  
{ rollNo: 247, name: "Ronav", age: 22, department: "ECE", marks: 88 },  
{ rollNo: 248, name: "Ishaan", age: 19, department: "ME", marks: 62 },  
{ rollNo: 249, name: "Kavish", age: 21, department: "CSE", marks: 91 },  
{ rollNo: 250, name: "Diya", age: 20, department: "IT", marks: 79 },  
{ rollNo: 251, name: "Suhana", age: 19, department: "ECE", marks: 84 }
```

});

SCREENSHOT / OUTPUT

```

{ rollNo: 243, name: "Narshit", age: 22, department: "ECE", marks: 85 },
{ rollNo: 244, name: "Vanya", age: 19, department: "ME", marks: 81 },
{ rollNo: 245, name: "Ansh", age: 21, department: "CSE", marks: 93 },
{ rollNo: 246, name: "Pihu", age: 20, department: "IT", marks: 74 },
{ rollNo: 247, name: "Ronav", age: 22, department: "ECE", marks: 88 },
{ rollNo: 248, name: "Ishaan", age: 19, department: "ME", marks: 62 },
{ rollNo: 249, name: "Kavish", age: 21, department: "CSE", marks: 91 },
{ rollNo: 250, name: "Diya", age: 20, department: "IT", marks: 79 },
{ rollNo: 251, name: "Suhana", age: 19, department: "ECE", marks: 84 }

```

```

]);

```

```

< {

```

```

  acknowledged: true,
  insertedIds: {
    '0': ObjectId('6ab3f8cff1ea30ddc89cca2d'),
    '1': ObjectId('6ab3f8cff1ea30ddc89cca2e'),
    '2': ObjectId('6ab3f8cff1ea30ddc89cca2f'),
    '3': ObjectId('6ab3f8cff1ea30ddc89cca30'),
    '4': ObjectId('6ab3f8cff1ea30ddc89cca31'),
    '5': ObjectId('6ab3f8cff1ea30ddc89cca32'),
    '6': ObjectId('6ab3f8cff1ea30ddc89cca33'),
    '7': ObjectId('6ab3f8cff1ea30ddc89cca34'),
    '8': ObjectId('6ab3f8cff1ea30ddc89cca35'),
    '9': ObjectId('6ab3f8cff1ea30ddc89cca36'),
    '10': ObjectId('6ab3f8cff1ea30ddc89cca37'),
    '11': ObjectId('6ab3f8cff1ea30ddc89cca38'),
    '12': ObjectId('6ab3f8cff1ea30ddc89cca39'),
    '13': ObjectId('6ab3f8cff1ea30ddc89cca3a'),
    '14': ObjectId('6ab3f8cff1ea30ddc89cca3b'),
    '15': ObjectId('6ab3f8cff1ea30ddc89cca3c'),
    '16': ObjectId('6ab3f8cff1ea30ddc89cca3d'),
    '17': ObjectId('6ab3f8cff1ea30ddc89cca3e'),
    '18': ObjectId('6ab3f8cff1ea30ddc89cca3f'),
    '19': ObjectId('6ab3f8cff1ea30ddc89cca40'),
    '20': ObjectId('6ab3f8cff1ea30ddc89cca41'),

```

```

    '21': ObjectId('6ab3f8cff1ea30ddc89cca42'),


```

4. UPDATE ONE

Question: How do you update the marks of the student with Roll No. 201 from 86 to 90?

```
db.studentRecords.updateOne(  
  { rollNo: 201 },  
  { $set: { marks: 90 } }  
);
```

SCREENSHOT / OUTPUT



```
> db.studentRecords.updateOne(  
  { rollNo: 201 },  
  { $set: { marks: 90 } }  
);  
< {  
  acknowledged: true,  
  insertedId: null,  
  matchedCount: 1,  
  modifiedCount: 1,  
  upsertedCount: 0  
}  
studentProjectDB> |
```

5. UPDATE MANY

Question: How do you add the status "Active" to all students belonging to the CSE department?

```
db.studentRecords.updateMany(  
  { department: "CSE" },  
  { $set: { status: "Active" } }  
);
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.updateMany(
  { department: "CSE" },
  { $set: { status: "Active" } }
);
< {
  acknowledged: true,
  insertedId: null,
  matchedCount: 13,
  modifiedCount: 13,
  upsertedCount: 0
}
studentProjectDB>
```

6. DELETE ONE

Question: How do you delete the student record having Roll No. 251?

```
db.studentRecords.deleteOne({
  rollNo: 251
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.deleteOne({
  rollNo: 251
});
< {
  acknowledged: true,
  deletedCount: 1
}
studentProjectDB>
```

7. DELETE MANY

Question: How do you delete all student records having marks less than 40?

```
db.studentRecords.deleteMany({
  marks: { $lt: 40 }
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.deleteMany({
  marks: { $lt: 40 }
});
< {
  acknowledged: true,
  deletedCount: 0
}
studentProjectDB> |
```

8. QUERY OPERATIONS

A. MARKS GREATER THAN 80

Question: How do you find all students whose marks are greater than 80? (\$gt)

```
db.studentRecords.find({
  marks: { $gt: 80 }
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  marks: { $gt: 80 }
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca30'),
  rollNo: 205,
  name: 'Vihaan',
  age: 21,
  department: 'CSE',
  marks: 95,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca31'),
  rollNo: 206,
  name: 'Aditi',
```

B. MARKS LESS THAN 80

Question: How do you find all students whose marks are less than 80? (\$lt)

```
db.studentRecords.find({
  marks: { $lt: 80 }
});
```

SCREENSHOT / OUTPUT

```
Type "it" for more
db.studentRecords.find({
  marks: { $lt: 80 }
});
[
  {
    _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
    rollNo: 202,
    name: 'Ananya',
    age: 20,
    department: 'IT',
    marks: 73
  },
  {
    _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
    rollNo: 204,
    name: 'Meera',
    age: 19,
    department: 'ME',
    marks: 68
  },
  {
    _id: ObjectId('6ab3f8cff1ea30ddc89cca32'),
    rollNo: 207,
    name: 'Reyansh',
    age: 22,
    department: 'ECE',
    marks: 76
  },
  {
    _id: ObjectId('6ab3f8cff1ea30ddc89cca34'),
    rollNo: 209,
    name: 'Dhruv',
    age: 21,
    department: 'CSE',

```

C. MARKS EQUAL TO 85

Question: How do you find all students whose marks are exactly 85? (\$eq)

```
db.studentRecords.find({
  marks: { $eq: 85 }
});
```

SCREENSHOT / OUTPUT



```
Type "it" for more
> db.studentRecords.find({
  marks: { $eq: 85 }
});
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca4a'),
  rollNo: 231,
  name: 'Rudra',
  age: 22,
  department: 'ECE',
  marks: 85
}
```

studentProjectDB > |

D. MARKS GREATER THAN OR EQUAL TO 80

Question: How do you find all students whose marks are greater than or equal to 80? (\$gte)

```
db.studentRecords.find({
  marks: { $gte: 80 }
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  marks: { $gte: 80 }
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca30'),
  rollNo: 205,
  name: 'Vihaan',
  age: 21,
  department: 'CSE',
  marks: 95,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca31'),
  rollNo: 206,
  name: 'Aditi',
  age: 20,
```

E. MARKS NOT EQUAL TO 85

Question: How do you find all students whose marks are not equal to 85? (\$ne)

```
db.studentRecords.find({  
  marks: { $ne: 85 }  
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  marks: { $ne: 85 }
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
  rollNo: 204,
  name: 'Meera',
  age: 19,
  department: 'ME',
  marks: 68
}
```

F. MARKS GREATER THAN 70 AND AGE LESS THAN 23

Question: How do you find students whose marks are greater than 70 AND age is less than 23? (\$and)

```
db.studentRecords.find({
  $and: [
    { marks: { $gt: 70 } },
    { age: { $lt: 23 } }
  ]
});
```

SCREENSHOT / OUTPUT

```

> db.studentRecords.find({
  $and: [
    { marks: { $gt: 70 } },
    { age: { $lt: 23 } }
  ]
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca30'),
  rollNo: 205,
  name: 'Vihaan',

```

G. DEPARTMENT IS CSE OR ECE

Question: How do you find students who belong to either CSE OR ECE department? (\$or)

```

db.studentRecords.find({
  $or: [
    { department: "CSE" },
    { department: "ECE" }
  ]
})

```

```
]
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  $or: [
    { department: "CSE" },
    { department: "ECE" }
  ]
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca30'),
  rollNo: 205,
  name: 'Vihaan',
  age: 21,
  department: 'CSE',
  marks: 95,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca32'),
  rollNo: 207
```

H. MARKS NOT GREATER THAN 80

Question: How do you find students whose marks are NOT greater than 80? (\$not)

```
db.studentRecords.find({  
  marks: {  
    $not: { $gt: 80 }  
  }  
});
```

SCREENSHOT / OUTPUT

```

> db.studentRecords.find({
  marks: {
    $not: { $gt: 80 }
  }
});
< {
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
  rollNo: 204,
  name: 'Meera',
  age: 19,
  department: 'ME',
  marks: 68
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca32'),
  rollNo: 207,
  name: 'Reyansh',
  age: 22,
  department: 'ECE',
  marks: 76
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca34'),
  rollNo: 209,
  name: 'Dhruv',
  age: 21,
  department: 'CSE',

```

9. BASIC DISPLAY / VERIFICATION COMMANDS

Show current database

Question: What command is used to show current database?

```
db;
```

SCREENSHOT / OUTPUT

```
Type "it" for more  
> db;  
< studentProjectDB  
studentProjectDB> |
```

Show collections

Question: What command is used to show collections?

```
show collections;
```

SCREENSHOT / OUTPUT

```
> show collections;  
< studentRecords  
studentProjectDB>
```

Show all student records

Question: What command is used to show all student records?

```
db.studentRecords.find();
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find();
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
  rollNo: 204,
  name: 'Meera',
  age: 19,
  department: 'ME',
  marks: 68
}
{
```

Show all records in readable format

Question: What command is used to show all records in readable format?

```
db.studentRecords.find().pretty();
```

SCREENSHOT / OUTPUT


```
> db.studentRecords.find().pretty();
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
  rollNo: 204,
  name: 'Meera',
  age: 19,
  department: 'ME',
  marks: 68
}
{
```

Count total documents

Question: What command is used to count total documents?

```
db.studentRecords.countDocuments();
```

SCREENSHOT / OUTPUT




```
> db.studentRecords.countDocuments();  
< 50  
studentProjectDB > |
```

Count CSE students

Question: What command is used to count cse students?

```
db.studentRecords.countDocuments({  
  department: "CSE"  
});
```

SCREENSHOT / OUTPUT



```
> db.studentRecords.countDocuments({  
  department: "CSE"  
});  
< 13  
studentProjectDB >
```

Count ECE students

Question: What command is used to count ece students?

```
db.studentRecords.countDocuments({  
  department: "ECE"  
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.countDocuments({
  department: "ECE"
});
< 12
studentProjectDB >
```

Count IT students

Question: What command is used to count it students?

```
db.studentRecords.countDocuments({
  department: "IT"
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.countDocuments({
  department: "IT"
});
< 13
studentProjectDB >
```

Count ME students

Question: What command is used to count me students?

```
db.studentRecords.countDocuments({
  department: "ME"
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.countDocuments({
  department: "ME"
});
< 12
studentProjectDB > |
```

Find student by Roll No. 201

Question: What command is used to find student by roll no. 201?

```
db.studentRecords.findOne({  
  rollNo: 201  
});
```

SCREENSHOT / OUTPUT



```
> db.studentRecords.findOne({  
  rollNo: 201  
});  
< {  
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),  
  rollNo: 201,  
  name: 'Aarav',  
  age: 21,  
  department: 'CSE',  
  marks: 90,  
  status: 'Active'  
}  
studentProjectDB >
```

Find all CSE students

Question: What command is used to find all cse students?

```
db.studentRecords.find({  
  department: "CSE"  
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  department: "CSE"
});
< {
  _id: ObjectId('6ab3f896f1ea30ddc89cca2c'),
  rollNo: 201,
  name: 'Aarav',
  age: 21,
  department: 'CSE',
  marks: 90,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca30'),
  rollNo: 205,
  name: 'Vihaan',
  age: 21,
  department: 'CSE',
  marks: 95,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca34'),
  rollNo: 209,
  name: 'Dhruv',
  age: 21,
  department: 'CSE',
  marks: 71,
  status: 'Active'
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca38'),
  rollNo: 213,
  name: 'Raghav',
  age: 21,
```

Find all ECE students

Question: What command is used to find all ece students?

```
db.studentRecords.find({  
  department: "ECE"  
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  department: "ECE"
});
< {
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2e'),
  rollNo: 203,
  name: 'Kabir',
  age: 22,
  department: 'ECE',
  marks: 91
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca32'),
  rollNo: 207,
  name: 'Reyansh',
  age: 22,
  department: 'ECE',
  marks: 76
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca36'),
  rollNo: 211,
  name: 'Aryan',
  age: 22,
  department: 'ECE',
  marks: 64
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca3a'),
  rollNo: 215,
  name: 'Yuvraj',
  age: 22,
  department: 'ECE',
  marks: 83
}
```

Find all IT students

Question: What command is used to find all it students?

```
db.studentRecords.find({  
  department: "IT"  
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  department: "IT"
});
< {
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2d'),
  rollNo: 202,
  name: 'Ananya',
  age: 20,
  department: 'IT',
  marks: 73
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca31'),
  rollNo: 206,
  name: 'Aditi',
  age: 20,
  department: 'IT',
  marks: 82
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca35'),
  rollNo: 210,
  name: 'Ishita',
  age: 20,
  department: 'IT',
  marks: 94
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca39'),
  rollNo: 214,
  name: 'Kiara',
  age: 20,
  department: 'IT',
  marks: 67
}
```

Find all ME students

Question: What command is used to find all me students?

```
db.studentRecords.find({
  department: "ME"
});
```

SCREENSHOT / OUTPUT

```
> db.studentRecords.find({
  department: "ME"
});
< {
  _id: ObjectId('6ab3f8cff1ea30ddc89cca2f'),
  rollNo: 204,
  name: 'Meera',
  age: 19,
  department: 'ME',
  marks: 68
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca33'),
  rollNo: 208,
  name: 'Kritika',
  age: 19,
  department: 'ME',
  marks: 89
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca37'),
  rollNo: 212,
  name: 'Navya',
  age: 19,
  department: 'ME',
  marks: 79
}
{
  _id: ObjectId('6ab3f8cff1ea30ddc89cca3b'),
  rollNo: 216,
  name: 'Mahi',
  age: 19,
  department: 'ME',
  marks: 72
}
```

Thank You