

NEPAL COLLEGE OF INFORMATION TECHNOLOGY

Balkumari, Lalitpur



(Affiliated to Pokhara University)

A lab report
On
Subject :- Web Technology



Lab Report #06
Title:- CSS

Submitted By:-

Name: Ujjwal Jaiswal
Roll No: 241527
Faculty: Science and Technology
Semester: 4th (DAY)

Submitted to:-

Instructor: Er. Simanta Kasaju
Department of IT
Submissions date: 2026-06-29

S.N.	LAB TOPICS	DATE	SUBMITTED DATE	REMARKS
1	INTRODUCTION TO HTML	2083-01-15	2083-01-29	
2	LIST TAGS	2083-02-05	2083-02-05	
3	Hyperlink, srcset, imagemap	2083-02-12	2083-02-19	
4	Tables ,iframe and marquee	2083-02-19	2083-02-24	
5	Forms,Colors, Entities,favicon, emoji	2083-02-26	2083-03-09	
6	CSS	2083-03-08	2083-03-15	

THEORY:**CSS (Cascading Style Sheets)**

CSS (Cascading Style Sheets) is a stylesheet language used to describe the look and formatting of HTML documents. It controls how web pages appear by adding styles such as colors, fonts, spacing, layouts, animations, and responsive designs.

Features of CSS

- **Controls text styles (font, size, color, alignment).**
- **Adds background colors and images.**
- **Creates layouts using Flexbox and Grid.**
- **Controls spacing using margin and padding.**
- **Adds borders, shadows, and effects.**
- **Supports animations and transitions.**
- **Makes websites responsive for different screen sizes.**

TASK 1:

HTML:

```
Lab > LAB6 > <> qn1.html > html > head > style > .internal p
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7      <style>
8          .internal
9          {
10             padding: 2px 10px;
11             background-color: lightgray;
12             border-radius: 10px;
13         }
14         .internal h2{
15             text-decoration: underline;
16             margin-bottom: 0px;
17         }
18
19         .internal p{
20             text-align: justify;
21             color: rgb(39, 37, 37);
22             font-size: 14px;
23             margin-top: 5px;
24         }
25     </style>
26     <link rel="stylesheet" href="qn1.css">
27 </head>
28 <body>
29     <div class="inline"
30         style="padding: 10px;"
31     >
32         <h2
33             style="
34                 margin-bottom: 0px;
35                 text-decoration: underline;
36             "
37         >Inline</h2>
38
39         <p style="text-align: justify; color: gray; font-size: 14px; margin-top: 5px;">
40             Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perferendis
41         </p>
42     </div>
43
44     <div class="internal">
45         <h2>
46             Internal
```

```

47     <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Est possimus sc
48 </div>
49
50     <div class="external">
51         <h2>
52             External
53         </h2>
54         <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Est possimus sc
55     </div>
56 </body>
57 </html>

```

CSS:

```

ghadi.html  JS class4.js  # qn1.css  X  clas:  ▶  □
Lab > LAB6 > # qn1.css > .external p
1  .external
2  {
3      padding: 2px 10px;
4      background-color: lightgray;
5      border-radius: 10px;
6      margin-top: 10px;
7  }
8  .external h2{
9      text-decoration: underline;
10     margin-bottom: 0px;
11 }
12
13 .external p{
14     text-align: justify;
15     color: rgb(39, 37, 37);
16     font-size: 14px;
17     margin-top: 5px;
18 }

```

OUTPUT:

Inline

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Perferendis id dicta corrupti possimus soluta nisi veritatis doloribus tempora quasi vel. Corporis quia eum doloremque modi explicabo officia quae inventore eius.

Internal

Lorem ipsum dolor sit amet consectetur adipisicing elit. Est possimus soluta totam corporis reprehenderit non consequatur et esse cumque magni tenetur voluptas, facilis vero repellendus? Ab, facilis deserunt? Aliquid, et?


External

Lorem ipsum dolor sit amet consectetur adipisicing elit. Est possimus soluta totam corporis reprehenderit non consequatur et esse cumque magni tenetur voluptas, facilis vero repellendus? Ab, facilis deserunt? Aliquid, et?


TASK 2:

```
Lab > LAB6 > <> qn2.html > html > head > style > body
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Document</title>
7      <style>
8          *
9          {
10             margin: 0px;
11             padding: 0px;
12         }
13         body
14         {
15             padding: 10px;
16             background-color: lightgray;
17             display: flex;
18             flex-direction: column;
19             justify-content: center;
20             align-items: center;
21         }
22         #idSelector {
23             font-size: 14px;
24             color: red;
25             font-weight: bold;
26             font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lu
27         }
28         .classSelector {
29             font-size: 14px;
30             color: blue;
31             font-weight: bold;
32             font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande', 'Lu
33         }
34         p {
35             font-size: 14px;
36             color: green;
37             font-weight: bold;
38             font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
39         }
40     </style>
41 </head>
42 <body>
43     <p id="idSelector">This is id selector</p>
44     <p class="classSelector">This is class selector</p>
45     <p>This is tag selector</p>
46 </body>
47 </html>
```

OUTPUT:



TASK 3:



TASK 4:

```
Lab > LAB6 > qn4.html > html > head > style
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4      <meta charset="UTF-8">
5      <meta name="viewport" content="width=device-width, initial-scale=1.0">
6      <title>Hover Example</title>
7
8      <style>
9          a:link {
10              color: red;
11          }
12          a:visited {
13              color: blue;
14          }
15          a:hover {
16              color: yellow;
17              font-size: 150%;
18              background-color: black;
19              font-family: monospace;
20              text-decoration: none;
21          }
22          a:active {
23              text-decoration: wavy underline;
24          }
25      </style>
26  </head>
27  <body>
28
29      <a href="https://example.com/page1">I live in Nepal</a><br><br>
30      <a href="https://example.com/page2">I live in Nepal</a><br><br>
31      <a href="https://example.com/page3">I live in Nepal</a><br><br>
32      <a href="https://example.com/page4">I live in Nepal</a><br><br>
33      <a href="https://example.com/page5">I live in Nepal</a><br><br>
34      <a href="https://example.com/page6">I live in Nepal</a>
35
36  </body>
37  </html>
```

OUTPUT:

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

I live in Nepal

TASK 5:

```
Lab > LAB6 > <> qn5.html > <> html > <> head > <> title
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <title>CSS Pseudo-elements Demo</title>
6  <style>
7    body {
8      font-family: Arial, sans-serif;
9      padding: 20px;
10   }
11   .before::before {
12     content: "★ ";
13     color: crimson;
14   }
15   .after::after {
16     content: " ✓";
17     color: green;
```

```

18     }
19     .first-letter::first-letter {
20         font-size: 2em;
21         color: blue;
22     }
23     .first-line::first-line {
24         font-weight: bold;
25     }
26     ::selection {
27         background: gold;
28         color: black;
29     }
30     .marker li::marker {
31         color: red;
32         font-size: 1.2em;
33     }
34     input::placeholder {
35         color: gray;
36         font-style: italic;
37     }

```

OUTPUT:

★ Pseudo-elements ✓

This paragraph demonstrates the first-letter pseudo-element.

This paragraph demonstrates the first-line pseudo-element. Resize the window to see the first line change.

- Apple
- Banana
- Cherry

Choose File No file chosen

This dialog demonstrates the ::backdrop pseudo-element.

TASK 6:

```

Lab > LAB6 > qn6.html > html > head > style > a:active
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <title>Pseudo-Classes Demo</title>
6  <style>
7      a:link {
8          color: blue;
9      }
10     a:visited {
11         color: purple;
12     }

```

```

12     }
13     a:hover {
14         color: red;
15     }
16
17     a:active {
18         color: green;
19     }
20     input:focus {
21         border: 2px solid blue;
22     }
23     button:hover {
24         background: orange;
25     }
26     button:active {
27         background: green;
28         color: white;
29     }
30     li:first-child {
31         color: red;
32     }
33     li:last-child {
34         color: blue;
35     }
36     li:nth-child(2) {
37         color: green;
38     }
39 </style>
40 </head>
41 <body>
42     <h2>CSS Pseudo-Classes Example</h2>
43     <a href="https://example.com">Visit Example</a>
44     <br><br>
45     <input type="text" placeholder="Click here">
46     <br><br>
47     <button>Click Me</button>
48     <ul>
49         <li>Apple</li>
50         <li>Banana</li>
51         <li>Cherry</li>
52     </ul>
53 </body>
54 </html>

```

OUTPUT:

CSS Pseudo-Classes Example

[Visit Example](#)

Click here

Click Me

- Apple
- Banana
- Cherry

TASK 7:

```
Lab > LAB6 > <> qn17.html > html > body > div.box4
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <title>Background and Border Properties</title>
6  <style>
7      body{
8          background-color: lightblue;
9          background-image: linear-gradient(to right, lightblue, white);
10         background-repeat: no-repeat;
11         background-size: cover;
12         background-attachment: fixed;
13         background-position: center;
14         font-family: Arial, sans-serif;
15     }
16     .box1{
17         width:300px;
18         padding:20px;
19         margin:20px;
20         background-color: lightyellow;
21         border:4px solid red;
22     }
23     .box2{
24         width:300px;
25         padding:20px;
26         margin:20px;
27         background-image:url("https://via.placeholder.com/300x150");
28         background-repeat:no-repeat;
29         background-size:cover;
```

```

29     background-size:cover;
30     border-width:5px;
31     border-style:dashed;
32     border-color:blue;
33 }
34 .box3{
35     width:300px;
36     padding:20px;
37     margin:20px;
38     background:linear-gradient(to right, pink, orange);
39     border-top:5px solid red;
40     border-right:5px dotted blue;
41     border-bottom:5px double green;
42     border-left:5px dashed purple;
43     border-radius:20px;
44 }
45 .box4{
46     width:300px;
47     padding:20px;
48     margin:20px;
49     background-color:white;
50     border:5px groove brown;
51     box-shadow:5px 5px 10px gray;
52 }
53 </style>
54 </head>
55 <body>
56     <h2>Background and Border Properties Example</h2>
57     <div class="box1">
58         Background Color + Solid Border


```

```

59     </div>
60     <div class="box2">
61         Background Image + Dashed Border
62     </div>
63     <div class="box3">
64         Gradient Background + Different Borders + Border Radius
65     </div>
66     <div class="box4">
67         Groove Border + Box Shadow
68     </div>
69 </body>
70 </html>

```

OUTPUT:



TASK 8:

Lab > LAB6 > <> qn8.html > html > body > p.indent

```
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5      <title>CSS Text Properties</title>
6      <style>
7          body{
8              font-family: Arial, sans-serif;
9              margin: 30px;
10             background-color: #f2f2f2;
11         }
12         .color{
13             color: blue;
14         }
15         .align{
16             text-align: center;
17         }
18         .decoration{
19             text-decoration: underline;
20         }
21         .transform{
22             text-transform: uppercase;
23         }
24         .indent{
25             text-indent: 50px;
26         }
27         .letter{
28             letter-spacing: 5px;
29         }
30         .word{
31             word-spacing: 15px;
32         }
33         .line{
34             line-height: 2;
35         }
36         .shadow{
37             text-shadow: 2px 2px 5px gray;
```


```
39     }
40     .white{
41         white-space: pre;
42     }
43     .overflow{
44         width: 250px;
45         white-space: nowrap;
46         overflow: hidden;
47         text-overflow: ellipsis;
48         border: 1px solid black;
49     }
```

```


50     .direction{
51         direction: rtl;
52     }
53     .vertical{
54         vertical-align: super;
55     }
56 </style>
57 </head>
58 <body>
59     <h1 class="color">Text Color</h1>
60     <h2 class="align">Center Aligned Text</h2>
61     <p class="decoration">This text is underlined.</p>
62     <p class="transform">This text becomes uppercase.</p>
63     <p class="indent">
64         This paragraph has a text indent at the beginning.
65     </p>
66     <p class="letter">Letter Spacing Example</p>
67     <p class="word">Word Spacing Example Here</p>
68     <p class="line">
69         This paragraph demonstrates line height.<br>
70         The spacing between lines is increased.
71     </p>
72     <h2 class="shadow">Text Shadow</h2>
73     <p class="white">
74         This text
75         keeps spaces
76         and line breaks.
77     </p>
78     <p class="overflow">
79         This is a very long sentence that will not fit inside the box and will disp
80     </p>
81     <p class="direction">This text is displayed from right to left.</p>
82     <p>H<sup class="vertical">2</sup>0</p>
83 </body>
84 </html>

```


OUTPUT:



TASK 9:



```
30 <h2>CSS List Properties</h2>
31 <h3>1. list-style-type</h3>
32 <ul class="list-type">
33 |   <li>Apple</li>
34 |   <li>Banana</li>
35 |   <li>Mango</li>
36 </ul>
37 <h3>2. list-style-position</h3>
38 <ol class="list-position">
39 |   <li>HTML</li>
40 |   <li>CSS</li>
41 |   <li>JavaScript</li>
42 </ol>
43 <h3>3. list-style-image</h3>
44 <ul class="list-image">
45 |   <li>Red</li>
46 |   <li>Green</li>
47 |   <li>Blue</li>
48 </ul>
49 <h3>4. list-style (Shorthand)</h3>
50 <ul class="list-shorthand">
51 |   <li>Computer</li>
52 |   <li>Keyboard</li>
53 |   <li>Mouse</li>
54 </ul>
55 <h3>5. No List Marker</h3>
56 <ul class="no-marker">
57 |   <li>Home</li>
58 |   <li>About</li>
59 |   <li>Contact</li>
60 </ul>
61 </body>
62 </html>
```

OUTPUT:

CSS List Properties

1. list-style-type

- Apple
- Banana
- Mango

2. list-style-position

1. HTML
2. CSS
3. JavaScript

3. list-style-image

- Red
- Green
- Blue

4. list-style (Shorthand)

- Computer
- Keyboard
- Mouse

5. No List Marker

Home
About
Contact

TASK 10:

```
Lab > LAB6 > <> qn10.html > <html> <body> <p.hidden>
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5      <title>CSS Positioning and Layout</title>
6      <style>
7          body{
8              font-family: Arial, sans-serif;
9              margin: 20px;
10         }
11         .display{
12             display: inline-block;
13             width: 150px;
14             height: 50px;
15             background: lightblue;
16             border: 1px solid black;
17             margin: 10px;
18             text-align: center;
19             line-height: 50px;
20         }
21         .relative{
22             position: relative;
23             left: 30px;
24             background: lightgreen;
25         }
26         .absolute-container{
27             position: relative;
28             width: 300px;
29             height: 150px;
30             border: 2px solid black;
31             margin: 20px 0;
32         }
33         .absolute{
34             position: absolute;
35             top: 20px;
36             left: 40px;
37             background: orange;
38             padding: 10px;
39         }
40         .fixed{
41             position: fixed;
42             top: 10px;
43             right: 10px;
44             background: red;
45             color: white;
46             padding: 10px;
47         }
48         .sticky{
```

```

49     position: sticky;
50     top: 0;
51     background: yellow;
52     padding: 10px;
53 }
54 .float-left{
55     float: left;
56     width: 120px;
57     background: pink;
58     margin-right: 10px;
59 }
60 .clear{
61     clear: both;
62 }
63 .overflow{
64     width: 250px;
65     height: 80px;
66     overflow: auto;
67     border: 1px solid black;
68     margin-top: 20px;
69 }
70 .box1{
71     position: absolute;
72     top: 20px;
73     left: 20px;
74     width: 120px;
75     height: 120px;
76     background: lightcoral;
77     z-index: 1;
78 }
79 .box2{

```

```

80     position: absolute;
81     top: 60px;
82     left: 60px;
83     width: 120px;
84     height: 120px;
85     background: lightseagreen;
86     z-index: 2;
87 }
88 .hidden{
89     visibility: hidden;
90 }
91 .flex{
92     display: flex;
93     gap: 10px;
94     margin-top: 20px;
95 }
96 .flex div{
97     background: lightblue;

```

```

97         background: lightblue;
98         padding: 20px;
99     }
100     .grid{
101         display: grid;
102         grid-template-columns: repeat(3,1fr);
103         gap: 10px;
104         margin-top: 20px;
105     }
106     .grid div{
107         background: lightgreen;
108         padding: 20px;
109         text-align: center;
110     }
111 </style>
112 </head>
113 <body>
114     <div class="fixed">Fixed Box</div>
115     <h2>CSS Positioning and Layout</h2>
116     <div class="display">Inline-Block</div>
117     <div class="display relative">Relative</div>
118     <div class="absolute-container">
119         <div class="absolute">Absolute</div>
120     </div>
121     <div class="sticky">Sticky Header</div>
122     <div class="float-left">
123         Float Left
124     </div>
125     <p>
126         This paragraph wraps around the floated element.
127     </p>

```

```

128     <div class="clear"></div>
129     <div class="overflow">
130         Lorem ipsum dolor sit amet, consectetur adipiscing elit.
131         Vestibulum viverra, sapien non malesuada luctus, erat
132         orci tincidunt nisl, vel feugiat nisi lorem sed elit.
133     </div>
134     <div style="position:relative;height:220px;margin-top:20px;">
135         <div class="box1">z-index 1</div>
136         <div class="box2">z-index 2</div>
137     </div>
138     <p class="hidden">This text is hidden.</p>
139     <h3>Flex Layout</h3>
140     <div class="flex">
141         <div>Box 1</div>
142         <div>Box 2</div>
143         <div>Box 3</div>
144     </div>

```

```

145     <h3>Grid Layout</h3>
146     <div class="grid">
147         <div>1</div>
148         <div>2</div>
149         <div>3</div>
150         <div>4</div>
151         <div>5</div>
152         <div>6</div>
153     </div>
154 </body>
155 </html>

```

OUTPUT:

CSS Positioning and Layout

Inline-Block

Relative

Absolute

Sticky Header

Float Left

This paragraph wraps around the floated element.

Lorem ipsum dolor sit amet,
 consectetur adipiscing elit.
 Vestibulum viverra, sapien non
 malesuada luctus, erat orci

z-index 1

z-index 2

Flex Layout

Box 1

Box 2

Box 3

Grid Layout

1	2	3
4	5	6

TASK 11:

```
Lab > LAB6 > <> qn11.html > html > head > style > table
1  <!DOCTYPE html>
2  <html lang="en">
3  <head>
4  <meta charset="UTF-8">
5  <title>Striped Hoverable Table</title>
6  <style>
7      body {
8          font-family: Arial, sans-serif;
9          margin: 30px;
10     }
11     table {
12         width: 70%;
13         border-collapse: collapse;
14         margin: auto;
15     }
16     th {
17         background-color: #4CAF50;
18         color: white;
19         padding: 12px;
20         text-align: left;
21     }
22     td {
23         border: 1px solid #ddd;
24         padding: 10px;
25     }
26     tr:nth-child(even) {
27         background-color: #f2f2f2;
28     }
29     tr:hover {
30         background-color: #ddd;
31     }
32 </style>
33 </head>
34 <body>
35 <h2 style="text-align:center;">Striped Hoverable Table</h2>
36 <table>
37     <tr>
38         <th>ID</th>
39         <th>Name</th>
40         <th>Course</th>
41         <th>Grade</th>
42     </tr>
43     <tr>
```



```

43     <tr>
44         <td>101</td>
45         <td>John</td>
46         <td>HTML</td>
47         <td>A</td>
48     </tr>
49     <tr>
50         <td>102</td>
51         <td>Emma</td>
52         <td>CSS</td>
53         <td>A+</td>
54     </tr>
55     <tr>
56         <td>103</td>
57         <td>David</td>
58         <td>JavaScript</td>
59         <td>B+</td>
60     </tr>
61     <tr>
62         <td>104</td>
63         <td>Sophia</td>
64         <td>Python</td>
65         <td>A</td>
66     </tr>
67     <tr>
68         <td>105</td>
69         <td>Michael</td>
70         <td>Java</td>
71         <td>B</td>
72     </tr>
73 </table>
74 </body>
75 </html>

```

OUTPUT:

Striped Hoverable Table

ID	Name	Course	Grade
101	John	HTML	A
102	Emma	CSS	A+
103	David	JavaScript	B+
104	Sophia	Python	A
105	Michael	Java	B

TASK 12:

```
Lab > LAB6 > <> qn12.html > html > body > h2
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>Cursor Properties</title>
5      <style>
6          .pointer {
7              cursor: pointer;
8          }
9
10         .text {
11             cursor: text;
12         }
13
14         .move {
15             cursor: move;
16         }
17
18         .wait {
19             cursor: wait;
20         }
21
22         .help {
23             cursor: help;
24         }
25
26         div {
27             width: 220px;
28             padding: 10px;
29             margin: 10px;
30             border: 1px solid black;
31             background-color: lightgray;
32         }
33     </style>
34 </head>
35 <body>
36     <h2>CSS Cursor Properties</h2>
37     <div class="pointer">Pointer Cursor</div>
```

```

</div>
<div class="pointer">Pointer Cursor</div>
<div class="text">Text Cursor</div>
<div class="move">Move Cursor</div>
<div class="wait">Wait Cursor</div>
<div class="help">Help Cursor</div>
</body>
</html>

```

OUTPUT:

CSS Cursor Properties

Pointer Cursor

Text Cursor

Move Cursor

Wait Cursor

Help Cursor

TASK 13:

```

Lab > <> qn13.html > html > head > style > .blur
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>CSS Image Filter Properties</title>
5      <style>
6          img {
7              width: 200px;
8              height: 150px;
9              margin: 10px;
10         }
11         .blur {
12             filter: blur(3px);
13         }
14         .brightness {
15             filter: brightness(150%);
16         }
17         .contrast {
18             filter: contrast(200%);
19         }

```


```

20     .grayscale {
21         filter: grayscale(100%);
22     }
23     .sepia {
24         filter: sepia(100%);
25     }
26     .invert {
27         filter: invert(100%);
28     }
29     .opacity {
30         filter: opacity(50%);
31     }
32     .saturate {
33         filter: saturate(200%);
34     }
35     .hue {
36         filter: hue-rotate(90deg);
37     }
38     .shadow {
39         filter: drop-shadow(5px 5px 5px gray);
40     }
41 </style>
42 </head>
43 <body>
44 <h2>CSS Image Filter Properties</h2>
45 
46 
47 
48 
49 
50 
51 
52 
53 
54 
55 
56 
57 
58 
59 </body>
60 </html>

```

OUTPUT:

CSS Image Filter Properties




TASK 14:

```
Lab > <> qn14.html > html > body > div.box
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>CSS Box Model</title>
5      <style>
6          .box {
7              width: 300px;
8              height: 150px;
9              padding: 20px;
10             border: 5px solid blue;
11             margin: 30px;
12             background-color: lightyellow;
13             text-align: center;
14             font-family: Arial, sans-serif;
15         }
16     </style>
17 </head>
18 <body>
19     <h2>CSS Box Model Example</h2>
20     <div class="box">
21         <h3>Your Name</h3>
22         <p>Content Area</p>
23         <p>Padding: 20px</p>
24         <p>Border: 5px Solid Blue</p>
25         <p>Margin: 30px</p>
26     </div>
27 </body>
28 </html>
```

OUTPUT:

CSS Box Model Example



TASK 15:

```
Lab > LAB6 > qn15.html > html > head > title
1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>CSS Units Example</title>
5      <style>
6          body {
7              font-family: Arial, sans-serif;
8              font-size: 16px;
9          }
10         .px { font-size: 20px; }
11         .pt { font-size: 18pt; }
12         .cm { width: 5cm; background: lightblue; }
13         .mm { width: 50mm; background: lightgreen; }
14         .in { width: 2in; background: lightpink; }
15         .em { font-size: 2em; }
16         .rem { font-size: 2rem; }
17         .percent { width: 50%; background: lightyellow; }
18         .vw { width: 50vw; background: lightgray; }
19         .vh { height: 20vh; background: lightcoral; }
20     </style>
21 </head>
22 <body>
```

```

23     <h2>CSS Units Example</h2>
24     <h3>Absolute Units</h3>
25     <p class="px">20px (Pixels)</p>
26     <p class="pt">18pt (Points)</p>
27     <div class="cm">Width: 5cm</div><br>
28     <div class="mm">Width: 50mm</div><br>
29     <div class="in">Width: 2in</div>
30     <h3>Relative Units</h3>
31     <p class="em">2em Font Size</p>
32     <p class="rem">2rem Font Size</p>
33     <div class="percent">Width: 50%</div><br>
34     <div class="vw">Width: 50vw</div><br>
35     <div class="vh">Height: 20vh</div>
36 </body>
37 </html>

```

OUTPUT:

CSS Units Example

Absolute Units

20px (Pixels)

18pt (Points)

Width: 5cm

Width: 50mm

Width: 2in

Relative Units

2em Font Size

2rem Font Size

Width: 50%

Width: 50vw

Height: 20vh



TASK 16:

```
Lab > LAB6 > qn16.html > html > head > style > .heart::before
2  <html>
3  <head>
4  <style>
5      .star::before {
6          color: gold;
7          font-size: 30px;
8      }
9      .heart::before {
10         content: "\2665";
11         color: red;
12         font-size: 30px;
13     }
14     .copyright::after {
15         content: "\00A9";
16         color: blue;
17     }
18     .arrow::before {
19         content: "\2192";
20         color: green;
21     }
22     .check::before {
23         content: "\2713";
24         color: green;
25     }
26 </style>
27 </head>
28 <body>
29     <h2>CSS Unicode Entities Example</h2>
30     <p class="star">Star Symbol</p>
31     <p class="heart">Heart Symbol</p>
32     <p class="copyright">2026 My Website</p>
33     <p class="arrow">Next Page</p>
34     <p class="check">Completed</p>
35 </body>
36 </html>
```


OUTPUT:

CSS Unicode Entities Example

★ Star Symbol

♥ Heart Symbol

2026 My Website©

→Next Page

✓Completed

TASK 17:

Lab > LAB6 > < qn17.html > < html > < head > < style > < .box-sizing

```
1 <!DOCTYPE html>
2 <html>
3 <head>
4 <title>CSS Properties Examples</title>
5 <style>
6     /* a. Box Sizing */
7     .box-sizing {
8         width: 300px;
9         padding: 20px;
10        border: 5px solid blue;
11        box-sizing: border-box;
12    }
13    /* b. Accent Color */
14    input {
15        accent-color: green;
16    }
17    /* c. Box Shadow */
18    .box-shadow {
19        width: 200px;
20        padding: 20px;
21        background: lightblue;
22        box-shadow: 5px 5px 10px gray;
23    }
24    /* d. Outline */
25    .outline {
26        outline: 3px dashed red;
27    }
28    /* e. Overflow */
29    .overflow {
30        width: 200px;
31        height: 50px;
32        overflow: auto;
33        border: 1px solid black;
34    }
35    /* f. Visibility */
36    .visibility {
37        visibility: hidden;
```

```

38     }
39     /* g. Z-index */
40     .zindex1, .zindex2 {
41         position: absolute;
42         width: 100px;
43         height: 100px;
44     }
45     .zindex1 {
46         background: ■ red;
47         z-index: 1;
48     }
49     .zindex2 {
50         background: ■ blue;
51         left: 50px;
52         top: 50px;
53         z-index: 2;
54     }
55     /* h. Zoom */
56     .zoom {
57         zoom: 150%;
58     }
59     /* i. Word Break */
60     .word-break {
61         width: 150px;
62         word-break: break-all;
63     }
64     /* j. User Select */
65     .user-select {
66         user-select: none;
67     }
68     /* k. Transition */
69     .transition {
70         width: 100px;
71         height: 100px;

```

```

72         background: ■ orange;
73         transition: width 2s;
74     }
75     .transition:hover {
76         width: 200px;
77     }

```

```

78     .transform {
79         width: 100px;
80         height: 100px;
81         background: ■ pink;
82         transform: rotate(45deg);
83     }
84     .scroll {
85         width: 200px;
86         height: 80px;
87         overflow: scroll;
88     }
89     .paint {
90         background: ■ yellow;
91         position: relative;
92         z-index: 5;
93     }
94     .transfer {
95         transform: translate(50px,20px);
96     }
97     .transform2 {
98         transform: scale(1.5);
99     }
100 </style>
101 </head>
102 <body>
103 <h2>CSS Properties Examples</h2>
104 <div class="box-sizing">Box Sizing</div>
105 <br>
106 <input type="checkbox" checked> Accent Color
107 <br><br>
108 <div class="box-shadow">Box Shadow</div>
109 <br>
110 <p class="outline">Outline Example</p>
111 <div class="overflow">

```

```

111 <div class="overflow">
112 This text is long and demonstrates overflow property
113 </div>
114 <p class="visibility">This text is hidden using vis:
115 <div class="zindex1"></div>
116 <div class="zindex2"></div>
117 <br><br><br>
118 <p class="zoom">Zoom Property Example</p>
119 <p class="word-break">

```

```

120 Thisisaverylongwordthatwillbreakusingwordbreakproperty
121 </p>
122 <p class="user-select">
123 This text cannot be selected.
124 </p>
125 <div class="transition">
126 Hover me
127 </div>
128 <br>
129 <div class="transform">
130 Rotate
131 </div>
132 <br><br>
133 <div class="scroll">
134 This box has scroll property. Add more content to see
135 </div>
136 <p class="paint">Paint Order Example</p>
137 <p class="transfer">Translate Example</p>
138 <p class="transform2">Scale Transform</p>
139 </body>
140 </html>


```

OUTPUT:


CSS Properties Examples



✔ Accent Color



Outline Example







Property Example

This is a very long word that
at will break using word
break property.

This text cannot be selected.

Hover me



This box has scroll property. ▲
Add more content to see
scrolling effect. ▼



Paint Order Example

Translate Example