OUTPUT:

Skill-2

2400030531

D.V.Ujwal





OUTPUT:


S-56 - HibernateInventory/src/main/java/com/inventory/entity/Product.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer
Product.java
ProductDAO.java
App.java
hibernate.cf...
Outline
Task List
package com.inventory.entity;
import jakarta.persistence.*;
@Entity
@Table(name = "products")
public class Product {
@Id
@GeneratedValue(strategy = GenerationType.AUTO)
private int id;
private String name;
private String description;
private double price;
private int quantity;
public Product() {}
public Product(String name, String description, double price, int quantity) {
this.name = name;
this.description = description;
this.price = price;
this.quantity = quantity;
}
public int getId() { return id; }
public String getName() { return name; }
public void setName(String name) { this.name = name; }
com.inventory.entity
Product
id : int
name : String
description : String
price : double
quantity : int
Product()
Product(String, String, double, int)
getId() : int
getName() : String
setName(String) : void
getDescription() : String
setDescription(String) : void
getPrice() : double
setPrice(double) : void
getQuantity() : int
setQuantity(int) : void
Problems Javadoc Declaration Console Coverage Eclipse IDE for Enterprise Java and Web Developers 2025-12 Release
Hibernate: update products_SEQ set next_val= ? where next_val=?
Hibernate: insert into products (description,name,price,quantity,id) values (?,?,?,?,?)
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: update products set description=?,name=?,price=?,quantity=? where id=?
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: delete from products where id=?
Writable
Smart Insert
40 : 2 : 1117
Search
ENG IN
14:41
11-02-2026


S-56 - HibernateInventory/src/main/java/com/inventory/dao/ProductDAO.java - Eclipse IDE
File Edit Source Refactor Navigate Search Project Run Window Help
Package Explorer
Product.java
ProductDAO.java
App.java
hibernate.cf...
Outline
Task List
public class ProductDAO {
public void saveProduct(Product product) {
Session session = HibernateUtil.getSessionFactory().openSession();
Transaction tx = session.beginTransaction();
session.save(product);
tx.commit();
session.close();
}
public Product getProduct(int id) {
Session session = HibernateUtil.getSessionFactory().openSession();
Product product = session.get(Product.class, id);
session.close();
return product;
}
public void updateProduct(int id, double price, int quantity) {
Session session = HibernateUtil.getSessionFactory().openSession();
Transaction tx = session.beginTransaction();
Product product = session.get(Product.class, id);
product.setPrice(price);
product.setQuantity(quantity);
session.update(product);
com.inventory.dao
ProductDAO
saveProduct(Product) : void
getProduct(int) : Product
updateProduct(int, double, int) : void
deleteProduct(int) : void
Problems Javadoc Declaration Console Coverage Eclipse IDE for Enterprise Java and Web Developers 2025-12 Release
Hibernate: update products_SEQ set next_val= ? where next_val=?
Hibernate: insert into products (description,name,price,quantity,id) values (?,?,?,?,?)
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: update products set description=?,name=?,price=?,quantity=? where id=?
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: delete from products where id=?
The Cricket Tales
T20i World Cup 2026 13th T20I Match : Afganistan Vs South Afri...
Writable
Smart Insert
9 : 24 [10]
Search
ENG IN
14:42
11-02-2026

OUTPUT:


S-56 - HibernateInventory/src/main/resources/hibernate.cfg.xml - Eclipse IDE
File Edit Source Navigate Search Project Run Window Help
Package Explorer
delete [S-56 master ↑1]
demo
hibernate-crud [S-56 master ↑1]
HibernateInventory [S-56 master ↑1]
src/main/java
com.inventory.dao
ProductDAO.java
com.inventory.entity
Product.java
com.inventory.main
App.java
com.inventory.util
HibernateUtil.java
src/main/resources
hibernate.cfg.xml
src/test/java
src/test/resources
JRE System Library [JavaSE-1.8]
Maven Dependencies
src
main
test
target
pom.xml
jdbcexample [S-56 master ↑1]
HibernateIn...
Product.java
HibernateUti...
ProductDAO.java
App.java
hibernate.cf...
<!DOCTYPE hibernate-configuration PUBLIC
"-//Hibernate/Hibernate Configuration DTD 3.0//EN"
"http://hibernate.sourceforge.net/hibernate-configuration-3.0.dtd">
<hibernate-configuration>
<session-factory>
<property name="hibernate.connection.driver_class">com.mysql.cj.jdbc.Driver</property>
<property name="hibernate.connection.url">
jdbc:mysql://localhost:3306/inventory_db
</property>
<property name="hibernate.connection.username">root</property>
<property name="hibernate.connection.password">Ujwal2007@</property>
<property name="hibernate.dialect">org.hibernate.dialect.MySQLDialect</property>
<property name="hibernate.hbm2ddl.auto">update</property>
<property name="hibernate.show_sql">true</property>
<mapping class="com.inventory.entity.Product"/>
</session-factory>
</hibernate-configuration>
Design
Source
Outline
Task List
DOCTYPE:hibernate-configuration
hibernate-configuration
session-factory
property name=hibernate.dialect
property name=hibernate.hbm2ddl.auto
property name=hibernate.show_sql
mapping class=com.inventory.entity.Product
Problems
Javadoc
Declaration
Console
Coverage
Eclipse IDE for Enterprise Java and Web Developers 2025-12 Release
Hibernate: update products_SEQ set next_val= ? where next_val=?
Hibernate: insert into products (description,name,price,quantity,id) values (?,?,?,?,?)
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: update products set description=?,name=?,price=?,quantity=? where id=?
Hibernate: select p1_0.id,p1_0.description,p1_0.name,p1_0.price,p1_0.quantity from products p1_0 where p1_0.id=?
Hibernate: delete from products where id=?
hibernate-configuration/session-factory/property
Writable
Smart Insert
15 : 66 : 597
Search
ENG
IN
14:42
11-02-2026

OUTPUT:


Package Explorer
> delete [S-56 master ↑1]
demo
> hibernate-crud [S-56 master ↑1]
> HibernateInventory [S-56 master ↑1]
> src/main/java
> com.inventory.dao
ProductDAO.java
> com.inventory.entity
Product.java
> com.inventory.main
App.java
> com.inventory.util
HibernateUtil.java
> src/main/resources
hibernate.cfg.xml
src/test/java
src/test/resources
JRE System Library [JavaSE-1.8]
Maven Dependencies
> src
> main
test
target
pom.xml
> jdbcexample [S-56 master ↑1]
hibernate-configuration/session-factory/property
Search

OUTPUT:



1. What is ORM and why is it used in application development?

A) ORM (Object Relational Mapping) is a technique that maps Java objects to database tables. It allows developers to interact with the database using Java objects instead of writing SQL queries.

Why used:

- Reduces SQL code
- Improves productivity
- Makes applications database-independent

2. Which annotation is used to mark a class as a JPA entity?

A) The @Entity annotation is used to mark a class as a JPA entity.

3. Why must every Hibernate entity have a primary key?

A) Every Hibernate entity must have a primary key to uniquely identify each record in the database and to manage persistence operations like update and delete.

4. How do you update an existing record using Hibernate?

A) To update a record, we retrieve the entity using its ID, modify its values, and then call the update() method inside a transaction.

OUTPUT:

5. What is the difference between get() and load() in Hibernate?

A)

get()	**load()**
Returns actual object	Returns proxy object
Returns null if not found	Throws exception if not found
Hits database immediately	Hits database lazily