





The screenshot shows the Eclipse IDE with the `AdminController.java` file open. The code defines a REST controller for admin operations. The console output shows the application starting successfully, with messages from HikariPool, JPA EntityManager, and Spring.

```
1 package com.klu.controller;
2
3 import org.springframework.web.bind.annotation.*;
4
5
6 @RestController
7 @RequestMapping("/admin")
8 @CrossOrigin(origins = "**")
9 public class AdminController {
10
11     @PostMapping("/add")
12     public ResponseEntity<String> addRecord() {
13         return ResponseEntity.ok("Admin: Record Added Successfully");
14     }
15
16     @DeleteMapping("/delete")
17     public ResponseEntity<String> deleteRecord() {
18         return ResponseEntity.ok("Admin: Record Deleted Successfully");
19     }
20
21 }
```

Console Output:

```
2026-04-09T18:52:32.862+05:30 INFO 17784 --- [Studentrepo] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start
2026-04-09T18:52:32.925+05:30 WARN 17784 --- [Studentrepo] [main] org.hibernate.orm.deprecation : HHH000002: MySQL
2026-04-09T18:52:33.592+05:30 INFO 17784 --- [Studentrepo] [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA p
Hibernate: alter table users add column role varchar(255)
2026-04-09T18:52:33.736+05:30 INFO 17784 --- [Studentrepo] [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA Ent
2026-04-09T18:52:34.065+05:30 WARN 17784 --- [Studentrepo] [main] org.hibernate.orm.deprecation : HHH000002: MySQL
2026-04-09T18:52:34.327+05:30 INFO 17784 --- [Studentrepo] [main] o.s.s.web.DefaultSecurityFilterChain : Will secure any req
2026-04-09T18:52:34.542+05:30 INFO 17784 --- [Studentrepo] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on po
2026-04-09T18:52:34.552+05:30 INFO 17784 --- [Studentrepo] [main] com.klu.StudentrepoApplication : Started Studentrepo
2026-04-09T18:55:06.110+05:30 INFO 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring
2026-04-09T18:55:06.114+05:30 INFO 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Initializing Servlet
2026-04-09T18:55:06.137+05:30 WARN 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
Hibernate: insert into users (email,password,role,username) values (?, ?, ?, ?)
```



The screenshot shows the Eclipse IDE with the `User.java` file open. The code defines a JPA entity for users. The console output shows the application starting successfully, with messages from HikariPool, JPA EntityManager, and Spring.

```
1 package com.klu.model;
2
3 import jakarta.persistence.*;
4
5 @Entity
6 @Table(name = "users")
7 public class User {
8
9     @Id
10     @GeneratedValue(strategy = GenerationType.IDENTITY)
11     private Long id;
12
13     private String username;
14     private String email;
15     private String password;
16     private String role;
17
18     public User() {}
19
20     public Long getId() { return id; }
21     public String getUsername() { return username; }
22     public String getEmail() { return email; }
23     public String getPassword() { return password; }
24     public String getRole() { return role; }
25
26     public void setId(Long id) { this.id = id; }
27     public void setUsername(String username) { this.username = username; }
28     public void setEmail(String email) { this.email = email; }
29 }
```

Console Output:

```
2026-04-09T18:52:32.862+05:30 INFO 17784 --- [Studentrepo] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start
2026-04-09T18:52:32.925+05:30 WARN 17784 --- [Studentrepo] [main] org.hibernate.orm.deprecation : HHH000002: MySQL
2026-04-09T18:52:33.592+05:30 INFO 17784 --- [Studentrepo] [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA p
Hibernate: alter table users add column role varchar(255)
2026-04-09T18:52:33.736+05:30 INFO 17784 --- [Studentrepo] [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA Ent
2026-04-09T18:52:34.065+05:30 WARN 17784 --- [Studentrepo] [main] org.hibernate.orm.deprecation : HHH000002: MySQL
2026-04-09T18:52:34.327+05:30 INFO 17784 --- [Studentrepo] [main] o.s.s.web.DefaultSecurityFilterChain : Will secure any req
2026-04-09T18:52:34.542+05:30 INFO 17784 --- [Studentrepo] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on po
2026-04-09T18:52:34.552+05:30 INFO 17784 --- [Studentrepo] [main] com.klu.StudentrepoApplication : Started Studentrepo
2026-04-09T18:55:06.110+05:30 INFO 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring
2026-04-09T18:55:06.114+05:30 INFO 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Initializing Servlet
2026-04-09T18:55:06.137+05:30 WARN 17784 --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
Hibernate: insert into users (email,password,role,username) values (?, ?, ?, ?)
```

SKILL-15

The screenshot shows the Eclipse IDE with the `SecurityConfig.java` file open. The file is part of the `com.klu.security` package and implements the `SecurityFilterChain` for `HttpSecurity`. It includes configurations for CSRF, CORS, and authentication. The console output shows the application starting successfully, with messages from HikariPool, MySQL, and Spring.

```
1 package com.klu.security;
2
3 import org.springframework.beans.factory.annotation.Autowired;
4
5 @Configuration
6 @EnableWebSecurity
7 public class SecurityConfig {
8
9     @Autowired
10     private JwtFilter jwtFilter;
11
12     @Autowired
13     private UserDetailsServiceImpl userDetailsServiceImpl;
14
15     @Bean
16     public SecurityFilterChain securityFilterChain(HttpSecurity http) throws Exception {
17         return http
18             .csrf(csrf -> csrf.disable())
19             .cors(cors -> cors.configurationSource(request -> {
20                 CorsConfiguration cfg = new CorsConfiguration();
21                 cfg.setAllowedOrigins(List.of(""));
22                 cfg.setAllowedMethods(List.of("GET", "POST", "PUT", "DELETE", "OPTIONS"));
23                 cfg.setAllowedHeaders(List.of(""));
24                 return cfg;
25             }))
26             .authorizeHttpRequests(auth -> auth
27                 .requestMatchers("/login", "/register").permitAll()
28                 .requestMatchers("/admin/**").hasRole("ADMIN")
29             )
30         ;
31     }
32 }
```

Console Output:

```
2026-04-09T18:52:32.862+05:30 INFO --- [Studentrepo] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start
2026-04-09T18:52:32.925+05:30 WARN --- [Studentrepo] [main] org.hibernate.orm.deprecation : HH000000025: MySQL p
2026-04-09T18:52:33.592+05:30 INFO --- [Studentrepo] [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA p
2026-04-09T18:52:33.716+05:30 INFO --- [Studentrepo] [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA Ent
2026-04-09T18:52:34.065+05:30 WARN --- [Studentrepo] [main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-
2026-04-09T18:52:34.327+05:30 INFO --- [Studentrepo] [main] o.s.s.web.DefaultSecurityFilterChain : Will secure any req
2026-04-09T18:52:34.542+05:30 INFO --- [Studentrepo] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on p
2026-04-09T18:52:34.552+05:30 INFO --- [Studentrepo] [main] com.klu.StudentrepoApplication : Started Studentrepo
2026-04-09T18:55:06.110+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring
2026-04-09T18:55:06.110+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Initializing Servlet
2026-04-09T18:55:06.114+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Completed Initia
2026-04-09T18:55:06.137+05:30 WARN --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
2026-04-09T18:55:06.137+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
2026-04-09T18:55:06.137+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
Hibernate: insert into users (email,password,role,username) values (?,?,?,?)
```



The screenshot shows the Eclipse IDE with the `UserDetailsServiceImpl.java` file open. The file is part of the `com.klu.security` package and implements the `UserDetailsService` interface. It includes a method `loadUserByUsername` that returns a `User` object. The console output is the same as the previous screenshot.

```
1 package com.klu.security;
2
3 import com.klu.model.User;
4
5 @Service
6 public class UserDetailsServiceImpl implements UserDetailsService {
7
8     @Autowired
9     private UserRepository repository;
10
11     @Override
12     public User loadUserByUsername(String username) throws UsernameNotFoundException {
13         User user = repository.findByUsername(username);
14         if (user == null) {
15             throw new UsernameNotFoundException("User not found: " + username);
16         }
17         return new org.springframework.security.core.userdetails.User(
18             user.getUsername(),
19             user.getPassword(),
20             Collections.singletonList(new SimpleGrantedAuthority("ROLE_" + user.getRole()))
21         );
22     }
23 }
```



Console Output:

```
2026-04-09T18:52:32.862+05:30 INFO --- [Studentrepo] [main] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Start
2026-04-09T18:52:32.925+05:30 WARN --- [Studentrepo] [main] org.hibernate.orm.deprecation : HH000000025: MySQL p
2026-04-09T18:52:33.592+05:30 INFO --- [Studentrepo] [main] o.h.e.t.j.p.i.JtaPlatformInitiator : HHH000489: No JTA p
2026-04-09T18:52:33.716+05:30 INFO --- [Studentrepo] [main] j.LocalContainerEntityManagerFactoryBean : Initialized JPA Ent
2026-04-09T18:52:34.065+05:30 WARN --- [Studentrepo] [main] JpaBaseConfiguration$JpaWebConfiguration : spring.jpa.open-in-
2026-04-09T18:52:34.327+05:30 INFO --- [Studentrepo] [main] o.s.s.web.DefaultSecurityFilterChain : Will secure any req
2026-04-09T18:52:34.542+05:30 INFO --- [Studentrepo] [main] o.s.b.w.embedded.tomcat.TomcatWebServer : Tomcat started on p
2026-04-09T18:52:34.552+05:30 INFO --- [Studentrepo] [main] com.klu.StudentrepoApplication : Started Studentrepo
2026-04-09T18:55:06.110+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.a.c.c.C.[Tomcat].[localhost].[/] : Initializing Spring
2026-04-09T18:55:06.110+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Initializing Servlet
2026-04-09T18:55:06.114+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.web.servlet.DispatcherServlet : Completed Initia
2026-04-09T18:55:06.137+05:30 WARN --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
2026-04-09T18:55:06.137+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
2026-04-09T18:55:06.137+05:30 INFO --- [Studentrepo] [nio-8080-exec-5] o.s.w.s.h.HandlerMappingIntrospector : Cache miss for REQU
Hibernate: insert into users (email,password,role,username) values (?,?,?,?)
```

SKILL-15



SKILL-15



GitHub: https://github.com/Ujwal200707/FSAD_SKILL_EXPERIMENTS.git